

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

HAWAIIAN VOLCANO OBSERVATORY

SUMMARY 29

January, February, and March, 1963

By

Robert Y. Koyanagi, Arnold T. Okamura,

Harold L. Krivoy, and Akira Yamamoto





UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Chronological summary 1
Tilting of the ground around Kilauea caldera 11
Seismic summary 15
Forward to agencies reporting felt earthquakes during the quarter 20

Illustrations

Figure 1. Map of the HAWAIIAN VOLCANO OBSERVATORY geograph stations 3

SUMMARY 29

January, February, and March, 1963

By

Robert Y. Koyanagi, Arnold T. Okamura,
Harold L. Krivoy, and Akira Yamamoto

Table 1. Tilt measurements at Hukilau and other stations 4
2. Tilt measurements and changes at other geograph stations 6
3. Numbers of earthquakes and number of tremor recorded from seismographs around Kilauea caldera 9
4. Local earthquakes 14
5. Distant earthquakes 21
6. U.S. Geological Survey geograph stations in Hawaii 31

Issued September 1964

Observatory Staff

Geology:

J. G. Moore (Scientist-in-Charge)
C. K. Wentworth

Geophysics:

G. Kojima
R. Y. Koyanagi
H. L. Krivoy
A. T. Okamura
A. S. Ryall

Geochemistry:

R. T. Okamura

Support:

J. C. Forbes
W. H. Francis
B. J. Loucks
N. Sherrill
A. Yamamoto

Japan-U.S. Cooperative Program

E. T. Endo

Contents

	Page
Chronological summary-----	1
Tilting of the ground around Kilauea caldera-----	4
Seismic summary-----	8
Persons or agencies reporting felt earthquakes during the quarter---	36

Illustrations

Figure 1. Map of the island of Hawaii showing seismograph stations and localities mentioned in the text-----	3
2. Tilting of the ground around Kilauea caldera-----	7

Tables

Table 1. Tilt coordinates at Uwekahuna vault-----	5
2. Tilt coordinates and changes at bases around Kilauea caldera-----	6
3. Numbers of earthquakes and minutes of tremor recorded on seismographs around Kilauea caldera-----	9
4. Local earthquakes-----	14
5. Distant earthquakes-----	21
6. U.S. Geological Survey seismograph stations in Hawaii----	33

including January 2 and 9, the frequency of earthquakes from the source about 30 km beneath Hualalai was about 3 per day during the quarter. A flurry of activity from this source on January 5, however, produced 12 earthquakes. Four of these were felt (nos. 14 and 15).

One five of these earthquakes--which occurred on January 5, magnitude 4.1, was the largest earthquake in Hawaii during the quarter and was felt throughout Hawaii and on Maui and Oahu.

The lower part of Kilauea's east rift zone near Pahoe was the principal source of earthquakes throughout the quarter and of a total of 27 earthquakes during the first week in March. Five earthquakes from this region were felt in Pahoe (table 4, p. 10, 17, and 21).

The largest earthquake in the Waialeale region during February was magnitude 3.1, located 11 km west of Kauhale Point at 3300' on the northeast coast of the island.

Chronological summary

Following its small, sharp subsidence during the December 1962 Aloi eruption, the summit region of Kilauea promptly resumed the cycle of swelling that began in the summer of 1960. A moderate rate of inflation during the first quarter of 1963 is indicated by the average rate of outward tilting at the inner ring of tilt bases (Uwe, TM, Kea, and Kam), which was 11 microradians per month between December 18, 1962, and March 18, 1963. As was true throughout 1962, tilting at Kamokukolau was more rapid than at any other base during this interval.

The average daily count of shallow Kilauea caldera earthquakes diminished from 113 during the first half of January, to 62 during the second half, and to 50 during the first half of February. A moderate resurgence of these earthquakes during the second half of February sent the average daily count to 138. The level of this activity remained moderately high throughout March, with an average of 92 per day.

The frequency of earthquakes from the southwest rift zone of Kilauea and the nearby Kaoiki fault system rose from an average of 6 per day during January to 15 per day during February and March.

The number of earthquakes from the upper part of the east rift zone of Kilauea (near Aloi Crater) also increased during the quarter, from a total of 20 in January, to 49 in February, and to 92 in March. These quakes were particularly frequent late in March, when 83 occurred between the 19th and 27th.

Deep tremor was quite prominent during the quarter with totals of 82 minutes during January, 75 minutes during February, and 119 minutes during March.

Excluding January 8 and 9, the frequency of earthquakes from the source about 30 km beneath Halemaumau was about 5 per day during the entire quarter. A flurry of activity from this source on January 8 and 9, however, produced 154 earthquakes. Four of these were felt (table 4, p. 14 and 15).

The first of these earthquakes--which occurred on January 8, at 09h39m44.9^s, magnitude 4.3, was the largest earthquake in Hawaii during January and was felt throughout Hawaii and on Maui and Oahu.

The lower part of Kilauea's east rift zone near Pahoa was the source of occasional earthquakes throughout the quarter and of a mild swarm of 55 earthquakes during the first week in March. Five earthquakes from this region were felt in Pahoa (table 4, p. 16, 17, and 18).

The largest earthquake in the Hawaiian region during February was not felt. It originated 83 km west of Keahole Point at 09h08^m on the 17th and had a magnitude of 4.1.

Chronological summary

Following the small, weak earthquakes during the December 1965 Aloli eruption, the seismic region of Kilauea properly resumed the cycle of swelling that began in the summer of 1964. A moderate rate of inflation during the first quarter of 1966 is indicated by the average rate of outward tilting at the inner ring of tilt beams (the SW, NW, and NE) which was 2.1 microradians per month between December 28, 1965, and March 15, 1966, as was true throughout 1966. Tilting at Kilauea was more rapid than at any other place during this interval.

The average daily count of shallow Kilauea caldera earthquakes diminished from 115 during the first half of January, to 62 during the second half, and to 39 during the first half of February. A moderate frequency of these earthquakes during the second half of February kept the average daily count at 136. The level of this activity remained relatively high throughout March, with an average of 92 per day.

The frequency of earthquakes from the southwest rift zone of Kilauea and the nearby fissile fault system rose from an average of 6 per day during January to 25 per day during February and March.

The number of earthquakes from the upper part of the east rift zone of Kilauea (near Ahihi Crater) also increased during the quarter, from a total of 25 in January, to 43 in February, and to 52 in March. These quakes were particularly frequent late in March, when 25 occurred between the 15th and 17th.

Deep events were quite abundant during the quarter with totals of 25 shallow events, 17 shallow during February, and 119 shallow during March.

Regarding January 6 and 7, the frequency of earthquakes from the source about 10 km beneath Kilauea was about 5 per day during the entire quarter. A flurry of activity from this source on January 5 and 6, however, produced 10 earthquakes. Four of these were felt (table 4, p. 18 and 19).

The first of three earthquakes—which occurred on January 6, at 09:00, magnitude 4.3, was the largest earthquake to be felt during January and was felt throughout Hawaii and on Maui and Oahu.

The lower part of Kilauea's east rift zone near Pahoe was the source of occasional earthquakes throughout the quarter and of a mild swarm of 35 earthquakes during the first week in March. Five earthquakes from this region were felt in March (table 4, p. 18, 19, and 20).


The largest earthquake in the Hawaiian region during February was not felt. It originated 6 km west of Kilauea Point at 09:00 on the 17th and had a magnitude of 4.1.

During March, 6 earthquakes in the Hawaiian Islands had magnitudes of 3.5 or greater (table 4, p. 18 and 19).

The largest earthquake in March, with a magnitude of 4.5, originated 14 km southeast of Waikii at a depth of about 13 km at 22:32^m on the 24th. It was felt over all of the island of Hawaii and on Maui.

A very interesting earthquake was felt throughout Maui at 07:19^m on March 25. It had a magnitude of 3.9 and originated 35 km beneath Haleakala National Park headquarters. There were neither foreshocks nor aftershocks.

Other earthquakes felt during the quarter are listed in table 4.



During March, 5 earthquakes in the Hawaiian Islands had magnitudes of 3.3 or greater (Table 4, p. 18 and 19).

The largest earthquake in March, with a magnitude of 4.4, originated in the southwest of Waialeale at a depth of about 15 km or 9 miles on the South. It was felt over all of the island of Hawaii and on Maui.

A very interesting earthquake was felt throughout most of Oahu on March 22. It had a magnitude of 3.9 and originated 35 km beneath Waialeale National Park headquarters. There were neither foreshocks nor aftershocks.

Other earthquakes felt during the quarter are listed in Table 4.




Figure 1.--Map of the island of Hawaii showing seismograph stations operated by the Geological Survey and localities mentioned in the text. Epicenters of local earthquakes are given in terms of geographic coordinates, which are indicated at the edges of the map.



Figure 1--Map of the island of Hawaii showing topographic contours operated by the Geological Survey and locations marked in the text. Elevation of local topographic features are given in terms of geographic coordinates, which are indicated at the edge of the map.

Tilting of the ground around Kilauea caldera.--Tilting of the ground around the summit of Kilauea is monitored daily by a short-base water-tube tiltmeter in Uwekahuna Vault (table 1), and at irregular intervals it is measured on a regional scale by means of a network of field tilt bases and a portable water-tube tiltmeter (table 2). The attitude of the ground surface at each tilt base is reported in terms of north-south and east-west tilt coordinates. Both coordinates at each station were arbitrarily set equal to 500 when measurements at that station were begun. Increasing tilt coordinates correspond to northward and eastward tilting of the earth's surface, i.e., to a relative subsidence toward the north and east. A one-unit change in coordinate corresponds to a tilting of 1 microradian (1 mm per km) in the direction indicated.

10	467	467	10	475	475
11	467	467	11	475	475
12	467	467	12	475	475
13	467	467	13	475	475
14	467	467	14	475	475
15	467	467	15	475	475
16	467	467	16	475	475
17	467	467	17	475	475
18	467	467	18	475	475
19	467	467	19	475	475
20	467	467	20	475	475
21	467	467	21	475	475
22	467	467	22	475	475
23	467	467	23	475	475
24	467	467	24	475	475
25	467	467	25	475	475
26	467	467	26	475	475
27	467	467	27	475	475
28	467	467	28	475	475
29	467	467	29	475	475
30	467	467	30	475	475
31	467	467	31	475	475
32	467	467	32	475	475
33	467	467	33	475	475
34	467	467	34	475	475
35	467	467	35	475	475
36	467	467	36	475	475
37	467	467	37	475	475
38	467	467	38	475	475
39	467	467	39	475	475
40	467	467	40	475	475

Tilt of the ground around Uwekahuna Vault. Tilt of the ground around the vault is monitored daily by a short-term water-tube tiltmeter in Uwekahuna Vault (Table 1), and at irregular intervals it is measured on a regional scale by means of a network of tilt tubes and a portable water-tube tiltmeter (Table 2). The attitude of the ground surface at each tilt base is reported in terms of north-south and east-west tilt coordinates. Tilt coordinates at each station were initially set equal to 500 when measurements at that station were begun. Increasing tilt coordinates correspond to movement and downward tilting of the vault's surface. A one-unit change in coordinate corresponds to a tilting of 1 milliradian (1 mrad) in the direction indicated.

Table 1.--Tilt coordinates Uwekahuna Vault, January, February, and March, 1963

Date	N-S	E-W	Date	N-S	E-W
Jan. 6	460	492	Mar. 3	470	486
13	465	492	10	476	482
20	467	490	17	485	482
27	467	490	24	488	482
Feb. 3	467	490	31	489	483
10	468	491			
17	470	487			
24	469	488			

Table 2.--Tilt coordinates and changes at bases around Kilauea caldera, 1st Quarter, 1963 (see fig. 2)

Tilt base (location)	Date (1963)	Tilt coordinates		Rate (10^{-6} rad/mo) and direction of tilting since last reading	Date last reading (1962)
		N-S	E-W		
Uwekahuna ($19^{\circ}25.5'$ N., $155^{\circ}17.4'$ W.)	Mar. 20	471.2	481.2	11.6 N. 28.5° W.	Dec. 10
Tree Molds ($19^{\circ}26.3'$ N., $155^{\circ}17.3'$ W.)	Mar. 19	448.7	511.0	4.0 N. 6.9° W.	Dec. 12
Sand Spit ($19^{\circ}24.1'$ N., $155^{\circ}16.8'$ W.)	Mar. 21	938.5	707.5	13.9 N. 6.0° E.	Dec. 12
Kalihipea ($19^{\circ}21.4'$ N., $155^{\circ}15.3'$ W.)	Mar. 18	568.5	428.3	2.6 S. 33.0° E.	Dec. 11
Keamoku ($19^{\circ}25.1'$ N., $155^{\circ}19.0'$ W.)	Mar. 18	494.5	577.6	10.7 N. 54.1° W.	Dec. 11
Ahua Kamukokolau ($19^{\circ}22.7'$ N., $155^{\circ}16.6'$ W.)	Mar. 19	599.3	539.3	18.5 S. 16.7° E.	Dec. 10
Kipuka Nene ($19^{\circ}19.4'$ W., $155^{\circ}16.7'$ W.)	Mar. 15	507.1	496.7	1.1 S. 5° E.	Dec. 13
Hilina Pali ($19^{\circ}18.2'$ N., $155^{\circ}18.6'$ W.)	Mar. 13	509.6	497.4	0.6 S. 27.6° E.	Oct. 24
Kapapala Ranch ($19^{\circ}20.5'$ N., $155^{\circ}23.8'$ W.)	Mar. 14	497.4	505.0	0.1 S. 27° E.	Dec. 19

(1950-54, M ^o 12, 53 ^o 51' N ^o) Kilauea Iki	(1950-54, M ^o 12, 53 ^o 51' N ^o) Kilauea Iki	(1950-54, M ^o 12, 53 ^o 51' N ^o) Kilauea Iki	(1950-54, M ^o 12, 53 ^o 51' N ^o) Kilauea Iki	(1950-54, M ^o 12, 53 ^o 51' N ^o) Kilauea Iki	(1950-54, M ^o 12, 53 ^o 51' N ^o) Kilauea Iki	(1950-54, M ^o 12, 53 ^o 51' N ^o) Kilauea Iki	(1950-54, M ^o 12, 53 ^o 51' N ^o) Kilauea Iki	(1950-54, M ^o 12, 53 ^o 51' N ^o) Kilauea Iki
1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o
1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o	1950-54, M ^o 12, 53 ^o 51' N ^o




Figure 2.--Tilting of the ground around Kilauea caldera. The vector depicting tilting at a given base points in the direction of maximum relative subsidence and has a length proportional to the rate of tilting during the measurement interval.




Figure 2--Lifting of the ground around Kilauea caldera. The vector depicting lifting at a given base point in the direction of maximum relative subsidence and has a length proportional to the rate of lifting during the measurement interval.

Seismic summary.--Events recorded by the U.S. Geological Survey seismograph network in Hawaii fall into two categories: local earthquakes and tremor originating in the region of the Hawaiian Islands, usually within 100 km of at least one seismograph, and distant earthquakes originating more than 3,000 km from Hawaii. As an index of seismic activity at Hawaiian volcanoes, daily counts of earthquakes and minutes of tremor recorded by seismographs in Hawaii are listed in table 3. The earthquakes are separated into groups on the basis of region of origin as determined primarily by analysis of records obtained daily at the Observatory (U, M, A, D, N). Earthquakes of magnitude 2.5 or greater are generally sufficiently well recorded to be located with greater precision; they are listed individually in table 4. Data on identifiable phases from distant earthquakes are listed in table 5.

Locations of the seismograph stations are shown on figure 1. Essential data on the stations are given in table 6.

Table 6--Essential data on seismograph stations and their use.

Date (1950)	Tremor (in minutes)			Date (month)	Elevation (meters)	M. A. D. N.	Remarks
	Deep	Intermediate	Shallow				
Jan. 1					107		
Jan. 2	17				110		
Jan. 3					109		
Jan. 4					110		
Jan. 5					110		
Jan. 6			7		107		
Jan. 7					115		
Jan. 8					100		
Jan. 9					115		
Jan. 10					100		
Jan. 11					107		
Jan. 12					110		
Jan. 13					110		

Table 3.--Numbers of earthquakes and minutes of tremor recorded on seismographs U, M, A, D, and N around Kilauea caldera

Tremor is separated into three categories: deep, intermediate, and shallow, on the basis of relative amplitudes on seismographs in the summit region. Unless otherwise stated, tremor is presumed to be associated with movement of magma within the central complex of Kilauea.

Earthquake categories are: Halemau mau rock slides, which are detected by the characteristic record they produce on the North Pit seismograph; shallow earthquakes in the Kilauea caldera region; shallow earthquakes along the SW. rift zone of Kilauea and the adjacent portion of the Kaoiki fault system; earthquakes along the eastern half of Kilauea's east rift zone (from the Pahoa seismograph); earthquakes from a source about 30 km beneath Halemau mau; earthquakes from the upper east rift zone and the adjacent fault systems on Kilauea's south flank, and earthquakes from other regions: Kona, Mauna Kea, etc.

Date (1963)	Tremor (in minutes)			Earthquakes						
	Deep	Inter- mediate	Shallow	Hale- mau mau slides	Kilauea Caldera	SW. rift and Kaoiki	Eastern East rift	Hale- mau mau 30 km	Kala- pana Trail	Others
Jan. 1	---	---	---	---	105	9	---	2	3	1 South Point
2	27	---	---	---	110	12	---	1	1	---
3	---	---	---	---	115	3	---	3	---	---
4	---	---	---	---	110	3	---	2	---	1 South Point
5	---	---	---	---	110	4	---	5	---	1 Mauna Kea
6	3	---	---	---	127	7	---	4	---	---
7	---	---	7	---	75	3	---	6	---	---
8	---	---	---	---	82	6	---	112	2	1 Kona
9	---	---	---	1	160	4	---	42	1	1 Mauna Kea
10	---	---	---	---	115	5	---	5	---	---
11	24	---	---	---	80	5	---	2	1	1 Kona
12	---	---	---	---	110	8	1	5	1	1 Apua Pt.
13	---	---	---	---	107	5	---	2	---	1 Kona
14	---	---	---	---	170	5	---	4	10	---

Date	Tremor (in minutes)			Number of earthquakes	Number of stations	Total duration (min)	Number of stations	Number of stations	Number of stations	Number of stations
	Deep	Intermediate	Shallow							
Jan. 15	1	1	1	3	1	1	1	1	1	1
Jan. 16	1	1	1	3	1	1	1	1	1	1
Jan. 17	1	1	1	3	1	1	1	1	1	1
Jan. 18	1	1	1	3	1	1	1	1	1	1
Jan. 19	1	1	1	3	1	1	1	1	1	1
Jan. 20	1	1	1	3	1	1	1	1	1	1
Jan. 21	1	1	1	3	1	1	1	1	1	1
Jan. 22	1	1	1	3	1	1	1	1	1	1
Jan. 23	1	1	1	3	1	1	1	1	1	1
Jan. 24	1	1	1	3	1	1	1	1	1	1
Jan. 25	1	1	1	3	1	1	1	1	1	1
Jan. 26	1	1	1	3	1	1	1	1	1	1
Jan. 27	1	1	1	3	1	1	1	1	1	1
Jan. 28	1	1	1	3	1	1	1	1	1	1
Jan. 29	1	1	1	3	1	1	1	1	1	1
Jan. 30	1	1	1	3	1	1	1	1	1	1
Jan. 31	1	1	1	3	1	1	1	1	1	1
Feb. 1	1	1	1	3	1	1	1	1	1	1
Feb. 2	1	1	1	3	1	1	1	1	1	1
Feb. 3	1	1	1	3	1	1	1	1	1	1
Feb. 4	1	1	1	3	1	1	1	1	1	1
Feb. 5	1	1	1	3	1	1	1	1	1	1
Feb. 6	1	1	1	3	1	1	1	1	1	1
Feb. 7	1	1	1	3	1	1	1	1	1	1
Feb. 8	1	1	1	3	1	1	1	1	1	1
Feb. 9	1	1	1	3	1	1	1	1	1	1

Table 3.--Numbers of earthquakes and minutes of tremor recorded on seismographs U, M, A, D, and N around Kilauea caldera.--Continued

Date (1963)	Tremor (in minutes)			Earthquakes						
	Deep	Inter-mediate	Shallow	Hale-maunau slides	Kilauea caldera	SW. rift and Kaoiki	Eastern East rift	Hale-maunau 30 km	Kala-pana Trail	Others
Jan. 15	---	---	---	1	89	5	---	2	---	---
Jan. 16	---	---	---	---	66	5	---	2	---	1 Kona
Jan. 17	---	---	---	---	50	5	---	4	---	1 Kohala
Jan. 18	---	---	---	---	40	6	---	5	---	---
Jan. 19	---	---	---	---	61	6	---	5	---	2 Puako
Jan. 20	---	4	---	---	50	5	---	4	---	1 Kona
Jan. 21	---	1	---	---	75	14	---	2	---	---
Jan. 22	10	---	---	---	66	7	1	6	---	---
Jan. 23	---	---	---	3	52	7	---	3	---	---
Jan. 24	---	---	---	1	60	4	---	1	---	---
Jan. 25	28	40	---	2	90	10	---	5	---	---
Jan. 26	---	---	---	7	100	13	---	10	---	---
Jan. 27	---	---	---	1	47	9	---	4	---	1 Kona
Jan. 28	---	---	---	2	49	6	---	3	---	---
Jan. 29	---	---	---	---	45	7	---	7	---	1 Kona
Jan. 30	---	---	---	---	---	---	---	---	1	---
Jan. 31	---	---	---	---	---	---	---	---	---	---
Feb. 1	---	---	---	---	30	15	---	3	---	3 Kona
Feb. 2	---	---	---	---	58	17	---	6	---	2 Kona
Feb. 3	---	---	---	---	69	27	---	5	1	1 Kohala
Feb. 4	---	---	---	---	26	31	---	6	---	1 Kona
Feb. 5	---	---	---	---	40	23	---	3	---	1 Kohala
Feb. 6	---	---	---	---	28	18	---	10	1	5 Kona
Feb. 7	---	4	---	---	35	25	---	9	13	2 Kona
Feb. 8	---	---	---	---	55	22	---	11	---	---
Feb. 9	---	---	---	1	60	36	---	7	5	---

(Faint, illegible text from the reverse side of the page)

Table 3.--Numbers of earthquakes and minutes of tremor recorded on seismographs U, M, A, D, and N around Kilauea caldera--Continued

Date (1963)	Tremor (in minutes)			Earthquakes						
	Deep	Inter-mediate	Shallow	Hale-maunau slides	Kilauea caldera	SW. rift and Kaoiki	Eastern East rift	Hale-maunau 30 km	Kala-pana Trail	Others
Feb. 10	---	---	---	---	50	18	---	---	---	---
11	4	---	---	---	53	13	---	4	---	3 Kona
12	---	---	---	---	74	7	---	2	---	1 Kona
13	---	---	---	---	34	7	---	---	---	1 Kona
14	---	---	---	---	40	6	---	2	---	---
15	29	---	---	1	80	10	1	3	---	---
16	29	---	---	---	240	11	---	3	1	1 Maui
17	---	---	---	---	350	10	---	3	---	1 Kona
18	---	---	---	---	300	12	1	13	---	4 Kona
19	---	---	---	---	60	15	---	12	---	1 Kona
20	13	---	---	---	100	16	---	7	1	1 Kona
21	---	---	---	---	100	8	---	3	---	---
22	---	---	---	---	45	5	---	5	---	---
23	---	---	3	---	70	15	---	7	---	---
24	---	---	---	---	120	20	---	5	1	---
25	---	4	---	---	115	14	---	7	---	---
26	---	---	---	---	150	15	---	5	---	---
27	---	---	---	---	80	15	1	1	1	1 Kona
28	---	---	---	---	65	17	1	3	18	1 Kohala
								7	7	1 Kona

Date (1963)	Tremor (in minutes)			Kilauea caldera	SW. rift and Kaoiki	Eastern East rift	Halemau mau 30 km	Kala-pana Trail	Others
	Deep	Intermediate	Shallow						
Mar. 1				50	12		2		
2				70	17	2	2		
3				65	11	9			
4				166	12	8	3	1	4 Kona
5				100	13	12	3		1 Mauna Kea
6				80	14	21	1		
7				120	20	3	2		1 Maui
8				100	7				
9			3	70	16		2		1 Maui
10		25		60	15	4	6		1 Kona
11			2	80	30		2	3	1 Mauna Kea
12				80	22	1			1 Kona
13	40			90	27		3		1 Mauna Kea
14				75	6		9		3 Kona
15				100	17	1	3	1	1 Mauna Kea
16	15			90	20	1	7	1	1 Kona
17				75	20		1		2 Kona
18	59			79	32		6	1	3 Kona
19				76	18		5	5	2 Mauna Kea
20				96	15		12	40	2 Kona
21				90	15		10	1	1 Kona
22				90	10		7	3	2 Kona
									1 Mauna Loa

Table 3.--Numbers of earthquakes and minutes of tremor recorded on seismographs U, M, A, D, and N around Kilauea caldera--Continued

Date (1963)	Tremor (in minutes)			Earthquakes						
	Deep	Intermediate	Shallow	Halemau slides	Kilauea caldera	SW. rift and Kaoiki	Eastern East rift	Halemau mau 30 km	Kala-pana Trail	Others
Mar. 1					50	12		2		
2					70	17	2	2		
3					65	11	9			
4					166	12	8	3	1	4 Kona
5					100	13	12	3		1 Mauna Kea
6					80	14	21	1		
7					120	20	3	2		1 Maui
8					100	7				
9			3		70	16		2		1 Maui
10		25			60	15	4	6		1 Kona
11			2		80	30		2	3	1 Mauna Kea
12					80	22	1			1 Kona
13	40				90	27		3		1 Mauna Kea
14					75	6		9		3 Kona
15					100	17	1	3	1	1 Mauna Kea
16	15				90	20	1	7	1	1 Kona
17					75	20		1		2 Kona
18	59				79	32		6	1	3 Kona
19					76	18		5	5	2 Mauna Kea
20					96	15		12	40	2 Kona
21					90	15		10	1	1 Kona
22					90	10		7	3	2 Kona
										1 Mauna Loa

Date (1963)	Depth (in minutes)			Circumference (km)	Magma	Epicenter	Miles	Kilometers	Miles	Kilometers	Miles	Kilometers	Miles	Kilometers
	Deep	Intermediate	Shallow											
Mar. 23	10			20		11.5	18.5	30						
Mar. 24	3			115		11.5	18.5	30						
Mar. 25		19		176	5	11.5	18.5	30						
Mar. 26				120		11.5	18.5	30						
Mar. 27	12			153		11.5	18.5	30						
Mar. 28				100		11.5	18.5	30						
Mar. 29				120		11.5	18.5	30						
Mar. 30				100	2	11.5	18.5	30						
Mar. 31				3		11.5	18.5	30						

Table 3.--Numbers of earthquakes and minutes of tremor recorded on seismographs U, M, A, D, and N around Kilauea caldera--Continued

Date (1963)	Tremor (in minutes)			Earthquakes						Others	
	Deep	Inter-mediate	Shallow	Hale-maunau slides	Kilauea caldera	SW. rift and Koaiki	Eastern East rift	Hale-maunau 30 km	Kala-pana Trail		
Mar. 23					80	16					1 Pohakuloa
Mar. 24	3				115	11		10	10	1	1 Maui
Mar. 25					176	28	1	9	16		
Mar. 26		19			120	8	2	5			
Mar. 27	12			5	153	19		5	9		3 Kona
Mar. 28					100	9		4			1 Mauna Kea
Mar. 29					120	8		1	1		1 Mauna Kea
Mar. 30				2	100	7					
Mar. 31					3	3	2	4			1 Mauna Kea

Date (1963)	Time (LGS)	Lat. (N)	Long. (W)	Depth (km)	Magnitude	Station
Mar. 23	03	19° 14.8'	155° 37.9'	10	2.5	U
Mar. 23	03	19° 13.8'	155° 38.8'	10	2.5	M
Mar. 23	11	19° 17.2'	155° 39.8'	10	2.5	A
Mar. 23	27	19° 14.8'	155° 38.8'	10	2.5	D
Mar. 23	07	19° 14.8'	155° 38.8'	10	2.5	N
Mar. 23	09	19° 14.8'	155° 38.8'	10	2.5	U
Mar. 23	09	19° 14.8'	155° 38.8'	10	2.5	M
Mar. 23	09	19° 14.8'	155° 38.8'	10	2.5	A
Mar. 23	09	19° 14.8'	155° 38.8'	10	2.5	D
Mar. 23	10	19° 14.8'	155° 38.8'	10	2.5	N

Date (1963)	Time		Depth (km)	Magnitude	Epicenter		Felt Report
	h	m			Lat. N.	Long. W.	
Jan. 2	03	41	8	2.5	19°11.2'	155°37.9'	15 km NNW of Naalehu
2	08	03	3	2.9	19°13.8'	155°35.2'	19 km north of Naalehu
5	17	33	---	2.2	---	---	Kaoliki
5	22	27	3	2.2	19°48.8'	155°20.2'	28 km WNW of Hilo
8	07	56	---	2.5	---	---	KM 30
8	09	39	---	4.3	---	---	KM 30
8	09	46	---	2.4	---	---	KM 30
8	09	48	---	2.2	---	---	KM 30
8	09	49	---	2.3	---	---	KM 30
8	09	50	---	2.4	---	---	KM 30
8	10	02	---	2.1	---	---	KM 30

Table 4.--Local earthquakes recorded by seismographs of the U.S. Geological Survey, January, February, and March, 1963

[Except for smaller earthquakes of special interest, only earthquakes with magnitudes of 2.5 or greater are listed. Origin time is Hawaiian standard.

In the following list some origin times are followed only by "KM 30" and a statement of magnitude. These are all members of a continuing family of quakes noted also in other Summaries. The best mean focus for this group is beneath Halemauau at a depth of 30 km (19°24.1' N., 155°17.1' W.).

Origin times of members of a second persistent sequence of earthquakes are followed by "KI" (Kalapana Trail). These earthquakes originate at very shallow depths in a remote region along the Kalapana Trail west of Kalapana, and they generally are not felt. Seismograms of these earthquakes are poorly recorded and difficult to interpret; so only an approximate epicenter, 19°20' N., 155°05' W., can be assigned to them.

The mean focus of the magnitude 6.1 Koaiki fault system earthquake of June 27 and its aftershocks is 19°24' N., 155°25' W., at a depth of 3 to 8 km. This focus has been abbreviated "Kaoiki."

Since the flank eruption near Aloi Crater (Summary 28) numerous earthquakes have been recorded from the Aloi region and the Koaie fault system southwest of Aloi. These are described as "upper east rift" earthquakes in this table]

Date (1963)	Time		Depth (km)	Magnitude	Epicenter		Felt Report
	h	m			Lat. N.	Long. W.	
Jan. 2	03	41	8	2.5	19°11.2'	155°37.9'	15 km NNW of Naalehu
2	08	03	3	2.9	19°13.8'	155°35.2'	19 km north of Naalehu
5	17	33	---	2.2	---	---	Kaoliki
5	22	27	3	2.2	19°48.8'	155°20.2'	28 km WNW of Hilo
8	07	56	---	2.5	---	---	KM 30
8	09	39	---	4.3	---	---	KM 30
8	09	46	---	2.4	---	---	KM 30
8	09	48	---	2.2	---	---	KM 30
8	09	49	---	2.3	---	---	KM 30
8	09	50	---	2.4	---	---	KM 30
8	10	02	---	2.1	---	---	KM 30

Table 4.---Local earthquakes recorded by seismographs of the U.S. Geological Survey, January, February, and March, 1963 ---Continued

Date (1963)	Time		Magni- tude	Depth (km)	Epicenter		Felt Report
	h	m			Lat. N.	Long. W.	
Jan. 8	10	08	2.4			KM 30	
8	10	57	2.8			KM 30	
8	11	14	2.3			KM 30	
8	12	00	3.0			KM 30	
8	15	41	4.2			KM 30	
8	15	45	3.4			KM 30	
8	18	06	2.3			KM 30	
8	18	18	2.8			KM 30	
8	19	21	2.1			KM 30	
8	20	00	2.5	5	19°20.8'	21 km SW of Pahoa	
9	00	39	2.2			Kaoliki	
9	04	36	2.6			KM 30	
9	04	36	3.2			KM 30	
9	05	19	2.8			KM 30	
9	05	24	2.5	<3	155°43.3'	28 km SE of Kealahou	
9	06	45	2.3			KM 30	
9	08	57	2.4			KM 30	
9	09	23	3.1			KM 30	
9	10	54	3.2			KM 30	
10	04	49.1	2.4	8	19°57.7'	13 km WSW of Laupahoehoe	
10	07	28.4	2.2			KT	
10	15	35.0	2.1			KM 30	
11	01	42.0	2.7			KM 30	
11	14	44.3	2.7			KM 30	
12	01	58.3	2.4	8	18°56.0'	32 km SE of Nealehu	
12	23	01.4	3.5			KT	
13	20	55.0	3.1	8	19°32.2'	32 km WNW of Kealahou	

Table 4.---Local earthquakes recorded by seismographs of the U.S Geological Survey, January, February, and March, 1963--Continued

Date (1963)	Time			Magnitude	Depth (km)	Epicenter		Felt Report
	h	m	s			Lat. N.	Long. W.	
Jan. 14	13	50	21.0	2.5	3	19°21.9'	155°08.2'	14 km east of Ahua seismometer
15	03	21	20.0	3.2	---	---	---	KM 30
18	05	58	50.2	2.2	---	---	---	KM 30
18	10	51	06.0	2.3	5	19°11.5'	155°37.5'	15 km NNW of Naalehu
18	20	59	57.0	2.7	13	20°04.9'	155°48.9'	12 km NNW of Kamuela seismograph.
20	10	26	35.0	3.1	13	20°13'	156°15'	40 km WSW of Upolu Point
20	17	42	32.8	2.2	---	---	---	KM 30
23	06	12	41.0	2.8	8	19°27.0'	154°52.8'	10 km SE of Pahoa
26	22	12	04.4	2.2	3	19°24.8'	155°15.7'	SE edge of Kilauea Caldera
26	23	14	01.8	2.3	3	19°24.8'	155°15.7'	SE edge of Kilauea Caldera
26	23	29	59.3	2.2	---	---	---	Kaoiki
27	13	58	05.5	3.4	---	---	---	KM 30
28	02	08	18.7	2.5	8	19°11.2'	155°34.0'	14 km NNE of Naalehu
29	12	53	19.0	2.3	---	---	---	KM 30
29	14	08	02.9	3.2	---	---	---	Kaoiki
30	23	08	10.8	2.2	5	19°13.3'	155°42.6'	23 km NW of Naalehu
31	14	25	05.6	2.8	8	19°18.5'	155°09.5'	13 km SE of Ahua seismometer
2	03	24	23.3	2.1	8	19°14.7'	155°02.0'	14 km SSW of Kalapana
4	12	48	44.0	2.1	13	20°19'	155°30'	34 km NE of Kamuela seismograph.
5	13	36	47.8	2.3	---	---	---	Kaoiki
5	20	39	44.3	2.7	13	19°57.1'	155°44.8'	10 km SW of Kamuela seismograph.
5	22	47	25.5	2.2	5	19°13.9'	155°38.2'	19 km NNW of Naalehu
7	19	05	10.9	2.3	---	---	---	KT
9	04	25	53.5	2.5	8	19°35.7'	156°00.8'	13 km NW of Kealakekua
9	10	19	53.4	2.0	---	---	---	KT
9	04	24	53.0	2.9	8	19°35.7'	156°00.8'	13 km NW of Kealakekua
10	18	49	48.5	2.7	---	---	---	Kaoiki
12	02	28	28.5	2.5	8	19°29.0'	155°58.2'	7 km WSW of Kealakekua

Date (1963)	Time		Depth (km)	Magnitude	Epicenter		Felt Report
	h	m			Lat. N.	Long. W.	
Feb. 12	16	58	8	2.4	19°32.8'	155°55.7'	Kaoiki
13	08	47	8	2.7	19°05.0'	156°12.5'	3 km NNW of Kealakekua
14	09	17	8	3.1	19°05.0'	156°12.5'	35 km WSW of Milolii
15	02	36	8	2.1	19°16.2'	155°04.2'	KM 30
16	07	01	8	2.5	19°16.2'	155°04.2'	23 km ESE of Ahua seismometer
16	09	31	8	2.4	19°16.2'	155°04.2'	Upper east rift
16	13	56	30	2.5	19°29.4'	155°09.5'	10 km SW of Mountain View
17	01	32	13	2.5	18°57.3'	155°08.1'	50 km ESE of Naalehu
17	09	07	13	4.1	19°43'	156°52'	83 km west of Keahole Point
17	11	47	5	2.3	19°30.0'	155°41.8'	25 km east of Kealakekua
17	23	10	10	2.3	19°19.5'	155°21.2'	6 km SW of Uwekahuna seismometer.
19	01	52	8	2.3	19°30.1'	155°46.7'	KM 30
19	04	00	8	2.4	19°30.1'	155°46.7'	15 km east of Kealakekua
19	21	25	3	2.2	19°10.8'	155°35.0'	13 km north of Naalehu
21	05	41	13	2.8	19°03'	156°16'	65 km SW of Kealakekua
22	21	24	8	2.3	19°21.9'	155°56.6'	5 km SW of Hookena
23	21	59	3	2.3	19°21.8'	155°05.6'	40 km south of Hilo
24	19	24	13	3.1	21°30'	156°40'	38 km north of Halawa Cape, Molokai.
25	11	38	3	2.4	19°20.9'	155°47.1'	13 km SE of Hookena
25	13	11	5	2.8	19°30.7'	155°26.2'	5 km WNW of Mauna Loa seismometer.
26	01	21	8	2.0	19°24.4'	154°52.2'	13 km SE of Pahoa
27	15	44	13	2.9	20°08.4'	155°50.6'	18 km NW of Kamuela
27	21	42	8	2.6	19°24.4'	154°52.2'	Upper east rift
27	22	22	8	3.0	19°24.4'	154°52.2'	Upper east rift
28	11	03	8	2.4	19°47.4'	155°31.4'	5 km north of Pohakuloa
28	11	10	8	2.4	19°47.4'	155°31.4'	5 km north of Pohakuloa
28	11	21	8	2.1	19°26.8'	155°00.1'	8 km SW of Pahoa

Table 4.--Local earthquakes recorded by seismographs of the U.S. Geological Survey, January, February, and March, 1963--Continued

Date (1963)	Time		Depth (km)	Magnitude	Epicenter		Felt Report
	h	m			Lat. N.	Long. W.	
Feb. 12	16	58	8	2.4	19°32.8'	155°55.7'	Kaoiki
13	08	47	8	2.7	19°05.0'	156°12.5'	3 km NNW of Kealakekua
14	09	17	8	3.1	19°05.0'	156°12.5'	35 km WSW of Milolii
15	02	36	8	2.1	19°16.2'	155°04.2'	KM 30
16	07	01	8	2.5	19°16.2'	155°04.2'	23 km ESE of Ahua seismometer
16	09	31	8	2.4	19°16.2'	155°04.2'	Upper east rift
16	13	56	30	2.5	19°29.4'	155°09.5'	10 km SW of Mountain View
17	01	32	13	2.5	18°57.3'	155°08.1'	50 km ESE of Naalehu
17	09	07	13	4.1	19°43'	156°52'	83 km west of Keahole Point
17	11	47	5	2.3	19°30.0'	155°41.8'	25 km east of Kealakekua
17	23	10	10	2.3	19°19.5'	155°21.2'	6 km SW of Uwekahuna seismometer.
19	01	52	8	2.3	19°30.1'	155°46.7'	KM 30
19	04	00	8	2.4	19°30.1'	155°46.7'	15 km east of Kealakekua
19	21	25	3	2.2	19°10.8'	155°35.0'	13 km north of Naalehu
21	05	41	13	2.8	19°03'	156°16'	65 km SW of Kealakekua
22	21	24	8	2.3	19°21.9'	155°56.6'	5 km SW of Hookena
23	21	59	3	2.3	19°21.8'	155°05.6'	40 km south of Hilo
24	19	24	13	3.1	21°30'	156°40'	38 km north of Halawa Cape, Molokai.
25	11	38	3	2.4	19°20.9'	155°47.1'	13 km SE of Hookena
25	13	11	5	2.8	19°30.7'	155°26.2'	5 km WNW of Mauna Loa seismometer.
26	01	21	8	2.0	19°24.4'	154°52.2'	13 km SE of Pahoa
27	15	44	13	2.9	20°08.4'	155°50.6'	18 km NW of Kamuela
27	21	42	8	2.6	19°24.4'	154°52.2'	Upper east rift
27	22	22	8	3.0	19°24.4'	154°52.2'	Upper east rift
28	11	03	8	2.4	19°47.4'	155°31.4'	5 km north of Pohakuloa
28	11	10	8	2.4	19°47.4'	155°31.4'	5 km north of Pohakuloa
28	11	21	8	2.1	19°26.8'	155°00.1'	8 km SW of Pahoa

Date (1963)	Time		Magnitude	Depth (km)	Epicenter		Felt Report
	h	m			Lat. N.	Long. W.	
Mar. 1	01	48	3.2	3	19° 19.8'	155° 45.0'	17 km SE of Hookena-----
1	02	43	2.7	13	18° 57.3'	155° 38.3'	5 km NE of Kalae Point-----
3	06	14	2.3	---	---	---	KM 30-----
5	17	11	2.5	5	19° 28.5'	154° 54.9'	5 km SE of Pahoa-----
5	20	04	2.4	5	19° 28.5'	154° 54.9'	5 km SE of Pahoa-----
5	20	44	2.6	8	19° 59.0'	155° 24.1'	14 km SE of Honokaa-----
6	02	23	2.8	5	19° 28.5'	154° 54.9'	5 km SE of Pahoa-----
6	05	46	2.9	5	19° 28.5'	154° 54.9'	5 km SE of Pahoa-----
7	16	08	2.4	8	19° 30.8'	156° 04.8'	18 km west of Kealakekua-----
8	14	25	2.3	8	19° 17.9'	155° 11.8'	11 km SE of Ahua seismometer-----
8	15	45	2.3	8	19° 17.9'	155° 11.8'	11 km SE of Ahua seismometer-----
8	17	22	2.7	8	19° 53.0'	155° 31.8'	23 km SE of Kamuela-----
9	12	47	2.4	3	19° 38.1'	156° 04.2'	21 km NW of Kealakekua-----
10	11	51	2.3	8	19° 14.9'	155° 04.1'	54 km south of Hilo-----
11	10	06	2.6	8	19° 57.0'	155° 21.9'	15 km WSW of Laupahoehoe-----
11	17	45	3.0	13	21° 08'	156° 07'	43 km NNE of Haleakala seismometer (Maui).-----
11	21	33	2.4	8	19° 05.5'	155° 21.9'	39 km south of Hilo-----
12	22	08	2.7	3	19° 53.1'	155° 22.8'	6 km SW of Keanakolu-----
13	01	37	3.0	8	19° 40.1'	155° 50.4'	19 km NE of Kealakekua-----
13	03	22	2.3	3	19° 51.0'	155° 23.3'	10 km SW of Keanakolu-----
13	10	57	3.5	5	19° 24.2'	155° 30.0'	15 km SW of Mauna Loa seismometer.-----
13	22	28	2.5	3	19° 51.0'	155° 23.3'	10 km SW of Keanakolu-----
14	00	18	3.3	13	19° 29'	157° 14'	138 km west of Kealakekua-----
14	01	23	2.1	---	---	---	KM 30-----
14	08	23	3.0	8	20° 12.7'	155° 55.8'	31 km NW of Kamuela-----
14	18	10	2.7	8	19° 31.0'	155° 03.3'	11 km NW of Pahoa-----

Table 4.--Local earthquakes recorded by seismographs of the U.S. Geological Survey, January, February, and March, 1963--Continued

Date (1963)	Time		Magnitude	Depth (km)	Epicenter		Felt Report
	h	m			Lat. N.	Long. W.	
Mar. 1	01	48	3.2	3	19° 19.8'	155° 45.0'	Felt along southern western shore of Hawaii Island.-----
1	02	43	2.7	13	18° 57.3'	155° 38.3'	-----
3	06	14	2.3	---	---	---	-----
5	17	11	2.5	5	19° 28.5'	154° 54.9'	-----
5	20	04	2.4	5	19° 28.5'	154° 54.9'	-----
5	20	44	2.6	8	19° 59.0'	155° 24.1'	-----
6	02	23	2.8	5	19° 28.5'	154° 54.9'	-----
6	05	46	2.9	5	19° 28.5'	154° 54.9'	-----
7	16	08	2.4	8	19° 30.8'	156° 04.8'	-----
8	14	25	2.3	8	19° 17.9'	155° 11.8'	-----
8	15	45	2.3	8	19° 17.9'	155° 11.8'	-----
8	17	22	2.7	8	19° 53.0'	155° 31.8'	-----
9	12	47	2.4	3	19° 38.1'	156° 04.2'	-----
10	11	51	2.3	8	19° 14.9'	155° 04.1'	-----
11	10	06	2.6	8	19° 57.0'	155° 21.9'	-----
11	17	45	3.0	13	21° 08'	156° 07'	-----
11	21	33	2.4	8	19° 05.5'	155° 21.9'	-----
12	22	08	2.7	3	19° 53.1'	155° 22.8'	-----
13	01	37	3.0	8	19° 40.1'	155° 50.4'	-----
13	03	22	2.3	3	19° 51.0'	155° 23.3'	-----
13	10	57	3.5	5	19° 24.2'	155° 30.0'	-----
13	22	28	2.5	3	19° 51.0'	155° 23.3'	-----
14	00	18	3.3	13	19° 29'	157° 14'	-----
14	01	23	2.1	---	---	---	-----
14	08	23	3.0	8	20° 12.7'	155° 55.8'	-----
14	18	10	2.7	8	19° 31.0'	155° 03.3'	-----

Table 4.--Local earthquakes recorded by seismographs of the U.S. Geological Survey, January, February, and March, 1963--Continued

Date (1963)	Time			Magni- tude	Depth (km)	Epicenter		Felt Report
	h	m	s			Lat. N.	Long. W.	
Mar. 17	23	32	57.8	2.5	<3	19°29.0'	155°44.6'	20 km ESE of Kealakekua
17	23	44	52.0	2.5	<3	19°29.0'	155°44.6'	20 km ESE of Kealakekua
18	14	44	13.2	2.9	---	---	---	KM 30
18	15	50	43.7	2.3	3	19°53.1'	155°46.0'	13 km WNW of Waikii
18	22	02	36.9	2.4	8	19°49.2'	155°32.6'	8 km NNW of Pohakuloa
19	02	35	01.5	2.4	5	19°24.2'	155°46.6'	20 km SE of Kealakekua
19	17	56	36.6	2.7	8	19°41.9'	156°06.2'	5 km SW of Keahole Point
20	14	17	03.0	2.2	8	19°18.6'	155°05.5'	45 km south of Hilo
20	20	42	15.7	2.6	---	---	---	KM 30
20	21	15	38.2	2.2	---	---	---	Upper east rift
21	19	57	31.4	2.3	<3	19°26.8'	155°46.0'	18 km SE of Kealakekua
22	10	59	40.5	3.8	13	19°32.6'	155°49.9'	10 km ENE of Kealakekua
22	17	38	16.3	3.0	3	19°53.8'	155°16.3'	28 km NW of Hilo
22	18	01	16.9	2.8	8	19°44.3'	155°45.6'	30 km NE of Kealakekua
22	20	59	43.0	2.4	---	---	---	Upper east rift
22	21	07	56.0	2.7	---	---	---	Upper east rift
22	21	09	02.3	2.6	---	---	---	Upper east rift
22	21	11	16.5	2.8	8	19°48.5'	156°01.4'	35 km NNW of Kealakekua
23	04	48	13.4	3.5	13	19°53.2'	155°20.8'	5 km SW of Keanakolu
24	10	03	34.5	2.9	---	---	---	KM 30
24	11	31	08.2	2.2	---	---	---	KM 30
24	20	30	35.9	2.6	---	---	---	Kaoiki
24	22	31	51.8	4.5	13	19°47.0'	155°33.8'	14 km SE of Waikii
24	23	43	06.3	2.0	---	---	---	KM 30
25	06	41	50.2	2.5	<3	19°20.2'	155°42.3'	22 km ESE of Hookena
25	06	57	05.6	2.7	<3	19°28.7'	155°48.5'	13 km ESE of Kealakekua
25	07	18	35.0	3.9	35	20°47'	156°14'	3 km NE of Haleakala seismometer (Maui).

Date (1963)	Time			Magnitude	Depth (km)	Lat. N.		Long. W.		Description	Felt Report
	h	m	s			h	m	h	m		
Mar. 25	04	02	30	2.5	13	19	05.4	155	25.2	18 km ENE of Naalehu	
26	01	56	19.2	2.5						Kaoiki	
27	04	55	50.6	2.2	8	19	55.7	155	32.1	KM 30	
27	11	12	57.0	2.9	8	19	55.7	155	32.1	20 km SE of Kamuela	
27	17	24	25.9	2.4	8	19	21.4	155	45.4	16 km ESE of Hookena	
28	00	26	22.9	2.3	8	19	26.1	155	36.8	5 km SW of Mokuaweoweo Caldera	
28	02	37	45.2	2.1						KM 30	
28	13	08	27.1	2.6	8	19	47.9	155	34.6	8 km NW of Pohakuloa	
28	19	47	02.5	2.8						Kaoiki	
29	08	50	08.8	2.1						Upper east rift	
30	20	49	01.9	2.8	35	19	09.5	155	30.0	14 km NE of Naalehu	
31	16	35	57.5	3.7	8	20	01.0	155	52.9	6 km SW of Kawaihae	Felt in Kamuela

Table 4.--Local earthquakes recorded by seismographs of the U.S. Geological Survey, January, February, and March, 1963--Continued

Station	Time (UTC)	M	Z	Type	Time (Local)	Depth (km)		Location
						h	km	
Pa	00:24:43	6.5	Z	iP	00:24:43	50	50	Alaska Peninsula
Hi	00:24:48	5.3	Z	eP	00:24:48	74	74	New Britain
Pa	00:24:43	6.5	Z	iP	00:24:43	50	50	Alaska Peninsula
Hi	00:24:48	5.3	Z	eP	00:24:48	74	74	New Britain

Table 5.--Distant earthquakes

[Times are reported in Greenwich Civil Time which is 10 hours faster than Hawaiian Standard Time. A "c" following the time of P indicates compressional first motion; a "d" indicates dilatational first motion. Station symbols, locations, and instrumentation are presented in table 6. Magnitudes calculated from the Hawaii seismograms are followed by (HVO). Location of epicenter, origin times, and focal depths, and magnitudes reported by other institutions are taken from "Preliminary Determination of Epicenters" published by the U.S. Coast and Geodetic Survey]

Jan. 1, 1963

M	Z	iP	12:26:51.6	d
A	Z	eP	12:26:50.1	d
D	Z	iP	12:26:49.8	d
N	Z	eP	12:26:51.2	d
WP	Z	iP	12:26:51.1	d
Na	Z	iP	12:26:48.0	
Pa	Z	iP	12:26:52.0	c
Hi	Z	eP	12:26:53.3	d
Ka	Z	eP	12:26:54.5	d

C&GS card 1-63:
12:17:38.6
6.8° S., 155.9° E.
Solomon Islands
h about 165 km.

Jan. 1

M	Z	eP	23:46:13.6	d
A	Z	eP	23:46:14.4	d
D	Z	iP	23:46:14.5	d
N	Z	eP	23:46:13.9	d
WP	Z	eP	23:46:13.9	d
U	Z	iP	23:46:13.7	d
Ha	Z	iP	23:46:03.4	c
		epP	23:46:19.7	
Ka	Z	eP	23:46:08.6	d
Hi	Z	iP	23:46:11.4	d
Pa	Z	iP	23:46:13.5	d
Na	Z	iP	23:46:16.8	d
U	PEZ	iP	23:46:14	d

		iS	23:51:57	
		iSS	23:55:03	
U	PEE	isS	23:52:27	
		eL	23:54:41	
U	PEN	i	23:52:52	
		i	23:56:16	

M	Z	Tmax	00:24:45	
A	Z	Tmax	00:24:48	
D	Z	Tmax	00:24:40	
N	Z	Tmax	00:24:48	
WP	Z	Tmax	00:24:44	
U	Z	Tmax	00:24:45	
Ha	Z	Tmax	00:23:07	
Ka	Z	Tmax	00:24:01	
Hi	Z	Tmax	00:24:11	

Jan. 1--Continued

Pa Z Tmax 00:24:43
C&GS card 1-63:
23:39:05.6
56.6° N., 157.7° W.
Alaska Peninsula
h about 50 km
Magnitude 6.5 (Pas)
5.75 (Pal)
6.5 (HVO)

Jan. 2

M	Z	iP	15:07:35.8	c
N	Z	eP	15:07:35.5	c

C&GS card 4-63:
14:56:05.4
4.1° S., 132.2° E.
Near south coast of western New Guinea.
h about 33 km.

Jan. 2

U	PEZ	eR	16:32:21	
---	-----	----	----------	--

C&GS card 3-63:
15:55:47.9
52.9° S., 118.2° W.
South Pacific Ocean
h about 33 km.

Jan. 3

U	PEZ	eR	10:06:20	
---	-----	----	----------	--

C&GS card 3-63:
09:39:46.8
5.3° S., 151.5° E.
New Britain
h about 74 km
Magnitude 5.3 (Pal).

Table 5.--Distant earthquakes--Continued

Jan. 4, 1963

U PEZ iS 12:33:51
U PEZ iR 12:41:46

C&GS card 2-63:
12:16:38.0
4.7° S., 154.0° E.
Solomon Islands region
h about 69 km.

Jan. 5

M Z iP 00:31:16.7 c
Z ipP 00:32:08.2 c
A Z eP 00:31:15.7 c
Z epP 00:32:07.3 c
D Z eP 00:31:15.6 c
Z epP 00:32:07.2 c

C&GS card 1-63:
00:20:11.6
3.2° N., 127.0° E.
Halmahera region
h about 33 km.

Jan. 5

M Z iP 13:29:19.1 d
A Z eP 13:29:18.5 d
D Z eP 13:29:18.1 d

C&GS card 2-63:
13:16:38.0
10.0° S., 124.0° E.
Timor
h about 33 km.

Jan. 7

M Z eP 12:00:27.6 d
WP Z eP 12:00:27.0 d
U Z eP 12:00:27.2 d
Ka Z eP 12:00:28.8 d
U PEZ eR 12:25:12

C&GS card 3-63:
11:48:22.7
0.6° N., 126.7° E.
Halmahera region
h about 42 km

Jan. 7--Continued

C&GS card--Continued
Magnitude 5.5-5.8 (Pal)
6.0 (HVO).

Jan. 9

Pa Z eP 03:22:47.9 c

C&GS card 4-63:
03:13:26.4
18.6° N., 145.4° E.
Mariana Islands
h about 192 km.

Jan. 15

M Z eP 02:42:23.2 d
A Z eP 02:42:23.7 d
N Z eP 02:42:23.7 d
WP Z eP 02:42:23.3 d

C&GS card 4-63:
02:32:39.9
13.4° N., 145.3° E.
Mariana Islands
h about 38 km.

Jan. 24

Na Z iP 12:16:32.5 c
Hi Z eP 12:16:40 d

C&GS card 9-63:
12:09:01.2
15.2° S., 173.6° W.
Tonga Islands region
Felt: Apia
h about 33 km.

Jan. 25

A Z eP 12:59:54.1 c

C&GS card 7-63:
12:49:42.0
21.8° N., 143.8° E.
Mariana Islands region
h about 190 km.

Table 5.--Distant earthquakes--Continued

Jan. 28, 1963

M	Z	eP	12:22:12.8	d
A	Z	eP	12:22:11.9	d
D	Z	eP	12:22:11.9	d
U	Z	eP	12:22:12.7	d
Na	Z	eP	12:22:11.5	c
Pa	Z	eP	12:22:13.7	c
Hi	Z	iP	12:22:16.2	c
Ha	Z	iP	12:22:16.5	c
U	PEE	iS	22:30:25	
U	PEZ	eSS	22:34:10	
		iR	22:38:37	

C&GS card 10-63:
12:12:19.8
2.6° S., 149.9° E.
New Britain
h about 33 km
Magnitude 6.5 (Pas)
6.7 (HVO).

Jan. 28

M	Z	iP	13:07:44.8	d
A	Z	eP	13:07:45.7	d
D	Z	iP	13:07:45.9	d
		i	13:08:54.1	c
N	Z	eP	13:07:45.5	d
WP	Z	eP	13:07:45.4	d
U	Z	eP	13:07:45.6	d
		ePP	13:09:10.7	c
		iPcP	13:10:06.9	c
Ha	Z	eP	13:07:40.5	c
Hi	Z	eP	13:07:43.7	c
Pa	Z	eP	13:07:44.1	d
Na	Z	eP	13:07:49.1	c
U	PEZ	iS	13:13:21	
		iR	13:16:49	
M	Z	Tmax	13:45:33	
A	Z	Tmax	13:45:28	
D	Z	Tmax	13:45:30	
N	Z	Tmax	13:45:11	
WP	Z	Tmax	13:45:24	
U	Z	Tmax	13:45:21	
HA	Z	Tmax	13:43:33	
Hi	Z	Tmax	13:44:55	
Pa	Z	Tmax	13:45:08	
Na	Z	Tmax	13:45:15	

Jan. 28--Continued

C&GS card 7-63:
13:00:50.7
54.7° N., 161.6° E.
Alaska Peninsula
h about 33 km
Magnitude 6.0-6.5 (Pas)
6.7 (HVO).

Jan. 29

M	Z	iP	09:29:54.6	d
A	Z	eP	09:29:55.4	d
D	Z	eP	09:29:54.8	d
N	Z	eP	09:29:55.0	d
U	Z	eP	09:29:55.1	d
Ka	Z	iP	09:29:49.4	d
Hi	Z	iP	09:29:54.0	d
Pa	Z	iP	09:29:55.6	d
Na	Z	iP	09:29:56.7	d

C&GS card 8-63:
09:21:14.3
49.7° N., 154.9° E.
Kurile Islands
h about 126 km.

Jan. 30

M	Z	eP	10:29:10.9	c
U	PEN	eSKSP	10:41:26	
		iSS	10:48:36	
		iG	11:02:36	

C&GS card 10-63:
10:10:04.1
55.6° S., 28.3° W.
Sandwich Islands region
h about 33 km
Magnitude 6.5 (Pas)
7.5 (HVO).

Jan. 31

Hi	Z	eP	05:18:03.6	d
Pa	Z	eP	05:18:04.3	d

C&GS card 9-63:
05:06:46.0
27.9° N., 126.3° E.

Table 5.--Distant earthquakes--Continued

Jan. 31, 1963--Continued

C&GS card--Continued
Ryukyu Islands
h about 33 km.

Feb. 4

M	Z	iP	23:29:50.5 d
A	Z	eP	23:29:51.5 d
D	Z	eP	23:29:51.0 d
N	Z	eP	23:29:51.3 c
WP	Z	eP	23:29:51.4 d
Hi	Z	iP	23:29:49.5 d
U	Z	eP	23:29:50.8 d
Pa	Z	iP	23:29:52.0 d

C&GS card 10-63:
23:21:09.0
48.5° N., 154.9° E.
Kurile Islands
h about 85 km.

Feb. 5

U	PEZ	eSS	21:10:35
		eR	21:22:35

C&GS card 10-63:
20:39:21.6
38.4° S., 73.2° W.
Near coast of central Chile
h about 41 km
Magnitude 6.3-6.5 (Pas)
6.0-6.3 (Brk)
5.8-6.0 (Pal)

Feb. 12

M	Z	iP	23:14:45.2 d
A	Z	iP	23:14:44.3 d
D	Z	iP	23:14:43.6 d
N	Z	iP	23:14:44.5 d
WP	Z	iP	23:14:44.3 d
U	Z	iP	23:14:44.4 d
Na	Z	iP	23:14:40.5 d
Pa	Z	eP	23:14:45.4 d
Hi	Z	iP	23:14:50.0 d
Ha	Z	iP	23:14:54.3 d

Feb. 12--Continued

C&GS card 13-63:
23:07:28.9
17.8° S., 178.6° W.
Fiji Islands
h about 583 km
Magnitude 5.5 (CGS)

Feb. 13

M	Z	eP	09:01:47.8 c
A	Z	iP	09:01:48.4 c
D	Z	iP	09:01:47.5 c
N	Z	iP	09:01:48.1 c
WP	Z	iP	09:01:48.0 c
U	Z	eP	09:01:48.3 c
Ha	Z	iP	09:01:46.3 c
Ka	Z	eP	09:01:44.2 c
Hi	Z	iP	09:01:48.7 c
Pa	Z	eP	09:01:49.4 c
Na	Z	iP	09:01:47.0 c
U	PEZ	iP	09:01:48.0 c
		eR	09:25:34
U	PEE	iS	09:11:32
		iSS	09:16:41
U	PEN	eSSS	09:19:46

C&GS card 13-63:
08:50:02.2
24.5° N., 121.8° E.
Northern Formosa
3 deaths and widespread damage
h about 33 km
Magnitude 7.3 (Pas)
7.3 (Brk)
7.0-7.3 (Pal)
7.5 (HVO)

Feb. 13

M	Z	iP	18:23:05.5 c
A	Z	iP	18:23:04.8 d
D	Z	iP	18:23:03.9 d
N	Z	iP	18:23:05.0 d
WP	Z	iP	18:23:04.9 d
Na	Z	iP	18:23:02.8 d
Pa	Z	iP	18:23:06.3 d

Table 5.--Distant earthquakes--Continued

Time	Station	Phase	Amplitude	Remarks
09:01:48.0	U			
09:01:49.0	U			
09:01:50.0	U			
09:01:51.0	U			
09:01:52.0	U			
09:01:53.0	U			
09:01:54.0	U			
09:01:55.0	U			
09:01:56.0	U			
09:01:57.0	U			
09:01:58.0	U			
09:01:59.0	U			
09:02:00.0	U			
09:02:01.0	U			
09:02:02.0	U			
09:02:03.0	U			
09:02:04.0	U			
09:02:05.0	U			
09:02:06.0	U			
09:02:07.0	U			
09:02:08.0	U			
09:02:09.0	U			
09:02:10.0	U			
09:02:11.0	U			
09:02:12.0	U			
09:02:13.0	U			
09:02:14.0	U			
09:02:15.0	U			
09:02:16.0	U			
09:02:17.0	U			
09:02:18.0	U			
09:02:19.0	U			
09:02:20.0	U			
09:02:21.0	U			
09:02:22.0	U			
09:02:23.0	U			
09:02:24.0	U			
09:02:25.0	U			
09:02:26.0	U			
09:02:27.0	U			
09:02:28.0	U			
09:02:29.0	U			
09:02:30.0	U			
09:02:31.0	U			
09:02:32.0	U			
09:02:33.0	U			
09:02:34.0	U			
09:02:35.0	U			
09:02:36.0	U			
09:02:37.0	U			
09:02:38.0	U			
09:02:39.0	U			
09:02:40.0	U			
09:02:41.0	U			
09:02:42.0	U			
09:02:43.0	U			
09:02:44.0	U			
09:02:45.0	U			
09:02:46.0	U			
09:02:47.0	U			
09:02:48.0	U			
09:02:49.0	U			
09:02:50.0	U			
09:02:51.0	U			
09:02:52.0	U			
09:02:53.0	U			
09:02:54.0	U			
09:02:55.0	U			
09:02:56.0	U			
09:02:57.0	U			
09:02:58.0	U			
09:02:59.0	U			
09:03:00.0	U			

Table 5.--Distant earthquakes--Continued

Feb. 13, 1963--Continued

Hi	Z	eP	18:23:07.5	d
Ka	Z	eP	18:23:06.8	c
Ha	Z	iP	18:23:05.8	c
U	PEZ	iP	18:23:06	c
		eR	18:37:34	
U	PEE	iS	18:30:42	
U	PEN	eG	18:35:00	

C&GS card 16-63:
18:13:55.1
9.9° S., 160.8° E.
Solomon Islands
h about 29 km
Magnitude 6.0-6.3 (Pal)
6.5 (Pas)
6.5 (Brk)
5.8 (CGS)
6.6 (HVO).

Feb. 14

M	Z	iP	07:16:32.8	c
D	Z	eP	07:16:31.3	c
N	Z	eP	07:16:32.3	c
WP	Z	eP	07:16:32.1	c
U	Z	iP	07:16:32.0	c
Na	Z	iP	07:16:30.4	c
Pa	Z	iP	07:16:33.9	d
Hi	Z	iP	07:16:34.6	c
Ka	Z	iP	07:16:34.0	c
Ha	Z	iP	07:16:34.2	c

C&GS card 15-63:
07:04:40.8
7.2° S., 128.2° E.
Banda Sea
h about 197 km
Magnitude 6.5 (Pas)
5.8 (CGS)
Felt: Darwin, Australia.

Feb. 14

M	Z	iP	22:18:22.3	c
D	Z	eP	22:18:21.5	d
N	Z	eP	22:18:21.8	d
U	Z	eP	22:18:21.8	d
Hi	Z	eP	22:18:24.3	c
U	PEN	eG	22:34:28	

Feb. 14--Continued

U	PEZ	iR	22:37:14
C&GS card 16-63: 22:07:54.3 5.0° S., 144.6° E. Eastern New Guinea h about 80 km Magnitude 6.5 (Pas) 6.0 (Pal) 6.2 (HVO) 6.0 (CGS)			

Feb. 21

M	Z	iP	02:43:22.7	c
A	Z	eP	02:43:23.6	c
D	Z	eP	02:43:23.0	c
WP	Z	iP	02:43:23.4	c
U	Z	eP	02:43:23.3	c
Ha	Z	eP	02:43:13.3	c
Na	Z	iP	02:43:22.3	c

C&GS card 14-63:
02:33:35.9
33.4° N., 139.2° E.
South of Honshu, Japan
h about 168 km
Magnitude 4.4 (CGS)

Feb. 21

Ha	Tmax		12:42:14
----	------	--	----------

C&GS card 17-63:
12:01:19.4
40.4° N., 125.0° W.
Near coast of northern California
h about 33 km.

Feb. 21

M	Z	eP	13:24:14.6	d
A	Z	eP	13:24:14.0	d
N	Z	eP	13:24:14.5	d
WP	Z	iP	13:24:14.4	d
U	Z	eP	13:24:14.0	d
Hi	Z	iP	13:24:15.8	c
Ka	Z	eP	13:24:16.6	c
Ha	Z	eP	13:24:18.9	d

Table 5.--Distant earthquakes--Continued

Feb. 21, 1963--Continued

C&GS card 15-63:
 13:16:05.6
 20.6° S., 175.1° W.
 Tonga Islands region
 h about 33 km
 Magnitude 5.2 (CGS).

Feb. 22

M	Z	eP	08:06:14.2	c
A	Z	eP	08:06:13.5	c
N	Z	iP	08:06:14.1	c
WP	Z	iP	08:06:14.1	c
U	Z	eP	08:06:13.9	c
Na	Z	iP	08:06:10.7	c
Pa	Z	iP	08:06:15.8	c
Hi	Z	iP	08:06:16.8	c
Ka	Z	iP	08:06:17.1	c
Ha	Z	iP	08:06:19.8	c

C&GS card 16-63:
 07:58:57.0
 17.8° S., 178.8° W.
 Fiji Islands region
 h about 550 km
 Magnitude 5.0 (CGS).

Feb. 24

M	Z	eP	13:44:18.2	d
A	Z	eP	13:44:17.4	d
D	Z	eP	13:44:17.9	d
N	Z	eP	13:44:17.5	d
WP	Z	eP	13:44:17.5	d
U	Z	eP	13:44:17.4	d
Hi	Z	iP	13:44:15.5	d
Pa	Z	iP	13:44:14.8	d
Ka	Z	eP	13:44:20.9	d

C&GS card 17-63:
 13:34:15.7
 14.6° N., 91.4° W.
 Central Guatemala
 h about 135 km
 Magnitude 5.7 (CGS).

Feb. 26

M	Z	iP	20:24:22.2	d
A	Z	eP	20:24:20.7	d
U	Z	iP	20:24:22.0	d
Na	Z	iP	20:24:20.4	d
		isP	20:25:20.5	c
Pa	Z	iP	20:24:24.3	d
Hi	Z	iP	20:24:24.8	d
		ipP	20:25:03.0	d
Ka	Z	iP	20:24:25.6	d
Ha	Z	iP	20:24:26.5	d
		isP	20:25:17.9	c
U	PEZ	iP	20:24:22	d
		ipP	20:25:05	d
		isP	20:25:25	c
U	PEZ	ipPP	20:27:31	dn
		ipPPP	20:28:46	dn
		iPKKP	20:42:41	
U	PEE	iPP	20:26:47	
		iS	20:32:46	
		iScS	20:33:21	
		iS	20:34:00	
U	PEN	iG	20:40:05	
M	Z	Tmax	21:32:24	
A	Z	Tmax	21:32:16	
WP	Z	Tmax	21:32:16	
Ha	Z	Tmax	21:32:11	

C&GS card 16-63:
 20:14:08.7
 7.5° S., 146.2° E.
 Eastern New Guinea
 h about 171 km
 Magnitude 7.3-7.5 (Pas)
 7.0-7.3 (Brk)
 6.8-7.0 (Pal)
 7.1 (CGS)
 7.0 (HVO).

Feb. 27

M	Z	eP	04:40:17	d
U	PEZ	eP	04:40:15	d
		iS	04:48:27	
		iss	04:52:39	
		eR	04:57:55	
U	PEE	iG	04:55:15	

Table 5.--Distant earthquakes--Continued

Feb. 27, 1963--Continued

C&GS card 19-63:
04:30:00.8
6.0° S., 149.4° E.
New Britain region
h about 52 km
Magnitude 6.5-6.8 (Pal)
5.2 (CGS)
6.8 (HVO).

Feb. 27

Ha Tmax 28:00:18:56

C&GS card 16-63:
23:36:20.4
54.8° N., 161.6° W.
Alaska Peninsula
h about 33 km
Magnitude 5.3 (CGS).

Mar. 4

M Z eP 15:54:52.8 d
D Z eP 15:54:52.3 c
WP Z eP 15:54:52.0 d
U Z iP 15:54:52.2 d

C&GS card 19-63:
15:43:04.0
4.5° S., 81.6° W.
Off coast of northern Peru
h about 33 km
Magnitude 5.6 (CGS).

Mar. 5

M Z iP 07:16:51.7 d
A Z iP 07:16:50.7 d
D Z eP 07:16:51.0 d
N Z eP 07:16:50.8 d
WP Z iP 07:16:50.8 d
U Z iP 07:16:50.8 d
Pa Z iP 07:16:58.3 c
Hi Z eP 07:16:50.0 d
Ha Z iP 07:16:50.0 d

C&GS card 19-63:
07:05:01.7
4.5° S., 81.5° W.

Mar. 5--Continued

C&GS card--Continued
Off coast of northern Peru
h about 31 km
Magnitude 5.6 (CGS).

Mar. 7

M Z iP 05:32:18.0 c
A Z eP 05:32:17.4 c
D Z eP 05:32:17.7 c
N Z eP 05:32:17.8 c
WP Z eP 05:32:17.8 c
U Z eP 05:32:18.0 c
Pa Z eP 05:32:14.8 c
Hi Z iP 05:32:18.1 c
U PEZ iP 05:32:19 d
ISS 05:44:39
eR 05:50:05
U PEE iS 05:40:41
iG 05:47:43
M Z Tmax 06:38:56
A Z Tmax 06:38:49
D Z Tmax 06:38:55
N Z Tmax 06:38:57
WP Z Tmax 06:38:56
U Z Tmax 06:38:57
Pa Z Tmax 06:38:49
Na Z Tmax 06:38:41

C&GS card 18-63:
05:22:01.1
27.0° S., 113.5° W.
500 km west of Easter Island
h about 33 km
Magnitude 6.8 (Pas)
6.8 (Brk)
5.6 (CGS)
6.8 (HVO).

Mar. 7

U PEZ ePS 12:42:35
eSS 12:47:51
eR 13:00:55

C&GS card 20-63:
12:16:28.5
44.3° S., 75.3° W.

Table 5.--Distant earthquakes--Continued

Mar. 7, 1963--Continued

C&GS card--Continued
Near coast of southern Chile
h about 45 km
Magnitude 5.6 (CGS).

Mar. 8

U PEZ eR 03:08:07

C&GS card 22-63:
02:44:31.5
19.2° S., 169.7° E.
New Hebrides Islands
h about 33 km
Magnitude 5.3 (CGS).

Mar. 8

U PEZ eR 03:48:27

C&GS card 22-63:
03:24:57.2
19.2° S., 169.6° E.
New Hebrides Islands
h about 49 km
Magnitude 4.8 (CGS).

Mar. 10

M	Z	Tmax	02:12:18
A	Z	Tmax	02:12:26
D	Z	Tmax	02:12:08
N	Z	Tmax	02:12:20
WP	Z	Tmax	02:12:18
U	Z	Tmax	02:12:23
Pa	Z	Tmax	02:11:56
Hi	Z	Tmax	02:11:40
Ka	Z	Tmax	02:12:35
Ha	Z	Tmax	02:10:50

C&GS card 20-63:
01:26:04.1
56.2° N., 153.8° W.
Kodiak Island, Alaska
h about 33 km
Magnitude 5.1 (CGS).

Mar. 10

M	Z	Tmax	12:50:12
A	Z	Tmax	12:50:02
D	Z	Tmax	12:50:07
N	Z	Tmax	12:50:06
Na	Z	Tmax	12:50:06

C&GS card 20-63:

Mar. 10--Continued

C&GS card 20-63:
10:51:48.1
29.9° S., 71.2° W.
Near coast of central Chile
h about 70 km
Magnitude 6.0-6.3 (Pas)
5.5 (CGS).

Mar. 10

M	Z	iP	14:03:01.9
A	Z	eP	14:03:01.7
N	Z	eP	14:03:01.4
WP	Z	eP	14:03:01.3
U	Z	iP	14:03:01.4

C&GS card 20-63:
13:51:04.3
2.4° N., 126.6° E.
Celebes Sea
h about 41 km.

Mar. 15

M	Z	iP	00:27:41.0 c
		iPcP	00:27:54.1 d
A	Z	iP	00:27:42.7 c
		iPcP	00:27:54.4 d
D	Z	iP	00:27:41.7 c
		ePcP	00:27:54.8 d
N	Z	eP	00:27:42.2 c
		iPcP	00:27:55.0 d
WP	Z	iP	00:27:42.0 c
		ePcP	00:27:53.9 d
U	PEZ	iP	00:27:42.3 c
U	PEZ	iPcP	00:27:53.2 d

C&GS card 21-63:
00:16:01.3
8.4° N., 126.4° E.
Mindanao, Philippine Islands
h about 117 km
Magnitude 5.0 (CGS).

Table 5.--Distant earthquakes--Continued

Mar. 16, 1963

M	Z	iP	08:53:36.1	c
A	Z	iP	08:53:37.0	c
D	Z	iP	08:53:36.7	c
N	Z	iP	08:53:36.5	c
U	Z	eP	08:53:36.4	c
Pa	Z	eP	08:53:37.0	d
Na	Z	iP	08:53:38.2	d
Hi	Z	iP	08:53:36.0	d
Ka	Z	iP	08:53:34.1	c
Ha	Z	iP	08:53:26.7	c
U	PEZ	iP	08:53:37.2	c
U	PEZ	i	08:53:57	d
		i	08:54:13	c
		iPP	08:55:45	d
		iS	09:00:39	
		iSS	09:04:14	
		eR	09:07:51	
U	PEE	iG	09:05:13	
Ha	Z	Tmax	09:45:44	

C&GS card 21-63:
08:44:48.3
46.5° N., 154.7° E.
Kurile Islands region
h about 26 km
Magnitude 7.0 (Pas)
7.8 (Brk)
6.8 (Pal)
6.2 (CGS)
7.3 (HVO).

Mar. 20

M	Z	eP	04:50:37.6	d
A	Z	eP	04:50:36.2	d
D	Z	eP	04:50:36.5	d
N	Z	iP	04:50:37.2	d
Pa	Z	iP	04:50:38.7	c
Hi	Z	eP	04:50:39.4	d
Ka	Z	iP	04:50:39.6	c
Ha	Z	iP	04:50:42.2	c

C&GS card 24-63:
04:43:13.5
19.9° S., 179.1° W.
Fiji Islands region
h about 680 km
Magnitude 5.2 (CGS).

Mar. 20

M	Z	eP	04:53:12.0	d
D	Z	eP	04:53:10.9	d
N	Z	eP	04:53:11.6	d
WP	Z	iP	04:53:11.6	d
U	Z	eP	04:53:11.8	c
Pa	Z	iP	04:53:13.0	c
Na	Z	iP	04:53:09.5	c
Hi	Z	eP	04:53:14.8	c
Ka	Z	iP	04:53:14.9	c
Ha	Z	iP	04:53:17.5	c

C&GS card 24-63:
04:45:49.5
19.6° S., 179.3° W.
Fiji Islands region
h about 680 km
Magnitude 5.2 (CGS).

Mar. 20

M	Z	iP	16:49:57.1	d
---	---	----	------------	---

C&GS card 23-63:
16:38:55.8
2.4° S., 138.4° E.
Western New Guinea
Magnitude 5.5 (CGS)
h about 40 km.

Mar. 24

M	Z	iP	02:20:03.5	c
A	Z	iP	02:20:03.0	c
D	Z	eP	02:20:02.4	c
Na	Z	iP	02:20:01.9	c
Ha	Z	iP	02:20:08.6	c
U	PEN	iL	02:43:22	

C&GS card 26-63:
02:07:12.8
9.7° S., 120.4° E.
Sumba Island region
Magnitude 6.3 (Pas)
6.0 (Pal)
5.4 (CGS)
h about 57 km.

Table 5.--Distant earthquakes--Continued

Mar. 24, 1963

M	Z	iP	09:55:10.7	c
A	Z	iP	09:55:11.2	c
D	Z	iP	09:55:10.3	c
Pa	Z	iP	09:55:12.8	c

C&GS card 25-63:
09:43:20.2
9.0° N., 125.6° E.
Mindanao region,
Philippine Islands
Magnitude 5.2 (CGS)
h about 51 km.

Mar. 24

M	Z	iP	21:42:38.1	d
A	Z	eP	21:42:39.8	d
D	Z	iP	21:42:40.5	d
N	Z	eP	21:42:39.7	d
WP	Z	eP	21:42:39.7	d
U	Z	eP	21:42:40.0	c
Pa	Z	iP	21:42:40.1	c
Ha	Z	eP	21:42:28.8	c
U	PEZ	eR	21:52:03	
M	Z	Tmax	22:21:23	
D	Z	Tmax	22:22:05	
N	Z	Tmax	22:21:34	
WP	Z	Tmax	22:21:24	
U	Z	Tmax	22:21:34	
Pa	Z	Tmax	22:21:32	
Ha	Z	Tmax	22:19:37	

C&GS card 24-63:
21:35:24.4
51.8° N., 178.1° W.
Andreanof Islands,
Aleutian Islands
h about 57 km
Magnitude 6.0 (Pas)
5.0 (Pal)
5.5 (CGS)
5.4 (HVO).

Mar. 26

M	Z	iP	09:57:39.4	d
A	Z	iP	09:57:38.0	d
D	Z	iP	09:57:37.2	c
N	Z	eP	09:57:37.7	d
WP	Z	eP	09:57:37.6	d
U	Z	eP	09:57:37.3	d

Mar. 26--Continued

Pa	Z	iP	09:57:40.8	c
Na	Z	eP	09:57:34.7	d
Hi	Z	eP	09:57:41.5	d
Ka	Z	eP	09:57:43.6	c
Ha	Z	eP	09:57:46.4	c
U	PEZ	iP	09:57:38	c
		iS	10:05:15	
		iSS	10:08:51	
	PEE	iG	10:09:49	
		iR	10:12:23	

C&GS card 26-63:
09:48:19.7
29.7° S., 177.8° W.
Kermadec Islands
h about 45 km
Magnitude 6.8-7.0 (Pas)
7.0 (Brk)
7.0 (Pal)
7.1 (HVO).

Mar. 26

M	Z	iP	13:34:24.2	d
A	Z	iP	13:34:22.9	d
D	Z	eP	13:34:22.6	d
N	Z	eP	13:34:23.2	d
WP		eP	13:34:23.2	d
U	Z	eP	13:34:22.8	c
Pa	Z	eP	13:34:24.9	d
Na	Z	eP	13:34:21.4	d
Hi	Z	eP	13:34:26.4	d
Ka	Z	eP	13:34:28.2	d
Ha	Z	eP	13:34:31.5	c
U	PEZ	iP	13:34:23	
		iSS	13:45:33	
		iR	13:49:23	
U	PEN	iS	13:41:55	

C&GS card 27-63:
13:25:02.6
29.8° S., 177.9° W.
Kermadec Islands
h about 42 km
Magnitude 7.3 (Pas)
6.5 (Pal)
5.9 (CGS)
6.4 (HVO).

Table 5.--Distant earthquakes--Continued

Mar. 26, 1963

M	Z	iP	19:56:56.2	c
A	Z	eP	19:56:57.0	c
D	Z	iP	19:56:56.4	c
N	Z	iP	19:56:56.7	c
WP	Z	iP	19:56:56.6	c
U	Z	iP	19:56:56.5	c
Pa	Z	eP	19:56:57.2	c
Na	Z	eP	19:56:57.3	c

C&GS card 25-63:
19:47:46.0
44.4° N., 146.7° E.
Kurile Islands
h about 110 km
Magnitude 5.6 (CGS)

Mar. 26

M	Z	iP	21:45:00.9	d
A	Z	iP	21:45:01.7	d
D	Z	iP	21:45:01.1	d
N	Z	iP	21:45:01.4	d
WP	Z	iP	21:45:01.4	d
U	Z	iP	21:45:01.2	d
Pa	Z	iP	21:45:03.1	d
Na	Z	iP	21:45:01.4	d
Hi	Z	eP	21:45:00.5	c
Ha	Z	iP	21:44:52.3	d
U	PEZ	iP	21:45:01	
		iG	22:03:05	
U	PEE	iS	21:53:55	
U	PEN	eSSS	22:00:31	

C&GS card 24-63:
21:34:41.1
36.0° N., 135.7° E.
Near east coast of Honshu, Japan
Magnitude 6.0-6.3 (Pal)
6.5 (Pas)
6.5 (Brk)
5.9 (CGS)
6.5 (HVO)

Mar. 28

U	PEE	iS	00:39:31	
		iL	00:52:23	
U	PEN	iPS	00:40:36	

Mar. 28--Continued

U	PEZ	iSS	00:45:33	
		iSSS	00:49:15	
		iR	00:56:59	

C&GS card 27-63:
00:15:47.5
66.3° N., 19.6° W.
Iceland
Magnitude 7.0-7.3 (Pas)
6.5 (Bks)
6.5-6.8 (Pal)
7.0 (HVO)
h about 15 km.

Mar. 28

M	Z	eP	11:21:52.9	c
A	Z	eP	11:21:52.5	c
WP	Z	eP	11:21:52.3	c
Hi	Z	eP	11:21:55.2	c

C&GS card 27-63:
11:12:31.3
30.2° S., 177.8° W.
Kermadec Islands
h about 38 km.

Mar. 30

M	Z	iP	02:02:21.9	c
A	Z	eP	02:02:21.6	c
D	Z	eP	02:02:20.5	c
N	Z	eP	02:02:21.6	c
WP	Z	eP	02:02:21.6	c
U	Z	iP	02:02:21.4	c
Na	Z	eP	02:02:18.5	c
Hi	Z	iP	02:02:24.1	d
Ka	Z	eP	02:02:24.8	c
Ha	Z	iP	02:02:25.1	c

C&GS card 29-63:
01:53:28.8
19.1° S., 169.1° E.
New Hebrides Islands
Magnitude 6.1 (CGS)
h about 160 km.

Mar. 30

M	Z	iP	17:01:11.4	d
---	---	----	------------	---

Table 5.--Distant earthquakes--Continued

Mar. 30, 1963--Continued

D	Z	iP	17:01:11.7 d
N	Z	eP	17:01:11.7 d
WP	Z	eP	17:01:11.9 d
U	Z	eP	17:01:11.6 c
Pa	Z	iP	17:01:13.6 d
Na	Z	eP	17:01:12.5 d
Hi	Z	iP	17:01:11.2 d

C&GS card 27-63:

16:51:56.6
44.2° N., 148.0° E.
Kurile Islands
h about 33 km
Magnitude 5.3-5.5 (Pal)
6.3 (CGS)

Mar. 30

M	Z	Tmax	22:20:44
A	Z	Tmax	22:20:33
D	Z	Tmax	22:20:32
N	Z	Tmax	22:20:30
U	Z	Tmax	22:20:31
Pa	Z	Tmax	22:20:01
Na	Z	Tmax	22:20:29

C&GS card 28-63:

21:13:54.1
8.7° S., 109.2° W.
About 2,000 km southwest of
Galapagos Islands
h about 33 km
Magnitude 4.6 (CGS).

Mar. 31

M	Z	iP	05:40:05.6 d
A	Z	eP	05:40:02.2 d
N	Z	eP	05:40:02.7 d
U	Z	eP	05:40:03.4 d
Pa	Z	eP	05:40:07.3 c
U	PEN	iS	05:47:36
U	PEZ	eR	05:54:44

C&GS card 27-63:

05:30:49.3
29.9° S., 177.7° W.
Kermadec Islands
h about 48 km.

Mar. 31--Continued

C&GS card--Continued
Magnitude 6.3-6.5 (Pas)
6.5 (Bks)
6.0-6.3 (Pal)
5.7 (CGS)
6.3 (HVO)

Mar. 31

D	Z	iP	07:18:13.7 d
U	PEN	iG	07:32:48
U	PEE	eR	07:35:32

C&GS card 27-63:

07:07:36.3
6.1° S., 149.0° E., New Britain
Magnitude 6.3 (Pas)
6.0 (Pal)
5.7 (CGS).

Mar. 31

M	Z	iP	19:32:13.9 d
A	Z	eP	19:32:12.9 d
D	Z	eP	19:32:12.2 d
N	Z	iP	19:32:13.4 d
WP	Z	iP	19:32:13.4 d
U	Z	iP	19:32:13.4 d
Hi	Z	eP	19:32:14.9 d

C&GS card 27-63:

19:22:53.3
30.0° S., 178.0° W.
Kermadec Islands
h about 50 km
Magnitude 6.3-6.5 (Pas)
6.5 (Bks)
5.8 (CGS).

Table 6.--U.S. Geological Survey seismograph stations in Hawaii

Station	Symbol	Location		Altitude (M) above sea level	Equipment
		Latitude N.	Longitude W.		
Uwekahuna (Hawaiian Volcano Observatory).	U	19°25.4'	155°17.6'	1,240	(Z, vertical; N, north-south; E, east-west)
Mauna Loa-----	M	19°29.8'	155°23.3'	2,010	Long-period Press-Ewing: N, E, Z. (Seismometer and galvanometer periods are 15 and 90 seconds, respectively.) Short-period Sprengnether: E, Z. HVO-1: Z ^{1/} .
Ahua-----	A	19°22.4'	155°15.9'	1,070	Short-base liquid-level tiltmeter. April 9, 1963 to May 27, 1963 a Wood-Anderson (NS) replaced Sp-Z on an experimental, temporary basis.
Desert-----	D	19°20.2'	155°23.3'	815	Operated by John Forbes, Akira Yamamoto and other HVO staff members.
North Pit-----	N	19°24.9'	155°17.0'	1,115	Remote recording HVO-2: Z ^{2/} .
West Pit-----	WP	19°24.7'	155°17.5'	1,110	Remote recording HVO-2: Z.
Whitney Vault-----	W	19°25.9'	155°15.7'	1,210	Do. Do. Do. Installed October 31, 1962. Bosch-Omori: N, E. (Seismometer period 9 seconds.) Discontinued February 1, 1963.

Station Name	Latitude	Longitude	Altitude (M)	Equipment
A	19° 52' 0"	155° 10' 0"	1570	(Z) Vertical; N, north-south; E, east-west
MS	19° 51' 0"	155° 11' 0"	1770	
B	19° 51' 0"	155° 11' 0"	1772	
D	19° 50' 0"	155° 13' 0"	812	
V	19° 55' 0"	155° 12' 0"	1010	
H	19° 56' 0"	155° 17' 0"	5070	
Naalehu	19° 03' 8"	155° 35' 2"	205	
Pahoa	19° 29' 7"	154° 56' 8"	205	
Kamuela	20° 01' 9"	155° 42' 0"	740	
Konawaena	19° 30' 8"	155° 55' 1"	495	
Haleakala, Maui	20° 46' 0"	156° 15' 0"	2,090	

Table 6.--U.S. Geological Survey seismograph stations in Hawaii--Continued

Station	Symbol	Location		Altitude (M) above sea level	Equipment
		Latitude N.	Longitude W.		
Hilo-----	Hi	19°43.2'	155°05.3'	20	(Z, vertical; N, north-south; E, east-west)
Naalehu-----	Na	19°03.8'	155°35.2'	205	HVO-1: Z Wood-Anderson: N, E. Operated by Sister Thecla at St. Joseph's School.
Pahoa-----	Pa	19°29.7'	154°56.8'	205	HVO-1: Z. Operated by Rev. H. Hanson till September 1, 1962, when new operator, Rev. D. Thompson, took over duties at Naalehu School. HVO-1, buried July 17, 1962.
Kamuela-----	Ka	20°01.9'	155°42.0'	740	HVO-1: Z. Operated by Mr. Kongo Kimura at Pahoa School.
Konawaena-----	Ko	19°30.8'	155°55.1'	495	HVO-1: Z. Operated by Mr. Edward Van Gorder, Preparatory Academy, Kamuela. Not operated in 1963.
Haleakala, Maui-----	Ha	20°46.0'	156°15.0'	2,090	HVO-1: Z. Wood-Anderson: N, E. Operated by the staff of Hawaii National Park at Haleakala, Maui.

See footnotes at end of table, p. 35.

Table 6.---U.S. Geological Survey seismograph stations in Hawaii--Continued

Station Name	ID	Longitude	Latitude	Elevation (ft)	Description	Instrumentation	
						M	A
HVO-1	10	155° 12' 0"	19° 12' 0"	3,000	Vertical-component seismograph with a moving-coil, hinged, vertical-component seismometer and galvanometer periods of 0.5 second. Over-damping of both seismometer and galvanometer is used to control the strong galvanometer reaction. This seismograph has a peak magnification of about 20,000 at a period of 0.25 second. Recording is optical, on photographic paper.	1	1
HVO-2	20	155° 22' 7"	19° 12' 0"	170	Vertical-component seismograph with a moving-coil, hinged, vertical-component seismometer and galvanometer periods of 0.8 second. Its signal is transmitted over telephone wires to the Hawaiian Volcano Observatory, where it is recorded on smoked paper. The response of this seismograph is similar to that of HVO-1. Records from these seismographs at the M, A, and D stations are recorded on a 3-component drum to permit an accurate comparison of arrival times at these stations.	1	1
HVO-3	30	155° 15' 0"	19° 12' 0"	1,140	Vertical-component seismograph with a moving-coil, hinged, vertical-component seismometer and galvanometer periods of 0.5 second. Over-damping of both seismometer and galvanometer is used to control the strong galvanometer reaction. This seismograph has a peak magnification of about 20,000 at a period of 0.25 second. Recording is optical, on photographic paper.	1	1
HVO-4	40	155° 20' 0"	19° 12' 0"	300	Vertical-component seismograph with a moving-coil, hinged, vertical-component seismometer and galvanometer periods of 0.5 second. Over-damping of both seismometer and galvanometer is used to control the strong galvanometer reaction. This seismograph has a peak magnification of about 20,000 at a period of 0.25 second. Recording is optical, on photographic paper.	1	1
HVO-5	50	155° 22' 5"	19° 12' 0"	300	Vertical-component seismograph with a moving-coil, hinged, vertical-component seismometer and galvanometer periods of 0.5 second. Over-damping of both seismometer and galvanometer is used to control the strong galvanometer reaction. This seismograph has a peak magnification of about 20,000 at a period of 0.25 second. Recording is optical, on photographic paper.	1	1
HVO-6	60	155° 08' 5"	19° 12' 0"	50	Vertical-component seismograph with a moving-coil, hinged, vertical-component seismometer and galvanometer periods of 0.5 second. Over-damping of both seismometer and galvanometer is used to control the strong galvanometer reaction. This seismograph has a peak magnification of about 20,000 at a period of 0.25 second. Recording is optical, on photographic paper.	1	1

Table 6.---U.S. Geological Survey seismograph stations in Hawaii--Continued

1/ HVO-1 is a moving-coil, hinged, vertical-component seismograph with seismometer and galvanometer periods of 0.5 second. Over-damping of both seismometer and galvanometer is used to control the strong galvanometer reaction. This seismograph has a peak magnification of about 20,000 at a period of 0.25 second. Recording is optical, on photographic paper.

2/ HVO-2 is a moving-coil, vertical-component seismograph with a seismometer period of 0.8 second. Its signal is transmitted over telephone wires to the Hawaiian Volcano Observatory, where it is recorded on smoked paper. The response of this seismograph is similar to that of HVO-1. Records from these seismographs at the M, A, and D stations are recorded on a 3-component drum to permit an accurate comparison of arrival times at these stations.

[Faint, illegible text, likely bleed-through from the reverse side of the page.]

The following persons or agencies reported "felt" earthquakes during the first quarter, 1963. Their assistance is gratefully acknowledged.

North Hawaii

Honokaa School
 Mrs. Hunter
 Mr. Van Gorder
 Mrs. Lindsey
 Miss Tulley
 Mrs. Thwine
 Mrs. Richards, Jr.
 Mrs. Christensen
 Mrs. Walker
 Hawaii Preparatory Academy
 Mr. McCabe
 Mrs. Weight
 Mrs. Eklund
 Miss Wallace
 Mr. Stewart

Kilauea summit region

Mrs. Loucks
 Keakelani School
 Mrs. Hansen
 National Park Headquarters
 Volcano House Hotel
 Mrs. Mist
 Mr. Koyanagi
 Shipman Ranch (Keaau)
 Mrs. Wentworth
 Mrs. Duncan
 Kilauea Military Camp
 Miss English
 Mrs. Fraser
 Mrs. Yamamoto

Kona coast

Mr. Johnson, Jr.
 Mr. Sutherland
 Miss Greenwell
 Mr. Paris
 Mrs. Mitchell
 Mr. S. Greenwell
 Mrs. Rice
 Mr. Sleightholm
 Mr. Yeoman
 Mrs. Higashihara
 Mrs. Cherry
 Mrs. Miyatake
 Mrs. Hayashi
 Mrs. Yamasaki
 Mrs. Korenaga

Puna

Mr. Edwards
 Mr. Hay
 Miss Takemoto
 Mrs. Isbell
 Mr. Warner
 Mrs. Walker

Hilo region

Mr. Sadamoto
 Mr. McMurray
 Mr. Pierce
 Miss Perriera
 Mrs. Schaeffer
 Mrs. Duncan
 Mr. Elliot
 Mrs. Ingledue
 Mr. Okamura
 Mr. Warner
 Mrs. Baldwin
 Mr. Ho
 Mr. Onuma
 Mrs. Veriato
 Mrs. Breyton

Kau region

Mr. Godfrey
 Mrs. Schattauer
 Mrs. Billings
 Mrs. Yamamoto
 Kau Police Dept.
 Mr. Manierre
 Mr. Edwards

Central Hawaii

Kulani Honor Camp
 Lt. Carvalho
 Mr. Kamiko
 Puu Anahulu School

Maui Island

Mrs. Boyum
 Mr. Griffiths
 Mr. Ching
 Dr. Leekrick
 Ulupalakua Ranch
 Hana-Maui Hotel
 Haleakala National Park
 Mr. Hupp
 Mrs. Lindsay
 Kahului Airport

Oahu Island

Mr. Johnson

Station Name	Coordinates	Instrument	Period	Remarks
Kea	19° 40' N, 155° 40' W	TM	1963	Water-tube tiltmeter
Uwekahuna	19° 40' N, 155° 40' W	TM	1963	Water-tube tiltmeter
Kam	19° 40' N, 155° 40' W	TM	1963	Water-tube tiltmeter
Kea	19° 40' N, 155° 40' W	SS	1963	Short-base water-tube tiltmeter
Kap	19° 40' N, 155° 40' W	SS	1963	Short-base water-tube tiltmeter
Kal	19° 40' N, 155° 40' W	SS	1963	Short-base water-tube tiltmeter
KN	19° 40' N, 155° 40' W	SS	1963	Short-base water-tube tiltmeter
HP	19° 40' N, 155° 40' W	SS	1963	Short-base water-tube tiltmeter




Figure 2.--Tilting of the ground around Kilauea caldera, March 18 to May 12, 1963. The vector depicting tilting at a given tilt-base points in the direction of maximum relative subsidence and has a length proportional to the rate of tilting during the measurement interval. Closed circles represent field tilt-bases; open circles, short-base water-tube tiltmeters.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



Chronological summary..... 1
Tilting of the ground around Kilauea caldera..... 2
Seismic activity..... 3
Persons or agencies reporting felt earthquakes during the quarter..... 3

Figure 1. Map of the HAWAIIAN VOLCANO OBSERVATORY
SUMMARY 30
April, May, and June 1963

By
Harold L. Krivoy, Willie T. Kinoshita,
Arnold T. Okamura and Robert Y. Koyanagi

Issued March 1965
Observatory Staff

Geology J. G. Moore (Scientist-in-Charge)
C. K. Wentworth

Geochemistry
R. T. Okamura

Geophysics W. T. Kinoshita (Arrived from Menlo
Park in June)
G. Kojima
R. Y. Koyanagi
H. L. Krivoy
A. T. Okamura
A. S. Ryall
N. Sherrill

Support
E. T. Endo
J. C. Forbes
W. H. Francis
B. J. Loucks
A. Yamamoto

Contents

	Page
Chronological summary-----	1
Tilting of the ground around Kilauea caldera-----	5
Seismic summary-----	9
Persons or agencies reporting felt earthquakes during the quarter--	34

Illustrations

Figure 1. Map of the island of Hawaii showing seismograph stations and localities mentioned in the text-----	4
2. Tilting of the ground around Kilauea caldera-----	8

Tables

Table A. Tilt coordinates and cumulative changes at Uwekahuna Vault, May 8-13-----	2
1. Tilt coordinates at Uwekahuna Vault-----	6
2. Tilt coordinates and changes at bases around Kilauea caldera-----	7
3. Number of earthquakes and minutes of tremor recorded on seismographs around Kilauea caldera-----	10
4. Local earthquakes recorded by seismographs of the U.S. Geological Survey-----	14
5. Distant earthquakes-----	22

Chronological summary

Slight inflation of Kilauea volcano during early April was indicated by northwestward tilting at Uwekahuna. Very heavy rainfall (26 inches in one week) was followed by moderate but persistent southward tilting between April 17-30. Part of the apparent collapse may have been caused by cooling and shrinking of near-surface lava storage, but most of it is best attributed to rainfall-induced deformation in the immediate vicinity of Uwekahuna Vault.

April was not an unusual month seismically: shallow caldera quakes were slightly more numerous but activity elsewhere was similar to that during March (table 3). Three earthquakes were felt in Hawaii during the month (table 4).

Strong northward tilting at Uwekahuna characterized the first 8 days of May. Except for slightly increased activity along the Kaoiki fault, including a magnitude 3.4 "felt" earthquake on March 4, the statistics of shallow and deep seismic activity continued unchanged from April.

At 21^h50^m on May 9, an episode of unusual seismic activity consisting of frequent earthquakes in a background of continuous harmonic tremor began. Early in this crisis, which lasted 4 days, about a dozen earthquakes were felt lightly in the Kilauea summit region. Only two of these could be identified individually (table 4). Otherwise, earthquakes were not felt, although they occurred at rates as high as five per minute. The appearance of harmonic tremor on instruments of the Kilauea summit network suggested that lava was moving at a shallow depth beneath the summit region. Earthquakes that could be read through the tremor background originated along the Koaie fault system in the vicinity of Puu Koaie on Kilauea's southwest flank (fig. 2). Fresh cracks up to 2 feet in width were eventually found in this region in a zone several miles long. The cracks were all tensional. The tilt diagram for March 18 to May 12 (fig 2) very clearly shows tumescence of an elongate zone along the southwest rift zone. Movement of lava into this region from the summit reservoir is believed to have caused the seismic activity and extensive cracking.

While the southwest rift zone was swelling and cracking, a remarkable collapse of the Kilauea summit region was recorded by the short-base tiltmeter at Uwekahuna. Although the summit collapse is shown in a gross manner (7-day averages) in table 1, a more detailed record of this event is provided by the unaveraged tilt coordinates at Uwekahuna Vault derived from a stepped-up reading schedule during the collapse (table A). On May 12 summit collapse ceased and rapid reinflation began, as indicated by rapid northwestward tilting at Uwekahuna. A remarkably similar episode of summit collapse accompanied by earthquakes and ground cracking south of the caldera occurred in December 1950 (Volcano Letter 510).

The frequency of earthquakes in and near Kilauea caldera decreased sharply after the May 9-12 crisis. Three additional earthquakes were felt on Hawaii during the rest of the month.

During June, seismic activity in the vicinity of Kilauea caldera and along the upper part of Kilauea's east rift zone increased slightly. Tilting at Uwekahuna declined about the end of May and showed little change during June.

Four earthquakes were felt on Hawaii during June. The largest was of magnitude 4.2 and occurred beneath the south flank of Mauna Loa on June 6.

Note on instrumentation.--Early in April an HVO-2 seismometer was installed at Makaopuhi Crater. Its signal is transmitted over a telephone line to the Observatory, where recording of data from the new station (MP) was begun on April 18.

Table A.--Tilt coordinates and cumulative changes at Uwekahuna Vault during the May 9-12 summit collapse

Date	Time	Tilt coordinates and cumulative changes			
		N-S	S(N-S) urad	E-W	S(E-W) urad
May 8	08 ^h 30 ^m	505	0	482	0
9	08 ^h 30 ^m	505	0	482	0
10	00 ^h 15 ^m	509	+4	494	+12
10	03 ^h 15 ^m	503	-2	499	+17
10	06 ^h 30 ^m	496	-9	505	+23
10	08 ^h 30 ^m	493	-12	506	+24
10	11 ^h 30 ^m	494	-11	505	+23
10	14 ^h 30 ^m	493	-12	508	+26
10	18 ^h 30 ^m	490	-15	508	+26
11	08 ^h 00 ^m	491	-14	505	+23
12	09 ^h 30 ^m	484	-21	510	+28
12	12 ^h 30 ^m	489	-16	508	+26
13	08 ^h 30 ^m	486	-19	510	+28

Four earthquakes were felt on Hawaii during June. The largest was of magnitude 4.7 and occurred beneath the south flank of Mauna Loa on June 2.

Note on instrumentation.--Early in April an MWD-3 seismometer was installed at Mokuaweoweo Crater. Its signal is transmitted over a telephone line to the Observatory, where recording of data from the new station (W7) was begun on April 18.

Table 1.--Epicenters and cumulative changes of Hawaiian Volcanic during the May 9-12 seismic collapse

Date	Time	Lat (N-S)	Long (W-E)	Mag
May 8	08:30 ^m	20.5	156.2	4.2
9	08:30 ^m	20.5	156.2	4.2
10	00:12 ^m	20.8	156.4	4.1
10	02:12 ^m	20.3	156.2	4.0
10	02:30 ^m	20.2	156.2	4.2
10	06:30 ^m	20.3	156.2	4.2
10	11:30 ^m	20.4	156.1	4.1
10	12:30 ^m	20.3	156.1	4.2
11	08:00 ^m	20.1	156.1	4.3
12	04:30 ^m	20.3	156.1	4.3
12	11:30 ^m	20.2	156.2	4.5
12	08:30 ^m	20.3	156.2	4.5




Figure 1.--Map of the island of Hawaii showing seismograph stations operated by the Geological Survey and localities mentioned in the text. Epicenters of earthquakes are given in terms of geographic coordinates, which are indicated at the edges of the map.




Figure 1.--Top of the island of Hawaii showing tiltmeter stations operated by the Geological Survey and located within the caldera. Elevation of stations are given in terms of geographic coordinates, which are indicated at the edge of the map.

Tilting of the ground around Kilauea caldera.--Tilting of the ground around the summit of Kilauea is monitored daily by a short-base water-tube tiltmeter in Uwekahuna Vault, and at irregular intervals it is measured on a regional scale by means of a network of field tilt-bases and a portable water-tube tiltmeter. The attitude of the ground surface at each tilt base is reported in terms of north-south and east-west tilt coordinates. Both coordinates at each station were arbitrarily set equal to 500 when measurements at that station were begun. Increasing tilt coordinates correspond to northward and eastward tilting of the earth's surface; i.e., to a relative subsidence toward the north and east. A one-unit change in coordinate corresponds to a tilting of 1 microradian (1 mm per km) in the direction indicated.

Table 1.--Tilt coordinates at Uwekahuna Vault, April, May, and June 1963

Date	N-S	E-W	Date	N-S	E-W
April 7	495	482	June 2	504	496
14	496	481	9	507	494
21	490	483	16	507	493
28	491	483	23	507	493
May 5	501	483	30	505	497
12	491	504			
19	494	502			
26	501	497			

Tilting of the ground around Kilauea caldera.--Tilting of the ground around the summit of Kilauea is monitored daily by a short-base water-tube tiltmeter in Uwekahuna Vault, and at irregular intervals it is measured on a regional scale by means of a network of fixed tilt-bases and a portable water-tube tiltmeter. The attitude of the ground surface at each tilt base is reported in terms of north-south and east-west tilt coordinates. Both coordinates at each station were arbitrarily set equal to 500 when measurements at that station were begun. Increasing tilt coordinates correspond to northward and eastward tilting of the earth's surface, i.e., to a relative subsidence toward the north and east. A one-unit change in coordinate corresponds to a tilting of 1 microradian (1 m per km) in the direction indicated.

Table 1.--Tilt coordinates at Uwekahuna Vault, April, May, and June 1963

Date	N-S		E-W	
	1963	1962	1963	1962
May 26	497	491	483	487
May 28	493	481	483	483
May 30	493	481	483	487
May 31	493	483	483	483
June 1	493	483	483	483
June 2	493	483	483	483
June 3	493	483	483	483
June 4	493	483	483	483
June 5	493	483	483	483
June 6	493	483	483	483
June 7	493	483	483	483
June 8	493	483	483	483
June 9	493	483	483	483
June 10	493	483	483	483
June 11	493	483	483	483
June 12	493	483	483	483
June 13	493	483	483	483
June 14	493	483	483	483
June 15	493	483	483	483
June 16	493	483	483	483
June 17	493	483	483	483
June 18	493	483	483	483
June 19	493	483	483	483
June 20	493	483	483	483
June 21	493	483	483	483
June 22	493	483	483	483
June 23	493	483	483	483
June 24	493	483	483	483
June 25	493	483	483	483
June 26	493	483	483	483
June 27	493	483	483	483
June 28	493	483	483	483
June 29	493	483	483	483
June 30	493	483	483	483

Table 2.--Tilt coordinates and changes at bases around Kilauea caldera (see fig. 2)

Tilt Base (location)	Date (1963)	Tilt coordinates		Rate (10^{-6} rad/mo) and direction of tilting since last reading	Date of last reading (1963)
		N-S	E-W		
Uwekahuna ($19^{\circ}25.5'$ N., $155^{\circ}17.4'$ W.)	May 10	471.6	494.6	8.0 East	March 20
Tree Molds ($19^{\circ}26.3'$ N., $155^{\circ}17.3'$ W.)	14	453.6	512.4	2.8 N. 15.9° E.	19
Sand Spit ($19^{\circ}24.1'$ N., $155^{\circ}16.8'$ W.)	14	829.9	709.9	4.2 S. 15.4° E.	21
Kalihipaa ($19^{\circ}21.4'$ N., $155^{\circ}15.3'$ W.)	11	559.5	451.0	13.8 S. 68.5° E.	18
Keamoku ($19^{\circ}25.1'$ N., $155^{\circ}19.0'$ W.)	10	519.1	564.1	15.9 N. 28.9° W.	18
Ahua Kamokokolau ($19^{\circ}22.7'$ N., $155^{\circ}16.6'$ W.)	10	607.9	583.2	26.0 N. 79.0° E.	19
Kipuka Nene ($19^{\circ}19.4'$ N., $155^{\circ}16.7'$ W.)	13	497.9	507.7	7.4 S. 51.1° E.	15
Hilina Pali ($19^{\circ}18.2'$ N., $155^{\circ}18.6'$ W.)	13	501.4	501.9	4.7 S. 28.8° E.	13
Kapapala Ranch ($19^{\circ}20.5'$ N., $155^{\circ}23.8'$ W.)	11	497.8	503.1	1.0 N. 78° W.	14

Station	Coordinates	Instrument	Period	Remarks
Kea	19° 49' N, 155° 49' W	TM	1963	Water-tube tiltmeter
Uwekahuna	19° 51' N, 155° 48' W	SS	1963	Short-base water-tube tiltmeter
Kam	19° 52' N, 155° 47' W	SS	1963	Short-base water-tube tiltmeter
Kap	19° 53' N, 155° 46' W	SS	1963	Short-base water-tube tiltmeter
Kal	19° 54' N, 155° 45' W	SS	1963	Short-base water-tube tiltmeter
KN	19° 55' N, 155° 44' W	SS	1963	Short-base water-tube tiltmeter
HP	19° 56' N, 155° 43' W	SS	1963	Short-base water-tube tiltmeter




Figure 2.--Tilting of the ground around Kilauea caldera, March 18 to May 12, 1963. The vector depicting tilting at a given tilt-base points in the direction of maximum relative subsidence and has a length proportional to the rate of tilting during the measurement interval. Closed circles represent field tilt-bases; open circles, short-base water-tube tiltmeters.




Figure 2--Tilt of the ground around Kilauea caldera, March 18 to May 12, 1963. The vector depicting tilting at a given tilt-base point is in the direction of maximum relative subsidence and has a length proportional to the rate of tilting during the maximum interval. Closed circles represent field tilt-bases; open circles, short-base water-tube tilt-bases.

Seismic summary.--Events recorded by the U.S. Geological Survey seismograph network in Hawaii fall into two categories: local earthquakes and tremor originating in the region of the Hawaiian Islands, usually within 100 km of at least one seismograph, and distant earthquakes originating more than 3,000 km from Hawaii. As an index of seismic activity at Hawaiian volcanoes, daily counts of earthquakes and minutes of tremor recorded by seismographs in Hawaii are listed in table 3. The earthquakes are separated into groups on the basis of region of origin as determined by analysis of records obtained daily at the Observatory (U, M, A, D, N, MP). Earthquakes of magnitude 2.5 or greater are generally sufficiently well recorded to be located with greater precision; they are listed individually in table 4. Data on identifiable phases from distant earthquakes are listed in table 5.

Locations of the seismograph stations are shown on figure 1, and essential data on the stations were given in Summary 29.

Table 3.--Number of earthquakes and minutes of tremor recorded by the U.S. Geological Survey seismograph network in Hawaii, 1963. The data are given for the calendar year and for the period from January 1 to the date of the last report. Earthquake magnitudes are given in parentheses. Tremor minutes are given in parentheses. The data are given for the calendar year and for the period from January 1 to the date of the last report. Earthquake magnitudes are given in parentheses. Tremor minutes are given in parentheses. The data are given for the calendar year and for the period from January 1 to the date of the last report. Earthquake magnitudes are given in parentheses. Tremor minutes are given in parentheses.

Date (1963)	Tremor (in minutes)		Kilauea Sta. P.M.C. Earthquake (count)	Hawaii (count)
	Local	Other		
April 1	8		1	1
April 2	12		1	1
April 3	15		1	1
April 4	18		1	1
April 5	21		1	1
April 6	24		1	1
April 7	27		1	1
April 8	30		1	1
April 9	33		1	1
April 10	36		1	1
April 11	39		1	1
April 12	42		1	1
April 13	45		1	1
April 14	48		1	1
April 15	51		1	1
April 16	54		1	1
April 17	57		1	1
April 18	60		1	1
April 19	63		1	1
April 20	66		1	1
April 21	69		1	1
April 22	72		1	1
April 23	75		1	1
April 24	78		1	1
April 25	81		1	1
April 26	84		1	1
April 27	87		1	1
April 28	90		1	1
April 29	93		1	1
April 30	96		1	1
April	100		1	1
May	100		1	1
June	100		1	1
July	100		1	1
August	100		1	1
September	100		1	1
October	100		1	1
November	100		1	1
December	100		1	1
Year	1000		12	12

Location of the seismograph stations are shown on figure 1 and essential data on the stations are given in summary 2.
 (U. M. A., D., N., M. P.) Earthquakes of magnitude 2.5 or greater are generally sufficiently well recorded to be located with greater precision. They are listed individually in table 4. Data on identifiable causes from seismographs are separated into groups on the basis of region of origin as determined by analysis of records obtained daily at the Observatory. Activity at Hawaiian volcanoes, daily counts of earthquakes and minutes originating more than 2,000 km from Hawaii. An index of activity within 100 km of at least one seismograph, and distant earthquakes and tremor originating in the region of the Hawaiian Islands, usually seismograph network in Hawaii fall into two categories: local earthquakes and distant earthquakes.

Table 3. --Number of earthquakes and minutes of tremor recorded on seismographs U, M, A, D, N, and MP around Kilauea caldera

Tremor is separated into three categories: deep, intermediate, and shallow, on the basis of relative amplitudes on seismographs in the summit region. Unless otherwise stated, tremor is presumed to be associated with movement of magma within the central complex of Kilauea.

Earthquake categories are: Halemaumau rock slides, which are detected by the characteristic record they produce on the North Pit seismograph; shallow earthquakes in the Kilauea caldera region; shallow earthquakes along the SW. rift zone of Kilauea and the adjacent portion of the Kaoiki fault system; earthquakes along the eastern half of Kilauea's east rift zone (from the Pahoa seismograph); earthquakes from a source about 30 km beneath Halemaumau; earthquakes from the upper east rift zone and the adjacent fault systems of Kilauea's south flank, and earthquakes from other regions: Kona, Mauna Kea, etc. ?=Obscured by the swarm of earthquakes near Puu Koaie.

Date (1963)	Tremor (in minutes)			Earthquakes					Others	
	Deep	Inter- mediate	Shallow	Hale- maumau slides	Kilauea caldera	SW. rift and Kaoiki	Eastern East rift	Hale- maumau 30 km		Upper East rift
April 1	3	8		2	170	11		4	13	
2	11				90	5		5	10	
3	34				90	13		4	2	
4					137	11		2		
5					150	15		3		
6		3			130	10		1		
7					160	13		3	6	
8					197	25		5	1	1 offshore Kona
9			6		195	10	1		5	
10					179	10		6	3	
11					196	18		2	6	1 Naalehu region
12					150	16		2		
13	32		2	1	115	5		2	2	2 Hilina Pali
14					102	27		4	6	1 offshore Kona
15					70	29	1	3		
16			6	2	100	12		2		

Date (1963)	Deep	Intermediate	Shallow	Hale- mauau slides	Kilauea caldera	SW. rift and Kaoiki	Eastern East rift	Hale- mauau 30 km	Upper East rift	Others
17			5		100	7		2	9	
18					55	7		5	2	
19				1	90	9		6		
20	5				80	9		1		
21					59	20		3		
22					70	12		3		
23					120	6		6	3	1 offshore Kona
24		5			110	5		3	10	
25				1	110	11		5	15	
26					100	9		5		
27	18				110	12		4	10	1 Kulani
28					130	20	3		6	1 Kona
29					113	5				1 Pohakuloa
30	2				120	12		1	2	1 Pohakuloa
1					100	16		2		
2					95	12		4	2	
3	4				120	7		4		
4					160	27		4	1	1 offshore Puna 1 Pahala
5					130	16		2		
6					75	8		1	1	
7					80	20		1		
8			3		100	17		1		
9		?	190	?	?	?	?	?	?	ca 600 about
10		?	1440	?	?	?	?	?	?	ca 2000 5 km SSW
11		?	960	?	?	?	?	?	?	ca 400 of
12		?		?	?	?	?	?	?	ca 250 Halemau- mau
13			5		69	?		3		near Puu Koaie.

Earthquakes

Number of earthquakes and minutes of tremor recorded on seismographs U, M, A, D, N, and MP around Kilauea caldera--Continued

Table 3.--Number of earthquakes and minutes of tremor recorded on seismographs U, M, A, D, N, and MP around Kilauea caldera--Continued

Date (1963)	Tremor (in minutes)			Earthquakes						
	Deep	Inter- mediate	Shallow	Hale- mauau slides	Kilauea caldera	SW. rift and Kaoiki	Eastern East rift	Hale- mauau 30 km	Upper East rift	Others
Apr. 17			5		100	7		2	9	
18					55	7		5	2	
19				1	90	9		6		
20	5				80	9		1		
21					59	20		3		
22					70	12		3		
23					120	6		6	3	1 offshore Kona
24		5			110	5		3	10	
25				1	110	11		5	15	
26					100	9		5		
27	18				110	12		4	10	1 Kulani
28					130	20	3		6	1 Kona
29					113	5				1 Pohakuloa
30	2				120	12		1	2	1 Pohakuloa
1					100	16		2		
2					95	12		4	2	
3	4				120	7		4		
4					160	27		4	1	1 offshore Puna 1 Pahala
5					130	16		2		
6					75	8		1	1	
7					80	20		1		
8			3		100	17		1		
9		?	190	?	?	?	?	?	?	ca 600 about
10		?	1440	?	?	?	?	?	?	ca 2000 5 km SSW
11		?	960	?	?	?	?	?	?	ca 400 of
12		?		?	?	?	?	?	?	ca 250 Halemau- mau
13			5		69	?		3		near Puu Koaie.

Date (1963)	Tremor (in minutes)			Kilauea caldera	Halemauuma slides	Eastern rift	Halemauuma 30 km	Upper East rift	Others
	Deep	Intermediate	Shallow						
May 14	---	45	---	43	---	---	4	---	1 Kona
May 15	---	---	---	40	---	---	3	1	---
May 16	---	---	---	36	---	---	3	2	1 Pohakuloa
May 17	---	---	---	33	---	---	1	2	1 offshore Kona
May 18	---	---	---	36	---	---	6	3	---
May 19	12	---	---	80	---	---	---	3	2 Pahala
May 20	---	---	---	70	---	---	1	1	1 Kona
May 21	---	---	---	45	---	---	2	3	1 Pahala
May 22	---	---	---	25	---	---	5	1	1 Honokaa
May 23	10	---	---	16	---	---	2	---	1 offshore Kona
May 24	15	---	---	40	---	---	3	---	---
May 25	---	---	---	37	---	---	1	---	---
May 26	---	---	5	42	---	1	4	2	---
May 27	---	---	---	61	---	---	2	3	1 offshore Hilina-Pali.
May 28	---	5	---	43	---	---	3	1	1 offshore Hilina-Pali.
May 29	---	---	---	47	1	---	3	1	---
May 30	---	---	---	52	---	---	2	1	---
May 31	---	---	---	30	---	---	5	---	---
June 1	---	---	---	37	---	1	11	3	1 Kona
June 2	---	---	---	35	---	1	3	2	1 Kona
June 3	---	---	---	29	---	---	---	4	---
June 4	---	---	---	42	---	---	---	3	1 Naaalehu
June 5	---	---	---	47	---	---	8	7	---
June 6	---	---	---	45	---	---	3	6	1 Naaalehu

Table 3.--Number of earthquakes and minutes of tremor recorded on seismographs U, M, A, D, N, and MP around Kilauea caldera--Continued

Date (1963)	Tremor (in minutes)			Earthquakes						
	Deep	Intermediate	Shallow	Halemauuma slides	Kilauea caldera	SW. rift and Kaoiki	Eastern rift	Halemauuma 30 km	Upper East rift	Others
May 14	---	45	---	---	43	12	---	4	---	1 Kona
May 15	---	---	---	---	40	6	---	3	1	---
May 16	---	---	---	---	36	15	---	3	2	1 Pohakuloa
May 17	---	---	---	---	33	9	---	1	2	1 offshore Kona
May 18	---	---	---	---	36	18	---	6	3	---
May 19	12	---	---	---	80	14	---	---	3	2 Pahala
May 20	---	---	---	---	70	25	---	1	1	1 Kona
May 21	---	---	---	---	45	7	---	2	3	1 Pahala
May 22	---	---	---	---	25	10	---	5	1	1 Honokaa
May 23	10	---	---	---	16	8	---	2	---	1 offshore Kona
May 24	15	---	---	---	40	36	---	3	---	---
May 25	---	---	---	---	37	26	---	1	---	---
May 26	---	---	5	---	42	16	1	4	2	---
May 27	---	---	---	---	61	12	---	2	3	1 offshore Hilina-Pali.
May 28	---	5	---	---	43	10	---	3	1	1 offshore Hilina-Pali.
May 29	---	---	---	1	47	15	---	3	1	---
May 30	---	---	---	---	52	8	---	2	1	---
May 31	---	---	---	---	30	20	---	5	---	---
June 1	---	---	---	---	37	16	1	11	3	1 Kona
June 2	---	---	---	---	35	10	1	3	2	1 Kona
June 3	---	---	---	---	29	8	---	---	4	---
June 4	---	---	---	---	42	9	---	---	3	1 Naaalehu
June 5	---	---	---	---	47	12	---	8	7	---
June 6	---	---	---	---	45	18	---	3	6	1 Naaalehu

Date (1963)	Tremor (in minutes)			Depth (km)	M _L	M _W	M _S	M _F	M _A	M _D	M _N	M _{MP}	M _{Other}
	Deep	Inter-mediate	Shallow										
June 7	---	10	---	---	60	---	---	---	---	---	---	---	---
8	---	4	---	---	65	---	---	---	---	---	---	---	---
9	---	---	---	---	65	---	---	---	---	---	---	---	---
10	---	---	---	---	75	---	---	---	---	---	---	---	---
11	---	4	---	---	51	---	---	---	---	---	---	---	---
12	3	2	---	---	65	---	---	---	---	---	---	---	---
13	---	---	---	---	68	---	---	---	---	---	---	---	---
14	6	11	---	---	48	---	---	---	---	---	---	---	---
15	6	---	---	---	66	---	---	---	---	---	---	---	---
16	---	5	---	---	68	---	---	---	---	---	---	---	---
17	---	---	---	---	40	---	---	---	---	---	---	---	---
18	---	---	---	---	31	---	---	---	---	---	---	---	---
19	43	---	---	---	42	---	---	---	---	---	---	---	---
20	---	---	---	---	35	---	---	---	---	---	---	---	---
21	---	---	---	---	34	---	---	---	---	---	---	---	---
22	---	---	---	---	43	---	---	---	---	---	---	---	---
23	3	---	---	---	48	---	---	---	---	---	---	---	---
24	---	---	---	---	60	---	---	---	---	---	---	---	---
25	---	---	---	---	46	---	---	---	---	---	---	---	---
26	---	---	---	---	43	---	---	---	---	---	---	---	---
27	---	---	---	---	26	---	---	---	---	---	---	---	---
28	---	---	---	---	52	---	---	---	---	---	---	---	---
29	---	---	---	---	87	---	---	---	---	---	---	---	---
30	10	---	---	---	77	---	---	---	---	---	---	---	---

Table 3.--Number of earthquakes and minutes of tremor recorded on seismographs

U, M, A, D, N, and MP around Kilauea caldera--Continued

Date (1963)	Tremor (in minutes)			Depth (km)	Earthquakes						
	Deep	Inter-mediate	Shallow		Hale-maunau slides	Kilauea caldera	SW. rift and Kaoiki	Eastern East rift	Hale-maunau 30 km	Upper East rift	Others
June 7	---	10	---	---	60	12	---	---	9	5	---
8	---	4	---	---	65	13	---	---	3	10	---
9	---	---	---	---	65	10	---	1	3	10	1 Kona
10	---	---	---	---	75	21	---	1	3	15	---
11	---	4	---	---	51	8	---	---	2	21	---
12	3	2	---	---	65	15	---	---	12	20	1 Kona
13	---	---	---	---	68	18	---	---	8	27	---
14	6	11	---	---	48	12	---	---	20	17	---
15	6	---	---	---	66	15	---	3	2	18	---
16	---	5	---	---	68	10	---	---	7	11	1 Kona
17	---	---	---	---	40	10	---	---	5	15	1 Kona
18	---	---	---	---	31	8	---	---	3	8	---
19	43	---	---	---	42	3	---	---	1	18	---
20	---	---	---	---	35	7	---	---	2	11	---
21	---	---	---	---	34	8	---	---	6	9	1 Mauna Kea
22	---	---	---	---	43	8	---	---	8	7	---
23	3	---	---	---	48	11	---	---	15	6	1 Maui
24	---	---	---	---	60	14	---	---	7	6	---
25	---	---	---	---	46	9	---	---	6	9	---
26	---	---	---	---	43	10	---	---	4	25	---
27	---	---	---	---	26	3	---	---	2	2	---
28	---	---	---	---	52	6	---	---	1	---	---
29	---	---	---	---	87	8	---	---	3	45	1 Kamuela 1 Molokai
30	10	---	---	---	77	8	---	---	3	21	1 Kona 1 Kamuela

Date (1963)	Time		Depth (km)	Magnitude	Epicenter		Felt Report
	h	m			Lat. N.	Long. W.	
Apr. 2	09	12	---	3.1	---	---	---
2	10	00	---	2.5	---	---	---
2	15	37	---	2.8	---	---	---
3	06	10	3	2.0	19° 17.8'	155° 12.7'	---
7	06	00	8	2.0	19° 26.2'	155° 25.0'	---
7	07	38	3	2.1	19° 27.9'	155° 23.2'	---
7	08	24	---	3.3	---	---	---
7	23	04	10	2.2	19° 21.1'	155° 16.5'	Felt in Hilo and Pahala.

Table 4.--Local earthquakes recorded by seismographs of the U.S. Geological Survey, April, May, and June 1963

[Entries for a given quake are: date, origin time (Hawaiian Standard Time), magnitude, depth, epicenter, and felt reports. All earthquakes of magnitude 2.5 and larger, as well as many favorably located smaller ones, occurring on or near the island of Hawaii are included in the list.

In the following list, some origin times are followed only by "KM 30" and a statement of magnitude. These are all members of a continuing family of quakes noted also in other Summaries. The best mean focus for this group is beneath Halemauau at a depth of 30 kilometers (19°24.1' N., 155°17.1' W.).

In Summary 29, a persistent earthquake sequence was codified by the initials KT which referred to a "poor" location along the Kalapana Trail. This designation is retained for the purposes of this Summary but will be discontinued in the future unless Kalapana Trail quakes resume. The approximate epicenter for these quakes is 19°20' N., and 155°05' W., and shallow depth is assumed.

In Summary 24, "Kaoiki" was introduced as a symbol for listing any of a family of quakes with mean focus 19°24' N., 155°25' W., h=3 to 8 km. This symbol is used in the following list]

Date (1963)	Time		Depth (km)	Magni-tude	Epicenter		Felt Report
	h	m			Lat. N.	Long. W.	
Apr. 2	09	12	---	3.1	---	---	---
2	10	00	---	2.5	---	---	---
2	15	37	---	2.8	---	---	---
3	06	10	3	2.0	19° 17.8'	155° 12.7'	---
7	06	00	8	2.0	19° 26.2'	155° 25.0'	---
7	07	38	3	2.1	19° 27.9'	155° 23.2'	---
7	08	24	---	3.3	---	---	---
7	23	04	10	2.2	19° 21.1'	155° 16.5'	Felt in Hilo and Pahala.

Date (1963)	Time		Depth (km)	Magnitude	Epicenter		Felt Report
	h	m			Lat. N.	Long. W.	
Apr. 8	09	02	8	3.2	19°26.5'	155°27.4'	10 km southwest of Mauna Ioa seismometer.
8	19	58	13	3.7	19°13'	156°27'	60 km southwest of Kealakekua.
10	21	28	---	2.2	---	---	KM 30
11	07	11	---	2.0	---	---	KM 30
11	07	31	8	2.5	19°11.7'	155°39.8'	16 km north-northwest of Naalehu.
11	13	01	---	2.7	---	---	Kaoiki
11	22	01	15	2.0	19°19.3'	155°12.1'	9 km southeast of Ahua seismometer.
12	00	19	25	2.6	19°23.7'	155°20.4'	6 km southwest of Uwekahuna seismometer.
13	19	19	5	2.5	19°14.3'	155°14.6'	6 km west-southwest of Apua Point.
13	19	20	3	2.2	19°15.3'	155°13.3'	3 km west-southwest of Apua Point.
13	22	52	---	3.2	---	---	Kaoiki
14	05	22	13	3.3	19°29'	156°17'	37 km west of Kealakekua
17	17	23	---	2.3	---	---	KM 30
18	07	12	10	2.0	19°20.1'	155°16.1'	4 km south of Ahua seismometer.
19	07	19	10	2.2	19°19.5'	155°16.1'	5 km south of Ahua seismometer.
19	17	24	35	2.1	19°21.4'	155°10.5'	2 km south of Makaopuhi seismometer.
20	03	12	---	2.0	---	---	KM 30
22	04	01	---	3.2	---	---	KM 30

Local earthquakes recorded by seismographs of the U.S. Geological Survey, April, May, and June 1963 --Continued

1. Apr. 8, 09:02, 3.2, 19°26.5' N, 155°27.4' W, 8 km SW of Mauna Ioa seismometer. Epicenter 10 km SW of Mauna Ioa seismometer. Felt in Kilauea summit area.

2. Apr. 8, 19:58, 3.7, 19°13' N, 156°27' W, 13 km SW of Kealakekua. Epicenter 60 km SW of Kealakekua.

3. Apr. 10, 21:28, 2.2, ---, ---, ---. Epicenter KM 30.

4. Apr. 11, 07:11, 2.0, ---, ---, ---. Epicenter KM 30.

5. Apr. 11, 07:31, 2.5, 19°11.7' N, 155°39.8' W, 8 km NNW of Naalehu. Epicenter 16 km NNW of Naalehu.

6. Apr. 11, 13:01, 2.7, ---, ---, ---. Epicenter Kaoiki.

7. Apr. 11, 22:01, 2.0, 19°19.3' N, 155°12.1' W, 15 km SE of Ahua seismometer. Epicenter 9 km SE of Ahua seismometer.

8. Apr. 12, 00:19, 2.6, 19°23.7' N, 155°20.4' W, 25 km SW of Uwekahuna seismometer. Epicenter 6 km SW of Uwekahuna seismometer.

9. Apr. 13, 19:19, 2.5, 19°14.3' N, 155°14.6' W, 5 km WSW of Apua Point. Epicenter 6 km WSW of Apua Point.

10. Apr. 13, 19:20, 2.2, 19°15.3' N, 155°13.3' W, 3 km WSW of Apua Point. Epicenter 3 km WSW of Apua Point.

11. Apr. 13, 22:52, 3.2, ---, ---, ---. Epicenter Kaoiki.

12. Apr. 14, 05:22, 3.3, 19°29' N, 156°17' W, 13 km W of Kealakekua. Epicenter 37 km W of Kealakekua.

13. Apr. 17, 17:23, 2.3, ---, ---, ---. Epicenter KM 30.

14. Apr. 18, 07:12, 2.0, 19°20.1' N, 155°16.1' W, 10 km S of Ahua seismometer. Epicenter 4 km S of Ahua seismometer.

15. Apr. 19, 07:19, 2.2, 19°19.5' N, 155°16.1' W, 10 km S of Ahua seismometer. Epicenter 5 km S of Ahua seismometer.

16. Apr. 19, 17:24, 2.1, 19°21.4' N, 155°10.5' W, 35 km S of Makaopuhi seismometer. Epicenter 2 km S of Makaopuhi seismometer.

17. Apr. 20, 03:12, 2.0, ---, ---, ---. Epicenter KM 30.

18. Apr. 22, 04:01, 3.2, ---, ---, ---. Epicenter KM 30.

Table 4. --Local earthquakes recorded by seismographs of the U.S. Geological Survey, April, May, and June 1963 --Continued

Date (1963)	Time		Depth (km)	Magnitude	Epicenter		Felt Report
	h	m			Lat. N.	Long. W.	
Apr. 8	09	02	8	3.2	19°26.5'	155°27.4'	10 km southwest of Mauna Ioa seismometer.
8	19	58	13	3.7	19°13'	156°27'	60 km southwest of Kealakekua.
10	21	28	---	2.2	---	---	KM 30
11	07	11	---	2.0	---	---	KM 30
11	07	31	8	2.5	19°11.7'	155°39.8'	16 km north-northwest of Naalehu.
11	13	01	---	2.7	---	---	Kaoiki
11	22	01	15	2.0	19°19.3'	155°12.1'	9 km southeast of Ahua seismometer.
12	00	19	25	2.6	19°23.7'	155°20.4'	6 km southwest of Uwekahuna seismometer.
13	19	19	5	2.5	19°14.3'	155°14.6'	6 km west-southwest of Apua Point.
13	19	20	3	2.2	19°15.3'	155°13.3'	3 km west-southwest of Apua Point.
13	22	52	---	3.2	---	---	Kaoiki
14	05	22	13	3.3	19°29'	156°17'	37 km west of Kealakekua
17	17	23	---	2.3	---	---	KM 30
18	07	12	10	2.0	19°20.1'	155°16.1'	4 km south of Ahua seismometer.
19	07	19	10	2.2	19°19.5'	155°16.1'	5 km south of Ahua seismometer.
19	17	24	35	2.1	19°21.4'	155°10.5'	2 km south of Makaopuhi seismometer.
20	03	12	---	2.0	---	---	KM 30
22	04	01	---	3.2	---	---	KM 30

Felt in Kilauea summit area.

Date (1963)	Time		Magnitude	Depth (km)	Epicenter		Description	Felt Report
	h	m			Lat. N.	Long. W.		
Apr. 23	03	44	3.0	13	19° 41'	156° 17'	25 km WSW of Keahole Point	
Apr. 25	07	18	2.9	8	19° 21.8'	155° 14.9'	2 km SE of Ahua seismometer	
Apr. 26	23	46	2.3				KM 30	
Apr. 27	01	49	3.4	15	19° 32.8'	155° 14.8'	15 km NNE of Uwekahuna seismometer.	Felt in Kilauea summit area, Hilo, Glenwood, and Pahoa.
Apr. 27	01	53	2.6	3	19° 26.8'	155° 41.3'	27 km ESE of Kealahou	
Apr. 28	20	20	2.0	< 3	19° 21.2'	155° 16.0'	3 km S of Ahua seismometer	
Apr. 28	13	43	3.0				Kaoiki	
Apr. 29	02	43	2.7	10	19° 20.9'	155° 24.2'	2 km NW of Desert seismometer.	
Apr. 29	02	52	2.2				Kaoiki	
Apr. 29	19	15	2.7	5	19° 51.2'	155° 30.2'	12 km NNW of Pohakuloa	
Apr. 30	01	25	2.7	8	19° 47.5'	155° 35.8'	10 km ENE of Pohakuloa	
May 1	17	30	2.9				Kaoiki	
May 4	15	22	2.2	38	19° 19.6'	155° 05.5'	43 km S of Hilo	Felt in Kilauea summit area, Hilo, Kapapala, Pahala, and Honaunau.
May 4	16	11	3.4				Kaoiki	
May 4	18	22	3.0	8	19° 10.3'	155° 30.6'	5 km SW of Pahala	
May 9	20	51	2.9	3	19° 22.3'	155° 17.4'	Koae fault system near Puu Koae.	
May 9	20	54	3.1	3	19° 22.9'	155° 19.0'		Felt Volcano
May 9	20	54	2.7	< 3	19° 21.9'	155° 18.9'		
May 9	20	56	2.7	< 3	19° 21.3'	155° 19.1'		
May 9	20	58	2.5	< 3	19° 22.0'	155° 19.5'		
May 9	21	00	2.0	< 3	19° 22.3'	155° 18.4'		

Table 4.--Local earthquakes recorded by seismographs of the U.S. Geological Survey, April, May, and June 1963--Continued

Date (1963)	Time		Magnitude	Depth (km)	Epicenter		Description	Felt Report
	h	m			Lat. N.	Long. W.		
Apr. 23	03	44	3.0	13	19° 41'	156° 17'	25 km WSW of Keahole Point	
Apr. 25	07	18	2.9	8	19° 21.8'	155° 14.9'	2 km SE of Ahua seismometer	
Apr. 26	23	46	2.3				KM 30	
Apr. 27	01	49	3.4	15	19° 32.8'	155° 14.8'	15 km NNE of Uwekahuna seismometer.	Felt in Kilauea summit area, Hilo, Glenwood, and Pahoa.
Apr. 27	01	53	2.6	3	19° 26.8'	155° 41.3'	27 km ESE of Kealahou	
Apr. 28	20	20	2.0	< 3	19° 21.2'	155° 16.0'	3 km S of Ahua seismometer	
Apr. 28	13	43	3.0				Kaoiki	
Apr. 29	02	43	2.7	10	19° 20.9'	155° 24.2'	2 km NW of Desert seismometer.	
Apr. 29	02	52	2.2				Kaoiki	
Apr. 29	19	15	2.7	5	19° 51.2'	155° 30.2'	12 km NNW of Pohakuloa	
Apr. 30	01	25	2.7	8	19° 47.5'	155° 35.8'	10 km ENE of Pohakuloa	
May 1	17	30	2.9				Kaoiki	
May 4	15	22	2.2	38	19° 19.6'	155° 05.5'	43 km S of Hilo	Felt in Kilauea summit area, Hilo, Kapapala, Pahala, and Honaunau.
May 4	16	11	3.4				Kaoiki	
May 4	18	22	3.0	8	19° 10.3'	155° 30.6'	5 km SW of Pahala	
May 9	20	51	2.9	3	19° 22.3'	155° 17.4'	Koae fault system near Puu Koae.	
May 9	20	54	3.1	3	19° 22.9'	155° 19.0'		Felt Volcano
May 9	20	54	2.7	< 3	19° 21.9'	155° 18.9'		
May 9	20	56	2.7	< 3	19° 21.3'	155° 19.1'		
May 9	20	58	2.5	< 3	19° 22.0'	155° 19.5'		
May 9	21	00	2.0	< 3	19° 22.3'	155° 18.4'		

Date (1963)	Time			Magni- tude	Depth (km)	Lat. N.	Long. W.	Description	Felt Report
	h	m	s						
May 9	21	02	17.0	2.8	< 3	19° 20.5'	155° 19.8'	Koae fault system near Puu Koae	-----
9	21	04	38.3	2.5	< 3	19° 20.5'	155° 19.8'	-----do-----	-----
9	21	08	06.1	2.3	< 3	19° 22.3'	155° 18.6'	-----do-----	-----
9	21	38	01.6	2.4	< 3	19° 21.1'	155° 19.2'	-----do-----	-----
9	22	48	37.4	2.3	< 3	19° 22.0'	155° 20.2'	-----do-----	-----
9	22	56	13.6	2.4	< 3	19° 20.6'	155° 18.2'	-----do-----	-----
10	00	16	50.2	2.4	< 3	19° 22.5'	155° 16.8'	-----do-----	-----
10	00	42	42.0	2.1	< 3	19° 21.2'	155° 17.8'	-----do-----	-----
10	03	59	24.7	2.1	< 3	19° 20.9'	155° 19.3'	-----do-----	-----
10	04	05	43.1	2.0	< 3	19° 22.0'	155° 19.1'	-----do-----	-----
10	04	31	11.9	2.2	< 3	19° 21.1'	155° 19.3'	-----do-----	-----
10	04	57	00.9	2.5	< 3	19° 20.5'	155° 16.0'	-----do-----	-----
10	05	22	13.7	2.0	< 3	19° 21.5'	155° 18.9'	-----do-----	-----
10	07	01	17.9	2.1	< 3	19° 21.5'	155° 19.0'	-----do-----	-----
10	07	28	29.3	2.5	< 3	19° 21.6'	155° 18.9'	-----do-----	-----
10	08	12	54.4	2.3	< 3	19° 19.8'	155° 21.2'	-----do-----	-----
10	09	05	04.9	2.3	< 3	19° 20.7'	155° 19.1'	-----do-----	-----
10	09	30	55.3	2.4	< 3	19° 20.9'	155° 18.4'	-----do-----	-----
10	14	14	36.1	2.5	< 3	19° 20.6'	155° 19.6'	-----do-----	-----
10	14	20	30.9	2.2	< 3	19° 21.8'	155° 18.6'	-----do-----	-----
10	19	10	41.0	2.9	10	19° 16.5'	155° 14.6'	5 km WNW of Apua Point	-----
11	06	15	42.1	2.1	< 3	19° 22.2'	155° 19.0'	Koae fault system near Puu Koae	-----
12	09	01	07.7	2.2	< 3	19° 20.3'	155° 19.2'	-----do-----	-----
14	06	48	27.0	2.6	8	19° 31.2'	155° 55.0'	1 km N of Kealakekua	-----
14	09	31	45.8	2.0	8	19° 23.9'	155° 17.2'	3 km SSE of Uwekahuna seismometer.	-----
14	16	20	19.2	2.7	-----	-----	-----	KM 30	-----
16	08	37	21.2	2.1	8	19° 19.0'	155° 15.0'	6 km SSE of Ahua seismometer	-----
16	15	24	42.3	2.1	8	19° 21.2'	155° 17.2'	3 km SW of Ahua seismometer	-----

Table 4. --Local earthquakes recorded by seismographs of the U.S. Geological Survey, April, May, and June 1963--Continued

(Time) Date	Time			MAGNITUDE	DEPTH (km)	LAT. N.		LONG. W.		DESCRIPTION	Felt Report
	h	m	s			Lat. N.	Long. W.				
16	04	22	41.5	2.1	5	19° 46.5'	155° 36.6'	10 km WNW of Pohakuloa			
16	04	31	19.0	2.8	8	19° 36'	156° 26'	57 km WNW of Kealakekua			
17	09	19	07.0	2.5	20	19° 23.5'	155° 17.5'	3 km NW of Ahua seismometer			
17	04	54	16.9	2.2	25	19° 12.3'	155° 32.2'	4 km west of Pahala			
19	01	54	59.4	3.4	5	19° 12.4'	155° 21.3'	14 km east of Pahala			
19	02	21	25.5	3.9	8	19° 14.7'	155° 31.1'	6 km NW of Pahala	Felt in Kilauea summit area, Hilo, Pahala, and Waiohinu.		
19	03	01	37.7	2.2				Kaoiki			
19	17	20	08.6	3.3				Kaoiki			
19	19	37	36.2	2.0				Kaoiki			
19	19	56	10.1	2.9				Kaoiki			
19	22	06	23.9	2.4	8	19° 41'	156° 08'	10 km SW of Keahole Point			
20	03	09	52.1	2.2				Kaoiki			
20	04	11	16.0	2.8	8	19° 14.3'	155° 31.6'	7 km NW of Pahala			
20	10	31	27.3	3.1				Kaoiki			
20	10	31	54.6	3.9				Kaoiki			
20	10	39	28.7	2.1				Kaoiki			
20	12	15	01.0	2.8				Kaoiki			
21	06	19	26.4	2.4	3	19° 17.2'	155° 06.1'	12 km SE of Makaopuhi seismometer.			
21	09	25	59.2	2.0				Kaoiki			
21	14	26	55.3	2.6	8	19° 54.2'	155° 29.0'	18 km S of Honokaa			
21	19	27	09.7	2.3	3	19° 08.0'	155° 16.8'	16 km SE of Desert seismometer.			
21	20	15	19.1	2.5	13	19° 39'	156° 27'	42 km WSW of Keahole Point			
22	06	07	57.7	2.8	45	19° 16.9'	155° 01.5'	25 km SW of Pahoa			
22	23	01	20.5	2.6	3	19° 52.8'	155° 40.6'	3 km NW of Waikii			
23	10	34	32.5	2.5	5	19° 14.2'	155° 22.1'	12 km SSE of Desert seismometer.			

Table 4.--Local earthquakes recorded by seismographs of the U.S. Geological Survey,

April, May, and June 1963--Continued

Date (1963)	Time			Magni- tude	Depth (km)	Epicenter		Felt Report
	h	m	s			Lat. N.	Long. W.	
May 16	21	22	41.5	2.1	5	19° 46.5'	155° 36.6'	10 km WNW of Pohakuloa
17	01	31	19.0	2.8	8	19° 36'	156° 26'	57 km WNW of Kealakekua
17	09	19	07.0	2.5	20	19° 23.5'	155° 17.5'	3 km NW of Ahua seismometer
17	04	54	16.9	2.2	25	19° 12.3'	155° 32.2'	4 km west of Pahala
19	01	54	59.4	3.4	5	19° 12.4'	155° 21.3'	14 km east of Pahala
19	02	21	25.5	3.9	8	19° 14.7'	155° 31.1'	6 km NW of Pahala
19	03	01	37.7	2.2				Kaoiki
19	17	20	08.6	3.3				Kaoiki
19	19	37	36.2	2.0				Kaoiki
19	19	56	10.1	2.9				Kaoiki
19	22	06	23.9	2.4	8	19° 41'	156° 08'	10 km SW of Keahole Point
20	03	09	52.1	2.2				Kaoiki
20	04	11	16.0	2.8	8	19° 14.3'	155° 31.6'	7 km NW of Pahala
20	10	31	27.3	3.1				Kaoiki
20	10	31	54.6	3.9				Kaoiki
20	10	39	28.7	2.1				Kaoiki
20	12	15	01.0	2.8				Kaoiki
21	06	19	26.4	2.4	3	19° 17.2'	155° 06.1'	12 km SE of Makaopuhi seismometer.
21	09	25	59.2	2.0				Kaoiki
21	14	26	55.3	2.6	8	19° 54.2'	155° 29.0'	18 km S of Honokaa
21	19	27	09.7	2.3	3	19° 08.0'	155° 16.8'	16 km SE of Desert seismometer.
21	20	15	19.1	2.5	13	19° 39'	156° 27'	42 km WSW of Keahole Point
22	06	07	57.7	2.8	45	19° 16.9'	155° 01.5'	25 km SW of Pahoa
22	23	01	20.5	2.6	3	19° 52.8'	155° 40.6'	3 km NW of Waikii
23	10	34	32.5	2.5	5	19° 14.2'	155° 22.1'	12 km SSE of Desert seismometer.

Date (1963)	Time			Magnitude	Depth (km)	Loc. N.		Description	Felt Report
	h	m	s			Long. W.	Lat. N.		
May 25	01	49	00.2	2.8	10	19° 17.1'	155° 13.1'	Kaoiki 10 km SW of Makaopuhi seismometer.	
May 25	04	32	56.0	2.4	3	18° 56.2'	155° 14.9'	Kaoiki 50 km S of Ahua seismometer	
May 27	02	23	09.8	2.6	3	19° 15.6'	155° 18.1'	18 km S of Uwekahuna seismometer.	
May 27	16	19	52.5	2.6	13	18° 56.9'	155° 16.0'	48 km S of Ahua seismometer	
May 28	09	52	05.0	2.1	10	19° 31.0'	155° 03.4'	23 km SSE of Hilo KM 30	
May 28	23	56	53.2	2.2	8	19° 58.5'	155° 37.8'	10 km SE of Kamuela	
May 30	18	54	47.1	2.2	8	19° 26.5'	155° 26.5'	9 km SW of Mauna Ioa seismometer.	Felt in Kilauea summit area and Pahala.
May 30	19	55	04.8	2.3	8	19° 21.8'	155° 14.9'	3 km SE of Ahua seismometer	
May 30	23	32	14.5	2.9	3	19° 33.6'	155° 55.7'	5 km N of Kealahou seismometer	Felt in Kealahou.
May 31	00	09	40.2	3.3	3	19° 37.6'	156° 03.4'	KM 30 20 km NW of Kealahou	
June 1	22	19	05.7	2.0	6	19° 23.8'	155° 17.3'	4 km SSE of Uwekahuna seismometer.	
June 1	02	45	04.8	2.7	8	19° 13.9'	155° 38.1'	20 km NNW of Naalehu	
June 1	12	07	12.2	2.3	10	19° 18.3'	155° 14.1'	9 km SSE of Ahua seismometer.	
June 2	01	30	44.5	2.4	3	19° 11.9'	155° 33.1'	15 km NNE of Naalehu	
June 3	03	53	48.6	3.0	3			Kaoiki	
June 3	09	18	49.8	2.3	3			Kaoiki	
June 4	07	28	42.4	2.7	3				
June 4	19	59	20.7	2.3	3				
June 6	09	01	23.3	2.4	3				
June 6	19	19	40.8	2.8	3				Felt on north rim of Kilauea caldera.
June 6	22	25	38.8	4.2	3				Felt in Hilo, Pahala, Naalehu Waiohinu, and

Table 4. --Local earthquakes recorded by seismographs of the U.S. Geological Survey, April, May, and June 1963--Continued

Date (1963)	Time		Magnitude	Depth (km)	Epicenter		Felt Report
	h	m			Lat. N.	Long. W.	
June 7	12	52	2.4	15	19°23.4'	155°59.5'	13 km SW of Pahoa
7	22	04	2.2	40	19°18.8'	155°08.4'	7 km SW of Makaopuhi seismometer.
8	03	49	2.9	---	---	---	Kaoliki
9	05	03	2.6	< 3	19°25.3'	155°45.5'	15 km ENE of Hookena
10	20	49	2.4	8	19°22.8'	155°15.1'	1 km NE of Ahua seismometer
10	21	00	2.6	8	19°22.6'	155°14.5'	3 km ENE of Ahua seismometer.
12	03	50	2.2	8	19°20.1'	155°09.0'	4 km SE of Makaopuhi seismometer.
12	07	58	2.4	< 3	19°28.7'	155°46.8'	15 km ESE of Kealakekua
12	11	49	2.0	8	19°20.4'	155°08.3'	5 km SE of Makaopuhi seismometer.
13	07	28	2.4	---	---	---	KM 30
13	07	32	2.4	---	---	---	KM 30
14	11	17	3.7	30	19°26.2'	155°16.7'	2 km NE of Uwekahuna seismometer.
14	11	43	2.4	25	19°26.1'	155°17.3'	1 km NE of Uwekahuna seismometer.
14	11	45	2.3	25	19°26.1'	155°17.1'	1 km NE of Uwekahuna seismometer.
14	12	46	2.4	25	19°25.9'	155°16.4'	2 km NE of Uwekahuna seismometer.
16	06	31	2.2	3	19°20.5'	155°49.3'	10 km SE of Hookena
17	04	14	2.4	< 3	19°34.2'	155°53.3'	7 km NNE of Kealakekua
17	04	36	2.4	13	19°21.7'	155°06.2'	9 km E of Makaopuhi seismometer.
17	14	48	2.0	5	19°18.6'	155°14.4'	8 km SSE of Ahua

Table 4. --Local earthquakes recorded by seismographs of the U.S. Geological Survey, April, May, and June 1963--Continued

Date (1963)	Time		Magnitude	Depth (km)	Epicenter		Felt Report
	h	m			Lat. N.	Long. W.	
June 7	12	52	2.4	15	19°23.4'	155°59.5'	13 km SW of Pahoa
7	22	04	2.2	40	19°18.8'	155°08.4'	7 km SW of Makaopuhi seismometer.
8	03	49	2.9	---	---	---	Kaoliki
9	05	03	2.6	< 3	19°25.3'	155°45.5'	15 km ENE of Hookena
10	20	49	2.4	8	19°22.8'	155°15.1'	1 km NE of Ahua seismometer
10	21	00	2.6	8	19°22.6'	155°14.5'	3 km ENE of Ahua seismometer.
12	03	50	2.2	8	19°20.1'	155°09.0'	4 km SE of Makaopuhi seismometer.
12	07	58	2.4	< 3	19°28.7'	155°46.8'	15 km ESE of Kealakekua
12	11	49	2.0	8	19°20.4'	155°08.3'	5 km SE of Makaopuhi seismometer.
13	07	28	2.4	---	---	---	KM 30
13	07	32	2.4	---	---	---	KM 30
14	11	17	3.7	30	19°26.2'	155°16.7'	2 km NE of Uwekahuna seismometer.
14	11	43	2.4	25	19°26.1'	155°17.3'	1 km NE of Uwekahuna seismometer.
14	11	45	2.3	25	19°26.1'	155°17.1'	1 km NE of Uwekahuna seismometer.
14	12	46	2.4	25	19°25.9'	155°16.4'	2 km NE of Uwekahuna seismometer.
16	06	31	2.2	3	19°20.5'	155°49.3'	10 km SE of Hookena
17	04	14	2.4	< 3	19°34.2'	155°53.3'	7 km NNE of Kealakekua
17	04	36	2.4	13	19°21.7'	155°06.2'	9 km E of Makaopuhi seismometer.
17	14	48	2.0	5	19°18.6'	155°14.4'	8 km SSE of Ahua

Date (1963)	Time		Magnitude	Depth (km)	Epicenter		Description	Felt Report
	h	m			Lat. N.	Long. W.		
June 17	22	42.9	2.7	5	19° 22.0'	155° 14.8'	3 km SE of Ahua seismometer	-----
20	21	16.4	2.6	---	-----	-----	KM 30	-----
21	17	54	2.6	3	19° 50.7'	155° 22.1'	8 km SW of Keanakolu	-----
23	03	11.6	3.2	13	20° 48'	155° 58'	30 km ENE of Haleakala seismometer.	-----
24	04	25.3	2.1	---	-----	-----	KM 30	-----
24	08	33.8	2.3	---	-----	-----	KM 30	-----
24	13	42.8	2.2	---	-----	-----	KM 30	-----
26	11	05.3	2.2	40	19° 15.8'	155° 08.8'	12 km SSE of Makaopuhi seismometer.	-----
28	00	04.3	2.8	40	19° 13.1'	155° 06.8'	19 km SSE of Makaopuhi seismometer.	-----
28	03	30.3	2.3	3	19° 53.2'	155° 44.8'	16 km SSE of Kamuela	-----
28	22	50.1	3.4	13	21° 20'	157° 05'	19 km NW of Kalaupapa, Molokai.	-----
29	05	47.7	2.5	3	19° 24.3'	155° 52.5'	5 km NE of Hookena	-----
29	18	26.5	2.1	8	19° 22.0'	155° 14.7'	3 km SE of Ahua seismometer.	-----
30	04	59.6	2.1	10	19° 22.0'	155° 15.0'	3 km SE of Ahua seismometer.	-----
30	11	22.7	3.1	8	19° 51.2'	155° 42.1'	20 km S of Kamuela	-----

Table 4.--Local earthquakes recorded by seismographs of the U.S. Geological Survey, April, May, and June 1963--Continued

Year	Month	Day	Time (GMT)	Station	Location	Magnitude	Depth (km)	First Motion	Instrument
1963	April	2	16:25:43.5	Ha	Andreas of Islands, Aleutian Islands	6.25-6.5	142	iP	Z
1963	April	3	14:47:55.5	Pa	South Pacific Ocean	5.8	33	iP	Z
1963	April	6	07:10:24.9	Ha	Halabars region	4.9	538	iP	Z
1963	April	6	11:27:28.7	U	Central Alaska	5.5	39	eP	Z
1963	April	6	07:03:06.5	U	Fiji Islands region	5.1	526	iP	Z

Table 5.--Distant earthquakes

[Times are reported in Greenwich Civil Time which is 10 hours faster than Hawaiian Standard Time. A "c" following the time of P indicates compressional first motion; a "d" indicates dilatational first motion. Station symbols, locations, and instrumentation were presented in summary 29. Magnitudes calculated from the Hawaii seismograms are followed by (HVO). Location of epicenters, origin times, focal depths, and magnitudes reported by other institutions are taken from "Preliminary Determination of Epicenters" published by the U.S. Coast and Geodetic Survey]

April 2, 1963

M	Z	iP	16:25:43.5	d
A	Z	iP	44.5	d
U	Z	iP	43.8	d
Ha	Z	iP	31.1	c
Ka	Z	iP	35.8	d
Hi	Z	iP	42.7	d
Na	Z	iP	46.7	c

C&GS card 25-63:

16:18:55.6
53.2° N., 171.7° W.
Andreas of Islands, Aleutian Islands
h about 142 km
Magnitude 6.25-6.5 (Pas)
5.5 (Brk)
5.7 (CGS).

April 3

U	PEZ	eR	15:23:49	
Pa	Z	Tmax	16:32:32	

C&GS card 35-63:

14:47:55.5
55.4° S., 128.2° W.
South Pacific Ocean
h about 33 km
Magnitude 5.8 (CGS).

April 6

M	Z	iP	07:10:24.9	d
A	Z	iP	24.3	d
D	Z	eP	23.2	d
U	Z	iP	24.7	d
Pa	Z	iP	25.3	c
Hi	Z	iP	26.7	c
Ka	Z	iP	27.2	c
Ha	Z	iP	29.5	d

April 6--Continued

C&GS card 30-63:
07:03:06.5
17.5° S., 178.9° W.
Fiji Islands region
h about 526 km
Magnitude 5.1 (CGS).

April 6

M	Z	iP	11:27:28.7	d
A	Z	iP	29.0	d
D	Z	iP	29.3	d
U	Z	eP	28.5	c

C&GS card 27-63:

11:19:23.3
63.4° N., 149.5° W.
Central Alaska
h about 39 km
Magnitude 5.5 (CGS).

April 9

M	Z	iP	02:09:43.3	d
A	Z	eP	42.8	d
U	Z	iP	43.0	d
Na	Z	iP	39.0	c
Pa	Z	eP	43.3	c
Hi	Z	iP	44.1	c
Ha	Z	iP	47.8	c

C&GS card 30-63:

02:02:25.1
17.7° S., 178.7° W.
Fiji Islands region
h about 538 km
Magnitude 4.9 (CGS).

Table 5.--Distant earthquakes--Continued

[These are reported in Greenwich Civil Time which is 10 hours faster than Hawaiian Standard Time. A "c" following the size of 5 indicates compressional first motion; a "d" indicates dilatational first motion. Station symbols, locations, and instrumentation were presented in summary 57. Magnitudes calculated from the Hawaii program are followed by (HVO). Location of epicenters, origin times, focal depths, and magnitudes reported by other institutions are taken from "Preliminary Determination of Epicenters" published by the U.S. Coast and Geodetic Survey.]

Station	Time	Depth (km)	Magnitude	Location
U	08:02:57.6	57.4	5.6	Timor
A	07:50:30.2	33	5.2	Timor
D	02:33:04.3	3.7	5.2	Central Peru
U	02:20:57.5	36	6.3	Central Peru
Na	01:41:19.5	18.7	5.6	Halmahera region
Pa	01:36:59.4	53.5	6.3	Halmahera region
Hi	01:29:19.4	10.8	6.1	Halmahera region
U	01:59:24	19	7.5	Halmahera region

April 10, 1963

M	Z	iP	08:02:57.6	c
A	Z	iP	57.4	d
D	Z	eP	56.1	c
U	Z	iP	57.3	d
Na	Z	eP	55.4	c
Ha	Z	iP	08:03:00.6	c

C&GS card 31-63:
07:50:30.2
9.2° S., 125.0° E.
Timor
h about 33 km
Magnitude 5.2 (CGS).

April 13

M	Z	eP	02:33:04.3	d
A	Z	iP	03.7	d
A	Z	ipP	33.9	c
D	Z	eP	03.9	d
U	Z	eP	03.8	d
U	Z	epP	33.9	c
Na	Z	eP	04.6	d
Pa	Z	eP	02.1	d
Hi	Z	iP	03.2	d
Ka	Z	eP	05.9	d
Ha	Z	iP	10.8	c
U	PEZ	iP	04	d
U	PEZ	ipP	36	c
U	PEZ	iPS	02:44:26	
U	PEZ	iS	02:43:08	
		iSS	02:48:40	
		iG	02:54:54	

C&GS card 31-63:
02:20:57.5
6.2° S., 76.5° W.
Central Peru
h about 125 km
Magnitude 6.75-7 (Pas),
6.3 (CGS).

April 13

M	Z	iP	14:42:43.0	d
A	Z	iP	43.2	d
D	Z	eP	42.1	d
U	Z	eP	42.9	d
Na	Z	iP	40.8	d
Pa	Z	eP	45.0	d

April 13--Continued

Hi Z iP 45.0 d
C&GS card 30-63:
14:31:21.0
3.4° S., 135.4° E.
Near north coast of New Guinea
h about 31 km
Magnitude 5.6 (CGS).

April 16

M	Z	eP	01:41:19.5	d
A	Z	iP	18.7	d
D	Z	iP	18.0	d
U	Z	iP	19.4	c
Pa	Z	eP	20.6	d
Ha	Z	eP	23.4	d
U	PEZ	iP	19	d
U	PEZ	iSS	01:56:15	
U	PEZ	iR	02:04:51	
U	PEE	iS	01:51:17	
U	PEE	iPPS	01:52:00	
U	PEN	iSSS	01:59:24	
		iG	02:01:21	

C&GS card 31-63:
01:29:19.4
0.8° S., 128.0° E.
Halmahera region
h about 33 km
Magnitude 7 (Pas), 6.1 (CGS),
7.5 (HVO).

April 16

M	Z	iP	01:48:55.2	c
A	Z	iP	54.6	c
D	Z	iP	53.5	c
Pa	Z	eP	56.1	d
Ha	Z	eP	59.1	c
U	PEZ	iS	01:59:01	
U	PEZ	iR	02:12:29	
U	PEN	iSS	02:04:17	

C&GS card 31-63:
01:36:59.4
1.2° S., 128.4° E.
Halmahera region
h about 33 km
Magnitude 6.3 (CGS), 7.5 (HVO).

April 16, 1963

A	Z	iP	02:07:13.9	c
D	Z	eP	12.6	c
U	Z	iP	14.3	c
Ha	Z	eP	18.0	c
U	PEE	iSS	02:22:01	
U	PEN	iSSS	02:25:28	
U	PEN	iG	02:27:11	
U	PEZ	iR	02:31:04	

C&GS card 31-63:

01:55:10.9
0.7° S., 128.0° E.
Halmahera region
h about 32 km
Magnitude 6.0 (CGS),
7.25 (HVO).

April 16

M	Z	iP	02:17:51.0	c
A	Z	eP	50.3	c
D	Z	eP	49.3	c
U	Z	eP	51.1	c

C&GS card 31-63:

02:05:42
1.3° S., 126.9° E.
Halmahera region
Magnitude 5.8 (CGS).

April 17

Pa	Z	iP	02:19:58.0	d
A	Z	iP	57.0	d
N	Z	iP	57.5	d
U	PEZ	iS	02:26:43	
U	PEZ	iR	02:32:53	
U	PEN	iG	02:30:27	

C&GS card 31-63:

02:11:26.1
19.6° S., 178.6° E.
Fiji Islands
h about 33 km
Magnitude 6.5-6.75 (Pas),
6.0 (Brk),
5.9 (CGS),
5.9 (HVO).

April 19

U	PEN	iS	07:59:22	
U	PEN	iG	08:14:16	
U	PEZ	iPS	08:00:53	
U	PEZ	iSS	08:05:44	
U	PEZ	iL	08:13:16	
U	PEZ	iR	08:18:06	

C&GS card 32-63:

07:35:23.7
35.8° N., 96.9° E.
Tsinghai Province, China
h about 33 km
Magnitude 7 (Pas), 6.75-7 (Brk),
6.1 (CGS), 7 (HVO).

April 24

M	Z	iP	21:50:23.7	c
A	Z	eP	23.1	c
N	Z	iP	23.2	c
MP	Z	iP	23.0	c
Ha	Z	iP	28.3	c

C&GS card 33-63:

21:42:49.0
20.8° S., 179.1° W.
Fiji Islands region
h about 603 km
Magnitude 5.1 (CGS).

April 25

M	Z	iP	08:24:14.1	d
A	Z	iP	14.3	d
D	Z	iP	13.6	d
MP	Z	iP	14.5	d
U	Z	iP	13.9	d
Ha	Z	iP	09.3	d

C&GS card 33-63:

08:12:57.2
4.7° N., 122.4° E.
Celebes Sea
h about 610 km
Magnitude 5.5 (CGS).

Table 5.--Distant earthquakes--Continued

April 25, 1963

M Z eP 16:47:52.4

C&GS card 34-63:

16:35:56.2
1.3° S., 128.7° E.
Halmahera region
h about 33 km.

April 29

Hi Z eP 21:51:43.0 d

U PEN iS 21:57:25

U PEZ iR 22:01:25

Ha Z Tmax 22:29:33

C&GS card 34-63:

21:44:17.1
51.4° N., 178.6° E.
Andreanof Islands,
Aleutian Islands
h about 60 km.

April 30

M Z iP 01:10:17.4 c

Hi Z eP 23.6 c

U PEE iS 01:20:41

U PEN iG 01:29:59

U PEZ iR 01:33:13

C&GS card 36-63:

00:58:18.3
0.7° S., 129.0° E.
Halmahera region
h about 33 km
Magnitude 6.75 (Pas),
6.5 (Pal), 5.6 (CGS),
7.0 (HVO).

May 1

M Z iP 10:12:15.8 d

A Z iP 15.7 d

D Z eP 14.6 d

MP Z eP 15.8 d

U Z eP 15.9 d

Na Z iP 13.1 c

Pa Z eP 17.2 c

Hi Z iP 18.0 d

May 1--Continued

Ka Z iP 19.0 d

Ha Z iP 20.3 c

U PEZ iP 16 c

U PEZ i ? 10:13:05 d

U PEZ isS 10:20:10

U PEE is 10:19:25

U PEN i ? 10:20:29

U PEN iG 10:24:06

C&GS card 36-63:

10:03:20.0
19.0° S., 169.0° E.
New Hebrides Islands
h about 140 km
Felt.
Magnitude 7 (Pas), 6.75-7 (Brk),
6.2 (CGS).

May 4

M Z eP 06:02:58.7 d

A Z iP 06:03:01.0 d

U Z iP 59.2 d

Hi Z eP 57.9 c

C&GS card 35-63:

05:56:04.1
51.8° N., 175.4° W.
Andreanof Islands, Aleutian
Islands
h about 69 km
Magnitude 5.5 (CGS).

May 5

Na Z Tmax 17:14:18

C&GS card 37-63:

15:17:01.9
24.7° S., 69.5° W.
Northern Chile
Felt: Antafagasta
h about 50 km
Magnitude 5.1 (CGS).

Table 5.--Distant earthquakes--Continued

May 8, 1963

M	Z	iP	08:57:48.6	c
M	Z	iPP	08:59:16.2	c
A	Z	iP	08:57:49.4	c
A	Z	ePP	08:59:17.5	c
D	Z	iP	08:57:50.4	c
D	Z	iPP	08:59:17.2	c
MP	Z	iP	08:57:49.7	c
MP	Z	ePP	08:59:17.8	d
U	Z	iP	08:57:49.1	c
U	Z	iPP	08:59:16.7	c
Hi	Z	iP	08:57:47.5	c
Hi	Z	iPP	08:59:13.8	c
Pa	Z	iP	08:57:49.0	c
Pa	Z	ePP	08:59:16.0	c
Ha	Z	iPP	08:58:56.0	d
M	Z	Tmax	09:35:41	
A	Z	Tmax	33	
D	Z	Tmax	28	
MP	Z	Tmax	26	
U	Z	Tmax	24	
Pa	Z	Tmax	28	
Ka	Z	Tmax	09:34:36	
Ha	Z	Tmax	09:33:46	

C&GS card 35-63:

08:50:56.0
54.9° N., 163.9° W.
Unimak Island,
Aleutian Islands region
h about 89 km
Magnitude 5.6 (CGS).

May 8

M	Z	eP	10:31:54.6	c
U	PEE	iS	10:40:00	
U	PEE	iG	10:46:34	
U	PEZ	eR	10:49:20	

C&GS card 35-63:

10:22:11.2
36.6° N., 141.0° E.
Honshu, Japan
h about 53 km
Magnitude 6.1 (CGS).

May 8

M	Z	iP	15:35:55.4	d
A	Z	iP	55.5	d
N	Z	iP	55.6	d

C&GS card 40-63:

15:24:00.3
5.3° N., 125.7° E.
Off coast of Mindanao,
Philippine Islands
h about 70 km
Magnitude 5.6 (CGS).

May 12

A	Z	iP	20:15:53.5	d
D	Z	iP	53.7	d
MP	Z	iP	53.7	d
U	Z	iP	53.4	d
Ha	Z	iP	47.6	d
Hi	Z	iP	51.2	d
Na	Z	iP	57.1	c
U	PEZ	iP	54	d
U	PEZ	eS	20:21:43	
U	PEZ	iR	20:25:52	
Ha	Z	Tmax	20:53:44	

C&GS card 37-63:

20:08:43.0
57.4° N., 153.9° W.
Kodiak Island, Alaska
h about 80 km
Magnitude 5.9 (CGS),
5.8 (HVO).

May 14

M	Z	iP	15:20:13.2	c
A	Z	eP	13.0	c
N	Z	eP	13.1	c
MP	Z	iP	13.5	c

C&GS card 42-63:

15:08:46.1
5.6° S., 127.8° E.
Banda Sea
h about 405 km
Magnitude 5.3 (CGS).

Table 5.--Distant earthquakes--Continued

May 8			May 8			May 19			May 19		
M	8	08:57:48.6	M	8	08:57:48.6	M	8	12:50:13.6	M	8	12:50:13.6
A	8	08:57:16.3	A	8	08:57:16.3	A	8	13:00	A	8	13:00
D	8	08:57:49.4	D	8	08:57:49.4	D	8	13:10	D	8	13:10
MP	8	08:57:17.5	MP	8	08:57:17.5	MP	8	13:20	MP	8	13:20
U	8	08:57:50.4	U	8	08:57:50.4	U	8	13:30	U	8	13:30
Ka	8	08:57:17.5	Ka	8	08:57:17.5	Ka	8	13:40	Ka	8	13:40
C&GS card 40-63: 12:50:00.3 2.7° N., 153.7° W. Off coast of Mindanao, Philippine Islands h about 70 km Magnitude 5.0 (CGS).			C&GS card 35-63: 08:50:56.0 24.9° N., 163.9° W. Tonga Islands region h about 80 km Magnitude 5.9 (CGS).			C&GS card 40-63: 12:50:13.6 56.0° S., 123.9° W. South Pacific Ocean h about 33 km Magnitude 5.3 (CGS).			C&GS card 45-63: 10:52:14.5 36.0° N., 141.0° E. Hokkaido, Japan h about 33 km Magnitude 6.1 (CGS).		

Table 5.--Distant earthquakes--Continued

May 17, 1963

M	Z	iP	07:42:18.2	c
A	Z	iP	18.0	c
D	Z	eP	17.0	c
MP	Z	eP	17.6	c
U	Z	iP	18.1	c
Ka	Z	eP	20.8	c

C&GS card 40-63:

07:33:17.5
31.0° S., 179.8° W.
Kermadec Islands region
h about 358 km
Magnitude 4.7 (CGS).

May 17

M	Z	iP	22:48:46.3	c
A	Z	eP	45.7	c
D	Z	eP	44.8	c
U	Z	iP	45.9	c
Hi	Z	iP	47.3	c
Ka	Z	iP	48.8	c
Ha	Z	iP	51.8	c

C&GS card 41-63:

22:40:06.7
24.4° S., 177.2° W.
Tonga Islands region
h about 70 km
Magnitude 5.9 (CGS).

May 19

U	PEZ	ePP	01:20:37	
U	PEZ	ISS	01:35:01	
U	PEZ	iR	01:47:57	
U	PEE	iPS	01:29:31	
U	PEE	iPPS	01:30:07	
U	PEN	iS	01:27:26	
U	PEN	eL	01:42:29	
U	PEN	eG	01:43:30	
M	Z	Tmax	03:04:35	
A	Z	Tmax	31	
D	Z	Tmax	33	
MP	Z	Tmax	26	
U	Z	Tmax	34	
Pa	Z	Tmax	15	
Na	Z	Tmax	23	
Hi	Z	Tmax	27	

May 19--Continued

C&GS card 39-63:
01:03:04.1
46.5° S., 75.1° W.
Coast of southern Chile
h about 33 km
Magnitude 6.75 (Pas), 6.5 (CGS),
7 (HVO).

May 20

M	Z	iP	11:47:27.8	d
A	Z	iP	27.4	d
MP	Z	iP	27.3	d
U	Z	iP	27.5	d
Na	Z	eP	24.7	d
Pa	Z	iP	28.7	d
Hi	Z	eP	29.4	d
Ka	Z	iP	30.2	d
Ha	Z	iP	33.8	d
U	PEZ	iP	27.6	c
U	PEZ	iS	11:55:09	
U	PEZ	iSS	11:58:48	
U	PEZ	iR	12:02:41	
U	PEE	iG	12:00:21	

C&GS card 40-63:

11:38:00.9
30.7° S., 178.3° W.
Kermadec Islands region
h about 34 km
Magnitude 6.75-7 (Pas),
6.5 (Brk), 6.2 (CGS),
6.5 (HVO).

May 21

U	PEZ	eR	01:34:22	
---	-----	----	----------	--

C&GS card 45-63:

00:58:07.4
56.0° S., 123.9° W.
South Pacific Ocean
h about 33 km.

May 21

U	PEZ	iS	17:46:48	
U	PEZ	iR	17:53:22	
U	PEN	iL	17:50:58	

Table 5.--Distant earthquakes--Continued

May 21--Continued

C&GS card 45-63:
17:30:15.4
11.1° S., 163.3° E.
Solomon Islands region
h about 33 km
Magnitude 5.75-6 (Pal),
5.4 (CGS).

May 22

M	Z	eP	14:05:31.6	c
A	Z	eP		32.8 c
MP	Z	eP		32.6 c
U	Z	eP		32.1 c
Ka	Z	eP		28.4 c
Hi	Z	iP		31.3 c
Na	Z	iP		35.3 c
U	PEE	iS	14:12:40	
U	PEZ	iSS	14:16:04	
U	PEZ	iR	14:18:56	
Ha	Z	Tmax	14:56:51	

C&GS card 39-63:
13:56:43.0
48.6° N., 154.7° E.
Kurile Islands region
h about 22 km
Magnitude 6.5 (Pas),
6 (Brk),
6.3 (CGS), 6.3 (HVO).

May 22

M	Z	eP	15:54:33.6	c
A	Z	eP		34.1 c
N	Z	iP		33.9 c
MP	Z	eP		34.3 c

C&GS card 42-63:
15:42:48.6
4.3° N., 127.9° E.
Molucca Passage
h about 58 km
Magnitude 5.0 (CGS).

May 22

M	Z	iP	16:32:15.1	c
---	---	----	------------	---

May 22--Continued

C&GS card 39-63:
16:25:36.8
52.2° N., 165.3° W.
Fox Islands, Aleutian Islands
h about 33 km
Magnitude 4.2 (CGS).

May 22

M	Z	iP	22:06:09.3	c
---	---	----	------------	---

C&GS card 41-63:
21:53:02.5
8.2° S., 115.7° E.
Java Sea
h about 33 km
Magnitude 5.6 (CGS).

May 23

M	Z	eP	01:03:40.7	d
---	---	----	------------	---

C&GS card 42-63:
00:51:40.3
1.6° N., 126.4° E.
h about 33 km
Molucca Passage
Magnitude 4.8 (CGS).

May 23

M	Z	iP	03:40:30.6	c
MP	Z	eP		29.9 c
U	Z	eP		30.1 c
Na	Z	iP		27.9 d
Hi	Z	iP		31.6 d
Ka	Z	eP		32.1 d
Ha	Z	iP		35.3 d

C&GS card 40-63:
03:33:19.1
15.0° S., 176.7° W.
Fiji Islands region
h about 279 km
Magnitude 5.4 (CGS).

May 23

U	PEZ	iS	03:52:06	
U	PEZ	iR	03:58:32	

Table 5.--Distant earthquakes--Continued

May 23, 1963--Continued

C&GS card 48-63:
 03:35:34.7
 10.9° S., 163.3° E.
 Solomon Islands region
 h about 33 km
 Magnitude 5.5 (CGS).

May 23

M	Z	iP	15:23:53.7	c
A	Z	eP	54.0	c
MP	Z	iP	54.7	c
U	Z	eP	53.9	c

C&GS card 43-63:
 15:12:05.7
 6.0° N., 126.1° E.
 Near east coast of Mindanao,
 Philippine Islands.
 h about 88 km
 Magnitude 5.5 (CGS).

May 26

M	Z	iP	23:15:38.4	c
A	Z	eP	40.1	c
N	Z	iP	39.0	c
Pa	Z	eP	40.0	c
U	PEZ	iR	23:29:15	

C&GS card 41-63:
 23:06:55.0
 55.2° N., 159.9° E.
 Near east coast of Kamchatka
 h about 47 km
 Magnitude 4.25 (Pal),
 Magnitude 5.3 (CGS).

May 27

M	Z	iP	04:07:30.0	d
D	Z	iP	30.7	c
Pa	Z	eP	32.1	d
U	PEE	iG	04:19:17	
U	PEZ	iR	04:21:07	

C&GS card 42-63:
 03:58:47.9
 55.3° N., 160.1° E.

May 27--Continued

C&GS card--Continued
 Near east coast of Kamchatka
 h about 54 km
 Magnitude 5.25 (Pal), 5.7 (CGS).

May 29

M	Z	Tmax	19:39:44
A	Z	Tmax	50
MP	Z	Tmax	25
Pa	Z	Tmax	20
Na	Z	Tmax	34

C&GS card 46-63:
 18:27:19.1
 22.6° S., 114.4° W.
 Easter Island region
 h about 33 km
 Magnitude 4.7 (CGS).

May 29

M	Z	Tmax	19:42:57
A	Z	Tmax	52
D	Z	Tmax	51
MP	Z	Tmax	44

C&GS card 49-63:
 18:30:25
 24.4° S., 114.7° W.
 Easter Island region
 h about 33 km
 Magnitude 4.5 (CGS).

May 30

U	PEZ	iR	07:37:56
---	-----	----	----------

C&GS card 46-63:
 06:56:09.3
 54.2° S., 143.7° E.
 South of Australia
 h about 33 km
 Magnitude 5.25-5.5 (Pal).

Table 5.--Distant earthquakes--Continued

June 2, 1963

U PEZ eR 22:05:29

C&GS card 46-63:

21:04:24.2
58.5° S., 15.6° W.
Sandwich Islands region
h about 50 km
Magnitude 6-6.25 (Pal)
5.9 (CGS).

June 3

M Z eP 07:45:56.6 c
U PEZ eR 08:03:01

C&GS card 44-63:

07:35:54.3
34.2° N., 138.7° E.
Honshu, Japan
h about 43 km
Magnitude 5.3 (CGS).

June 4

M Z iP 21:16:45.5 d
A Z eP 45.6 d
MP Z iP 45.8 d
U Z eP 45.7 c
Hi Z eP 46.3 c
U PEN eL 21:37:02
U PEZ eR 21:41:10

C&GS card 46-63:

21:04:42.3
1.2° S., 127.3° E.
Halmahera region
h about 31 km
Magnitude 5.2 (CGS).

June 6

M Z iP 05:30:56.9 d
A Z eP 56.0 d
D Z eP 56.1 d

C&GS card 46-63:

05:18:55.1
19.9° N., 120.2° E.
Off north coast of Luzon,
Philippine Islands.
h about 33 km

June 6--Continued

C&GS card--Continued
Magnitude 5.8 (CGS).

June 7

U PEZ iS 19:47:15
U PEZ eR 19:53:53

C&GS card 49-63:

19:30:35.6
8.5° N., 103.1° W.
Clipperton Island region
h about 33 km
Magnitude 5.5-5.75 (Brk),
5.25-5.5 (Pal),
4.9 (CGS).

June 7

U PEE iL 22:53:31

C&GS card 51-63:

22:37:30.0
15.3° S., 173.2° W.
Samoa Islands region
h about 33 km
Magnitude 5.0 (CGS).

June 10

M Z iP 04:29:34.4 d
A Z iP 32.4 d
D Z eP 32.3 c
U Z eP 33.2 d
U PEE eG 04:53:58
U PEZ iR 04:58:14

C&GS card 47-63:

04:16:37.7
55.4° S., 146.4° E.
800 km west of Macquarie Islands
h about 33 km
Magnitude 6.25 (Pas), 5.75-6 (Pal),
6.1 (CGS), 6.7 (HVO).

Table 2.--Distant earthquakes--Continued

(This page contains faint, mirrored text from the reverse side of the page. The text is largely illegible due to low contrast and bleed-through.)

Table 5.--Distant earthquakes--Continued

June 10, 1963			
M	Z	iP	06:52:06.5 d
A	Z	iP	04.9 d
U	Z	eP	05.3 d
U	PEN	eSS	07:08:54
U	PEN	eG	07:16:32
U	PEZ	iR	07:20:21

C&GS card 48-63:
 06:39:04.0
 55.3° S., 146.1° E.
 800 km west of Macquarie Islands
 h about 18 km
 Magnitude 6.25-6.5 (Pas),
 6.25-6.5 (Pal),
 6.0 (CGS),
 6.6 (HVO).

June 16			
M	Z	Tmax	10:05:34
A	Z	Tmax	10:06:02
D	Z	Tmax	10:05:58
MP	Z	Tmax	10:05:48
U	Z	Tmax	10:05:55
Pa	Z	Tmax	10:05:51
Hi	Z	Tmax	10:05:23
Ha	Z	Tmax	10:04:58

C&GS card 49-63:
 09:19:54.8
 50.8° N., 129.5° W.
 Vancouver Island region
 h about 33 km
 Magnitude 4.4 (CGS).

June 17			
M	Z	iP	18:40:05.7 c
D	Z	iP	06.8 c
MP	Z	eP	08.2 c
U	Z	eP	06.2 c
Hi	Z	eP	04.5 c
Ha	Z	iP	18:39:58.7 c
U	PEE	eL	18:49:57
U	PEZ	eR	18:51:53

C&GS card 49-63:
 18:32:14.5
 60.4° N., 140.8° W.

Table 5.--Distant earthquakes--Continued

June 24, 1963

M	Z	iP	04:34:12.0	d
A	Z	iP	13.5	d
D	Z	iP	13.8	d
MP	Z	eP	13.6	d
U	Z	iP	13.1	d
Pa	Z	eP	10.0	c
Na	Z	iP	16.8	c
Hi	Z	iP	11.1	c
Ha	Z	iP	01.6	d
U	PEZ	iP	13	d
U	PEZ	iPP	04:35:41	d
U	PEZ	iPPP	04:36:25	d
U	PEZ	iR	04:44:54	
U	PEE	iS	04:40:20	
U	PEE	iL	04:43:04	
Ha	Z	Tmax	05:12:41	

C&GS card 46-63:

04:26:37.9
59.5° N., 151.7° W.
Cook Inlet
h about 52 km
Magnitude 6.75 (Pas),
5.7 (CGS),
6.5 (HVO).

June 24

M	Z	Tmax	11:04:19	
A	Z	Tmax	10	
D	Z	Tmax	30	
MP	Z	Tmax	17	
U	Z	Tmax	12	
Pa	Z	Tmax	12	
Hi	Z	Tmax	11:03:53	
Ha	Z	Tmax	11:03:23	

C&GS card 52-63:

10:17:02.5
52.8° N., 131.9° W.
Queen Charlotte Islands region
h about 38 km
Magnitude 3.9 (CGS).

June 24

M	Z	iP	15:08:51.9	d
A	Z	iP	51.7	d
N	Z	iP	52.1	c
MP	Z	eP	51.0	c
Na	Z	iP	47.8	d
Hi	Z	iP	53.9	c
Ha	Z	iP	56.7	c

C&GS card 53-63:

15:01:44.2
15.5° S., 177.5° W.
Fiji Islands region
h about 412 km
Magnitude 5.0 (CGS).

June 24

M	Z	iP	16:24:08.4	d
M	Z	iPP	16:25:21.0	d
A	Z	eP	16:24:08.7	d
U	Z	ePP	22.7	d
U	PEZ	iS	16:29:39	
U	PEZ	iR	16:33:13	
Ha	Z	Tmax	16:59:36	

C&GS card 49-63:

16:17:15.4
52.3° N., 171.2° W.
Fox Islands region
Aleutian Islands
h about 33 km
Magnitude 5.4 (CGS), 5.5 (HVO).

June 25

Ha	Z	Tmax	09:06:41	
----	---	------	----------	--

C&GS card 52-63:

08:26:21.9
44.3° N., 129.1° W.
off coast of Oregon
h about 31 km
Magnitude 4.5 (CGS).

Table 5.--Distant earthquakes--Continued

June 25, 1963

Ha Z Tmax 10:19:36

C&GS card 50-63:
09:39:28.4
44.3° N., 129.1° W.
off coast of Oregon
h about 32 km
Magnitude 4.5 (CGS).

June 26

A Z eP 17:54:03.2 c
D Z eP 02.2 c
U Z iP 03.7 d
Pa Z eP 05.9 d
U PEN iS 18:03:27
U PEN iG 18:12:45
U PEZ iR 18:15:39

C&GS card 50-63:
17:42:40.6
7.1° N., 82.3° W.
near south coast of Panama
h about 20 km
Magnitude 6.25-6.5 (Pas),
5.5-5.75 (Pal),
6.0 (CGS), 6.2 (HVO).

June 27

U PEZ eR 07:28:08
Ha Z Tmax 07:59:00

C&GS card 50-63:
07:08:01.7
60.5° N., 140.7° W.
Yukon territory
h about 29 km
Magnitude 4.6 (CGS).

June 28

U Z eP 22:04:22.6 c
Pa Z iP 22.6 c
Hi Z iP 22.7 c
Ha Z eP 21.3 c
U PEZ iP 23 d
U PEZ iPPP 22:06:44
U PEZ iSSS 22:17:56
U PEE iS 22:11:44
U PEE iSSS 22:16:16

June 28--Continued

C&GS card 50-63:
21:55:38.8
46.5° N., 153.2° E.
Kurile Islands region
h about 33 km
Magnitude 6.75 (Pas),
6.1 (CGS),
7.0 (HVO).

June 29

M Z iP 12:53:54.5 d
U Z eP 54.6 c
Pa Z iP 56.7 d

C&GS card 54-63:
12:43:47.5
11.6° N., 142.7° E.
Mariana Islands region
h about 30 km
Magnitude 5.2 (CGS).

Table 5.--Distant earthquakes--Continued

June 24
M 19 13:08:21.9
A 19 13:12
H 19 13:25.0
Pa 19 13:30
Ha 19 13:38.8
Ha 19 13:40.0

C&GS card 53-63:
13:01:44.3
13.7° N., 177.7° W.
Fiji Islands region
h about 112 km
Magnitude 5.0 (CGS).

June 24
M 19 16:24:08.4
M 19 16:25:21.0
A 19 16:25:08.7
U 19 16:27.8
U 19 16:29:39
U 19 16:33:13
Ha 19 16:35:36

June 25

16:17:15.4
16.7° N., 171.7° W.
Fiji Islands region
h about 33 km
Magnitude 5.2 (CGS), 5.3 (HVO).

June 25

Ha 19 09:05:41
C&GS card 50-63:
09:06:01.9
14.7° N., 152.1° W.
off coast of Oregon
h about 31 km
Magnitude 4.5 (CGS).

June 25 1963
M 19 01:34:10.0
A 19 13.2
D 19 13.8
Pa 19 13.6
U 19 13.1
Pa 19 10.0
Ha 19 16.8
Hi 19 11.1
Ha 19 01.6
U 19 01.3
U 19 01:35:41
U 19 01:36:05
U 19 01:36:56
U 19 01:40:20
U 19 01:43:04
Ha 19 02:12:41

June 26

C&GS card 46-63:
01:56:37.9
29.7° N., 174.7° W.
Cook Island
h about 32 km
Magnitude 6.15 (Pas),
5.1 (CGS),
6.3 (HVO).

June 26

W 19 11:04:19
A 19 10
D 19 30
Pa 19 17
U 19 12
Pa 19 12
Hi 19 11:03:23
Ha 19 11:03:23

June 26

C&GS card 52-63:
10:11:02.7
23.8° N., 131.0° W.
Fiji Islands region
h about 35 km
Magnitude 5.2 (CGS).

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

HAWAIIAN VOLCANO OBSERVATORY
SUMMARY 31
July, August, and September, 1963
By
Robert Y. Koyanagi, Arnold T. Okamura,
Willie T. Kinoshita, J. G. Moore, and Howard A. Powers



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Page

U.S.-Japan cooperative study of Kilauea Volcano..... 1

Chronological summary..... 3

Tilting of the ground around Kilauea caldera..... 8

Seismic summary..... 14

Persons or agencies reporting felt earthquakes during the quarter..... 40

HAWAIIAN VOLCANO OBSERVATORY

SUMMARY 31

3. 1963 results and cracks along the East Rift system of Kilauea Volcano..... 3

July, August, and September, 1963..... 4

4. Hourly frequency plot of Kilauea volcano activity during August 3-5, 1963..... 5

By Robert Y. Koyanagi, Arnold T. Okamura,
Willie T. Kinoshita, J. G. Moore, and Howard A. Powers

Issued December 1964

Observatory Staff

Geology

- J. G. Moore (Scientist-in-charge)
- D. L. Peck, geologist, arrived 7-5-63
- C. K. Wentworth

Geophysics:

- W. T. Kinoshita, geophysicist, arrived 6-17-63
- G. Kojima
- R. Y. Koyanagi
- H. L. Krivoy
- A. T. Okamura
- A. S. Ryall
- N. Sherrill

Geochemistry:

- R. T. Okamura

Support:

- E. T. Endo
- J. G. Forbes
- W. H. Francis
- B. J. Loucks
- A. Yamamoto

Visiting Japanese scientists

(Arrived 6-29-63 for 6 months' cooperative program)

- T. Minakami (Group leader), D. Shimozuru, S. Aramaki, T. Miyazaki, C. Kurihara, and S. Hiraga

Contents

	Page
U.S.-Japan cooperative study of Kilauea Volcano-----	1
Chronological summary-----	3
Tilting of the ground around Kilauea caldera-----	8
Seismic summary-----	14
Persons or agencies reporting felt earthquakes during the quarter-----	40
Illustrations	
Figure A. Map of the Kilauea caldera region at the summit of Kilauea Volcano-----	2
B. 1963 faults and cracks along the Koa'e fault system of Kilauea's south flank mapped by James G. Moore-----	4
C. Hourly frequency plot of Kilauea seismic events during August 3-5, 1963-----	5
1. Map of the island of Hawaii showing seismograph stations operated by the Geological Survey and localities mentioned in the text-----	7
2a. Tilting of the ground around Kilauea caldera May 12 to July 4, 1963-----	11
2b. Tilting of the ground around Kilauea caldera, July 6 to August 6, 1963-----	13
Tables	
Table 1. Tilt coordinates at Uwekahuna Vault, July, August, and September, 1963-----	9
2a. Tilt coordinates and changes at bases around Kilauea caldera-----	10
2b. Tilt coordinates and changes at bases around Kilauea caldera-----	12
3. Numbers of earthquakes and minutes of tremor recorded on seismographs around Kilauea caldera-----	15
4. Local earthquakes recorded by seismographs of the U.S. Geological Survey-----	20
5. Distant earthquakes-----	30

U.S.-Japan cooperative study of Kilauea Volcano

For 6 months, beginning in the summer of 1963, a team of Japanese scientists lived and worked at Kilauea Volcano in close cooperation with the staff of the Volcano Observatory. This study was part of a program of scientific cooperation between the United States and Japan; the program originated in talks between President Kennedy and Prime Minister Ikeda in June 1961. The United States' participation is financed by the National Science Foundation and Japan's participation by the Japanese Ministry of Education.

The main group of Japanese scientists which arrived in Hawaii June 29, included Takeshi Minakami, Professor of Geophysics, University of Tokyo, leader; Daisuke Shimozuru, Assistant Professor of Geophysics, University of Kyushu; and Shigeo Aramaki, Assistant in Geology, University of Tokyo. Kosuke Kamo, Geophysicist, University of Kyoto, joined the team later. Several technicians accompanied the group.

The principal program of the Japanese scientists was the monitoring of seismic activity in the Kilauea summit area. To do this, a net of about 16 short-period seismometers (mainly vertical instruments) was placed in and near Kilauea caldera in the summit region of the volcano (fig. A). The instruments telerecorded at the Observatory. Six instruments recorded continuously on smoked paper drums and the others recorded a few hours per day (or longer during periods of exceptional activity) on photographic paper.

While the team was in Hawaii, seismic recordings were made of several noteworthy events: earthquakes and tremors associated with the eruptions of August and October; the collapses of July and August; several other large earthquakes and earthquake swarms; and explosions set off as part of the Geological Survey's program of refraction seismology.

The Observatory staff joined with the Japanese team in an offshore investigation of the south flank of Kilauea Volcano. The Kagoshima Maru, a 1,000-ton fisheries research vessel from Kagoshima University, which was on a training voyage in Hawaiian waters, was utilized in a 4-day echo-sounding program in August. The ship made about 400 km of depth-profiling traverses over a submarine part of Kilauea Volcano directly south of the summit region. Observatory members sailed on the ship and aided in the operation of the echo-sounder, and members of the Japanese team joined the Observatory staff in fixing the position of the ship from three transit stations on land.

The first data-gathering stage of the U.S.-Japan cooperative program was completed in early 1964 when the Japanese team left Hawaii. The second stage--analysis of the data--will continue for 2 years. Results will be compared and data integrated at future meetings, terminating in the fall of 1965.

U.S.-Japan cooperative study of Kilauea Volcano

For 5 months, beginning in the summer of 1963, a team of Japanese scientists lived and worked at Kilauea Volcano in close cooperation with the staff of the Hawaiian Observatory. This study was part of a program of scientific cooperation between the United States and Japan; the program originated in talks between President Kennedy and Prime Minister Ikeda in June 1961. The United States' participation is financed by the National Science Foundation and Japan's participation by the Japanese Ministry of Education.

The main group of Japanese scientists which arrived in Hawaii June 25, included Tetsuo Minoura, Professor of Geophysics, University of Tokyo; Kazuo Takemura, Assistant Professor of Geophysics, University of Tokyo; and Shigeo Asanuma, Assistant Professor in Geology, University of Tokyo. Several technicians accompanied the group.

The principal program of the Japanese scientists was the monitoring of seismic activity in the Kilauea vent area. To do this a net of about 15 short-period seismometers (mainly vertical instruments) was placed in and near Kilauea caldera in the summit region of the volcano (Fig. A). The instruments, selected at the Observatory, six instruments recorded continuously on smoked paper drums and the others recorded a few hours per day (or longer during periods of exceptional activity) on photographic paper.

While the team was in Hawaii, seismic recordings were made of several noteworthy events: earthquakes and tremors associated with the eruption of August and October; the collapse of July and August; several other large earthquakes and eruptions; and eruptions set off as part of the Geological Survey's program of reticulation seismology.

The Observatory staff joined with the Japanese team in an offshore investigation of the south flank of Kilauea Volcano. The Kagoshima Maru, a 1,000-ton Japanese research vessel from Kagoshima University, which was on a training voyage to Hawaiian waters, was utilized in a 4-day, 4-night surveying program in August. The ship made about 400 km of depth-sounding traverses over a substantial part of Kilauea Volcano directly south of the summit region. Observatory members sailed on the ship and aided in the operation of the echo-sounder, and members of the Japanese team joined the Observatory staff in fixing the position of the ship from three transit stations on land.

The first data-gathering stage of the U.S.-Japan cooperative program was completed in early 1964 when the Japanese team left Hawaii. The second stage--analysis of the data--will continue for 2 years. Results will be compared and data interpreted at future meetings, tentatively in the fall of 1965.

Geological map

Figure A is a geological map of the Kilauea caldera region at the summit of Kilauea Volcano. The map shows the caldera rim, the central vent area, and the surrounding slopes. A scale bar at the bottom right indicates distances up to 4 miles. The locations of seismometers operated by the visiting Japanese team are marked with double circles.




Figure A.--Map of the Kilauea caldera region at the summit of Kilauea Volcano. Locations of seismometers operated by visiting Japanese team are shown by double circles.

The map shows the caldera rim, the central vent area, and the surrounding slopes. A scale bar at the bottom right indicates distances up to 4 miles. The locations of seismometers operated by the visiting Japanese team are marked with double circles.

The map shows the caldera rim, the central vent area, and the surrounding slopes. A scale bar at the bottom right indicates distances up to 4 miles. The locations of seismometers operated by the visiting Japanese team are marked with double circles.



Map of the Kilauea summit region at the summit of Kilauea Volcano. Locations of instruments operated by visiting Japanese team are shown by double circles.

Chronological summary

The month preceding the opening of this quarter was exceedingly quiet in terms of any kind of seismic activity, and no clear trend of tilting was indicated by the short-base tiltmeter. However, during this quarter there were two episodes of summit collapse, two swarms of Kaoiki quakes, and two surface eruptions of lava (if we include the first week of October in the period of generalization).

A sharp spasm of seismic activity that began at 9:50 p.m. July 1, 1963, included a great many felt earthquakes, a countless swarm of small quakes, and probably intermittent tremor. Rapid collapse tilting began at Uwekahuna shortly before midnight, and at about the same time cracks opened and pavement buckled in the road at Devil's Throat (fig. B). This structural crisis was over by July 5 and no lava had appeared at the surface. However, the Kilauea summit showed about the same amount of tilt collapse as it had shown during the December 1962 eruption along the upper Puna rift. Also upward swelling in part of this rift, as determined by precise leveling of the bench marks along the Chain of Craters road, was as much as 3 feet in the center of the disturbed zone. From these observations it is inferred that strong structural disturbance along the Puna rift and its junction with the Koaie fault system permitted the movement of perhaps 10 million cubic yards of magma from under the summit region into the Puna rift system.

During the rest of July, tilting at Uwekahuna was moderately strong westerly, a direction associated with tumescence, but there was no noteworthy seismic activity.

On August 3, shallow tremor began at 9:25 p.m. and continued, accompanied by a swarm of shallow earthquakes centered near Aloi that began 15 minutes later. The quakes were felt only feebly in the Kilauea summit area 6 miles northwest, but their intensity caused concern at Ainahou Ranch 2 miles south of Aloi. The seismic crisis lasted only about 2 hours, but several new cracks intersected the Chain of Craters road, and leveling revealed surface subsidence of a 2-mile section of the road, greatest (.4 ft) in the zone of cracking. A swarm of 30-km-deep quakes under the Kilauea summit followed the surface crisis by a few hours (fig. C).

There was comparative inactivity, both seismically and tiltwise, until August 21. On that day lava appeared, at about 6:00 p.m., from fissures across the floor and up the northeast wall of Alae Crater. The eruption lasted about 38 hours and formed a lake in the crater bottom containing almost a million cubic yards of tholeiitic basalt. Careful study of this lava lake was started immediately for the purpose of observing all aspects of the cooling history of the lava.

On August 26 at 8:49 a.m., an earthquake of magnitude 4.9 took place in the Kaoiki fault zone. The shock was felt strongly throughout the island of Hawaii. Aftershocks numbered about 50 per day for several weeks to follow. Two of the earliest of these were felt in the Kilauea summit area: one of magnitude 3.1 at 09:48, August 26, and one of magnitude 3.3 at 21:35, August 26.



A second swarm of local quakes was initiated by an earthquake of magnitude 4.5 that took place at 05:24 a.m. on September 21. This quake also was felt throughout the island. Two of the many aftershocks were felt throughout the southern half of the island: one of magnitude 3.7 at 06:26, Sept. 22, and a second of the same magnitude one minute later at 06:27.

Large numbers of small quakes centered under Kilauea summit accompanied the numerous aftershocks from the Sealed Fault zone until the end of the month. In fact until the beginning of a final eruption of Kilauea on October 4, which will be reported in the next quarterly




Figure C.--Hourly frequency plot of Kilauea seismic events during August 3-5, 1963.




Figure 3--Hourly frequency plot of Kilauea seismic events during August 1-2, 1963.

A second swarm of Kaoiki quakes was initiated by an earthquake of magnitude 4.8 that took place at 6:24 a.m. on September 21. This quake also was felt throughout the island. Two of the many aftershocks were felt throughout the southern half of the island: one of magnitude 3.5 at 06:26, Sept. 22, and a second of the same magnitude one minute later at 06:27.

Large numbers of small quakes centered under Kilauea summit accompanied the numerous aftershocks from the Kaoiki fault zone until the end of the quarter, in fact until the beginning of a flank eruption at Napau Crater on October 4, which will be reported in the next quarterly summary.




Figure 4--Map of the island of Hawaii showing seismic activity during the quarter ending September 30, 1963. The contours represent the number of earthquakes of magnitude 2.5 or greater. The map shows a high concentration of activity in the central and southern regions of the island.

A second wave of local quakes was initiated by an earthquake of magnitude 4.5 that took place at 8:25 a.m. on September 21. This quake also was felt throughout the island. Two of the many earthquakes were felt throughout the northern half of the island and of magnitude 3.2 at 02:55 p.m. and a report of the same magnitude was made later at 03:31.

Large numbers of small quakes occurred under Kilauea cone accompanied the eruption throughout the Kilauea rift zone until the end of the eruption. As far as the beginning of a faint eruption at Kilauea Crater on October 1, which will be reported in the next quarterly summary.




Figure 1.--Map of the island of Hawaii showing seismograph stations operated by the Geological Survey and localities mentioned in the text. Epicenters of local earthquakes are given in terms of geographic coordinates, which are indicated at the edges of the map.




Figure 1.--Map of the island of Hawaii showing tiltmeter stations operated by the Geological Survey and locations mentioned in the text. Dipimeters of local earthquakes are given in terms of geographic coordinates, which are indicated at the edge of the map.

Tilting of the ground around Kilauea caldera.--Tilting of the ground around the summit of Kilauea is monitored daily by a short-base water-tube tiltmeter in Uwekahuna Vault, and at irregular intervals it is measured on a regional scale by means of a network of field tilt bases and a portable water-tube tiltmeter. The attitude of the ground surface at each tilt base is reported in terms of north-south and east-west tilt coordinates. Both coordinates at each station were arbitrarily set equal to 500 when measurements at that station were begun. Increasing tilt coordinates correspond to northward and eastward tilting of the earth's surface, i.e., to a relative subsidence toward the north and east. A one-unit change in coordinate corresponds to a tilting of 1 microradian (1 mm per km) in the direction indicated.

1	500	500	10	500	490
2	502	498	20	505	480
3	505	495	30	510	470
4	508	492			
5	511	489			
6	514	486			
7	517	483			
8	520	480			

Tiltmeter of the ground around Uwekahuna Vault.—Tiltmeter of the ground around Uwekahuna Vault is monitored daily by a short-range water-tube tiltmeter in Uwekahuna Vault, and at frequent intervals it is measured on a regional scale by means of a network of field tilt bases and a portable water-tube tiltmeter. The attitude of the ground surface at each tilt base is reported in terms of north-south and east-west tilt coordinates. Both coordinates at each station were arbitrarily set equal to 500 and 500 respectively at first station was begun. Increasing tilt coordinates correspond to northward and eastward tilting of the earth's surface, i.e., to a relative subsidence toward the north and east. A constant change in coordinate corresponds to a tilting of 1 arcsecond (1 arc per km) in the direction indicated.

Table 1.--Tilt coordinates at Uwekahuna Vault, July, August, and September, 1963

Date	N-S	E-W	Date	N-S	E-W
June 30	505	497	Sept. 1	503	491
July 7	498	504	8	504	494
14	499	504	15	505	490
21	502	499	22	505	482
28	502	495	29	505	476
Aug. 4	502	492			
11	501	492			
18	503	488			
25	501	494			

Table 2a. --Tilt coordinates and changes at bases around Kilauea caldera (see fig. 2a)

Tilt base (location)	Date (1963)	Tilt coordinates		Rate (10^{-6} rad/mo) and direction of tilting since last reading	Date of last reading (1963)
		N-S	E-W		
Uwekahuna (19°25.5' N., 155°17.4' W.)	July 6	478.6	488.2	5.0 N. 42.5° W.	May 10
Tree Molds (19°26.3' N., 155°17.3' W.)	4	452.6	512.9	0.67 S. 24.3° E.	14
Sand Spit (19°24.1' N., 155°16.8' W.)	6	824.3	725.5	9.6 S. 70.2° E.	14
Kalihipaa (19°21.4' N., 155°15.3' W.)	3	349.2	387.5	127.8 S. 18.3° W.	11
Keamoku (19°25.1' N., 155°19.0' W.)	4	531.2	552.4	9.5 N. 44.9° W.	10
Ahua Kamokukolau (19°22.7' N., 155°16.6' W.)	3	521.1	548.3	52.9 N. 22.1° W.	10
Kipuka Nene (19°19.4' N., 155°16.7' W.)	5	486.8	510.3	6.5 S. 16.0° E.	13
Hilina Pali (19°18.2' N., 155°18.6' W.)		not occupied this epoch			
Kapapala Ranch (19°20.5' N., 155°23.8' W.)		not occupied this epoch			

(1963) Date	Tilt (microradians)		Tilt (microradians)		Tilt (microradians)
	North	East	North	East	
May 12	100.5	270.3	100.5	270.3	100.5
May 13	100.7	270.5	100.7	270.5	100.7
May 14	100.8	270.6	100.8	270.6	100.8
May 15	100.9	270.7	100.9	270.7	100.9
May 16	101.0	270.8	101.0	270.8	101.0
May 17	101.1	270.9	101.1	270.9	101.1
May 18	101.2	271.0	101.2	271.0	101.2
May 19	101.3	271.1	101.3	271.1	101.3
May 20	101.4	271.2	101.4	271.2	101.4




Figure 2a.--Tilting of the ground around Kilauea caldera, May 12 to July 4, 1963. The vector depicting tilting at a given tilt base points in the direction of maximum relative subsidence and has a length proportional to the rate of tilting during the measurement interval. Closed circles represent field tilt bases; open circles, short-base water-tube tiltmeters.

Figure 2a. Tilt of the ground around Kilauea caldera, May 13 to July 4, 1963. The vector depicting tilting at a given site has points in the direction of maximum relative subsidence and has a length proportional to the rate of tilting during the measurement interval. Circled circles represent tilt tilt bases; open circles, short-base water-cure tiltmeters.




Table 2b. --Tilt coordinates and changes at bases around Kilauea caldera (see fig. 2b)

Tilt Base (location)	Date (1963)	Tilt coordinates		Rate (10^{-6} rad/mo) and direction of tilting since last reading	Date of last reading (1963)
		N-S	E-W		
Uwekahuna ($19^{\circ}25.5'$ N., $155^{\circ}17.4'$ W.)	Aug. 6	486.8	480.5	11.3 N. 43° W.	July 6
Tree Molds ($19^{\circ}26.3'$ N., $155^{\circ}17.3'$ W.)	6	457.0	515.8	4.8 N. 33° W.	4
Sand Spit ($19^{\circ}24.1'$ N., $155^{\circ}16.8'$ W.)	12	821.4	727.0	2.6 S. 26° E.	6
Kalihipea ($19^{\circ}21.4'$ N., $155^{\circ}15.3'$ W.)	5	336.1	377.8	14.8 S. 37° W.	3
Keamoku ($19^{\circ}25.1'$ N., $155^{\circ}19.0'$ W.)	12	536.9	544.7	6.8 N. 54° W.	4
Ahua Kamukokolau ($19^{\circ}22.7'$ N., $155^{\circ}16.6'$ W.)	5	528.1	555.7	9.3 N. 47° E.	3
Kipuka Nene ($19^{\circ}19.4'$ N., $155^{\circ}16.7'$ W.)	9	484.8	510.1	1.7 S. 06° W.	5
Hilina Pali ($19^{\circ}18.2'$ N., $155^{\circ}18.6'$ W.)	8	497.5	500.7	1.4 S. 17° W.	May 13
Kapapala Ranch ($19^{\circ}20.5'$ N., $155^{\circ}23.8'$ W.)	8	496.9	503.5	0.3 S. 24° E.	11




Figure 20. -- Tilting of the ground around Kilauea crater, July 4 to August 5, 1953. The vector diagram shows the direction of maximum relative subsidence and has a length proportional to the rate of tilting during the measurement interval. (Open circles represent plain tilt bases; open circles, short-base water-tube tiltmeters.)

Seismic summary. -- Events recorded by the U.S. Geological Survey seismograph network in Hawaii fall into two categories: local earthquakes and tremor originating in the region of the Hawaiian Islands, usually within 100 km of at least one seismograph, and distant earthquakes originating more than 3,000 km from Hawaii. As an index of seismic activity at Hawaiian volcanoes, daily counts of earthquakes and minutes of tremor recorded by seismographs in Hawaii are listed in table 3. The earthquakes are separated into groups on the basis of region of origin as determined by analysis of records obtained daily at the Observatory (U, M, A, D, N, MP). Earthquakes of magnitude 2.5 or greater are generally sufficiently well recorded to be located with greater precision: they are listed individually in table 4. Data on identifiable phases from distant earthquakes are listed in table 5.

Locations of the seismograph stations are shown on figure 1, and essential data on the stations were given in Summaries 25 and 30.

Table 3. -- Summary of earthquakes and minutes of tremor recorded by the Hawaiian Islands seismograph network, July 4 to August 5, 1953.

Table 3 is arranged into three columns: local earthquakes, distant earthquakes, and minutes of tremor. The local earthquakes are listed in the first column, the distant earthquakes in the second column, and the minutes of tremor in the third column. The local earthquakes are listed in the order of their occurrence, and the distant earthquakes in the order of their distance from Hawaii. The minutes of tremor are listed in the order of their occurrence. The total number of earthquakes and minutes of tremor are given at the bottom of each column. The total number of earthquakes is 10, and the total number of minutes of tremor is 10. The total number of earthquakes and minutes of tremor are given at the bottom of each column.

Date (1953)	Local earthquakes	Distant earthquakes	Minutes of tremor
July 4	1	1	10
July 5	1	1	10
July 6	1	1	10
July 7	1	1	10
July 8	1	1	10
July 9	1	1	10
July 10	1	1	10
July 11	1	1	10
July 12	1	1	10
July 13	1	1	10
July 14	1	1	10
July 15	1	1	10
July 16	1	1	10
July 17	1	1	10
July 18	1	1	10
July 19	1	1	10
July 20	1	1	10
July 21	1	1	10
July 22	1	1	10
July 23	1	1	10
July 24	1	1	10
July 25	1	1	10
July 26	1	1	10
July 27	1	1	10
July 28	1	1	10
July 29	1	1	10
July 30	1	1	10
July 31	1	1	10
Total	31	31	310

Table 3.--Numbers of earthquakes and minutes of tremor recorded on seismographs U, M, A, D, N, and MF around Kilauea caldera

Tremor is separated into three categories: deep, intermediate, and shallow, on the basis of relative amplitudes on seismographs in the summit region. Unless otherwise stated, tremor is presumed to be associated with movement of magma within the central complex of Kilauea.

Earthquake categories are: Halemaumau rock slides, which are detected by the characteristic record they produce on the North Pit seismograph; shallow earthquakes in the Kilauea caldera region; shallow earthquakes along the SW. rift zone of Kilauea and the adjacent portion of the Kaoiki fault system; earthquakes along the eastern half of Kilauea's east rift zone--detected largely on the Pahoa short-period vertical; earthquakes from a source about 30 km beneath Halemaumau; earthquakes from the upper east rift zone and the adjacent fault systems of Kilauea's south flank (these are usually first arrivals at Ahua or Makaopuhi); and earthquakes from other regions: Kona, Mauna Kea, etc.

"Kalapana Trail" quakes formerly listed as column 9, have essentially ceased and are thus no longer listed.

A question mark (?) in the column indicates questionable interpretation of the records due to high concentration of seismic activity or an instrumental problem.

Date (1963)	Tremor (in minutes)			Earthquakes					Others		
	Deep	Intermediate	Shallow	Halemaumau slides	Kilauea caldera	SW. rift and Kaoiki		Eastern East rift		Halemaumau 30 km	Upper East rift
						Kaoiki	and SW. rift				
July 1	?	?	?	?	25	10	?	6	?	?	1 S. Pali
2	?	?	?	?	?	?	?	1	1	900+	2 Kona
3	?	?	?	?	34	?	?	5	5	275+	
4					30	?	?	2	2	65+	1 Offshore
5					29	8	1	1	1	38	
6					31	11	1	1	1	33	
7					32	19	1	1	1	12	
8				1	49	19	6	6	6	13	
9				3	35	3	14	14	14	16	1 Mauna Kea
10					23	20	6	6	6	10	
11					32	5	3	3	3	5	
12					30	9	11	11	11	2	
13	12				60	11	6	6	6	8	
14					80	8	11	11	11	1	
15					37	30	2	2	2	1	
16											

Date (1963)	Tremor (in minutes)			Hale- maunau slides	Kilauea caldera	SW. rift and Kaoiki	Eastern East rift	Hale- maunau 30 km	Upper East rift	Other
	Deep	Inter- mediate	Shallow							
July 17	42	---	---	---	60	3	---	1	3	---
18	---	---	---	---	50	10	---	5	7	---
19	---	---	---	---	50	17	---	21	3	---
20	---	---	---	---	45	5	---	3	3	---
21	---	---	---	---	60	10	---	3	10	---
22	---	---	---	1	41	11	---	5	8	---
23	---	---	---	---	46	21	---	3	3	---
24	---	---	---	1	70	5	---	2	6	---
25	---	---	---	---	46	11	---	2	3	---
26	---	---	---	---	45	6	1	7	4	---
27	---	---	---	---	50	8	---	4	3	---
28	---	---	---	---	64	16	---	8	1	---
29	---	---	---	---	90	30	---	2	---	---
30	---	---	---	---	60	18	---	5	---	---
31	---	---	---	---	100	25	---	11	---	---
Aug. 1	---	---	8	---	65	9	---	9	1	---
2	---	37	---	---	70	8	1	9	---	---
3	---	50+	---	2	50	13	---	53	200+	---
4	---	---	?	---	37	12	---	71	3	---
5	13	---	---	---	48	12	---	9	5	---
6	---	---	---	---	44	14	---	4	2	---
7	46	---	---	---	94	18	---	8	7	---
8	3	---	---	---	40	9	---	21	1	---

Table 3.--Numbers of earthquakes and minutes of tremor recorded on seismographs U, M, A, D, N, and EE around Kilauea caldera--Continued

Date (1963)	Tremor (in minutes)			Earthquakes						
	Deep	Inter- mediate	Shallow	Hale- maunau slides	Kilauea caldera	SW. rift and Kaoiki	Eastern East rift	Hale- maunau 30 km	Upper East rift	Other
July 17	42	---	---	---	60	3	---	1	3	---
18	---	---	---	---	50	10	---	5	7	---
19	---	---	---	---	50	17	---	21	3	---
20	---	---	---	---	45	5	---	3	3	---
21	---	---	---	---	60	10	---	3	10	---
22	---	---	---	1	41	11	---	5	8	---
23	---	---	---	---	46	21	---	3	3	---
24	---	---	---	1	70	5	---	2	6	---
25	---	---	---	---	46	11	---	2	3	---
26	---	---	---	---	45	6	1	7	4	---
27	---	---	---	---	50	8	---	4	3	---
28	---	---	---	---	64	16	---	8	1	---
29	---	---	---	---	90	30	---	2	---	---
30	---	---	---	---	60	18	---	5	---	---
31	---	---	---	---	100	25	---	11	---	---
Aug. 1	---	---	8	---	65	9	---	9	1	---
2	---	37	---	---	70	8	1	9	---	---
3	---	50+	---	2	50	13	---	53	200+	---
4	---	---	?	---	37	12	---	71	3	---
5	13	---	---	---	48	12	---	9	5	---
6	---	---	---	---	44	14	---	4	2	---
7	46	---	---	---	94	18	---	8	7	---
8	3	---	---	---	40	9	---	21	1	---

(Year) Date	Tremor (in minutes)			Kilauea caldera	SW. rift and Kaouiki	Earthquakes			Others
	Deep	Inter-mediate	Shallow			Hale-maunau slides	Eastern East rift	Hale-maunau 30 km	
Aug. 9	2	10	10	50	7	4	2	4	1
10	12	20	10	75	5	2	2	4	1
11	13	14	10	60	11	3	3	7	1
12	13	14	10	81	11	5	5	5	1
13	13	14	10	73	7	1	1	17	1
14	13	14	10	85	5	2	2	6	1
15	13	14	10	80	6	1	1	4	1
16	13	14	10	80	6	4	4	6	1
17	13	14	10	88	6	4	4	8	1
18	13	14	10	91	6	2	2	7	1
19	13	14	10	96	8	1	1	675+	1
20	13	14	10	105	13+	?	?	?	1
21	13	14	10	50+	5+	3	2	4	1
22	13	14	10	12+	2+	5	5	3	1
23	13	14	10	30+	5	14	1	3	1
24	13	14	10	35	14	375+	1	2	1
25	13	14	10	42	14	85	5	4	1
26	13	14	10	70	375+	83	8	1	1
27	13	14	10	63	85	23	5	2	1
28	13	14	10	92	83	31	4	1	1
29	13	14	10	60	23	5	8	1	1
30	13	14	10	50	31	5	5	1	1
31	13	14	10	75	32	15	15	1	1

Table 3.--Numbers of earthquakes and minutes of tremor recorded on seismographs U, M, A, D, N, and EE around Kilauea caldera.--Continued

Date (1963)	Tremor (in minutes)			Earthquakes						
	Deep	Inter-mediate	Shallow	Hale-maunau slides	Kilauea caldera	SW. rift and Kaouiki	Eastern East rift	Hale-maunau 30 km	Upper East rift	Others
Aug. 9	2	10	10	---	50	7	---	2	4	1
10	12	20	10	---	75	5	---	2	4	1
11	13	14	10	---	60	11	---	3	7	1
12	13	14	10	3	81	11	---	5	5	1
13	13	14	10	---	73	7	---	1	17	1
14	13	14	10	---	85	5	---	2	6	1
15	13	14	10	---	80	6	---	1	4	1
16	13	14	10	1	80	6	---	4	6	1
17	13	14	10	---	88	6	---	4	8	1
18	13	14	10	---	91	6	---	2	7	1
19	13	14	10	---	96	8	---	1	675+	1
20	13	14	10	---	105	13+	---	?	?	1
21	13	14	10	Eruption starts at 18:00,	50+	5+	---	3	2	1
22	13	14	10	continuous tremor. Eruption	12+	2+	---	5	5	1
23	13	14	10	ends 08:10.	30+	5	---	14	3	1
24	13	14	10	---	35	14	---	375+	1	1
25	13	14	10	---	42	14	---	85	5	1
26	13	14	10	1	70	375+	---	1	2	1
27	13	14	10	4	63	85	---	5	4	1
28	13	14	10	1	92	83	---	8	1	1
29	13	14	10	---	60	23	---	5	1	1
30	13	14	10	---	50	31	---	5	1	1
31	13	14	10	---	75	32	---	15	1	1

(1963) DATE	DEEP TREMOR (in minutes)	INTER-MEDIATE TREMOR (in minutes)	SHALLOW TREMOR (in minutes)	HALE-MAUMAU SLIDES (in minutes)	KILAUEA CALDERA (in minutes)	SW. RIFT AND KAOIKI (in minutes)	EASTERN EAST RIFT (in minutes)	HALE-MAUMAU 30 KM (in minutes)	UPPER EAST RIFT (in minutes)	OTHERS (in minutes)
Sept. 1	14	---	---	---	70	35	1	9	1	1 Mauna Loa 1 S. Pali
2	---	---	---	---	80	35	---	5	8	---
3	---	---	---	---	102	77	---	3	2	---
4	---	---	---	---	53	20	---	9	---	---
5	---	---	---	---	65	30	---	2	1	---
6	---	---	---	1	50	30	---	2	2	2 S. Pali 3 Kona
7	---	---	---	1	60	30	---	7	2	1 Offshore Maui
8	---	---	---	---	60	42	---	1	3	2 Kona 1 Mauna Loa
9	---	---	9	---	69	35	---	7	2	1 S. Pali
10	15	---	---	---	120	24	1	19	---	---
11	---	---	---	---	71	22	---	4	---	---
12	4	---	---	1	60	24	---	2	5	1 S. Pali
13	30	---	---	---	85	8	---	1	5	1 S. Pali
14	---	---	---	---	110	28	---	2	1	1 S. Pali
15	---	---	---	---	75	27	---	7	2	1 S. Pali
16	---	---	---	---	120	32	---	4	2	1 Offshore
17	32	---	---	1	150	33	---	7	6	1 Offshore
18	---	---	---	---	115	44	1	5	4	2 Mauna Kea
19	---	---	---	1	170	48	---	7	5	1 Kona
20	---	---	---	---	85+	75	1	2	---	---
21	26	---	---	2	155+	1960	3	---	2	1 Offshore 1 Mauna Kea
22	---	---	---	2	120	1300	2	1	2	---

Table 3.--Numbers of earthquakes and minutes of tremor recorded on seismographs

U, M, A, D, N, and EE around Kilauea caldera--Continued

Date (1963)	Tremor (in minutes)			Earthquakes						
	Deep	Inter-mediate	Shallow	Hale-maunau slides	Kilauea caldera	SW. rift and Kaoiki	Eastern East rift	Hale-maunau 30 km	Upper East rift	Others
Sept. 1	14	---	---	---	70	35	1	9	1	1 Mauna Loa 1 S. Pali
2	---	---	---	---	80	35	---	5	8	---
3	---	---	---	---	102	77	---	3	2	---
4	---	---	---	---	53	20	---	9	---	---
5	---	---	---	---	65	30	---	2	1	---
6	---	---	---	1	50	30	---	2	2	2 S. Pali 3 Kona
7	---	---	---	1	60	30	---	7	2	1 Offshore Maui
8	---	---	---	---	60	42	---	1	3	2 Kona 1 Mauna Loa
9	---	---	9	---	69	35	---	7	2	1 S. Pali
10	15	---	---	---	120	24	1	19	---	---
11	---	---	---	---	71	22	---	4	---	---
12	4	---	---	1	60	24	---	2	5	1 S. Pali
13	30	---	---	---	85	8	---	1	5	1 S. Pali
14	---	---	---	---	110	28	---	2	1	1 S. Pali
15	---	---	---	---	75	27	---	7	2	1 Offshore
16	---	---	---	---	120	32	---	4	6	1 Offshore
17	32	---	---	1	150	33	---	7	4	2 Mauna Kea
18	---	---	---	---	115	44	1	5	5	1 Kona
19	---	---	---	1	170	48	---	7	2	---
20	---	---	---	---	85+	75	1	2	---	---
21	26	---	---	2	155+	1960	3	---	2	1 Offshore 1 Mauna Kea
22	---	---	---	2	120	1300	2	1	2	---

Date	Deep	Inter-mediate	Shallow	Hale-maunau slides	Kilauea caldera	SW. rift and Kaoiki	Eastern East rift	Hale-maunau 30 km	Upper East rift	Others
Sept. 23	50	50	50	50	130	740	5	4	4	1
Sept. 24	50	50	50	50	190	580	7	8	12	1
Sept. 25	50	50	50	50	200	305	---	1	9	1
Sept. 26	50	50	50	50	200	160	7	3	10	1
Sept. 27	50	50	50	50	170	120	7	4	11	---
Sept. 28	50	50	50	50	160	135	4	---	---	---
Sept. 29	50	50	50	50	185	130	---	---	5	1
Sept. 30	50	50	50	50	185	95	---	2	9	---

Table 3.--Numbers of earthquakes and minutes of tremor recorded on seismographs

U, M, A, D, N, and EE around Kilauea caldera --Continued

Date (1963)	Tremor (in minutes)			Earthquakes						
	Deep	Inter-mediate	Shallow	Hale-maunau slides	Kilauea caldera	SW. rift and Kaoiki	Eastern East rift	Hale-maunau 30 km	Upper East rift	Others
Sept. 23	---	---	---	1	130	740	5	4	4	1
Sept. 24	---	---	---	---	190	580	7	8	12	1
Sept. 25	---	---	---	---	200	305	---	1	9	1
Sept. 26	---	---	---	---	200	160	7	3	10	1
Sept. 27	20	---	---	---	170	120	7	4	11	---
Sept. 28	---	---	---	---	160	135	4	---	---	---
Sept. 29	72	---	---	1	185	130	---	---	5	1
Sept. 30	---	---	---	---	185	95	---	2	9	---

Date (1963)	Time (in minutes)			Depth (km)	Magnitude	Epicenter	Felt Report
	h	m	s				
July 1	08	39	20.7	---	2.4	Upper east rift	---
1	08	40	54.4	---	2.6	do	---
2	06	06	54.1	---	3.0	do	---
2	06	18	22.9	---	2.9	do	---
2	06	41	05.7	---	3.0	do	---
2	06	47	43.4	---	3.2	do	---
2	07	15	23.4	---	2.7	do	---
2	07	37	30.1	---	2.9	do	---
2	07	41	23.4	---	2.8	do	---
2	07	54	07.5	---	2.9	do	---
2	08	08	28.9	---	2.7	do	---
2	08	22	09.4	---	2.7	do	---
2	08	45	30.6	---	2.5	do	---
2	09	37	37.1	---	3.1	do	---

Table 4.--Local earthquakes recorded by seismographs of the U.S. Geological Survey July, August, and September, 1963

Entries for a given quake are: date, origin time (Hawaiian Standard Time), epicenter, depth, magnitude and felt report. Except for smaller earthquakes of special interest, only earthquakes with magnitudes of 2.5 or greater are included in the list.

In the following list, some origin times are followed only by "KM 30" and a statement of magnitude. These are all members of a continuing family of quakes noted also in other Summaries. The best mean focus for this group is beneath Halemauau at a depth of 30 kilometers (19°24.1' N., 155°17.1' W.).

In the following list a number of quakes are described as "Upper east rift" (see Summary 28). Further statistical study of this group which occurs in the swarm periods during July 1 to 6 and August 3 to 4 gives a mean epicenter 19°21.5' N., 155°14' W., about 2 km south of Aloi Crater at near-surface depth.

In Summary 24, "Kaoiki" was introduced as a symbol for listing any of a family of quakes with mean focus 19°24' N., 155°25' W., h=3 to 8 km. This symbol is used in the following list.

Table 4. --Local earthquakes recorded by seismographs of the U.S. Geological Survey, July, August, and September, 1963--Continued

Date (1963)	Time			Magnitude	Depth (km)	Epicenter		Felt Report
	h	m	s			Lat. N.	Long. W.	
July 3	06	30	15.7	3.1			Upper east rift	Felt at Volcano
3	06	37	31.7	2.0			do	
3	10	11	36.4	2.3			do	
3	16	01	08.4	2.7			do	
3	16	28	53.4	2.0			do	
3	19	30	34.8	2.6			do	
3	20	31	51.5	2.5			do	
4	00	12	50.9	3.3			do	
4	05	03	40.4	2.3			do	
4	06	45	18.0	2.8	13	19° 22.3'	16 km SSW of Kealakekua	
4	07	38	31.4	2.9	13	19° 25.3'	13 km SW of Kealakekua	
4	08	04	11.1	2.9			Upper east rift	Felt at Volcano
4	08	39	09.9	2.6			do	
4	10	52	12.7	2.4			do	
4	12	05	04.4	2.8			do	
4	17	01	02.7	2.6			do	
4	17	55	57.4	2.8			do	
4	17	58	13.9	2.5			do	
4	20	06	26.7	2.0			do	
4	20	07	13.0	3.0			do	
5	03	19	27.2	2.5			KM 30	
5	15	14	34.5	2.5			Upper east rift	
6	16	34	43.2	2.2	3	19° 16.8'	13 km SW of Kalapana	
6	17	12	01.1	2.4			KM 30	
7	01	42	19.0	2.8	13	19° 55.5'	18 km SSW of Honokaa	
10	16	32	44.0	3.4	8	19° 16.5'	12 km S of Ahua seismometer.	
11	01	39	26.0	3.3			3 km ESE of Apua Point	
11	02	43	57.5	3.8	3	19° 15.2'	3 km ESE of Apua Point	Felt at Volcano to Hilo.
11	03	10	14.7	3.5			Upper east rift	Felt at Volcano to Hilo.
11	11	29	19.8	2.5			KM 30	
12	21	36	11.5	2.2			Upper east rift	

Date (1963)	Time			Magnitude	Depth (km)	Epicenter			Felt Report
	h	m	s			Lat. N.	Long. W.	Description	
July 14	08	10	16.0	2.6	---	---	---	Kaoliki	---
14	22	54	54.7	2.6	---	---	---	Upper east rift	---
15	22	44	10.3	2.6	---	---	---	KM 30	---
17	18	43	36.0	2.3	---	---	---	18 km SSE of Kealakekua	---
18	11	27	46.0	3.3	8	19° 22.0'	155° 52.3'	---	---
18	16	28	51.7	2.4	---	---	---	KM 30	---
19	20	12	36.5	2.5	---	---	---	Upper east rift	---
20	00	03	21.2	2.7	13	20° 04.0'	155° 37.2'	10 km ENE of Kamuela seismograph station.	---
20	11	26	43.5	2.3	---	---	---	Kaoliki	---
20	12	31	31.5	3.2	13	19° 10.8'	155° 36.9'	12 km NNW of Nealehu	---
21	17	24	02.0	3.2	13	19° 59.0'	155° 24.2'	13 km SE of Honokaa	---
23	01	37	01.0	2.8	3	18° 59.0'	155° 13.5'	32 km SSW of Apua Point	---
23	03	52	10.8	3.2	---	---	---	KM 30	---
23	07	38	12.6	2.7	13	19° 50.9'	155° 32.1'	13 km ESE of Waiki	---
24	19	18	03.5	2.7	3	19° 36.9'	155° 25.8'	14 km NNW of Mauna Loa seismometer.	---
25	16	18	15.5	2.8	13	18° 57.5'	154° 58.2'	41 km SSE of Apua Point	---
25	18	19	36.1	2.7	13	19° 45.0'	155° 58.9'	27 km NNW of Kealakekua	---
26	03	21	19.7	2.3	---	---	---	Kaoliki	---
28	03	32	10.5	2.4	13	19° 51.5'	155° 38.2'	2 km ESE of Waiki	---
29	08	39	12.5	2.7	---	---	---	Kaoliki	---
30	04	32	54.0	2.4	8	19° 47.5'	155° 26.5'	34 km NNW of Mauna Loa seismometer.	---
Aug. 1	01	10	52.4	2.9	---	---	---	KM 30	---
2	10	06	29.3	2.1	---	---	---	KM 30	---
2	14	53	03.1	2.8	---	---	---	KM 30	---
2	17	55	00.4	2.0	---	---	---	Upper east rift	---

Table 4. --Local earthquakes recorded by seismographs of the U.S. Geological Survey, July, August, and September, 1963--Continued

Date (1963)	Time			Magnitude	Depth (km)	Epicenter			Felt Report
	h	m	s			Lat. N.	Long. W.	Description	
July 14	08	10	16.0	2.6	---	---	---	Kaoliki	---
14	22	54	54.7	2.6	---	---	---	Upper east rift	---
15	22	44	10.3	2.6	---	---	---	KM 30	---
17	18	43	36.0	2.3	---	---	---	18 km SSE of Kealakekua	---
18	11	27	46.0	3.3	8	19° 22.0'	155° 52.3'	---	---
18	16	28	51.7	2.4	---	---	---	KM 30	---
19	20	12	36.5	2.5	---	---	---	Upper east rift	---
20	00	03	21.2	2.7	13	20° 04.0'	155° 37.2'	10 km ENE of Kamuela seismograph station.	---
20	11	26	43.5	2.3	---	---	---	Kaoliki	---
20	12	31	31.5	3.2	13	19° 10.8'	155° 36.9'	12 km NNW of Nealehu	---
21	17	24	02.0	3.2	13	19° 59.0'	155° 24.2'	13 km SE of Honokaa	---
23	01	37	01.0	2.8	3	18° 59.0'	155° 13.5'	32 km SSW of Apua Point	---
23	03	52	10.8	3.2	---	---	---	KM 30	---
23	07	38	12.6	2.7	13	19° 50.9'	155° 32.1'	13 km ESE of Waiki	---
24	19	18	03.5	2.7	3	19° 36.9'	155° 25.8'	14 km NNW of Mauna Loa seismometer.	---
25	16	18	15.5	2.8	13	18° 57.5'	154° 58.2'	41 km SSE of Apua Point	---
25	18	19	36.1	2.7	13	19° 45.0'	155° 58.9'	27 km NNW of Kealakekua	---
26	03	21	19.7	2.3	---	---	---	Kaoliki	---
28	03	32	10.5	2.4	13	19° 51.5'	155° 38.2'	2 km ESE of Waiki	---
29	08	39	12.5	2.7	---	---	---	Kaoliki	---
30	04	32	54.0	2.4	8	19° 47.5'	155° 26.5'	34 km NNW of Mauna Loa seismometer.	---
Aug. 1	01	10	52.4	2.9	---	---	---	KM 30	---
2	10	06	29.3	2.1	---	---	---	KM 30	---
2	14	53	03.1	2.8	---	---	---	KM 30	---
2	17	55	00.4	2.0	---	---	---	Upper east rift	---

Felt at
Glenwood
and Volcano.

Date (1963)	Time			Magnitude	Depth (km)	Epicenter		Felt Report
	h	m	s			Lat. N.	Long. W.	
Aug. 3	06	41	22.0	2.6	8	18° 44'	154° 57'	64 km SSE of Apua Point
3	23	21	02.5	2.0	---	---	---	Upper east rift
3	23	47	35.0	2.0	---	---	---	do
4	00	10	49.5	2.7	---	---	---	do
4	00	54	11.7	2.3	---	---	---	do
4	01	13	48.1	2.3	---	---	---	do
4	01	39	54.9	2.0	---	---	---	do
4	02	57	06.5	2.0	---	---	---	do
4	03	45	53.0	2.3	3	19° 18.8'	155° 0.5'	14 km WSW of Kalapana
4	07	17	40.5	2.0	---	---	---	Upper east rift
4	07	54	58.6	2.3	---	---	---	do
4	08	53	35.3	3.4	13	20° 02.3'	155° 18.8'	9 km NW of Laupahoehoe
5	08	15	22.1	2.5	---	---	---	Upper east rift
7	07	54	23.0	2.9	13	19° 45.9'	156° 00.8'	7 km NE of Keahole Point
8	16	13	55.2	2.2	---	---	---	do
8	16	14	20.0	3.3	---	---	---	do
8	22	04	14.1	2.1	---	---	---	do
9	18	41	43.0	2.4	---	---	---	do
10	04	10	08.0	2.5	---	---	---	do
12	11	09	42.6	2.2	---	---	---	do
14	05	25	38.1	3.5	30	21° 28'	158° 06'	Upper east rift
15	10	31	38.4	3.4	shallow	19° 35.7'	155° 58.8'	Waianae Mountains near Kolehole Pass, Oahu.
15	11	01	19.0	2.3	---	---	---	do
18	16	40	41.3	2.2	---	---	---	do
19	02	03	00.1	2.8	---	---	---	do
24	03	02	20.5	2.9	13	19° 40.2'	156° 02.9'	8 km SSE of Keahole Point.
25	06	55	05.0	2.3	13	20° 00.7'	155° 49.8'	4 km SSE of Kawaihae
25	22	41	43.0	3.1	13	21° 23'	156° 29'	74 km NNW of Haleakala, Maui.
25	23	35	45.0	2.3	---	---	---	do
26	08	49	17.6	4.9	---	---	---	do

Table 4.--Local earthquakes recorded by seismographs of the U.S. Geological Survey, July, August, and September, 1963--Continued

Table 4.--Local earthquakes recorded by seismographs of the U.S. Geological Survey, July, August, and September, 1963--Continued

Date (1963)	Time			Magni- tude	Depth (km)	Epicenter			Felt Report
	h	m	s			Lat. N.	Long. W.	Description	
Sept. 3	12	54	30.6	3.6	---	---	---	Kaoiki	Felt in Kapapala.
3	13	51	57.2	3.0	---	---	---	do	do
3	17	17	39.7	2.1	---	---	---	do	do
3	18	25	04.5	2.9	---	---	---	do	Felt in Kapapala
4	21	58	37.4	3.1	---	---	---	KM 30	Felt in Kilauea summit area.
6	00	54	45.4	2.5	8	19°29.0'	155°53.5'	5 km SE of Kealakekua	---
6	02	41	37.6	2.3	10	19°16.0'	155°13.2'	13 km SSE of Ahua seismometer.	---
6	03	30	01.6	3.6	3	19°29.1'	156°02.9'	15 km WSW of Kealakekua	---
6	09	10	48.8	2.1	8	19°17.4'	155°14.3'	10 km SW of Ahua seismometer.	---
6	22	47	53.0	2.6	5	19°28.3'	155°52.2'	8 km SE of Kealakekua	---
7	05	07	40.0	2.2	---	---	---	Kaoiki	---
7	05	32	11.2	2.1	10	19°19.8'	155°11.8'	5 km SW of Makaopuhi seismometer.	---
7	12	01	18.6	2.9	13	20°48'	155°12'	100 km NE of Kamuela	---
7	18	04	17.4	2.1	---	---	---	Upper east rift	---
8	04	48	04.9	2.4	8	19°40.2'	156°05.8'	11 km west of Kailua	---
8	12	09	36.8	3.0	3	19°12.3'	155°34.8'	16 km north of Naalehu	---
8	12	43	43.9	3.0	3	19°22.6'	155°54.1'	1 km south of Hookena	---
8	23	37	06.0	2.3	---	---	---	Kaoiki	---
9	01	33	43.4	2.3	10	19°17.1'	155°09.3'	9 km SSE of Ahua seismometer.	---

Date (1963)	Time			Depth (km)	Magni- tude	Lat. N.	Long. W.	Epicenter Description	Felt Report
	h	m	s						
Aug. 26	09	48	23.3	---	3.1	---	---	Kaoiki	Felt in Kapapala and Kilauea summit area.
26	15	24	38.2	---	2.2	---	---	Kaoiki	-----
26	18	17	05.9	---	2.0	---	---	-----do-----	-----
26	18	42	15.4	---	2.0	---	---	-----do-----	-----
26	19	28	24.5	---	2.0	---	---	-----do-----	-----
26	19	34	12.7	---	2.0	---	---	-----do-----	-----
26	19	44	19.7	---	2.6	---	---	-----do-----	-----
26	21	35	00.0	---	3.3	---	---	-----do-----	-----
26	22	17	31.4	---	2.0	---	---	-----do-----	-----
27	02	20	04.2	---	2.2	---	---	-----do-----	-----
27	13	13	37.5	---	2.9	---	---	-----do-----	-----
27	14	10	27.7	---	2.3	---	---	-----do-----	-----
27	19	07	30.6	8	2.9	19° 23.4'	155° 36.4'	24 km west-northwest of Desert seismometer.	-----
28	05	14	03.8	<3	2.7	19° 29.8'	155° 56.0'	3 km southwest of Kealakekua.	Felt in Kealakekua.
28	05	51	59.8	13	3.6	18° 59.7'	155° 18.2'	31 km east-southeast of Naalehu.	-----
29	01	06	43.4	---	2.9	---	---	KM 30	-----
29	21	10	40.4	---	2.7	---	---	KM 30	-----
30	10	58	48.6	10	2.0	19° 19.2'	155° 12.8'	6 km southwest of Makaopuhi seismometer.	-----
31	20	24	05.5	8	2.5	19° 35.1'	155° 53.9'	8 km north-northwest of Kealakekua	-----
Sept. 1	01	24	17.7	---	2.3	---	---	KM 30	-----
1	11	31	15.1	3	3.3	19° 11.9'	155° 39.3'	17 km NW of Naalehu	Felt in Pahala
1	21	43	59.3	30	2.6	19° 14.3'	155° 21.8'	11 km south-southeast of Desert seismometer.	-----
2	10	05	38.4	---	2.2	---	---	Upper east rift	-----

Table 4. --Local earthquakes recorded by seismographs of the U.S. Geological Survey, July, August, and September, 1963--Continued

Date (1963)	Time		Mag. tude	Depth (km)	Epicenter		Felt Report
	h	m			Lat. N.	Long. W.	
Sept. 10	00	21	2.0	10	19° 20.7'	155° 17.0'	4 km SW of Ahua seismometer
11	08	00	3.2	---	---	---	KM 30
13	23	58	2.3	8	19° 16.1'	155° 13.7'	5 km WNW of Apua Point
15	02	22	2.9	5	19° 16.5'	155° 12.6'	3 km NW of Apua Point
15	02	50	2.7	---	---	---	KM 30
15	02	53	2.3	---	---	---	KM 30
16	00	24	2.0	8	19° 14.8'	155° 21.4'	11 km SSW of Desert seismometer.
16	20	34	3.8	13	18° 48'	156° 39'	100 km SW of Hookena
17	13	25	2.8	5	19° 21.3'	155° 17.2'	3 km SW of Ahua seismometer
17	14	12	2.8	13	19° 21'	156° 34'	73 km WSW of Kealakekua
18	07	54	2.1	< 3	19° 48.2'	155° 31.7'	6 km north of Pohakuloa
18	08	07	3.5	13	19° 50.9'	155° 32.2'	11 km north of Pohakuloa
18	21	31	2.6	---	---	---	Kaoiiki
18	21	33	2.3	---	---	---	---
18	21	50	2.2	---	---	---	---
19	06	23	3.4	3	19° 28.3'	155° 54.5'	5 km SSE of Kealakekua
21	00	17	3.1	13	20° 27'	156° 25'	40 km SW of Heleakala seismometer.
21	00	19	2.5	13	19° 53.1'	155° 24.0'	8 km SW of Keanakolu
21	06	24	4.8	---	---	---	Kaoiiki

Table 4. -- Local earthquakes recorded by seismographs of the U.S. Geological Survey, July, August, and September, 1963--Continued

Table 4. -- Local earthquakes recorded by seismographs of the U.S. Geological Survey, July, August, and September, 1963--Continued

Date (1963)	Time			Magnitude	Depth (km)	Epicenter		Description	Felt Report
	h	m	s			Lat. N.,	Long. W.		
Sept. 21	06	33	24.0	2.3	---	---	Kaoiki	---	---
21	06	49	59.4	2.8	---	---	do	---	---
21	07	04	28.8	2.4	---	---	do	---	---
21	07	40	27.4	2.2	---	---	do	---	---
21	08	38	23.3	2.3	---	---	do	---	---
21	08	46	16.5	2.4	---	---	do	---	---
21	10	02	59.1	2.2	---	---	do	---	---
21	18	49	43.7	2.3	---	---	do	---	---
21	20	18	15.0	2.2	---	---	do	---	---
21	23	19	11.0	2.3	---	---	do	---	---
22	06	26	17.4	3.5	---	---	do	---	---
22	06	27	24.4	3.5	---	---	Kaoiki	---	Felt in Hilo, Kapapala, and Kilauea summit area.
22	07	33	23.2	2.3	---	---	Kaoiki	---	---
22	17	16	33.4	2.2	---	---	do	---	---
22	19	23	34.3	2.3	---	---	do	---	---
23	21	44	11.4	2.6	---	---	do	---	---
24	01	48	04.9	3.4	5	154° 57.1'	6 km south-southwest of Pahoa.	---	Felt in Pahoa and Kapoho.
24	05	58	22.3	2.7	5	155° 21.3'	4 km northwest of Keanakolu.	---	---
24	08	18	02.2	3.3	8	155° 53.3'	13 km south-southeast of Hookena.	---	---
24	09	36	16.0	2.1	25	155° 05.3'	24 km south of Hilo	---	---
24	23	54	58.0	2.3	13	154° 59.1'	37 km south-southwest of Pahoa.	---	---
25	20	02	11.5	2.6	35	155° 25.1'	21 km southeast of Naalehu.	---	---
26	05	01	27.6	2.1	8	154° 57.0'	5 km south of Pahoa	---	---

Date (1963)	Time		Mag.	Depth (km)	Epicenter		Description	Felt Report
	h	m			Lat. N.	Long. W.		
Sept. 27	17	09	2.9	3	19° 25.8'	154° 57.3'	7 km south-southwest of Pahoa.	Felt in Pahoa
27	20	04	2.3	---	---	---	Kaoiki	---
28	02	45	3.0	3	19° 26.8'	154° 56.1'	6 km south of Pahoa	Felt in Kapoho
29	10	18	2.4	8	18° 58.2'	155° 18.0'	51 km south of Uwekahuna seismometer.	---
30	08	28	2.4	5	19° 26.9'	154° 54.6'	7 km southeast of Pahoa	---

Table 4.--Local earthquakes recorded by seismographs of the U.S. Geological Survey, July, August, and September, 1963--Continued

Table 5.--Distant earthquakes

[Times are reported in Greenwich Civil Time which is 10 hours faster than Hawaiian Standard Time. A "c" following the time of P indicates compressional first motion; a "d" indicates dilatational first motion. Station symbols, locations, and instrumentation are presented in Summary 28. Magnitudes calculated from the Hawaii seismograms are followed by (HVO). Location of epicenter, origin times, and focal depths, and magnitudes reported by other institutions are taken from "Preliminary Determination of Epicenters" published by the U.S. Coast and Geodetic Survey]

July 4, 1963

M	Z	eP	11:06:56.7 d
A	Z	eP	56.4 d
D	Z	eP	55.4 d
MP	Z	eP	56.4 d
U	Z	iP	56.6 d
Pa	Z	iP	58.1 d
Na	Z	iP	53.3 d
Ka	Z	iP	59.1 d
Hi	Z	iP	59.1 d
Ha	Z	iP	11:07:03.1 d
U	PEZ	iP	11:06:56 d
U	PEN	iS	11:13:59

C&GS card 54-63:
 10:58:13.2
 26.3° S., 177.7° W.
 Tonga Islands region
 h about 158 km
 Magnitude 6.75 (Pas)
 6.75 to 7 (Brk)
 6.5 (CGS).

July 9

U	PEZ	eR	09:57:02
---	-----	----	----------

C&GS card 55-63:
 09:24:33.3
 8.5° N., 83.0° W.
 Costa Rica
 Panama Border
 h about 31 km
 Magnitude 5.1 (CGS).

July 10

M	Z	iP	05:31:49.4 d
N	Z	eP	50.2 d
Pa	Z	eP	49.7 d

July 10--Continued

U	PEZ	iP	49 d
U	PEZ	iR	05:45:31
U	PEE	iS	05:39:02
U	PEN	iL	05:43:26

C&GS card 55-63:
 05:22:57.1
 46.3° N., 152.9° E.
 Kurile Islands region
 h about 33 km
 Magnitude 5.6 (CGS)
 6.1 (HVO).

July 14

M	Z	iP	17:16:58.6 d
A	Z	iP	58.1 d
D	Z	iP	57.3 d
MP	Z	iP	58.1 d
U	Z	iP	58.3 d

C&GS card 57-63:
 17:06:38.6
 39.4° S., 174.9° E.
 North Island, New Zealand
 h about 189 km
 Magnitude 6.0 (CGS).

July 15

Ha	Z	Tmax	07:11:51
----	---	------	----------

C&GS card 57-63:
 06:28:21.7
 51.8° N., 176.8° W.
 Andreanof Islands, Aleutian Islands
 h about 33 km
 Magnitude 4.6 (CGS).

Table 5.--Distant earthquakes--Continued

Table with multiple columns containing earthquake data, including dates (e.g., July 15, July 24), magnitudes, and locations. The text is oriented vertically and is partially obscured by bleed-through from the reverse side of the page.

Table containing earthquake data for July 15, July 16, July 18, July 19, and July 24. It lists stations (M, Z, U, Ha), focal mechanisms (iP, eP, eS, eL, eR, Tmax), times (e.g., 08:49:43.3 d), and locations (Kamchatka, Georgia S.S.R., Vancouver Islands region, Near east coast of Formosa).

Table containing earthquake data for July 24--Continued, July 29, July 30, and Aug. 2. It lists stations (U, M, A, D, MP, Ha), focal mechanisms (iP, iR, iS, iG), times (e.g., 20:23:30 d), and locations (Kermadec Islands, Mindanao, Philippine Islands).

Table 5.--Distant earthquakes--Continued

August 3

Pa Z Tmax 02:17:26

C&GS card 67-63:

01:09:56

8.8° S., 108.3° W.

Southwest of Galapagos Islands

h about 33 km

Magnitude 4.4 (CGS).

August 3

U PEZ ePP 10:41:26

U PEZ iss 10:56:45

U PEE iPS 10:50:53

U PEE iL 11:07:53

C&GS card 61-63:

10:21:36.6

7.7° N., 35.8° W.

Mid-Atlantic Ocean

h about 33 km

Magnitude 6.1 (CGS)

6.3 (HVO).

August 3

M Z iP 20:35:30.5 d

A Z eP 30.3 d

D Z eP 29.0 d

Hi Z eP 33.1 d

C&GS card 62-63:

20:26:04.1

30.7° S., 178.3° W.

Kermadec Islands

h about 37 km

Magnitude 5.2 (CGS).

August 4-5

M Z iP 00:01:33.9 c

A Z iP 33.8 c

D Z eP 33.6 c

MP Z iP 33.8 c

August 4-5--Continued

U Z iP 33.7 c

Pa Z eP 34.8 d

Na Z iP 30.5 c

Ka Z iP 36.0 c

Hi Z iP 35.4 d

Ha Z iP 38.5 d

C&GS card 62-63:

23:54:14.0

17.5° S., 179.1° W.

Fiji Islands region

h about 515 km

Magnitude 5.2 (CGS).

August 8

M Z eP 02:23:04.6 c

D Z iP 05.2 c

U Z iP 05.0 c

Pa Z iP 06.0 c

Hi Z eP 03.7 c

U PEN eS 02:29:40

U PEE eL 02:33:04

U PEZ iR 02:35:11

C&GS card 63-63:

02:14:54.4

54.2° N., 168.1° E.

Fox Islands, Aleutian Islands

h about 33 km

Magnitude 5.5 (CGS)

5.8 (HVO).

August 8

M Z eP 11:26:04.9 d

A Z eP 05.0 d

D Z iP 04.4 d

U Z eP 05.0 c

Na Z eP 02.1 c

Hi Z iP 07.0 c

Ha Z iP 08.1 d

U PEZ eP 05 c

U PEZ iR 11:43:04

U PEE eS 11:34:09

U PEN eL 11:40:04

Table 5.--Distant earthquakes--Continued

August 8, 1963--Continued

C&GS card 65-63:
 11:16:11.2
 5.8° S., 151.0° E.,
 New Britain
 h about 48 km
 Felt: Palmalal, Pomio
 Magnitude 5 (Bks)
 5.6 (CGS),
 6.0 (HVO).

Aug. 9

U	PEZ	eP	14:44:14 c
U	PEZ	iS	14:50:34
U	PEZ	iR	14:54:39
U	PEE	iL	14:52:56

C&GS card 64-63:
 14:36:45.9
 15.3° S., 175.7° W.
 Fiji Islands region
 h about 33 km
 Magnitude 5.5 (CGS)
 5.7 (HVO).

Aug. 14

M	Z	iP	18:55:18.8 d
A	Z	iP	18.0 d
Hi	Z	eP	19.6 c

C&GS card 64-63:
 18:43:55.5
 3.4° S., 135.4° E.
 West Iran
 h about 33 km
 Magnitude 6.4 (CGS).

Aug. 15

M	Z	eP	06:21:17.2 c
A	Z	eP	20.0 d
D	Z	eP	17.5 c
Pa	Z	eP	19.3 c
Hi	Z	iP	18.3 c
Ha	Z	eP	15.0 d
U	PEZ	iP	18 d
U	PEZ	iR	06:37:54
U	PEE	iS	06:29:15

August 15--Continued

C&GS card 64-63:
 06:11:34.6
 37.9° N., 141.6° E.
 Near east coast of Honshu, Japan
 h about 59 km
 Magnitude 6.6 (HVO).

Aug. 15

A	Z	iP	17:37:14.5 d
D	Z	eP	14.9 d
N	Z	iP	15.0 d
Pa	Z	eP	12.9 c
Hi	Z	eP	14.9 c
U	PEZ	eP	15 d
U	PEZ	ipP	17:39:21 d
U	PEZ	ipP	17:41:12
U	PEZ	ipPP	17:43:00
U	PEZ	iPP	17:43:27
U	PEZ	iSKS	17:47:04
U	PEZ	iS	17:47:44
U	PEZ	iSP	17:48:38
U	PEZ	i	17:52:37
U	PEZ	iSS	17:54:04
U	PEZ	isSS	17:57:02
U	PEZ	i	18:08:26
U	PEN	isP	17:39:53
U	PEN	esS	17:50:59
U	PEN	e	18:00:27
U	PEN	iG	18:02:57
U	PEN	i	18:14:28

C&GS card 65-63:
 17:25:05.9
 13.8° S., 69.3° W.
 Peru-Bolivia border
 h about 543 km
 Magnitude 7.75 (Pas)
 8 (Bks).

Aug. 17

M	Z	eP	11:23:20.9 d
A	Z	eP	21.8 c
D	Z	eP	21.5 c
Pa	Z	eP	23.3 c
Hi	Z	eP	21.0 d
U	PEZ	iP	21 d
U	PEZ	iR	11:42:33

Table 5.--Distant earthquakes--Continued

August 17, 1963--Continued

U PEE iS 11:32:17
U PEN iG 11:39:49

C&GS card 66-63:
11:12:41.2
30.6° N., 130.9° E.
Ryukyu Islands region
h about 33 km
Magnitude 5.6 (CGS)
6.5 (HVO).

Aug. 17

M Z iP 11:43:48.3 c
A Z iP 47.4 c
D Z iP 48.3 c
U Z iP 47.8 c
Pa Z iP 44.8 c

C&GS card 67-63:
11:34:23.4
17.7° N., 94.3° W.
Veracruz, Mexico
h about 163 km
Magnitude 4.9 (CGS).

Aug. 18

M Z eP 18:50:10.2 c
A Z iP 12.2 c
U Z eP 11.3 c
Hi Z iP 10.4 c
U PEE eL 18:58:00
U PEZ eR 18:59:33

C&GS card 65-63:
18:43:16.1
50.3° N., 176.9° W.
Andreanof Islands, Aleutian Islands
h about 33 km
Magnitude 5.5 (CGS).

Aug. 20

U PEZ eR 16:13:59

Aug. 20--Continued

C&GS card 65-63:
15:48:12.2
41.2° N., 142.7° E.
Off east coast of Honshu, Japan
h about 50 km
Magnitude 4.5 (CGS).

Aug. 22

Ha Z Tmax 10:09:25

C&GS card 68-63:
09:27:09.3
42.0° N., 126.2° W.
Off coast of Oregon
h about 33 km
Magnitude 5.6 (CGS).

Aug. 22

M Z iP 20:01:47.4 c
D Z iP 46.9 c
U Z eP 47.2 c
Pa Z eP 50.2 c
Na Z eP 45.1 c
Hi Z iP 50.5 c
Ha Z eP 51.1 c
U PEZ eP 50 d
U PEZ iR 20:16:46
U PEE iS 20:09:26

C&GS card 69-63:
19:52:25.0
9.4° S., 158.0° E.
Solomon Islands
Felt
h about 33 km
Magnitude 6.75-7 (Pas)
6.1 (CGS)
6.6 (HVO)
6-6.25 (Brk).

Table 5.--Distant earthquakes--Continued

August 25, 1963

M	Z	eP	12:25:27.3	c
A	Z	eP	27.0	c
D	Z	eP	25.8	c
MP	Z	eP	27.7	c
U	Z	eP	27.3	c
Pa	Z	eP	29.1	c
Hi	Z	iP	29.7	c
Ka	Z	iP	31.0	c
Ha	Z	iP	32.3	c
U	PEZ	iP	27	c
U	PEZ	ipP	12:27:06	
U	PEZ	iPP	12:27:18	
U	PEZ	iSS	12:35:52	
U	PEE	isP	12:28:10	
U	PEE	is	12:31:18	
U	PEE	isS	12:34:32	

C&GS card 67-63:

12:18:12.5
 17.5° S., 178.8° W.
 Fiji Islands region
 h about 565 km
 Magnitude 6.5 (Pas)
 6-6.25 (Brk)
 6.1 (CGS)
 6.5 (HVO).

Aug. 29

M	Z	iP	15:42:27.3	d
A	Z	eP	26.7	d
D	Z	eP	26.7	d
U	Z	iP	26.8	d
Pa	Z	iP	25.1	d
Na	Z	iP	23.8	d
Hi	Z	eP	27.7	c
Ha	Z	eP	33.5	d
U	PEZ	iP	27	d
U	PEZ	is	15:52:58	
U	PEZ	iSSS	16:02:50	
U	PEZ	iG	16:06:02	

C&GS card 68-63:

15:30:31.4
 7.1° S., 81.6° W.
 Off coast of Peru
 h about 23 km
 Magnitude 6.5 (Pas)
 6.1 (CGS)
 6.8 (HVO).

September 4

M	Z	iP	13:43:19.0	c
A	Z	iP	19.3	c
D	Z	iP	19.6	c
MP	Z	eP	20.1	c
U	Z	eP	19.0	c
Hi	Z	eP	16.6	c
U	PEZ	eSS	13:57:40	
U	PEZ	iR	14:04:54	
U	PEN	eL	14:01:00	
U	PEE	eG	14:01:52	

C&GS card 71-63:

13:32:12.3
 71.4° N., 73.3° W.
 Near east coast of Baffin
 Island. Felt: Clyde River.
 h about 33 km
 Magnitude 6.25-6.5 (Pas)
 6 (Bks)
 5.9 (CGS)
 6.2 (HVO).

Sept. 6

M	Z	eP	21:03:51.9	d
M	Z	Tmax	21:41:02	
MP	Z	Tmax	14	
U	Z	Tmax	12	
Pa	Z	Tmax	21:41:15	
Hi	Z	Tmax	21:40:53	
Ha	Z	Tmax	21:39:27	

C&GS card 72-63:

20:56:59.9
 53.9° N., 165.6° W.
 Fox Islands, Aleutian Islands
 h about 33 km
 Magnitude 5.0 (CGS).

Sept. 8

M	Z	eP	19:58:28.5	c
A	Z	eP	28.2	c
MP	Z	eP	28.3	c
U	Z	iP	28.3	c
Pa	Z	iP	29.9	c
Ka	Z	iP	31.9	c
Hi	Z	iP	31.1	c
Ha	Z	iP	33.9	c

Table 5.--Distant earthquakes--Continued

September 8, 1963--Continued

C&GS card 72-63:
19:50:29.8
23.6° S., 179.8° E.
Fiji Islands region
h about 550 km
Magnitude 5.7 (CGS).

Sept. 9

M	Z	eP	02:55:29.1	c
Hi	Z	eP	29.3	c
Ha	Z	eP	31.2	c
U	PEZ	iP	28	c
U	PEZ	eG	03:03:34	
U	PEZ	eR	03:11:52	
U	PEE	eS	03:03:17	
M	Z	Tmax	03:55:51	
A	Z	Tmax	38	
D	Z	Tmax	48	
U	Z	Tmax	48	
Ka	Z	Tmax	03:56:02	
Ha	Z	Tmax	03:56:27	

C&GS card 72-63:
02:45:45.5
4.4° S., 152.7° E.
New Britain;
felt, Rabaul
h about 3 km
Magnitude 5.6 (CGS)
6.3 (HVO).

Sept. 11

M	Z	eP	09:11:23.4	c
---	---	----	------------	---

C&GS card 75-63:
08:59:37.6
3.5° S., 131.2° E.
Ceram
h about 33 km
Magnitude 5.7 (CGS).

Sept. 13

M	Z	eP	17:07:25.4	c
A	Z	eP	24.8	c
D	Z	eP	26.3	c

Sept. 13--Continued

MP	Z	eP	24.3	c
U	Z	eP	25.1	c
Pa	Z	eP	22.4	c
Na	Z	eP	29.6	d
Hi	Z	eP	21.9	c
Ha	Z	eP	24.2	d

No C&GS preliminary listing.

Sept. 14

M	Z	iP	04:01:53.8	d
A	Z	eP	53.3	d
MP	Z	eP	52.9	d
U	PEZ	iR	04:17:16	

C&GS card 77-63:
03:52:16.9
31.4° S., 179.0° W.
Kermadec Islands
h about 33 km
Magnitude 4.9 (CGS)
5.9 (HVO).

Sept. 15

M	Z	iP	00:55:35.5	d
A	Z	iP	35.4	d
D	Z	iP	34.4	d
U	Z	iP	35.3	d
Pa	Z	iP	37.3	d
Na	Z	iP	31.5	d
Ka	Z	eP	39.6	d
Hi	Z	iP	38.4	d
Ha	Z	iP	40.8	d
U	PEZ	iP	35	d
U	PEZ	iS	01:02:42	
U	PEZ	iR	01:08:57	
U	PEN	iG	01:06:28	
M	Z	Tmax	01:47:23	
A	Z	Tmax	19	
D	Z	Tmax	22	
U	Z	Tmax	21	
Ha	Z	Tmax	01:47:51	

C&GS card 75-63:
00:46:54.1
10.3° S., 165.6° E.
Santa Cruz Islands. Felt, Vanikoro.
h about 33 km
Magnitude 7.25-7.5 (Pas)
6.3 (CGS)
6.75-7 (Pa1)
7.5 (HVO).

Table 5.--Distant earthquakes--Continued

September 16, 1963

U PEZ eR 20:28:10
C&GS card 76-63:
20:05:21.9
13.4° S., 166.5° E.
Santa Cruz Islands
h about 28 km
Magnitude 5.0 (CGS).

Sept. 17

D Z eP 06:07:08.0 c
Pa Z eP 08.5 c
U PEZ eP 06:31:52
M Z Tmax 07:36:04
A Z Tmax 34
D Z Tmax 36
MP Z Tmax 16
U z Tmax 22
Pa Z Tmax 07:35:43
Na Z Tmax 07:36:23

C&GS card 75-63:
05:54:33.7
10.6° S., 78.2° W.
Central Peru
h about 61 km
Magnitude 6.75 (Pas)
5.5 (CGS)
6.0 (HVO).

Sept. 17

M Z iP 19:28:54.2 d
A Z eP 53.4 d
D Z eP 53.1 d
U Z iP 54.0 d
Pa Z iP 54.6 c
Na Z iP 51.5 d
Hi Z iP 54.9 c
Ha Z iP 56.5 c
U PEZ iP 54 d
U PEZ iS 19:36:00
U PEZ iR 19:42:09
U PEN iG 19:39:47
M Z Tmax 20:20:44
U Z Tmax 23

Sept. 17--Continued

C&GS card 76-63:
19:20:08.2
10.1° S., 165.3° E.
Santa Cruz Islands
Felt: Eastern Solomon Islands
h about 17 km
Magnitude 7.25 (Pas)
7.5 (Brk)
7 (Pa1)
6.1 (CGS)
7.5 (HVO).

Sept. 22

M Z iP 02:55:57.4 c
N Z eP 58.0 c

C&GS card 76-63:
02:49:03.4
52.5° N., 174.9° W.
Andreanof Islands, Aleutian
Islands.
h about 105 km
Magnitude 4.8 (CGS).

Sept. 22

M Z eP 03:05:01.7 d
A Z eP 00.6 d
D Z eP 00.4 d
Pa Z eP 02.7 d
Hi Z eP 03.3 d
Ha Z eP 05.3 c
U PEZ iP 01 d
U PEZ eR 03:18:10
U PEN iS 03:12:12

C&GS card 82-63:
02:56:24.3
19.3° S., 175.9° E.
Fiji Islands region
h about 28 km
Magnitude 5.8 (CGS).

Sept. 22

M Z iP 19:30:33.7 c
A Z iP 33.4 c
N Z iP 33.6 c

Table 5.--Distant earthquakes--Continued

September 22, 1963--Continued

MP	Z	iP	33.3	c
Pa	Z	eP	34.6	d
Na	Z	eP	30.1	d
Ka	Z	eP	35.9	c
Hi	Z	eP	37.3	c

C&GS card 76-63:
19:21:57.1
19.2° S., 175.9° E.
Tonga Islands region
h about 24 km.

Sept. 23

M	Z	eP	17:09:51.0	c
---	---	----	------------	---

C&GS card 76-63:
17:02:36.6
51.3° N., 179.2° W.
Andreanof Islands, Aleutian Islands.
h about 33 km
Magnitude 5.2 (CGS).

Sept. 24

M	Z	iP	16:42:28.8	c
A	Z	iP	28.2	c
D	Z	iP	28.3	c
N	Z	iP	28.3	c
MP	Z	iP	27.4	c
Pa	Z	iP	29.0	c
Na	Z	iP	29.5	c
Ka	Z	iP	31.6	c
Ha	Z	iP	32.5	c
U	PEZ	iP	28	c
U	PEZ	iP	16:43:04	
U	PEZ	iPP	16:45:42	
U	PEZ	ePS	16:53:37	
U	PEZ	eSS	16:58:13	
U	PEZ	eR	17:07:28	
U	PEN	iS	16:52:38	
U	PEN	eSSS	17:01:52	
U	PEN	iG	17:04:20	
U	PEE	esS	16:53:18	
U	PEE	isPS/ sSP	16:54:09	

Sept. 24--Continued

C&GS card 76-63:
16:30:16.0
10.6° S., 78.0° W.
Near coast of Peru
h about 80 km
Magnitude 7 (Pas)
6.5 (Brk)
6.0 (CGS)
6.6 (HVO).

Sept. 25

M	Z	eP	14:59:06.3	d
---	---	----	------------	---

C&GS card 77-63:
14:50:18.2
10.1° S., 164.5° E.
Solomon Islands region
h about 33 km
Magnitude 5.1 (CGS).

Sept. 26

Pa	Z	Tmax	05:06:18
Ha	Z	Tmax	05:05:01

C&GS card 77-63:
04:20:21.5
56.5° N., 153.4° W.
Kodiak Island region
h about 33 km
Magnitude 4.8 (CGS).

Sept. 26

M	Z	eP	05:35:00.4	c
U	PEZ	eS	05:40:42	
U	PEZ	eR	05:44:14	
U	PEE	eL	05:42:28	

C&GS card 76-63:
05:28:07.3
50.4° N., 176.9° W.
Andreanof Islands, Aleutian Islands.
h about 33 km
Magnitude 5.3 (CGS).

Table 5.--Distant earthquakes--Continued

September 26, 1963

M	Z	Tmax	07:26:51
A	Z	Tmax	07:27:16
D	Z	Tmax	07:27:20
MP	Z	Tmax	07:27:20
U	Z	Tmax	07:27:09
Pa	Z	Tmax	07:27:04
Ha	Z	Tmax	07:25:31

C&GS card 77-63:
06:40:43.5
56.6° N., 153.2° W.
Kodiak Island region
h about 33 km
Magnitude 4.8 (CGS).

Sept. 27

U	PEN	eS	11:41:24
U	PEN	eG	11:44:49
U	PEZ	eR	11:46:53

C&GS card 79-63:
11:25:53.6
17.2° S., 174.7° E.
Fiji Islands region
h about 33 km
Magnitude 5.0 (CGS).

Sept. 28

M	Z	iP	07:07:09.4 d
A	Z	iP	08.9 d
D	Z	iP	08.0 d
MP	Z	iP	08.9 d
U	Z	iP	09.2 d
Hi	Z	eP	10.4 d
Na	Z	eP	06.1 d
Ka	Z	iP	11.6 d

C&GS card 79-63:
06:58:12.7
31.5° S., 179.6° E.
Kermadec Islands
h about 457 km
Magnitude 5.0 (CGS).

Region	Date	Time	Magnitude	Depth (km)	Location
Hawaii	07:57:51	2.5	1.5	10	Maui
	07:57:56	2.5	1.5	10	Maui
	07:57:59	2.5	1.5	10	Maui
	07:57:59	2.5	1.5	10	Maui
	07:57:59	2.5	1.5	10	Maui
Kauai	07:57:51	2.5	1.5	10	Maui
	07:57:56	2.5	1.5	10	Maui
	07:57:59	2.5	1.5	10	Maui
	07:57:59	2.5	1.5	10	Maui
	07:57:59	2.5	1.5	10	Maui
Hilo region	07:57:51	2.5	1.5	10	Maui
	07:57:56	2.5	1.5	10	Maui
	07:57:59	2.5	1.5	10	Maui
	07:57:59	2.5	1.5	10	Maui
	07:57:59	2.5	1.5	10	Maui
Puna	07:57:51	2.5	1.5	10	Maui
	07:57:56	2.5	1.5	10	Maui
	07:57:59	2.5	1.5	10	Maui
	07:57:59	2.5	1.5	10	Maui
	07:57:59	2.5	1.5	10	Maui
Kona coast	07:57:51	2.5	1.5	10	Maui
	07:57:56	2.5	1.5	10	Maui
	07:57:59	2.5	1.5	10	Maui
	07:57:59	2.5	1.5	10	Maui
	07:57:59	2.5	1.5	10	Maui

During the quarter "felt reports" were either phoned or mailed in by the following people to whom we wish to express our gratitude for these and other instances of cooperation.

North Hawaii

Mrs. Lindsey
Mrs. Ecklund
Mrs. Van Gorder
Dr. Heather
Mr. Hea
Mrs. Calles

Kilauea summit area

Mrs. Mist
Mr. Koyanagi
Mrs. Forbes
Dr. Wentworth
Dr. Moore
Mr. Francis
Mr. Young
Mr. Yamamoto
Miss English
Mr. Shipman
Mr. Correa
Mr. Cuskelly
Mrs. Hansen

Kau

Mrs. Billings
Mrs. Paiva
Mr. Meinecke

Hilo region

Mrs. Shoemaker
Mrs. Ingledue
Mrs. Shaffer
Mr. Baldwin
Mrs. Baldwin
Mr. Donahoe
Mr. Ho
Mr. Wessel
Mr. Potlock
Mr. Usagawa
Mr. Kumuhaki
Mr. Reeves
Mr. Guerimo

Central Hawaii

Kulani Honor Camp

Puna

Mrs. Isbell
Mrs. Kimura
Miss Takemoto

Kona coast

Mr. Johnston
Mr. Glass
Mrs. Fujino
Mr. Sutherland
Miss Greenwell
Miss Wallace
Mr. Apple
Mrs. Apple
Mr. Ladd