VEÐURSTOFA ÍSLANDS
THE ICELANDIC METEOROLOGICAL OFFICE
REYKJAVÍK

SEISMOLOGICAL BULLETIN
1969
THE ICELANDIC STATIONS

Reykjavík
1976

VEÐURSTOFA ÍSLANDS
THE ICELANDIC METEOROLOGICAL OFFICE
REYKJAVÍK

SEISMOLOGICAL BULLETIN
1969
THE ICELANDIC STATIONS

Reykjavík
1976

VEÐURSTOFA ÍSLANDS

SEISMOLOGICAL BULLETIN

Stations	Coordinates	Altitude	Foundation	Instruments
Reykjavík REY	64°08´20"N,21°54´22"W	44 m	Basalt	N,Sprengnether,T_s=T_g=1.5s. Z,Willmore T_s=1s,T_g=0.25s.
Akureyri AKU	65°41´12"N,18°06´24"W	24 m	Basalt	WWNS
Eyvindará EYV (EGI)	65°17.0´N,14°23.0´W	25 m	Basalt	Z,Willmore T_s=1s,T_g=0.25s.
Kirkjubæjarkl. SID	63°47´09"N,18°03´30"W	26 m	Basalt	Z,Willmore T_s=1s,T_g=0.25s.
Vík (Mýrdal) VIK	63°25´18"N,19°01´00"W	19 m	Tuff	N,Mainka T_s=4s.
Rjúpnagil VIR	63°31.7´N,18°49.9´W	16o m	Moraine	Z,Electronic T_s=0.2s.

Contents:

Magnitudes given in Part 1 are mean magnitudes for the stations, calculated in accordance with old practice from trace amplitudes and a local magnitude scale.

Veðurstofan, Reykjavík, Dec. 15, 1976

Ragnar Stefánsson
Chief of the Geophysical Section

Hlynur Sigtryggsson
Director of the
Icelandic Meteorological Office

Þórunn Skaftadóttir

CORRECTION to the Bulletin for 1971: Amplitudes given for staion REY, Z-component are to be multiplied by 3.3

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
1	JAN. 6	AKU	EPZ	04 02 08.9	0.7			.02			
			ISN	04 02 44.0	0.4	.07			290		
1	JAN. 6	SID	EPZ	04 02 38.6							
			E Z	04 02 53.8	0.7			.09			
			ESZ	04 03 36.5	0.7			.05	475	3.5	PROB 68.0N 21.0W
2	JAN. 7	REY	IPZ	21 01 45.3	0.2			.24			
			ISN	21 01 49.1	0.4	2.35					
			SZ		0.5			.81	28		
2	JAN. 7	SID	EPZ	21 02 10.1							
			ISZ	21 02 34.4	0.3			.03	198	2.4	63.9N 22.1W
3	JAN. 8	REY	EPZ	00 29 13.8							
			ISE	00 29 18.9	0.3		.72				
			SZ		0.3			.15	36		
3	JAN. 8	SID	EPZ	00 29 31.1							
			ESZ	00 29 50.6	0.4			.03	156	2.1	PROB 64.1N 21.2W
4	JAN. 8	REY	IPZ	06 45 30.3	0.3			.18 C			
			ISN	06 45 34.7	0.6	.52			31		
4	JAN. 8	SID	EPZ	06 45 50.0							
			ESZ	06 46 09.4	0.4			.02	161	2.0	PROB 64.1N 21.3W
5	JAN. 8	REY	EPZ	10 43 26.1							
			ISE	10 43 30.2	0.4		1.76				
			SZ		0.3			.26	30		
5	JAN. 8	SID	ESZ	10 44 15.1	0.4			.02	198	2.2	63.9N 22.1W
6	JAN. 8	AKU	IPZ	16 47 48.3				C			
			ISE	16 48 01.5	0.7		.19		107		
6	JAN. 8	EYV	IPZ	16 47 54.1	0.5			.10	147		
6	JAN. 8	SID	EPZ	16 47 49.7							
			ESZ	16 48 04.6	0.4			.04	119	2.8	64.8N 17.3W
7	JAN. 11	REY	IPZ	01 20 44.7	0.3			.18			
			ISN	01 20 54.2	0.3	2.46					
			ISZ	01 20 54.7	0.3			.33	77		
7	JAN. 11	SID	EPZ	01 21 11.6							
			ESZ	01 21 42.5	0.3			.03	254	2.9	PROB 63.8N 23.2W
8	JAN. 12	AKU	EPZ	05 55 31.0							
			ISN	05 55 36.5	0.3	.11			45		
8	JAN. 12	EYV	IPZ	05 55 41.5							
			ISZ	05 55 58.5	0.5			.05	132	2.3	PROB 65.6N 17.2W
9	JAN. 13	REY	EPZ	11 14 39.8							
			ESZ	11 14 42.8	0.8			.59	25	1.8	PROB KLEIFARVATN-BLAFJOLL REGION
10	JAN. 14	AKU	ESN	03 08 27.2	0.5	.02			330		
10	JAN. 14	REY	IPZ	03 07 09.6	0.3			.46			
			ISN	03 07 19.8	0.8	1.25			82		
10	JAN. 14	SID	EPZ	03 07 37.1							
			SZ		0.3			.02	255	2.8	PROB 64.7N 23.3W
11	JAN. 14	AKU	ESN	03 13 53.4	0.7	.02			328		
11	JAN. 14	REY	IPZ	03 12 34.6	0.3			.11			
			ISN	03 12 44.5	0.9	.98					
			SZ		0.5			.44	78		
11	JAN. 14	SID	EPZ	03 13 03.6					252	2.8	PROB 64.7N 23.2W
12	JAN. 14	REY	IPZ	06 18 42.1							
			ISN	06 18 52.4	0.8	.92					
			SZ		0.3			.23	83		
12	JAN. 14	SID	EPZ	06 19 10.2					255	2.7	PROB 63.7N 23.2W
13	JAN. 14	AKU	EPZ	07 02 46.9							
			ISE	07 02 58.3	0.4		.08		91		
13	JAN. 14	EYV	EPZ	07 03 04.8							
			ESZ	07 03 34.5	0.8			.07	218	2.8	PROB 66.5N 18.1W
14	JAN. 14	AKU	ESN	22 00 34.2	0.6	.02			333		
14	JAN. 14	REY	IPZ	21 59 13.6	0.2			.19			
			ISN	21 59 24.2	0.4	2.59					
			SZ		0.4			1.22	65		
14	JAN. 14	SID	EPZ	21 59 39.5							
			ESZ	22 00 11.2	0.7			.06	260	3.1	63.7N 23.3W
15	JAN. 23	REY	IPZ	08 45 56.6	0.2			.10			
			ISN	08 46 00.7	0.8	.58					
			SZ		0.5			.40	30		
15	JAN. 23	SID	EPZ	08 46 21.1					157	1.9	PROB 63.9N 22.1W
16	JAN. 25	AKU	EPZ	20 01 52.4	0.2			.05			
			ESZ	20 02 06.8	0.4			.03	94		
16	JAN. 25	EYV	EPZ	20 01 55.4							
			ISZ	20 02 11.3	0.4			.02	114		
16	JAN. 25	SID	EPZ	20 02 01.6	0.3			.01	156	2.2	PROB 65.1N 16.7W
17	JAN. 25	AKU	EPZ	22 01 20.6	0.2			.02			

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ESE	22 01 31.2	0.7		.03		85	2.2	
18	JAN. 25	AKU	EPZ	22 03 03.0							
			ESE	22 03 13.1	0.8		.04		81	2.2	
19	JAN. 26	AKU	EPZ	19 50 34.2							
			ISE	19 50 46.3	0.3		.03		98		
19	JAN. 26	EYV	IPZ	19 50 36.1							
			ISZ	19 50 49.3	0.4			.05	110		
19	JAN. 26	SID	EPZ	19 50 42.9							
			ESZ	19 51 01.9	0.3			.01	156	2.2	65.0N 16.7W
20	FEB. 2	AKU	IPZ	01 23 41.7	0.3			.03			
			ISE	01 24 00.0	0.9		.04				
			SZ		0.9			.06	150	2.8	
21	FEB. 8	REY	IPZ	07 33 11.2							
			I Z	07 33 12.7							
			ISN	07 33 15.5	0.3	.72					
			SZ		0.3			.23	32	1.9	PROB KLEIFARVATN-BLAFJÖLL REGION
22	FEB. 11	AKU	EPZ	17 02 50.2	0.8			.04	240		
22	FEB. 11	REY	IPZ	17 02 33.8	0.5			.26			
			ESN	17 02 53.1	0.6	.43			150		
22	FEB. 11	SID	EPZ	17 02 21.0							
			MZ		0.8			.28	55	2.8	PROB 63.6N 19.1W
23	FEB. 12	REY	IPZ	16 53 41.8				C			
			ISN	16 53 44.5	0.3	.72					
			SZ		0.4			.66	18		
24	FEB. 16	REY	IPZ	04 39 33.5	0.2			.06			
			ISZ	04 39 40.3	0.3			.15			
			SN		0.5	.80			52		
24	FEB. 16	SID	EPZ	04 39 59.8	0.2			.02			
			ESZ	04 40 27.7					230	2.4	63.8N 22.7W
25	FEB. 17	REY	IPZ	14 39 55.3				C			
			ISZ	14 39 58.0	0.7			1.12	18	1.8	PROB explosion
26	FEB. 20	AKU	EPZ	02 34 46.3	0.3			.01			
			ESN	02 35 19.2	0.7	.02			274		
26	FEB. 20	REY	IPZ	02 34 13.9							
			ISE	02 34 17.6	0.8		5.42		26		
26	FEB. 20	SID	IPZ	02 34 40.5	0.3			.04			
			ESZ	02 35 01.7					199	2.8	PROB 63.9N 22.1W
27	FEB. 21	REY	IPZ	08 55 15.3				C			
			ISZ	08 55 18.0	0.5			1.23	18	2.0	PROB explosion
28	FEB. 22	AKU	IPZ	10 32 01.3	0.5			.05 D			
			ISE	10 32 09.1	0.8		.31		61		
28	FEB. 22	EYV	IPZ	10 32 22.2	0.3			.02			
			ESZ	10 32 48.6	0.4			.05	213		
28	FEB. 22	SID	EPZ	10 32 32.4	0.3			.01			
			ESZ	10 33 04.0					272	2.9	66.2N 18.4W
29	FEB. 23	AKU	EPZ	03 14 45.9							
			ESZ	03 15 08.5	0.6			.03	206		
29	FEB. 23	REY	EPZ	03 14 34.8	0.4			.07	134		
29	FEB. 23	SID	IPZ	03 14 23.3	0.4			.07 D			
			ISZ	03 14 31.7	0.4			.17	58	2.6	63.9N 19.2W
30	FEB. 25	REY	EPZ	16 23 46.0							
			ESN	16 23 52.0	0.6	.43					
			SZ		0.3			.14	37		
30	FEB. 25	SID	EPZ	16 24 03.6							
			ESZ	16 24 22.9	0.3			.03	154	2.1	PROB 64.1N 21.2W
31	MARZ 1	REY	IPZ	10 02 33.4				C			
			ISZ	10 02 36.1	0.6			.99	18	1.8	PROB explosion
32	MARZ 5	AKU	EPZ	10 39 53.1							
			ESN	10 40 34.8	0.8	.03			322		
32	MARZ 5	REY	EPZ	10 39 17.9	0.2			.36			
			ISZ	10 39 27.1	0.3			1.06			
			ISN	10 39 27.1	0.8	5.00			74		
32	MARZ 5	SID	IPZ	10 39 43.5							
			I Z	10 39 47.1	0.3			.06			
			ESZ	10 40 14.3	0.4			.07	250	3.2	63.8N 23.1W
33	MARZ 5	REY	IPZ	11 06 11.7	0.3			.24			
			ISZ	11 06 16.9	0.3			.18	40		
33	MARZ 5	SID	EPZ	11 06 39.1	0.5			.04	220	2.5	PROB REYKJANES PENINSULA
34	MARZ 5	AKU	EPZ	13 45 01.1							
			ISZ	13 45 13.1	0.4			.11	86		
34	MARZ 5	EYV	IPZ	13 45 10.3							
			ISZ	13 45 26.3	0.5			.17	138	2.9	

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
35	MARZ 11	AKU	EPZ	21 34 34.2							
			ISZ	21 35 08.1	0.7			.01	226		
35	MARZ 11	REY	EPZ	21 34 21.5	0.4			.18			
			ESN	21 34 43.1	0.6	.52			140		
35	MARZ 11	SID	IPZ	21 34 08.9	0.3			.07 D			
			ISZ	21 34 16.9	0.5			.40	56	2.7	63.7N 19.2W
36	MARZ 11	AKU	IPZ	23 36 11.2	0.5			.02			
			ISE	23 36 20.5	0.3		.13		75		
36	MARZ 11	EYV	EPZ	23 36							
			ISZ	23 36	0.3			.06	138	2.6	S - P = 16,8 SEK EYJAFJÖRDUR-AXARFJÖRDUR REGION
37	MARZ 14	AKU	IPZ	04 56 39.1	0.4			.02			
			ISE	04 56 45.2	0.3		.60		40		
37	MARZ 14	EYV	EPZ	04 56 58.7							
			ISZ	04 57 18.4	0.7			.04	168	2.7	PROB EYJAFJÖRDUR-AXARFJÖRDUR REGION
38	MARZ 16	REY	IPZ	12 21 09.5							
			ESZ	12 21 14.0	0.4			.15	32		
38	MARZ 16	SID	IPZ	12 21 29.8	0.3			.02	160	2.0	HENGILL REGION
39	MARZ 17	AKU	IPZ	16 39 07.2				D			
			ISN	16 39 18.1	0.5	.25			87		
39	MARZ 17	EYV	IPZ	16 39							
			ESZ	16 39	0.5			.03	244		S - P = 27,5 SEK
39	MARZ 17	REY	EPZ	16 39 33.1							
			ESZ	16 40 00.4	0.5			.11	282		
39	MARZ 17	SID	EPZ	16 39 37.4	0.3			.02	290	3.0	66.4N 19.0W
40	MARZ 22	AKU	EPZ	07 33 32.2							
			ESZ	07 33 52.7	0.5			.03	170		
40	MARZ 22	EYV	SZ	07 33	0.5			.03	270	2.7	S - P = 33 SEK PROB 67.2N 18.0W
41	MARZ 22	AKU	EPZ	08 00 57.0							
			ESZ	08 01 18.2	0.7			.02	175		
41	MARZ 22	EYV	EPZ	08 01 18.0					285	2.6	PROB 67.3N 18.4W
42	MARZ 23	AKU	IPZ	01 10 46.0	0.5			.11			
			ISE	01 11 07.2	0.9		.19		175		
42	MARZ 23	EYV	SZ	01 10	0.7			.11	285		S - P = 31 SEK
42	MARZ 23	REY	EPZ	01 11 14.6							
			ESN	01 12 04.5							
			SZ		0.6			.12	380	3.4	PROB 67.3N 18.4W
43	MARZ 23	AKU	IPZ	01 14 16.5	0.7			.04			
			ISE	01 14 37.4	0.9		.06		172	2.9	PROB 67.3N 18.4W
44	MARZ 23	AKU	IPZ	03 59 51.0							
			ISE	04 00 12.3	0.4		.01		175	2.3	PROB 67.3N 18.4W
45	MARZ 23	AKU	IPZ	04 13 22.4	0.7			.02			
			ISE	04 13 44.1	1.0		.04		178	2.6	PROB 67.3N 18.4W
46	MARZ 23	AKU	IPZ	04 16 13.2	0.6			.02			
			ISE	04 16 34.3	1.0		.03		173		
46	MARZ 23	EYV	PZ	04 16	0.5			.06	280	2.8	S - P = 33 SEK PROB 67.3N 18.4W
47	MARZ 23	AKU	IPZ	04 17 14.8	0.7			.04			
			ESE	04 17 35.4	0.7		.08		170		
47	MARZ 23	EYV	SZ	04 17	0.6			.06	285		S - P = 33 SEK
47	MARZ 23	REY	EPZ	04 17 44.5							
			ESZ	04 18 33.1	0.7			.08	375	3.2	PROB 67.2N 18.5W
48	MARZ 23	AKU	IPZ	13 12 12.3	0.5			.04			
			ISE	13 12 33.5	0.9		.08		175		
48	MARZ 23	EYV	PZ	13 12	0.4			.04	280	3.1	S - P = 33 SEK PROB 67.2N 18.5W
49	MARZ 23	AKU	EPZ	14 00 05.3							
			ISE	14 00 29.7	0.7		.02		195		
49	MARZ 23	REY	EPZ	13 59 55.9	0.4			.05	127		
49	MARZ 23	SID	IPZ	13 59 46.4	0.3			.04			
			ISZ	13 59 55.3	0.3			.17	66	2.5	64.0N 19.3W
50	MARZ 30	AKU	EPZ	10 10 15.6							
			ESZ	10 10 42.4	0.5			.01	220	2.4	PROB NORTH OF ICELAND
51	MARZ 31	AKU	IPZ	06 49 42.8	0.5			.03			
			ESN	06 50 01.5	0.9	.09					
			SZ		0.8			.09	145		
51	MARZ 31	EYV	SZ	06 49	0.7			.07	178		S - P = 23.0 SEK
51	MARZ 31	SID	EPZ	06 49 35.9							
			SZ		0.9			.19	75	2.7	VATNAJOKULL REGION
52	APR. 1	AKU	IPZ	03 41 09.3	0.3			.08 C			
			ISE	03 41 21.0							

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			I E	03 41 24.3	0.7		.14		95	2.9	PROB NEAR GRIMSEY FELT
53	APR. 1	AKU	IPZ	04 08 01.0							
			ISZ	04 08 12.2	0.7			.06	90	2.9	PROB NEAR GRIMSEY
			SE		0.7		.13				
54	APR. 1	AKU	IPZ	04 10 58.5				C			
			SE		0.5		7.06		110		
54	APR. 1	REY	IPZ	04 11 28.2							
			I Z	04 11 32.1	0.7			1.68			
			ISN	04 12 08.6							
			I N	04 12 13.6	2.0	19.31			330		
54	APR. 1	SID	IPZ	04 11 27.2							
			I Z	04 11 30.0							
			I Z	04 11 31.2	0.6			.90			
			ISZ	04 12 06.5	1.0			2.83	325	4.7	66.7N 18.2W FELT
55	APR. 1	AKU	IPZ	04 25 31.9	0.5			.14 D			
			ESE	04 25 44.6	0.5		.37				
			SZ		0.8			.50	103		
55	APR. 1	REY	EPZ	04 26 08.8							
			ESN	04 26 49.2	0.6	.26					
			SZ		0.8			.16	337		
55	APR. 1	SID	EPZ	04 26 04.9	0.3			.03			
			ESZ	04 26 45.0					315	3.3	66.6N 17.7W
56	APR. 1	AKU	IPZ	04 27 48.5	0.7			.04 D			
			ISE	04 27 59.1	0.4		.32		85	3.2	PROB NEAR GRIMSEY
57	APR. 1	AKU	ISE	04 31 06.2	0.6		.11		90	2.8	PROB NEAR GRIMSEY
58	APR. 1	AKU	EPZ	04 46 53.9							
			ISE	04 47 05.4	0.5		.03				
			SZ		0.5			.04	92	2.3	PROB NEAR GRIMSEY
59	APR. 1	AKU	IPZ	05 05 02.3	0.5			.04			
			ISE	05 05 13.5	0.4		.19		90	2.9	PROB NEAR GRIMSEY
60	APR. 1	AKU	IPZ	05 09 18.1	0.7			.29			
			ISE	05 09 29.4	0.5		.52		105		
60	APR. 1	REY	EPZ	05 09 52.2	0.3			.05			
			ESZ	05 10 34.6	0.3			.09	327		
60	APR. 1	SID	EPZ	05 09 50.5							
			ESZ	05 10 28.8	0.8			.07	315	3.4	66.6N 18.1W FELT
61	APR. 1	AKU	IPZ	05 40 49.1							
			ISZ	05 41 00.8	0.6			.06	94	2.6	PROB NEAR GRIMSEY
62	APR. 1	AKU	EPZ	05 46 06.3							
			ISZ	05 46 17.6	0.6			.06	90	2.6	PROB NEAR GRIMSEY
63	APR. 1	AKU	IPZ	05 50 52.9							
			ISZ	05 51 05.1	0.9			.06	99	2.5	PROB NEAR GRIMSEY
64	APR. 1	AKU	IPZ	06 50 03.3							
			ISZ	06 50 14.8	0.4			.05	92	2.4	PROB NEAR GRIMSEY
65	APR. 1	AKU	ISE	06 55 41.3	0.5		.04		90	2.4	PROB NEAR GRIMSEY
66	APR. 1	AKU	ISE	07 10 50.0	0.7		.06		90	2.6	PROB NEAR GRIMSEY
67	APR. 2	AKU	EPZ	02 18 30.3							
			ISZ	02 18 41.4	0.4			.06	89	2.5	PROB NEAR GRIMSEY
68	APR. 2	AKU	IPZ	05 34 39.3							
			ISZ	05 34 50.5	0.5			.11	90		
68	APR. 2	EYV	SZ	05 35	0.7			.06	195	2.8	S - P = 23,3 SEK
											PROB NEAR GRIMSEY
69	APR. 2	AKU	EPZ	05 36 14.2							
			ISZ	05 36 25.4	0.5			.05	90	2.5	PROB NEAR GRIMSEY
70	APR. 2	AKU	IPZ	06 12 33.7	0.5			.06			
			ISE	06 12 45.1	0.4		.29		91		
70	APR. 2	EYV	SZ	06 12	0.5			.17	200		S - P = 23,5 SEK
70	APR. 2	SID	EPZ	06 13 04.9	0.3			.02			
			ESZ	06 13 41.6					302	3.2	66.5N 17.6W
71	APR. 2	AKU	EPZ	06 14 31.4							
			ISZ	06 14 42.5	0.6			.03	89	2.3	PROB NEAR GRIMSEY
72	APR. 2	AKU	EPZ	07 26 17.3							
			ISZ	07 26 28.4	0.5			.03	89	2.2	PROB NEAR GRIMSEY
73	APR. 2	AKU	EPZ	08 46 27.4							
			ESE	08 46 38.9	0.6		.03		92	2.2	PROB NEAR GRIMSEY
74	APR. 2	AKU	IPZ	11 57 06.2							
			ISE	11 57 17.5	0.4		.06		90	2.4	PROB NEAR GRIMSEY

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
75	APR. 2	AKU	IPZ	12 07 31.6							
			ISZ	12 07 43.4	0.8			.06	94		
75	APR. 2	EYV	SZ	12 07	0.5			.03	192	2.6	S - P = 23,2 SEK
											PROB NEAR GRIMSEY
76	APR. 2	AKU	EPZ	12 10 53.2							
			ISZ	12 11 04.8	0.5			.03	93	2.3	PROB NEAR GRIMSEY
77	APR. 2	AKU	EPZ	12 27 06.4							
			ISE	12 27 18.5	0.6		.03		98	2.4	PROB NEAR GRIMSEY
78	APR. 2	AKU	IPZ	15 51 33.7	0.5			.05			
			ISE	15 51 45.2	0.3		.15		92		
78	APR. 2	EYV	SZ	15 51	0.5			.07	195	2.8	S - P = 23,7 SEK
											PROB NEAR GRIMSEY
79	APR. 2	AKU	IPZ	16 02 28.9							
			I Z	16 02 30.7	0.3			.16			
			ISE	16 02 40.6	0.5		.18		94		
79	APR. 2	EYV	SZ	16 02	0.6			.16	195		S - P = 23,2 SEK
79	APR. 2	SID	EPZ	16 02 58.0	0.2			.01	300	3.0	NEAR GRIMSEY
80	APR. 2	AKU	IPZ	16 39 40.5	0.3			.16			
			ISE	16 39 50.5	0.6		.23		90		
80	APR. 2	EYV	SZ	16 39	0.8			.24	200		S - P = 24,2 SEK
80	APR. 2	SID	EPZ	16 40 10.9	0.4			.02			
			ESZ	16 40 50.8					300	3.2	NEAR GRIMSEY
81	APR. 2	AKU	EPZ	16 43 14.0							
			ISE	16 43 25.9	0.6		.03		95	2.3	PROB NEAR GRIMSEY
82	APR. 2	AKU	EPZ	18 43 11.2							
			ISZ	18 43 22.7	0.4			.03	92	2.3	PROB NEAR GRIMSEY
83	APR. 2	AKU	IPZ	20 52 59.1							
			ISE	20 53 10.9	0.7		.05		94	2.5	PROB NEAR GRIMSEY
84	APR. 2	AKU	IPZ	21 11 27.9	0.4			.27 C			
			ISE	21 11 39.1	0.6		.46		93		
84	APR. 2	EYV	SZ	21 11	0.5			.26	201		S - P = 23,4 SEK
84	APR. 2	REY	EPZ	21 11 59.9							
			ESZ	21 12 40.9	0.4			.07	330		
84	APR. 2	SID	IPZ	21 11 56.9	0.4			.04	304	3.4	66.5N 17.7W
85	APR. 2	AKU	IPZ	21 23 58.5							
			ISE	21 24 09.8	0.4		.04		90	2.3	PROB NEAR GRIMSEY
86	APR. 2	AKU	EPZ	22 57 30.7							
			ISE	22 57 41.1	0.4		.03		83	2.2	PROB NEAR GRIMSEY
87	APR. 3	AKU	EPZ	02 28 40.5							
			ISZ	02 28 52.4	0.5			.03	95	2.3	PROB NEAR GRIMSEY
88	APR. 3	AKU	EPZ	02 51 06.7							
			ISE	02 51 18.0	0.5		.04		90	2.3	PROB NEAR GRIMSEY
89	APR. 3	AKU	EPZ	03 14 06.0							
			ISE	03 14 16.0	0.8		.04		80	2.2	PROB NEAR GRIMSEY
90	APR. 3	AKU	EPZ	03 26 44.5							
			ISE	03 26 55.6	0.6		.03		90	2.2	PROB NEAR GRIMSEY
91	APR. 3	AKU	IPZ	03 36 52.3							
			ISE	03 37 04.0	0.7		.05		94	2.5	PROB NEAR GRIMSEY
92	APR. 3	AKU	EPZ	05 40 46.3							
			ISE	05 40 57.7	0.5		.09		91	2.7	PROB NEAR GRIMSEY
93	APR. 3	AKU	IPZ	06 42 41.5	0.7			.09			
			ISE	06 42 53.2	0.7		.16		94		
93	APR. 3	EYV	SZ	06 42	0.5			.09	205	3.0	S - P = 23,8 SEK
											PROB NEAR GRIMSEY
94	APR. 3	AKU	EPZ	06 56 41.4							
			ISE	06 56 52.6	0.7		.04		90	2.4	PROB NEAR GRIMSEY
95	APR. 3	AKU	ISZ	07 24 57.9	0.5			.04	95	2.3	PROB NEAR GRIMSEY
96	APR. 3	AKU	IPZ	08 46 45.3							
			ISE	08 46 57.4	0.5		.05		98	2.5	PROB NEAR GRIMSEY
97	APR. 3	AKU	IPZ	08 47 31.0							
			ISE	08 47 40.5	0.5		.06		80	2.5	PROB NEAR GRIMSEY
98	APR. 3	AKU	IPZ	09 13 31.5							
			ISE	09 13 43.4	0.6		.06		95		
98	APR. 3	EYV	SZ	09 13	0.6			.04	185	2.6	S - P = 22,2 SEK
											PROB NEAR GRIMSEY

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
99	APR. 3	AKU	EPZ	09 48 36.7							
			ISE	09 48 48.2	0.5		.06		92	2.5	PROB NEAR GRIMSEY
100	APR. 3	AKU	IPZ	09 55 14.6							
			ISE	09 55 26.4	0.5		.14		95		
								.09	185	2.9	S - P = 22,0 SEK
100	APR. 3	EYV	SZ	09 55	0.7						PROB NEAR GRIMSEY
101	APR. 3	AKU	IPZ	09 57 43.8							
			ISE	09 57 55.2	0.4		.08		91	2.6	PROB NEAR GRIMSEY
102	APR. 3	AKU	IPZ	16 52 21.0	0.7			.71			
			ISE	16 52 32.5	0.7		2.53		94		
102	APR. 3	EYV	SZ	16 52	0.8			1.69	205		S - P = 23,8 SEK
102	APR. 3	REY	EPZ	16 52 53.5	0.6			.32			
			ISN	16 53 33.8	0.6	2.35					
			ISZ	16 53 34.9	0.8			1.49	330		
102	APR. 3	SID	EPZ	16 52 50.6							
			I Z	16 52 57.6	0.5			.20			
			ESZ	16 53 28.1	1.0			.43	305	4.1	66.5N 17.7W
103	APR. 3	AKU	EPZ	17 05 02.6							
			ISE	17 05 13.8	0.6		.07		90	2.6	PROB NEAR GRIMSEY
104	APR. 3	AKU	ISE	17 13 26.6	0.5		.03		85	2.2	PROB NEAR GRIMSEY
105	APR. 3	AKU	IPZ	17 13 41.6							
			ISE	17 13 52.2	0.5		.18		85		
								.06	155	2.9	S - P = 23,4 SEK
105	APR. 3	EYV	SZ	17 13	0.4						PROB NEAR GRIMSEY
106	APR. 3	AKU	EPZ	18 09 53.1							
			ISE	18 10 03.6	0.6		.05		85	2.4	PROB NEAR GRIMSEY
107	APR. 3	AKU	EPZ	18 11 33.4							
			ISE	18 11 44.4	0.4		.17		90		
								.11	190	2.9	S - P = 23,0 SEK
107	APR. 3	EYV	SZ	18 11	0.8						PROB NEAR GRIMSEY
108	APR. 6	AKU	EPZ	13 32 00.6							
			ESZ	13 32 12.1	0.4			.03	92	2.2	PROB NEAR GRIMSEY
109	APR. 6	AKU	EPZ	13 33 58.1							
			ESZ	13 34 09.5	0.4			.03	91	2.2	PROB NEAR GRIMSEY
110	APR. 6	AKU	IPZ	13 36 39.0				C			
			ISE	13 36 50.4	0.9		.05		91	2.4	PROB NEAR GRIMSEY
111	APR. 6	AKU	EPZ	14 02 27.4							
			ISE	14 02 38.4	0.7		.03		88	2.2	PROB NEAR GRIMSEY
112	APR. 6	AKU	EPZ	19 33 54.5							
			ESE	19 34 06.1	0.4		.03		93	2.3	PROB NEAR GRIMSEY
113	APR. 7	AKU	IPZ	10 14 49.9							
			ISE	10 15 01.4	0.7		.06		92	2.6	PROB NEAR GRIMSEY
114	APR. 8	AKU	IPZ	04 04 21.4				C			
			ISN	04 04 28.3	0.4	.06			53	2.2	PROB MYVATN REGION
115	APR. 10	AKU	EPZ	12 29 57.1							
			ESN	12 30 24.6	0.8	.03			232		
115	APR. 10	REY	IPZ	12 29 23.8	0.3			.61 C			
			ISE	12 29 27.4	0.6		1.91		90		
115	APR. 10	SID	IPZ	12 29 44.1	0.2			.05			
			ISZ	12 30 03.3	0.3			.14	162	2.8	64.1N 21.3W
116	APR. 14	AKU	IPZ	06 51 51.5	0.6			.18			
			ISE	06 52 02.9	0.7		.44		90		
116	APR. 14	EYV	SZ	06 51	0.7			.33	190		S - P = 23,0 SEK
116	APR. 14	REY	EPZ	06 52 27.4							
			ESZ	06 53 05.5	0.5			.07	335	3.4	NEAR GRIMSEY
117	APR. 14	AKU	IPZ	07 47							
			ISE	07 48	0.4		.05		98	2.4	S - P = 12,1 SEK
118	APR. 14	REY	IPZ	09 14 01.0				C			
			ISZ	09 14 03.7	0.4			.84	18	1.9	PROB 800
119	APR. 14	AKU	EPZ	20 33							
			ESE	20 34							
			SZ		0.5			.07	54	2.3	S - P = 7,0 SEK
120	APR. 16	AKU	EPZ	03 18 09.6							
			ESE	03 18 27.5	0.9		.03		145		
120	APR. 16	SID	EPZ	03 18 01.1							

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ESZ	03 18 14.1	0.5			.05	55	2.3	VATNAJOKULL REGION
121	APR. 20	REY	EPZ	00 25 22.8							
			ISN	00 26 02.2	1.4	.57					
			SZ		0.7			.11	325	3.3	PROB SW OF REYKJANES
122	APR. 21	AKU	IPZ	10 57 37.3	0.4			.26			
			ISN	10 57 46.7	0.4	.56			78		
122	APR. 21	EYV	IPZ	10 57 45.6							
			I Z	10 57 47.6	0.3			.20			
			ISZ	10 58 02.2	0.4			.80	140		
122	APR. 21	REY	EPZ	10 58 09.7	0.7			.11	328		
122	APR. 21	SID	EPZ	10 58 04.9	0.3			.01	265	3.3	66.1N 16.7W FELT
123	APR. 21	AKU	EPE	16 43 49.9	1.0		.04		630		
123	APR. 21	REY	IPZ	16 43 09.8	0.8			.34			
			ESN	16 43 56.3	4.4	20.69			380		
123	APR. 21	SID	EPZ	16 43 26.4	0.3			.02			
			E Z	16 44 00.0					480	3.8	SW OF REYKJANES
124	APR. 21	AKU	IPZ	17 19 52.0							
			I Z	17 19 55.8	1.0			.12			
			ESE	17 21 04.2	1.2		.13		600		
124	APR. 21	REY	IPZ	17 19 16.6	0.7			1.06			
			ESN	17 19 58.4	1.5	3.50					
			MN		4.4	62.07			350		
124	APR. 21	SID	EPZ	17 19 33.4	1.0			.38	490	4.3	61.9N 26.7W USCGS
125	APR. 21	AKU	EPE	17 29 35.7	0.8		.03		600		
125	APR. 21	REY	EPZ	17 28 56.3	0.7			.14			
			SN		1.0	.42			350	3.4	SW OF REYKJANES
126	APR. 21	REY	IPZ	17 32 49.4	0.5			.11	350	3.4	PROB SW OF REYKJANES
127	APR. 21	AKU	EPZ	17 37 45.8	1.1			.05	510		
127	APR. 21	REY	EPZ	17 37 05.1	0.7			.20			
			ESN	17 37 36.8	2.4	2.83					
			MN		4.0	15.43			260		
127	APR. 21	SID	EPZ	17 37 23.3	0.3			.02	400	3.5	SW OF REYKJANES
128	APR. 21	AKU	EPZ	18 10 11.8	0.9			.04	600		
128	APR. 21	REY	IPZ	18 09 35.2	0.7			.25			
			ESN	18 10 18.1							
			MN		4.4	13.79			350	3.8	SW OF REYKJANES
129	APR. 21	REY	IPZ	18 17 12.8	0.8			.16	350	3.4	PROB SW OF REYKJANES
130	APR. 21	AKU	EPZ	18 34 03.5	0.8			.03	600		
130	APR. 21	REY	IPZ	18 33 25.5	0.7			.34			
			ESN	18 34 07.2							
			MN		4.4	18.62			350		
130	APR. 21	SID	EPZ	18 33 45.7	1.0			.11	480	3.8	SW OF REYKJANES
131	APR. 21	REY	EPZ	18 56 19.0	0.7			.11	350	3.3	PROB SW OF REYKJANES
132	APR. 21	AKU	EPZ	21 03 57.4							
			ESN	21 04 24.9	1.0	.04					
			SE		1.0		.05		240		
132	APR. 21	REY	IPZ	21 03 38.1	0.3			.38			
			ISN	21 03 57.4	0.5	2.40			140		
132	APR. 21	SID	EPZ	21 03 28.4							
			SZ		1.0			.42	65		
132	APR. 21	VIK	ESN	21 03 28.4					25	3.0	MYRDALSJOKULL
133	APR. 23	REY	IPZ	20 16 10.5							
			ISZ	20 16 19.8	0.3			.08	75	2.1	PROB REYKJANES
134	APR. 24	REY	IPZ	00 08 17.7							
			ESZ	00 08 27.3	0.6			.12	77		
134	APR. 24	SID	EPZ	00 08 45.4	0.3			.01			
			ESZ	00 09 19.4					250	2.4	REYKJANES
135	APR. 24	AKU	EPZ	00 15 11.8							
			ESE	00 15 50.0	0.8		.02		330		
135	APR. 24	REY	IPZ	00 14 31.8							
			ISN	00 14 42.1	0.5	1.90			80		
135	APR. 24	SID	EPZ	00 14 59.4	0.5			.04			
			ESZ	00 15 30.5					250	2.9	REYKJANES
136	APR. 24	REY	IPZ	00 18 01.3	0.4			.15			
			ESZ	00 18 12.8	0.7			.39	92	2.7	PROB REYKJANES
137	APR. 24	REY	IPZ	00 41 59.0							
			ISN	00 42 08.7	0.8	.83			78		
137	APR. 24	SID	EPZ	00 42 26.3	0.5			.04			
			ESZ	00 42 58.1					245	2.7	REYKJANES
138	APR. 24	REY	IPZ	00 44 56.3	0.4			.15			
			ISN	00 45 05.8	0.4	1.18			76		
138	APR. 24	SID	IPZ	00 45 24.2	0.3			.03			

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ESZ	00 45 55.1					245	2.8	REYKJANES
139	APR. 24	AKU	EPZ	00 47 24.7					325		
			ESN	00 48 05.0	0.7	.07					
139	APR. 24	REY	IPZ	00 46 47.5					75		
			ISN	00 46 56.9	1.0	7.50					
139	APR. 24	SID	EPZ	00 47 11.2	0.4			.08	245	3.5	REYKJANES
			ESZ	00 47 45.9	0.8			.25			
140	APR. 24	REY	EPZ	01 13 13.2	0.3			.06	73	2.0	PROB REYKJANES
			ESZ	01 13 22.3							
141	APR. 24	REY	IPZ	01 34 02.7					82		
			ESN	01 34 12.9	0.8	.83					
141	APR. 24	SID	EPZ	01 34 31.2	0.3			.02	250	2.8	REYKJANES
			ESZ	01 35 00.2							
142	APR. 24	REY	IPZ	02 11 50.8							
			ISN	02 12 01.3	0.4	1.18					
			SZ		0.3			.30	84		
142	APR. 24	SID	EPZ	02 12 19.2							
			ESZ	02 12 49.4	0.7			.05	250	2.8	REYKJANES
143	APR. 24	REY	IPZ	03 17 40.1							
			ISZ	03 17 49.3	0.7			.42	74		
143	APR. 24	SID	EPZ	03 18 08.1	0.3			.03			
			ESZ	03 18 39.2					245	2.8	REYKJANES
144	APR. 24	REY	IPZ	03 21 19.6							
			ISN	03 21 28.6	0.8	.58					
			SZ		0.4			.13	70		
144	APR. 24	SID	EPZ	03 21 47.2							
			ESZ	03 22 18.3	0.3			.01	240	2.4	REYKJANES
145	APR. 24	REY	IPZ	03 21 54.9							
			ISN	03 22 03.6	0.4	.47			70	2.2	PROB REYKJANES
146	APR. 24	REY	IPZ	03 23 44.5							
			ISN	03 23 53.4	0.6	.52					
			SZ		0.4			.15	70		
146	APR. 24	SID	EPZ	03 24 12.4	0.2			.01	240	2.3	REYKJANES
147	APR. 24	REY	EPZ	06 40 54.4							
			ESN	06 41 05.0							
			SZ		0.2			.06	85	2.2	PROB REYKJANES
148	APR. 24	AKU	ESN	07 43 54.1	0.8	.02			277		
148	APR. 24	REY	IPZ	07 42 43.9	0.3			.84 C			
			ISN	07 42 48.0	0.4	7.06					
			SE		0.4		8.35		30		
148	APR. 24	SID	IPZ	07 43 09.1							
			ESZ	07 43 32.0	0.8			.07	197	2.8	63.9N 22.1W
149	APR. 24	REY	IPZ	08 52 48.6							
			ISN	08 52 52.3	0.4	.94					
			SE		0.3		1.45		27	2.0	KLEIFARVATN-BLAFJOLL REGION
150	APR. 29	REY	EPZ	23 18 31.8	0.5			.09			
			ESN	23 18 51.3					143		
150	APR. 29	SID	EPZ	23 18 19.2	0.3			.03			
			ISZ	23 18 26.7	0.8			.10	56		
150	APR. 29	VIK	ESN	23 18 20.4					30	2.2	63.7N 19.2W
151	APR. 29	REY	EPZ	23 19 09.7	0.5			.24			
			ESN	23 19 31.5	0.8	.50			146		
151	APR. 29	SID	IPZ	23 18 56.8	0.4			.07			
			ISZ	23 19 05.3	0.5			.15	56		
151	APR. 29	VIK	ESN	23 18 57.9					25	2.7	63.6N 19.2W
152	APR. 29	REY	EPZ	23 22 10.2	0.5			.07	145		
152	APR. 29	SID	EPZ	23 21 57.8	0.3			.02			
			ISZ	23 22 06.0	0.4			.04	56	2.1	MYRDALSJOKULL
153	MAY 3	AKU	SE	22 42	0.5		.06		96		NEAR GRIMSEY S - P = 12,0 SEK
153	MAY 3	EYV	SZ	22 42	0.7			.04	185	2.6	S - P = 22,3 SEK
154	MAY 3	AKU	SE	22 52	0.6		.09		98		NEAR GRIMSEY S - P = 12,1 SEK
154	MAY 3	EYV	SZ	22 52	0.7			.06	195	2.8	S - P = 23,8 SEK
155	MAY 3	AKU	SE	23 01	0.6		.17		98		NEAR GRIMSEY S - P = 12,1 SEK
155	MAY 3	EYV	SZ	23 01	0.8			.13	185	3.0	S - P = 22,0 SEK
156	MAY 3	AKU	SE	23 34	0.5		.29		100		NEAR GRIMSEY S - P = 12,2 SEK
156	MAY 3	EYV	SZ	23 34	0.7			.18	190		S - P = 22,2 SEK
156	MAY 3	REY	EPZ	23 34 44.0							
			ESZ	23 35 21.8	0.5			.04	340	3.2	

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
157	MAY 4	AKU	SE	00 13	0.6		.19		96		NEAR GRIMSEY S - P = 12,0 SEK
157	MAY 4	EYV	PZ	00 13	0.5			.09	187	3.1	S - P = 22,7 SEK
158	MAY 4	AKU	IPZ	20 22 16.6							
			ISE	20 22 28.8	0.5		.09		99		
158	MAY 4	EYV	SZ	20 22	0.8			.05	185	2.7	S - P = 22,0 SEK
											NEAR GRIMSEY
159	MAY 4	AKU	EPZ	21 52 21.0							
			ISE	21 52 33.9	0.5		.02		105	2.3	PROB NEAR GRIMSEY
160	MAY 4	AKU	IPZ	22 09 21.2							
			ESN	22 09 38.4	0.7	.02			140		
160	MAY 4	SID	ISZ	22 09 23.9	0.2			.03	85	2.2	PROB VATNAJOKULL REGION
161	MAY 4	AKU	ISE	22 44 10.1	0.3		.06		102	2.4	PROB NEAR GRIMSEY
162	MAY 5	AKU	EPZ	00 04 52.3							
			ISE	00 05 04.9	0.3		.06				
163	MAY 5	AKU	EPZ	04 06 03.3							
			ISN	04 06 10.3	0.4	.03			54	1.9	PROB MYVATN REGION
164	MAY 5	AKU	IPZ	06 05 01.7							
			ISE	06 05 14.9	0.4		.11		107		
164	MAY 5	EYV	SZ	06 05	0.8			.08	157	2.8	S - P = 24,0 SEK
											NEAR GRIMSEY
165	MAY 5	AKU	EPZ	07 32 51.2							
			ISE	07 33 07.7	0.4		.03		136		
165	MAY 5	EYV	PZ	07 33	0.7			.04	247	2.6	S - P = 30,0 SEK
											NEAR GRIMSEY
166	MAY 5	AKU	EPZ	10 41 44.0							
			ISE	10 41 59.7	0.3		.11		130		
166	MAY 5	EYV	SZ	10 41	0.5			.06	230	2.9	S - P = 27,8 SEK
											NEAR GRIMSEY
167	MAY 5	AKU	IPZ	13 17 58.5							
			ISE	13 18 10.9	0.3		.11		100		
167	MAY 5	EYV	SZ	13 18	0.7			.07	180	2.7	S - P = 21,8 SEK
											NEAR GRIMSEY
168	MAY 5	AKU	IPZ	14 02 09.0	0.7			.15			
			ISE	14 02 32.9	0.8		.34		190		
168	MAY 5	EYV	SZ	14 01	0.9			.28	267		S - P = 33,1 SEK
168	MAY 5	REY	IPZ	14 02 00.8							
			ISN	14 02 20.0	0.8	2.92					
			SZ		0.7			1.09	135		
168	MAY 5	SID	IPZ	14 01 49.8	1.0			3.77			
			ESZ	14 01 58.8	1.0			5.47	60	3.6	64.0N 19.1W
169	MAY 5	AKU	IPZ	15 02 10.9	0.7			.05			
			ISE	15 02 23.2	0.3		.23		100		
169	MAY 5	EYV	SZ	15 02	0.7			.14	200	3.0	S - P = 24,5 SEK
											NEAR GRIMSEY
170	MAY 5	AKU	IPZ	20 30 51.4	0.8			.06			
			ISE	20 31 07.8	0.5		.09		135		
170	MAY 5	EYV	SZ	20 30	0.4			.08	250		S - P = 30,0 SEK
170	MAY 5	REY	EPZ	20 31 25.6							
			ESZ	20 32 06.7	0.8			.06	355		
170	MAY 5	SID	EPZ	20 31 20.4	0.3			.01	350	3.0	NEAR GRIMSEY
171	MAY 5	AKU	IPZ	21 47 47.7							
			SE		1.0		14.40		135		
171	MAY 5	EYV	SZ	21 47	0.7			6.52	245		S - P = 28,8 SEK
171	MAY 5	REY	IPZ	21 48 16.8							
			I Z	21 48 17.6							
			I Z	21 48 21.3	0.7			3.50			
			ISE	21 48 59.4	0.6		40.00		350		
171	MAY 5	SID	IPZ	21 48 17.4	0.7			.34			
			I Z	21 48 23.3	0.9			1.29			
			ESZ	21 49 03.4	1.0			3.21	350	5.0	NEAR GRIMSEY FELT
172	MAY 5	AKU	EPZ	21 55 35.9							
			ISE	21 55 53.2	0.6		.04		140		
172	MAY 5	EYV	SZ	21 55	0.4			.04	240	2.8	S - P = 29,4 SEK
											NEAR GRIMSEY
173	MAY 5	AKU	ISE	21 56 38.9	0.3		.06'		140		
173	MAY 5	EYV	SZ	21 56	0.5			.05	240	2.8	PROB NEAR GRIMSEY
174	MAY 5	AKU	EPZ	22 01 53.8							
			ISE	22 02 09.0	0.3		.05		125		
174	MAY 5	EYV	SZ	22 01	0.5			.02	240	2.5	S - P = 29,1 SEK
											NEAR GRIMSEY

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
175	MAY 5	AKU	EPZ	22 06 18.8					125		
			ISE	22 06 33.7	0.4		.03				
175	MAY 5	EYV	SZ	22 06	0.6			.03	238	2.5	S - P = 29,0 SEK NEAR GRIMSEY
176	MAY 5	AKU	ESE	22 07 17.8	0.5		.02				
177	MAY 5	AKU	EPZ	22 12 19.0					139		
			ISE	22 12 35.9	0.8		.09				
177	MAY 5	EYV	SZ	22 12	0.5			.05	242	2.9	S - P = 29,4 SEK NEAR GRIMSEY
178	MAY 5	AKU	EPZ	22 15 16.8					132		
			ISE	22 15 32.8	0.4		.03				
178	MAY 5	EYV	SZ	22 15	0.4			.02	247	2.5	S - P = 30,0 SEK NEAR GRIMSEY
179	MAY 5	AKU	ISE	22 16 04.0	0.3		.05		132		
179	MAY 5	EYV	SZ	22 16	0.5			.02	247	2.6	PROB NEAR GRIMSEY
180	MAY 5	AKU	IPZ	22 39 16.8					125		
			ISE	22 39 31.8	0.8		.14				
180	MAY 5	EYV	SZ	22 39	0.4			.14	235		S - P = 29,9 SEK
180	MAY 5	REY	EPZ	22 39 50.8				.03	350		
			ESZ	22 40 26.7	0.3			.01	340	3.1	NEAR GRIMSEY
180	MAY 5	SID	EPZ	22 39 46.5	0.3						
181	MAY 5	AKU	EPZ	22 43 00.3					126		
			ISE	22 43 15.6	0.5		.03				
181	MAY 5	EYV	SZ	22 43	0.5			.02	247	2.5	S - P = 30,1 SEK NEAR GRIMSEY
182	MAY 5	AKU	EPZ	22 50 19.0					137		
			ISE	22 50 35.7	0.3		.11				
182	MAY 5	EYV	SZ	22 50	0.4			.05	228	2.9	S - P = 27,8 SEK
183	MAY 5	AKU	EPZ	22 55 35.8					138		
			ISE	22 55 52.6	0.3		.05				
183	MAY 5	EYV	SZ	22 55	0.4			.03	239	2.7	S - P = 29,1 SEK NEAR GRIMSEY
184	MAY 5	AKU	IPZ	23 50 34.5	0.7			.08			
			ISE	23 50 49.5	0.5		.18		120		
184	MAY 5	EYV	SZ	23 50	0.5			.17	220		S - P = 24,5 SEK
184	MAY 5	REY	EPZ	23 51 08.8	0.4			.05			
			ESZ	23 51 47.2	1.0			.21	355		
184	MAY 5	SID	EPZ	23 51 03.7							
			SZ		0.3			.04	335	3.3	NEAR GRIMSEY
185	MAY 6	AKU	IPZ	00 06 28.8							
			I Z	00 06 30.7	0.8			.15			
			ISE	00 06 45.5	1.0		.51		138		
185	MAY 6	EYV	SZ	00 06	0.6			.29	270		S - P = 33,0 SEK
185	MAY 6	REY	EPZ	00 07 01.8							
			ESE	00 07 41.2	0.6		1.04		335		
185	MAY 6	SID	EPZ	00 07 03.4	0.8			.08			
			ESZ	00 07 51.0	0.9			.08	350	3.5	NEAR GRIMSEY
186	MAY 6	AKU	ISE	00 09 41.7	0.6		.05				
187	MAY 6	AKU	ISE	00 10 53.5	0.3		.11				
188	MAY 6	AKU	IPZ	00 22 14.2							
			I Z	00 22 16.5	0.8			.09			
			ISE	00 22 30.3	0.7		.16		130		
188	MAY 6	EYV	SZ	00 22	0.5			.14	243		S - P = 29,7 SEK
188	MAY 6	REY	EPZ	00 22 49.1							
			ESZ	00 23 31.5	0.9			.14	353		
188	MAY 6	SID	EPZ	00 22 47.6							
			SZ		0.3			.01	345	3.2	NEAR GRIMSEY
189	MAY 6	AKU	ISE	00 54 01.0	0.6		.02				
190	MAY 6	AKU	ESE	00 55 09.8	0.6		.02				
191	MAY 6	AKU	ISE	01 04 41.9	0.7		.02				
192	MAY 6	AKU	EPZ	02 24 26.6							
			ISE	02 24 40.4	0.4		.06		112		
192	MAY 6	EYV	SZ	02 24	0.5			.02	238	2.6	S - P = 29,0 SEK NEAR GRIMSEY
193	MAY 6	AKU	ISE	03 21 53.8	0.4		.03				
194	MAY 6	AKU	EPZ	03 31 58.3							
			ISE	03 32 14.0	0.5		.05		129		
194	MAY 6	EYV	SZ	03 31	0.4			.02		2.7	S - P = 31,0 SEK NEAR GRIMSEY

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
195	MAY 6	AKU	EPZ	05 40 02.8							
			ISE	05 40 18.9	0.5		.02		132		
195	MAY 6	EYV	SZ	05 40	0.4			.01	255	2.5	S - P = 31,0 SEK NEAR GRIMSEY
196	MAY 6	AKU	EPZ	05 59 59.1							
			ESE	06 00 15.8	0.8		.03		137		
196	MAY 6	EYV	PZ	05 59	0.8			.04	248	2.6	S - P = 30,2 SEK NEAR GRIMSEY
197	MAY 6	AKU	EPZ	06 30 40.6							
			ISE	06 30 56.8	0.3		.05		133		
197	MAY 6	EYV	SZ	06 30	0.5			.03	242	2.6	S - P = 29,4 SEK NEAR GRIMSEY
198	MAY 6	AKU	ISE	08 32 53.3	0.4		.03				
199	MAY 6	AKU	ISE	09 50 39.8	0.4		.03				
200	MAY 6	AKU	EPZ	10 46 51.7							
			ISE	10 47 06.9	0.5		.06		125		
200	MAY 6	EYV	PZ	10 46	0.5			.03	223	2.7	S - P = 27,1 SEK NEAR GRIMSEY
201	MAY 6	AKU	ISE	13 53 55.8	0.5		.02				
202	MAY 6	AKU	IPZ	14 03 56.5							
			ISE	14 04 08.8	0.4		.03		100		
202	MAY 6	EYV	SZ	14 03	0.7			.03	194	2.4	S - P = 23,6 SEK NEAR GRIMSEY
203	MAY 6	AKU	EPZ	14 17 00.2							
			ISE	14 17 12.6	0.7		.02		100		
203	MAY 6	EYV	SZ	14 17	0.7			.04	195	2.3	PROB NEAR GRIMSEY
204	MAY 6	AKU	ISE	14 33 58.7	0.3		.04				
205	MAY 6	AKU	ISE	14 42 17.1	0.6		.02				
206	MAY 6	AKU	EPZ	15 33 09.7							
			ESE	15 33 24.7	0.8		.03		123	2.3	PROB NEAR GRIMSEY
207	MAY 6	AKU	EPZ	15 38 43.8							
			ISE	15 39 00.1	0.5		.05		134		
207	MAY 6	EYV	SZ	15 38	0.4			.02	237	2.7	S - P = 28,8 SEK NEAR GRIMSEY
208	MAY 6	AKU	ESE	15 49 51.6	0.3		.04		134		
208	MAY 6	EYV	SZ	15 49	0.6			.02	237	2.5	S - P = 28,8 SEK PROB NEAR GRIMSEY
209	MAY 6	AKU	ESE	15 51 36.6	0.7		.02				
210	MAY 6	AKU	ISE	17 35 41.3	0.5		.03				
211	MAY 6	AKU	ISE	20 35 59.2	0.9		.03		125		
211	MAY 6	EYV	SZ	20 35	0.4			.01	235	2.5	S - P = 28,7 SEK PROB NEAR GRIMSEY
212	MAY 6	AKU	IPZ	22 02 32.0							
			ISE	22 02 45.7	0.5		.02		110	2.3	PROB NEAR GRIMSEY
213	MAY 6	AKU	IPZ	22 30 13.1	0.7			.08			
			ISE	22 30 25.2	0.7		.28		98		
213	MAY 6	EYV	SZ	22 30	0.7			.18	210		S - P = 25,7 SEK
213	MAY 6	REY	EPZ	22 30 53.2							
			ESZ	22 31 35.0	0.9			.07	335		
213	MAY 6	SID	EPZ	22 30 51.4							
			SZ		1.0			.08	310	3.2	NEAR GRIMSEY
214	MAY 6	AKU	IPZ	22 45 04.3	0.3			.03			
			ESE	22 45 16.3	0.3		.22		96		
214	MAY 6	EYV	SZ	22 45	0.5			.05	190	2.9	S - P = 23,1 SEK NEAR GRIMSEY
215	MAY 6	AKU	IPZ	23 40 14.1							
			ESE	23 40 26.1	0.5		.03		96		
215	MAY 6	EYV	SZ	23 40	0.5			.02		2.3	S - P = 22,4 SEK NEAR GRIMSEY
216	MAY 6	AKU	EPZ	23 54 03.9							
			ESE	23 54 16.3	0.5		.03		100		
216	MAY 6	EYV	SZ	23 54	0.6			.02	194	2.3	S - P = 23,6 SEK NEAR GRIMSEY
217	MAY 6	AKU	IPZ	23 56 46.7	0.8			.94			
			ISE	23 56 58.9	0.9		3.00		100		
217	MAY 6	EYV	SZ	23 56	0.7			3.08	195		S - P = 22,8 SEK
217	MAY 6	REY	IPZ	23 57 18.3							

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ISE	23 58 00.0	0.6		2.00		340		
217	MAY 6	SID	IPZ	23 57 16.1	0.8			.21			
			ISZ	23 57 56.2	0.8			.27	310	4.0	NEAR GRIMSEY
218	MAY 7	AKU	EPZ	00 00 39.8							
			ISE	00 00 52.6	0.4		.04		104		
218	MAY 7	EYV	SZ	00 00	0.5			.03		2.4	S - P = 23,0 SEK NEAR GRIMSEY
219	MAY 7	AKU	ISE	00 07 38.6	0.5		.03				
220	MAY 7	AKU	IPZ	00 09 49.5							
			ISE	00 10 01.7	0.3		.03		99		
220	MAY 7	EYV	SZ	00 09	0.6			.03		2.3	S - P = 23,1 SEK NEAR GRIMSEY
221	MAY 7	AKU	EPZ	00 13 36.6							
			ISE	00 13 48.8	0.4		.03		99		
221	MAY 7	EYV	SZ	00 13	0.6			.02	192	2.3	S - P = 23,4 SEK NEAR GRIMSEY
222	MAY 7	AKU	IPZ	00 21 55.1							
			ISZ	00 22 07.7	0.4			.03	102		
222	MAY 7	EYV	SZ	00 21	0.6			.02	197	2.3	S - P = 24,0 SEK NEAR GRIMSEY
223	MAY 7	AKU	IPZ	00 29 49.7	0.5			.04			
			ISE	00 30 02.0	0.5		.15		100		
223	MAY 7	EYV	SZ	00 29	0.5			.09	182	3.0	S - P = 22,1 SEK NEAR GRIMSEY
224	MAY 7	AKU	ISE	01 56 34.3	0.3		.03				
225	MAY 7	AKU	IPZ	02 40 00.8							
			ISE	02 40 12.9	0.4		.06		98		
225	MAY 7	EYV	SZ	02 40	0.7			.02	185	2.4	S - P = 22,5 SEK NEAR GRIMSEY
226	MAY 7	AKU	ISE	02 57 28.6	0.3		.04				
227	MAY 7	AKU	ISE	03 07 51.6	0.3		.04				
228	MAY 7	AKU	EPZ	05 02 47.6							
			ESE	05 03 00.0	0.8		.03		100		
228	MAY 7	EYV	SZ	05 02	0.7			.02	190	2.3	PROB NEAR GRIMSEY
229	MAY 7	AKU	EPZ	05 54 49.6	0.8			.04			
			ISE	05 55 06.2	0.8		.13		136		
229	MAY 7	EYV	SZ	05 54	0.7			.12	250		S - P = 30,6 SEK
229	MAY 7	REY	EPZ	05 55 21.6							
			ESZ	05 56 04.3	0.7			.06	350	3.1	66.9N 18.3W
230	MAY 7	AKU	EPZ	06 15 48.7							
			ISE	06 16 00.8	0.3		.03		98	2.1	PROB NEAR GRIMSEY
231	MAY 7	AKU	ISE	07 14 46.3	0.3		.05				
232	MAY 7	AKU	EPZ	07 33 25.7							
			ISE	07 33 37.9	0.3		.41		99		
232	MAY 7	EYV	SZ	07 33	0.7			.13	190		
232	MAY 7	REY	ESZ	07 34 40.4	0.4			.04	340	3.1	- P = 21,8 SEK
233	MAY 7	AKU	EPZ	07 38 30.9	0.4			.03			
			ESE	07 38 43.0	0.4		.10		98		
233	MAY 7	EYV	SZ	07 38	0.7			.10	197	2.9	S - P = 24,0 SEK NEAR GRIMSEY
234	MAY 7	AKU	IPZ	08 25 53.8							
			ISE	08 26 05.8	0.4		.03		96	2.3	PROB NEAR GRIMSEY
235	MAY 7	AKU	EPZ	11 43 36.7							
			ISE	11 43 48.7	0.3		.15		96		
235	MAY 7	EYV	SZ	11 43	0.7			.04	200	2.6	S - P = 24,4 SEK NEAR GRIMSEY
236	MAY 7	AKU	EPZ	11 50 36.3							
			ISE	11 50 48.7	0.3		.05		100		
236	MAY 7	EYV	SZ	11 50	0.6			.03	200	2.4	PROB NEAR GRIMSEY
237	MAY 7	AKU	ISE	12 35 21.9	0.3		.09				
238	MAY 7	AKU	IPZ	13 04 52.3							
			ISE	13 05 04.4	0.4		.12		98		
238	MAY 7	EYV	SZ	13 04	0.7			.09		2.8	S - P = 22,4 SEK NEAR GRIMSEY
239	MAY 7	AKU	EPZ	13 34 07.5							
			ISE	13 34 19.8	0.4		.06		99		

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
239	MAY 7	EYV	SZ	13 34	0.7			.02	180	2.4	S - P = 22,0 SEK NEAR GRIMSEY
240	MAY 7	AKU	ISE	14 32 17.7	0.3		.03				
241	MAY 7	AKU	EPZ	14 32 34.3							
			ISE	14 32 46.2	0.5		.14		95		
241	MAY 7	EYV	SZ	14 32	0.7			.08	200	2.9	S - P = 24,2 SEK NEAR GRIMSEY
242	MAY 7	AKU	EPZ	16 26 48.6							
			ISE	16 27 05.2	0.4		.10		130		
242	MAY 7	EYV	SZ	16 26	0.5			.06	200	2.9	S - P = 23,8 SEK NEAR GRIMSEY
243	MAY 7	AKU	IPZ	19 09 48.0							
			ISE	19 10 00.6	0.5		.03		102	2.3	PROB NEAR GRIMSEY
244	MAY 7	AKU	IPZ	19 43 26.8	0.3			.05			
			ISE	19 43 39.2	0.3		.14		100		
244	MAY 7	EYV	PZ	19 43	0.3			.04	170	2.7	S - P = 20,5 SEK NEAR GRIMSEY
245	MAY 7	AKU	ISE	20 22 45.6	0.3		.04				
246	MAY 7	AKU	IPZ	20 23 15.1							
			ISE	20 23 27.5	0.3		.12		100		
246	MAY 7	EYV	SZ	20 23	0.7			.12	190	2.8	PROB NEAR GRIMSEY
247	MAY 7	AKU	IPZ	21 22 41.1							
			ISE	21 22 53.1	0.3		.15		96		
247	MAY 7	EYV	SZ	21 22	0.5			.03	195	2.7	S - P = 23,8 SEK NEAR GRIMSEY
248	MAY 7	AKU	IPZ	21 23 17.9							
			ISE	21 23 30.0	0.3		.52		98		
248	MAY 7	EYV	PZ	21 23	0.4			.12	208		S - P = 25,1 SEK
248	MAY 7	REY	EPZ	21 23 50.6							
			ESZ	21 24 30.7	0.7			.08	330	3.3	NEAR GRIMSEY
249	MAY 7	AKU	EPZ	21 28 41.4							
			ISE	21 28 53.3	0.3		.06		95	2.4	PROB NEAR GRIMSEY
250	MAY 7	AKU	EPZ	21 51 20.0							
			ISE	21 51 32.1	0.3		.06		98	2.4	PROB NEAR GRIMSEY
251	MAY 7	AKU	EPZ	23 28 02.5							
			ISE	23 28 14.0	0.4		.03		92	2.2	PROB NEAR GRIMSEY
252	MAY 8	AKU	IPZ	00 14 47.0	0.4			.03			
			ESE	00 14 59.0	0.4		.17		96		
252	MAY 8	EYV	PZ	00 14	0.5			.07	196	3.0	S - P = 23,9 SEK NEAR GRIMSEY
253	MAY 8	AKU	IPZ	00 28 26.6							
			ISE	00 28 38.4	0.3		.13		95		
253	MAY 8	EYV	PZ	00 28	0.5			.03		2.6	PROB NEAR GRIMSEY
254	MAY 8	AKU	IPZ	03 24 53.7	0.4			.16			
			ISE	03 25 05.9	0.4		.58		99		
254	MAY 8	EYV	PZ	03 24	0.4			.21	191		S - P = 23,3 SEK
254	MAY 8	REY	EPZ	03 25 31.4							
			ESN	03 26 08.8	1.0	.25					
			SZ		0.5			.09	340		
254	MAY 8	SID	EPZ	03 25 22.7							
			SZ		0.8			.07	310	3.3	NEAR GRIMSEY
255	MAY 8	AKU	EPZ	03 27 02.5							
			ISE	03 27 14.9	0.3		.12		100		
255	MAY 8	EYV	PZ	03 27	0.4			.03	190	2.6	S - P = 23,0 SEK NEAR GRIMSEY
256	MAY 8	AKU	IPZ	03 29 44.8							
			ISE	03 29 56.8	0.3		.09		96		
256	MAY 8	EYV	PZ	03 29	0.4			.02	204	2.5	S - P = 24,8 SEK NEAR GRIMSEY
257	MAY 8	AKU	IPZ	03 32 13.9							
			ISE	03 32 25.8	0.8		.08		95		
257	MAY 8	EYV	SZ	03 32	0.7			.04	203	2.7	S - P = 24,7 SEK NEAR GRIMSEY
258	MAY 8	AKU	IPZ	03 32 49.0	0.5			.16			
			ISE	03 33 01.2	0.5		.48		99		
258	MAY 8	EYV	PZ	03 32	0.4			.20	190		S - P = 24,1 SEK
258	MAY 8	REY	EPZ	03 33 24.8							
			ESN	03 34 04.1	0.6	.35			340		
258	MAY 8	SID	EPZ	03 33 18.0	0.7			.06	310	3.4	NEAR GRIMSEY

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
259	MAY 8	AKU	ISE	03 34 13.2	0.5		.12				
260	MAY 8	AKU	IPZ	03 41 11.9					100		
			ISE	03 41 24.2	0.6		.08				
260	MAY 8	EYV	SZ	03 41	0.7			.09	205	2.8	S - P = 24,6 SEK NEAR GRIMSEY
261	MAY 8	AKU	EPZ	04 58 21.9							
			ESE	04 58 34.3	0.3		.05		100	2.3	PROB NEAR GRIMSEY
262	MAY 8	AKU	EPZ	06 02 47.8							
			ISE	06 03 00.1	0.3		.04		100	2.2	PROB NEAR GRIMSEY
263	MAY 8	AKU	IPZ	14 27 41.1					100		
			ESE	14 27 53.6	0.5		.12				
263	MAY 8	EYV	SZ	14 27	0.7			.10	205	3.0	S - P = 24,9 SEK NEAR GRIMSEY
264	MAY 8	AKU	EPZ	15 25 44.0							
			ISE	15 25 56.0	0.3		.09		96		
264	MAY 8	EYV	SZ	15 25	0.4			.01	185	2.4	S - P = 22,3 SEK NEAR GRIMSEY
265	MAY 8	AKU	EPZ	17 34 14.4							
			ISZ	17 34 26.9	0.6			.03	100	2.4	PROB NEAR GRIMSEY
266	MAY 9	AKU	IPZ	03 30 31.9	0.6			.10			
			ISE	03 30 44.2	0.8		.78		100		
266	MAY 9	EYV	PZ	03 30	0.7			.30	190		S - P = 22,0 SEK
266	MAY 9	REY	EPZ	03 31 05.7							
			ESZ	03 31 45.4	0.8			.12	340		
266	MAY 9	SID	EPZ	03 31 00.9							
			ESZ	03 31 40.6	0.8			.04	310	3.4	NEAR GRIMSEY
267	MAY 9	AKU	EPZ	03 32 45.2							
			ISE	03 32 57.1	0.4		.19		95		
267	MAY 9	EYV	SZ	03 32	0.4			.05	198	3.0	S - P = 24,1 SEK NEAR GRIMSEY
268	MAY 9	AKU	EPZ	03 43 38.8							
			ISE	03 43 50.8	0.4		.11		96		
268	MAY 9	EYV	PZ	03 43	0.5			.06	200	2.9	S - P = 24,4 SEK NEAR GRIMSEY
269	MAY 9	AKU	ISE	09 39 12.7	0.3		.06				
270	MAY 9	AKU	EPZ	13 40 21.8							
			ISE	13 40 33.8	0.4		.07		96		
270	MAY 9	EYV	PZ	13 40	0.7			.04	192	2.6	S - P = 23,4 SEK NEAR GRIMSEY
271	MAY 9	AKU	EPZ	14 27 09.0	0.7			.04			
			ISE	14 27 37.4	0.9		.08		230		
271	MAY 9	REY	IPZ	14 26 40.2				C			
			ISN	14 26 45.0	0.8	16.67					
			SZ		0.5			3.85	33		
271	MAY 9	SID	IPZ	14 26 58.7	0.3			.31 C			
			ISZ	14 27 17.3	0.8			.72	159	3.2	64.1N 21.2W FELT
272	MAY 9	AKU	EPZ	14 33 40.8							
			ESN	14 34 10.8	0.8	.02			230		
272	MAY 9	REY	IPZ	14 33 13.6				C			
			ISN	14 33 18.0	0.8	4.42					
			SZ		0.5			1.30	34		
272	MAY 9	SID	IPZ	14 33 31.8	0.4			.10 C			
			ISZ	14 33 51.1	0.5			.17	158	2.8	64.1N 21.2W FELT
273	MAY 9	REY	EPZ	14 35 23.1							
			ISZ	14 35 28.6	0.3			.09	36		
273	MAY 9	SID	EPZ	14 35 41.5							
			ESZ	14 36 00.7	0.3			.02	156	2.0	64.1N 21.2W
274	MAY 9	AKU	IPZ	14 38 46.7	0.7			.06			
			ISE	14 39 15.3	1.0		.34		230		
274	MAY 9	REY	IPZ	14 38 17.9							
			ISN	14 38 22.2	1.0	37.50			33		
274	MAY 9	SID	IPZ	14 38 36.6	0.5			.70 C			
			ISZ	14 38 55.6	0.3			1.10	159	3.9	64.1N 21.2W FELT
275	MAY 10	AKU	EPZ	02 33 05.2							
275	MAY 10	REY	IPZ	02 32 51.8	0.4			.09			
			ESZ	02 33 12.3					146		
275	MAY 10	SID	IPZ	02 32 38.8	0.3			.17			
			ISZ	02 32 46.0	0.2			1.13	57	3.0	63.6N 19.2W
276	MAY 10	REY	IPZ	10 11 59.0							
			ISZ	10 12 06.3	0.5			.31	57		
276	MAY 10	SID	EPZ	10 12 25.7						2.3	REYKJANES

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
277	MAY 10	AKU	ESN	10 13 12.2	0.8	.01					
278	MAY 10	AKU	EPZ	11 45 18.0							
			ISE	11 45 29.0	0.3		.05		88	2.2	PROB NEAR GRIMSEY
279	MAY 10	AKU	EPZ	13 09 00.1							
			ISE	13 09 10.2	0.3		.06		81	2.2	PROB NEAR GRIMSEY
280	MAY 10	AKU	IPZ	18 27 29.0							
			ISE	18 27 41.2	0.7		.05		99		
280	MAY 10	EYV	SZ	18 27	0.7			.09	215	2.8	S - P = 26,2 SEK NEAR GRIMSEY
281	MAY 11	AKU	IPZ	00 41 28.3	0.7			.24			
			ISE	00 41 40.7	0.9		1.91		100		
281	MAY 11	EYV	SZ	00 41	0.8			1.90	190		S - P = 20,5 SEK
281	MAY 11	REY	EPZ	00 42 01.1							
			I Z	00 42 03.0							
			ISN	00 42 39.5	0.8	1.83			340		
281	MAY 11	SID	EPZ	00 41 57.5	0.8			.07			
			ESZ	00 42 36.2	0.8			.15	310	3.9	NEAR GRIMSEY
282	MAY 11	AKU	IPZ	15 01 30.1	0.3			.09			
			ISE	15 01 42.1	0.4		.17		96		
282	MAY 11	EYV	SZ	15 01	0.8			.12	197		S - P = 24,0 SEK
282	MAY 11	SID	EPZ	15 01 59.4	0.3			.01	305	2.9	NEAR GRIMSEY
283	MAY 12	AKU	IPZ	22 33 04.8	0.7			.05			
			ESE	22 33 21.3	0.9		.16		134		
283	MAY 12	EYV	SZ	22 33	0.6			.10	170		S - P = 20,8 SEK
283	MAY 12	REY	EPZ	22 33 17.4	0.4			.05	218		
283	MAY 12	SID	EPZ	22 32 58.0	0.5			.08			
			ESZ	22 33 06.0	1.0			.57	86	2.9	64.5N 17.5W
284	MAY 12	AKU	EPZ	23 18 01.7							
			ISZ	23 18 13.3	0.4			.06	93	2.5	PROB NEAR GRIMSEY
285	MAY 13	AKU	IPZ	02 37 56.1	0.2			.07			
			ISN	02 38 03.2	0.4	.04			58		
285	MAY 13	EYV	SZ	02 37	0.7			.07	120	2.3	S - P = 14,2 SEK MYVATN REGION
286	MAY 15	REY	IPZ	12 28 04.2							
			ESZ	12 28 11.5	0.4			.09	57	1.9	PROB REYKJANES
287	MAY 15	REY	IPZ	12 43 32.3							
			ISZ	12 43 40.6	0.3			.09	66		
287	MAY 15	SID	ESZ	12 44 29.3	0.3			.01	240	2.3	REYKJANES
288	MAY 15	AKU	IPZ	13 59 22.9	0.6			.03			
			ISE	13 59 34.4	0.7		.09		52		
288	MAY 15	EYV	PZ	13 59	0.6			.04	200	2.7	S - P = 24,4 SEK NEAR GRIMSEY
289	MAY 15	AKU	EPZ	14 16 14.1							
			ESN	14 16 54.4	0.8	.01			320		
289	MAY 15	REY	IPZ	14 15 36.9	0.3			.23			
			ISN	14 15 45.9	0.6	3.13					
			SZ		0.3			.50	70		
289	MAY 15	SID	EPZ	14 16 04.9							
			ESZ	14 16 32.9	0.5			.05	245	2.9	REYKJANES
290	MAY 15	REY	IPZ	18 15 33.3	0.3			1.37			
			ISN	18 15 41.9	0.6	19.48			68		
290	MAY 15	SID	IPZ	18 16 01.6	0.5			.10			
			ISZ	18 16 30.9	0.7			.57	240	3.9	REYKJANES FELT
291	MAY 15	REY	EPZ	18 18 34.3							
			ESZ	18 18 43.2	0.4			.09	70		
291	MAY 15	SID	ESZ	18 19 30.7	0.3			.01	245	2.3	REYKJANES
292	MAY 15	REY	IPZ	18 21 11.9							
			ISZ	18 21 21.1	0.3			.12	74		
292	MAY 15	SID	EPZ	18 21 40.1							
			ESZ	18 22 09.5	0.5			.02	240	2.4	REYKJANES
293	MAY 15	REY	IPZ	18 22 00.9							
			ISZ	18 22 09.3	0.3			.35	66		
293	MAY 15	SID	EPZ	18 22 29.3							
			ESZ	18 22 56.9	0.3			.03	235	2.8	REYKJANES
294	MAY 15	AKU	EPZ	18 23 35.1							
			ESN	18 24 14.5	0.8	.03			313		
294	MAY 15	REY	IPZ	18 22 58.3							
			ISN	18 23 06.1	0.3	10.14					
			SZ		0.7			1.29	63		
294	MAY 15	SID	EPZ	18 23 23.5							
			ESZ	18 23 52.6	0.8			.11	235	3.1	63.7N 22.8W
295	MAY 15	AKU	EPZ	18 24 53.0							

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ESZ	18 25 33.1	0.8			.06	320		
295	MAY 15	REY	IPZ	18 24 16.6	0.3			2.05			
			ISN	18 24 25.5	0.6	13.04			72		
295	MAY 15	SID	EPZ	18 24 42.5	0.4			.12			
			ESZ	18 25 13.7	0.7			.32	250	3.6	63.8N 23.1W FELT
296	MAY 15	AKU	EPZ	18 28 29.2	0.7			.03	320		
296	MAY 15	REY	IPZ	18 27 52.6	0.3			.46			
			ISN	18 28 01.5	0.6	6.96			70		
296	MAY 15	SID	EPZ	18 28 19.9	0.2			.04	245	3.3	REYKJANES FELT
297	MAY 15	AKU	ISN	18 29 18.2							
			SZ		0.9			.14	320		
297	MAY 15	REY	ISN	18 28 09.3	1.0	30.83			70		
297	MAY 15	SID	IPZ	18 28 29.4	0.5			.15			
			ISZ	18 28 58.7	0.9			.81	245	4.0	REYKJANES FELT
298	MAY 15	REY	EPZ	18 33 03.7							
			ESZ	18 33 11.7	0.4			.07	62	1.8	PROB REYKJANES
299	MAY 15	REY	EPZ	18 40 14.6							
			ESZ	18 40 23.2	0.5			.09	68	1.9	PROB REYKJANES
300	MAY 15	REY	IPZ	18 41 55.5							
			ISZ	18 42 04.4	0.5			.11	70	2.0	PROB REYKJANES
301	MAY 15	REY	IPZ	18 46 24.7							
			ISN	18 46 33.4	0.6	1.74					
			SZ		0.4			.26	69		
301	MAY 15	SID	EPZ	18 46 53.2							
			ESZ	18 47 22.6	0.5			.05	240	2.8	REYKJANES
302	MAY 15	REY	EPZ	18 51 46.2	0.3			.08			
			ISN	18 51 54.9	1.0	.50			69		
302	MAY 15	SID	EPZ	18 52 14.6							
			ESZ	18 52 44.6	0.4			.02	245	2.5	REYKJANES
303	MAY 15	AKU	EPZ	19 16 40.9							
			ESE	19 17 21.9	0.9		.03		315		
303	MAY 15	REY	IPZ	19 16 03.8	0.5			.84			
			ISN	19 16 11.6	0.6	4.35					
			SZ		0.5			.99	65		
303	MAY 15	SID	EPZ	19 16 31.1	0.3			.03			
			ESZ	19 17 00.6	0.3			.06	240	3.1	REYKJANES
304	MAY 15	REY	EPZ	19 25 49.3							
			ISN	19 25 57.6	0.6	.43					
			SZ		0.4			.13	66		
304	MAY 15	SID	EPZ	19 26 17.7							
			ESZ	19 26 47.2	0.2			.01	240	2.3	REYKJANES
305	MAY 15	REY	EPZ	19 36 19.6							
			ISN	19 36 27.8	0.6	.43					
			SZ		0.4			.07	65		
305	MAY 15	SID	ESZ	19 37 17.9	0.3			.01		2.1	REYKJANES
306	MAY 15	REY	IPZ	19 52 22.1	0.3			.18			
			ESN	19 52 31.2	0.6	.87			73		
306	MAY 15	SID	EPZ	19 52 50.5							
			ESZ	19 53 18.9	0.3			.03	245	2.8	REYKJANES
307	MAY 15	REY	IPZ	19 53 36.7							
			ESN	19 53 45.6	0.6	.78					
			SZ		0.5			.24	70		
307	MAY 15	SID	EPZ	19 54 04.8							
			ESZ	19 54 34.8	0.4			.03	245	2.7	REYKJANES
308	MAY 15	REY	IPZ	19 58 04.7							
			ESN	19 58 13.5	0.6	1.13					
			SZ		0.4			.26	70		
308	MAY 15	SID	EPZ	19 58 32.6							
			ESZ	19 59 01.0	0.4			.04	245	2.8	REYKJANES
309	MAY 15	REY	EPZ	20 01 14.9							
			ISN	20 01 23.4	0.6	.26					
			SZ		0.3			.06	67	2.0	PROB REYKJANES
310	MAY 15	REY	IPZ	20 05 53.6							
			ESN	20 06 02.3	0.6	1.30					
			SZ		0.3			.26	69		
310	MAY 15	SID	EPZ	20 06 21.1							
			ESZ	20 06 48.1	0.3			.02	240	2.7	REYKJANES
311	MAY 15	REY	IPZ	20 12 21.7	0.3			.17			
			ISN	20 12 29.8	0.6	2.87					
			SZ		0.4			.35	64		
311	MAY 15	SID	EPZ	20 12 49.3							
			ESZ	20 13 18.0	0.7			.06	235	2.9	REYKJANES

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
312	MAY 15	AKU	EPZ	20 14 25.3	0.8			.03			
			ESN	20 15 05.9	0.9	.09			315		
312	MAY 15	REY	IPZ	20 13 51.9	0.4			.73 D			
			ISN	20 13 59.9	1.0	15.42					
			SZ		0.6			2.85	65		
312	MAY 15	SID	EPZ	20 14 14.8							
			ESZ	20 14 45.7	0.6			.17	240	3.5	REYKJANES FELT
313	MAY 15	REY	EPZ	20 16 48.7							
			ISN	20 16 57.8	0.6	.52					
			SZ		0.2			.06	73	2.3	PROB REYKJANES
314	MAY 15	AKU	EPZ	20 20 10.8	0.8			.03			
			ISN	20 20 48.3	1.0	.08			315		
314	MAY 15	REY	IPZ	20 19 34.5							
			ISN	20 19 43.0	1.0	13.75					
			SZ		0.3			1.82	66		
314	MAY 15	SID	EPZ	20 20 00.9							
			ESZ	20 20 29.8	0.5			.19	244	3.4	63.8N 23.0W FELT
315	MAY 15	REY	IPZ	20 22 22.5	0.3			.21			
			ESN	20 22 30.6	0.8	.58			64		
315	MAY 15	SID	EPZ	20 22 50.1							
			ESZ	20 23 18.5	0.4			.02	240	2.5	REYKJANES
316	MAY 15	REY	ISN	20 23 05.8	0.6	1.30					
			SZ		0.4			.27	64		
316	MAY 15	SID	ESZ	20 23 53.7	0.4			.02	240	2.7	REYKJANES
317	MAY 15	REY	EPZ	20 27 38.1							
			ISN	20 27 46.5	0.6	1.48					
			SZ		0.4			.20	66		
317	MAY 15	SID	EPZ	20 28 05.8							
			ESZ	20 28 34.8	0.6			.03	240	2.6	REYKJANES
318	MAY 15	REY	IPZ	20 34 22.9							
			ISN	20 34 31.3	0.7	.59					
			SZ		0.3			.08	66	2.2	PROB REYKJANES
319	MAY 15	REY	IPZ	20 38 47.6							
			ISN	20 38 55.0	0.8	.42					
			SZ		0.7			.14	58		
319	MAY 15	SID	ESZ	20 39 44.1	0.5			.03	235	2.3	REYKJANES
320	MAY 15	AKU	ESZ	20 41 04.2	0.8			.01	325		
320	MAY 15	REY	IPZ	20 39 45.6							
			ESN	20 39 55.8	1.0	1.25					
			SZ		0.5			.44	75		
320	MAY 15	SID	EPZ	20 40 13.9							
			ESZ	20 40 42.6	0.6			.06	245	2.8	REYKJANES
321	MAY 15	REY	ISN	20 55 04.1	0.6	.43					
			SZ		0.5			.13			
322	MAY 15	REY	IPZ	21 28 29.1	0.3			.17			
			ISN	21 28 37.5	0.6	.87					
			SZ		0.4			.38	66		
322	MAY 15	SID	EPZ	21 28 57.0							
			ESZ	21 29 24.5	0.4			.03	240	2.7	NORTH OF SKAGAFJORDUR
323	MAY 15	AKU	EPZ	21 47 31.4							
			ISN	21 48 15.8	0.8	.06			320		
323	MAY 15	REY	IPZ	21 46 57.4	0.3			1.14			
			ISN	21 47 06.2	0.6	6.09			70		
323	MAY 15	SID	EPZ	21 47 25.0							
			ESZ	21 47 52.9	0.5			.22	245	3.4	NORTH OF SKAGAFJORDUR FELT
324	MAY 15	REY	IPZ	22 11 17.5							
			ESN	22 11 25.4	0.6	.26					
			SZ		0.5			.11	62	2.0	PROB REYKJANES
325	MAY 15	REY	IPZ	22 41 06.6	0.3			.09			
			ISN	22 41 15.4	0.5	.52			70		
325	MAY 15	SID	EPZ	22 41 34.6							
			ESZ	22 42 04.9	0.3			.01		2.4	REYKJANES
326	MAY 16	REY	EPZ	00 47 15.6							
			ESN	00 47 23.3							
			SZ		0.4			.07	60	1.8	PROB REYKJANES
327	MAY 16	REY	IPZ	01 03 30.1							
			ISN	01 03 38.4	0.8	.50					
			SZ		0.7			.14	66		
327	MAY 16	SID	ESZ	01 04 28.6	0.3			.01	240	2.3	REYKJANES
328	MAY 16	REY	IPZ	01 25 30.1	0.4			.16			
			ISN	01 25 39.1	0.8	.33			71		
328	MAY 16	SID	ESZ	01 26 26.7	0.4			.02	240	2.4	REYKJANES

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
329	MAY 16	REY	EPZ	20 16 53.4							
			ISN	20 17 01.2	0.6	.26					
			SZ		0.3			.06	61	1.9	PROB REYKJANES
330	MAY 16	AKU	IPZ	23 26 04.0	0.4			.02			
			ISE	23 26 17.1	0.4		.12		103		
330	MAY 16	EYV	SZ	23 26	0.5			.04	147		S - P = 16,4 SEK
330	MAY 16	REY	EPZ	23 26 22.5	0.4			.04	234		
330	MAY 16	SID	EPZ	23 26 06.9							
			ESZ	23 26 21.3					122	2.6	64.8N 17.3W
331	MAY 21	AKU	IPZ	23 08 01.2	0.2			.07			
			ISZ	23 08 17.4	0.2			.14	121		
331	MAY 21	EYV	SZ	23 08	0.5			.02	157		S - P = 19,5 SEK
331	MAY 21	SID	EPZ	23 08 00.6							
			ESZ	23 08 13.7	0.3			.01	102	2.2	VATNAJÖKULL REGION
332	MAY 23	AKU	IPZ	00 43 36.9							
			ISE	00 43 48.7	0.5		.06		94		
332	MAY 23	EYV	SZ	00 43	0.5			.03	200	2.6	S - P = 24,3 SEK NEAR GRIMSEY
333	MAY 23	AKU	EPZ	00 44 17.7	0.7			.05			
			ISE	00 44 29.7	0.7		.10		96		
333	MAY 23	EYV	SZ	00 44	0.5			.05	200		
333	MAY 23	SID	EPZ	00 44 49.2							
			ESZ	00 45 30.0	0.3			.01	310	2.7	NEAR GRIMSEY
334	MAY 23	AKU	IPZ	01 11 33.0	0.5			.04			
			ISE	01 11 44.6	0.7		.12		93		
334	MAY 23	EYV	SZ	01 11	0.6			.06	196	2.9	S - P = 23,9 SEK NEAR GRIMSEY
335	MAY 23	AKU	IPZ	01 14 44.1	0.7			.02			
			ISE	01 14 55.9	0.5		.06		94		
335	MAY 23	EYV	SZ	01 14	0.6			.03	195	2.5	S - P = 23,8 SEK NEAR GRIMSEY
336	MAY 23	AKU	EPZ	05 31 15.0					317		
336	MAY 23	REY	IPZ	05 30 37.0	0.4			.20			
			ISN	05 30 45.6	0.4	1.18					
			SZ		0.6			.35	68		
336	MAY 23	SID	EPZ	05 31 05.7							
			ESZ	05 31 35.7	0.4			.03	245	2.7	REYKJANES
337	MAY 24	AKU	EPZ	18 14 52.4	0.4			.02			
			ISN	18 15 07.0	0.7	.04			118		
337	MAY 24	EYV	SZ	18 14	0.3			.02	128		S - P = 15,8 SEK
337	MAY 24	SID	EPZ	18 14 53.9							
			SZ		0.3			.01	126	2.2	VATNAJÖKULL REGION
338	MAY 24	AKU	IPZ	21 33 25.9	0.3			.54			
			ISE	21 33 35.8	0.3		1.95		78		
338	MAY 24	EYV	SZ	21 33	0.4			.69	153		S - P = 17,4 SEK
338	MAY 24	REY	EPZ	21 34 03.4	0.7			.17			
			ESZ	21 34 43.2					330		
338	MAY 24	SID	EPZ	21 33 55.6							
			ESZ	21 34 28.9	0.5			.05	275	3.6	66.2N 16.9W
339	MAY 26	AKU	EPZ	17 35 36.3							
			ESZ	17 35 59.8	0.8			.02	193		
339	MAY 26	SID	EPZ	17 35 15.2							
			ISZ	17 35 22.0	0.5			.10	52	2.2	PROB 64.0N 19.0W
340	MAY 28	AKU	EPZ	14 38 18.7							
			ESN	14 38 35.5	0.7	.02			127		
340	MAY 28	EYV	SZ	14 38	0.8			.02	165		S - P = 21,0 SEK
340	MAY 28	SID	ESZ	14 38 29.7	0.4			.02	93	2.2	VATNAJÖKULL REGION
341	MAY 28	AKU	IPZ	20 45 00.1	0.4			.02			
			ISE	20 45 27.3	1.0		.06		228		
341	MAY 28	REY	IPZ	20 44 31.5	0.3			.41			
			ISN	20 44 36.4	0.8	5.00					
			SZ		0.5			1.61	38		
341	MAY 28	SID	IPZ	20 44 48.8	0.2			.08			
			ISZ	20 45 07.0	0.2			.11	154	3.0	64.1N 21.1W
342	MAY 29	AKU	IPZ	05 05 53.2	0.3			.16			
			ISE	05 06 02.9	0.3		.69		82		
342	MAY 29	EYV	SZ	05 06	0.3			.24	146		S - P = 16,9 SEK
342	MAY 29	REY	EPZ	05 06 31.3							
			ESZ	05 07 10.3	0.7			.08	330		
342	MAY 29	SID	EPZ	05 06 21.9							
			ESZ	05 06 56.7	0.3			.01	275	3.1	66.2N 16.7W
343	JUNE 4	AKU	EPZ	03 30 35.0							
			ESN	03 31 04.9	0.7	.02			250	2.6	PROB NORTH OF ICELAND
344	JUNE 5	AKU	EPZ	11 46 47.4							

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ISE	11 46 59.2	0.5		.05		95	2.6	PROB NEAR GRIMSEY
345	JUNE 5	AKU	EPZ	11 47 22.5							
			ESE	11 47 34.0	0.7		.09		92		
345	JUNE 5	SID	EPZ	11 47 52.9	0.3			.01		2.7	NEAR GRIMSEY
346	JUNE 5	AKU	IPZ	12 35 15.7							
			ISE	12 35 27.8	0.7		.29		98		
346	JUNE 5	REY	EPZ	12 35 49.1							
			ESZ	12 36 31.1	0.8			.08	340		
346	JUNE 5	SID	EPZ	12 35 45.4	0.4			.02			
			ESZ	12 36 28.4					310	3.1	NEAR GRIMSEY
347	JUNE 5	AKU	IPZ	13 42 33.0	0.3			.08			
			ISE	13 42 45.2	0.7		.12		99		
347	JUNE 5	SID	EPZ	13 43 03.2	0.3			.01	300	2.8	NEAR GRIMSEY
348	JUNE 5	AKU	IPZ	13 46 53.0	0.3			.05			
			ISE	13 47 04.9	0.7		.07		95		
348	JUNE 5	SID	EPZ	13 47 22.6	0.2			.01	300	2.5	NEAR GRIMSEY
349	JUNE 5	REY	EPZ	23 01 35.4							
			ESZ	23 01 40.0	0.3			.06	35		
349	JUNE 5	SID	EPZ	23 01 53.8	0.2			.01			
			ESZ	23 02 12.1					156	1.8	HENGILL REGION
350	JUNE 6	REY	EPZ	00 55 37.7							
			ISZ	00 55 42.2	0.3			.07	35		
350	JUNE 6	SID	EPZ	00 55 55.0	0.2			.02			
			ESZ	00 56 14.4					156	2.0	HENGILL REGION
351	JUNE 6	REY	IPZ	04 40 05.9	0.2			.04			
			ESZ	04 40 10.4	0.4			.21	33	1.8	PROB REYKJANES PENINSULA
352	JUNE 6	REY	IPZ	19 34 02.7							
			ESZ	19 34 06.9	0.3			.08	35		
352	JUNE 6	SID	IPZ	19 34 21.3	0.2			.02			
			ESZ	19 34 38.5					156	2.0	HENGILL REGION
353	JUNE 7	REY	IPZ	21 45 26.8	0.3			.05			
			ESZ	21 45 45.6					155	2.5	PROB MYRDALSJÖKULL
354	JUNE 8	AKU	EPZ	04 18 51.2							
			SZ		0.8			.02	240		
354	JUNE 8	REY	IPZ	04 18 36.4	0.4			.03			
			ESZ	04 18 54.4	0.6			.15	148	2.9	MYRDALSJÖKULL
355	JUNE 8	REY	IPZ	11 42 06.4							
			ISZ	11 42 14.0	0.5			.25			
			ISN	11 42 14.1	0.6	1.30			60		
355	JUNE 8	SID	EPZ	11 42 34.2							
			ESZ	11 43 04.0	0.2			.02	235	2.6	REYKJANES
356	JUNE 12	SID	EPZ	17 57 09.1							
			ISZ	17 57 16.6	0.6			.11	53	2.1	
357	JUNE 18	REY	IPZ	23 12 05.9							
			ISZ	23 12 16.5	0.3			.12	85	2.5	PROB REYKJANES
358	JUNE 20	REY	EPZ	19 15 58.6							
			ISN	19 16 02.4	0.4	2.47			27		
358	JUNE 20	SID	EPZ	19 16 23.7							
			ESZ	19 16 46.7					193	2.3	63.9N 22.0W
359	JUNE 21	AKU	IPZ	10 39 03.7							
			ISE	10 39 15.8	0.5		.26		98		
359	JUNE 21	EYV	PZ	10 39	0.4			.10	190		S - P = 23,0 SEK
359	JUNE 21	REY	EPZ	10 39 37.2	0.3			.03	340	3.1	NEAR GRIMSEY
360	JUNE 22	AKU	ESE	01 29 03.9	0.8		.01		230		
360	JUNE 22	REY	IPZ	01 28 04.4							
			ISN	01 28 08.7	0.6	2.17					
			SZ		0.4			.55	32	2.3	PROB HENGILL REGION
361	JUNE 22	AKU	IPZ	10 14 55.3							
			ISN	10 15 07.0	0.5	.04			90		
361	JUNE 22	EYV	SZ	10 14	0.5			.06	90	2.2	S - P = 12.0 SEK PROB MYVATN REGION
362	JUNE 23	AKU	EPZ	10 28 15.3							
			ESN	10 28 42.9	1.0	.03			240		
362	JUNE 23	REY	IPZ	10 27 58.6	0.5			.27			
			ISE	10 28 16.5	1.0		1.67		145	3.0	MYRDALSJÖKULL
363	JUNE 25	REY	IPZ	10 47 19.7	0.3			.09			
			ISN	10 47 23.3	0.4	1.76					
			SZ		0.4			.27	27		
363	JUNE 25	SID	EPZ	10 47 39.8							
			ESZ	10 47 59.3	0.3			.01	165	2.1	HENGILL REGION

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
364	JUNE 26	REY	IPZ	07 50 02.7	0.4			.06			
			ISZ	07 50 12.3	0.5			.13	77		
364	JUNE 26	SID	EPZ	07 50 31.3					245	2.2	REYKJANES
365	JUNE 26	REY	EPZ	22 29 50.6							
			ESN	22 30 23.7							
			SZ		0.7			.08	270		
365	JUNE 26	SID	EPZ	22 30 13.0	0.3			.01		3.0	SW OF REYKJANES
366	JUNE 27	AKU	IPZ	18 34 13.9							
			ISE	18 34 26.0	0.8		.09		98		
366	JUNE 27	EYV	PZ	18 34	0.4			.07	200	2.9	S - P = 26,7 SEK NEAR GRIMSEY
367	JUNE 27	REY	IPZ	20 47 25.9	0.1			.21			
			ISZ	20 47 29.2	0.2			.38	25		
367	JUNE 27	SID	EPZ	20 47 51.8	0.2			.02	195	2.3	KLEIFARVATN-BLAFJOLL REGION
368	JUNE 28	AKU	IPZ	04 35 12.6							
			ESE	04 35 23.9	0.6		.05		90		
368	JUNE 28	EYV	PZ	04 35	0.3			.02	200	2.5	S - P = 25,5 SEK NEAR GRIMSEY
369	JUNE 28	AKU	EPZ	14 23 55.9							
			ESE	14 24 24.8	0.9		.02		235		
369	JUNE 28	REY	IPZ	14 23 42.8	0.5			.23 D			
			ISN	14 24 00.7	0.4	.94			147	2.9	MYRDALSJOKULL
370	JUNE 28	AKU	EPZ	14 23 55.9							
			ESN	14 24 28.7	0.8	.01					
			SE		1.0		.02		270	2.7	PROB NORTH OF ICELAND
371	JUNE 30	REY	EPZ	06 36 47.3	0.2			.03			
			ESZ	06 36 59.5					99	2.0	
372	JUNE 30	REY	EPZ	07 00 56.4	0.5						
			ESZ	07 01 07.0	0.4			.06	85	2.0	
373	JUNE 30	REY	EPZ	07 17 29.0							
			ESZ	07 17 39.4	0.4			.06	83	2.0	
374	JUNE 30	REY	EPZ	11 53 02.1							
			ESZ	11 53 11.5	0.4			.04	75	1.8	
375	JULY 3	AKU	IPZ	09 43 09.2	0.6			.11			
			ISE	09 43 21.2	0.7		.21		96		
375	JULY 3	EYV	PZ	09 43	0.4			.08	155		S - P = 23,5 SEK
375	JULY 3	SID	EPZ	09 43 38.3							
			ESZ	09 44 21.5	0.3			.02	310	3.0	NEAR GRIMSEY
376	JULY 5	REY	EPZ	16 45 25.8							
			ISZ	16 45 34.9	0.5			.30	73		
376	JULY 5	SID	EPZ	16 45 53.7							
			ESZ	16 46 25.5	0.3			.02	250	2.7	REYKJANES
377	JULY 6	REY	EPZ	02 36 23.5	0.3			.08			
			ISZ	02 36 32.8	0.5			.17	75		
377	JULY 6	SID	EPZ	02 36 50.3							
			ESZ	02 37 21.8	0.2			.01	250	2.3	REYKJANES
378	JULY 6	AKU	EPN	20 12 39.3	0.6	.01			236		
378	JULY 6	REY	IPZ	20 12 24.1	0.5			.07	146		
378	JULY 6	SID	IPZ	20 12 12.1							
			ISZ	20 12 19.7	0.5			.06	57	2.2	63.6N 19.1W
379	JULY 6	AKU	EPN	20 13 18.9	0.5	.01			233		
379	JULY 6	REY	IPZ	20 13 06.2	0.6			.11	147		
379	JULY 6	SID	IPZ	20 12 52.5							
			ISZ	20 12 59.9	0.5			.08	55	2.3	63.6N 19.1W
380	JULY 10	AKU	IPZ	23 52 24.2							
			ISZ	23 52 32.8	0.5			.09	68	2.5	PROB EYJAFJORDUR-AXARFJORDUR REGION
381	JULY 11	AKU	EPZ	07 11 20.6							
			ESE	07 11 50.6	0.7		.02		235		
381	JULY 11	REY	IPZ	07 11 09.0	0.4			.06			
			ESN	07 11 27.8					150		
381	JULY 11	SID	IPZ	07 10 55.0	0.4			.08			
			ISZ	07 11 02.5	0.4			.17	55	2.5	63.6N 19.1W
382	JULY 12	AKU	EPZ	01 56 18.5							
			ISE	01 56 36.7	0.7		.04		160		
382	JULY 12	REY	IPZ	01 56 09.0	0.3			.05			
			ISZ	01 56 19.5	0.2			.22	95		
382	JULY 12	SID	EPZ	01 56 22.2							
			ESZ	01 56 43.1	0.3			.01	182	2.7	64.9N 20.9W
383	JULY 12	SID	EPZ	20 51 29.3							

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ESZ	20 51 40.0					86	2.3	
384	JULY 13	AKU	EPZ	00 39 24.8							
			ESZ	00 39 44.2	0.7			.01	140		
384	JULY 13	SID	EPZ	00 39 17.8							
			ESZ	00 39 27.5	0.9			.06	85	2.1	PROB VATNAJOKULL REGION
385	JULY 13	AKU	IPZ	18 43 14.4	0.6			.06			
			ISE	18 43 31.3	0.6		.10		133		
385	JULY 13	REY	IPZ	18 43 26.2	0.5			.07	213		
385	JULY 13	SID	IPZ	18 43 07.2	0.3			.06			
			ESZ	18 43 16.7	0.4			.13	85	2.8	64.5N 17.6W
386	JULY 13	REY	IPZ	21 10 18.0	0.2			.27			
			ISE	21 10 21.7	0.6		2.70				
			SZ		0.4			1.10	27		
386	JULY 13	SID	EPZ	21 10 43.1							
			ESZ	21 11 07.3	0.5			.03	158	2.5	63.9N 22.1W
387	JULY 13	REY	IPZ	21 14 24.7	0.2			.38			
			ISE	21 14 28.7	0.4		6.47				
			SZ		0.4			1.66	28		
387	JULY 13	SID	EPZ	21 14 49.8							
			ESZ	21 15 13.1	0.8			.06	198	2.7	63.9N 22.1W
388	JULY 15	AKU	EPZ	08 07 12.0							
			ESE	08 07 19.1	0.9		.07		55	2.2	
389	JULY 15	REY	IPZ	12 49 20.7	0.2			.05			
			ISZ	12 49 27.4	0.5			.13	52	1.9	
390	JULY 18	AKU	IPZ	02 49 24.2							
			ESE	02 49 35.9	0.5		.04		94	2.4	PROB NEAR GRIMSEY
391	JULY 18	AKU	EPZ	08 06 48.9							
			ESZ	08 07 10.9	0.6			.01	178		
391	JULY 18	REY	EPZ	08 06 34.6							
			ISN	08 06 43.4	0.4	.59					
			SZ		0.2			.22	71		
391	JULY 18	SID	EPZ	08 06 47.6	0.3			.03			
			ESZ	08 07 06.0					159	2.5	64.6N 20.8W
392	JULY 19	AKU	EPZ	22 24 55.2							
			ISE	22 25 04.3	0.3		.05		73	2.1	
393	JULY 20	AKU	EPZ	07 32 41.8							
			ESZ	07 32 56.1	0.8			.03	117	2.3	PROB NEAR GRIMSEY
394	JULY 22	SID	EPZ	15 35 51.3							
			ESZ	15 35 58.3	0.6			.10	54	2.0	
395	JULY 24	AKU	IPZ	23 06 36.2	0.7			.09 C			
			ISN	23 06 54.9	0.5	.28			140		
395	JULY 24	EYV	SZ	23 06	0.7			.08	180		S - P = 23,2 SEK
395	JULY 24	REY	EPZ	23 06 46.7	0.5			.13			
			ESN	23 07 15.2	1.4	.57			210		
395	JULY 24	SID	EPZ	23 06 29.4							
			SZ		0.9			.48	80	3.1	64.5N 17.7W
396	JULY 25	AKU	IPZ	14 14 17.0	0.4			.03			
			ISZ	14 14 33.0	0.7			.08	130		
396	JULY 25	EYV	SZ	14 14	0.6			.04	140		S - P = 15,6 SEK
396	JULY 25	SID	EPZ	14 14 14.8	0.3			.03			
			ESZ	14 14 27.2					110	2.5	VATNAJOKULL REGION
397	JULY 26	REY	EPZ	22 34 11.4	0.2			.08			
			ESZ	22 34 19.8	0.8			.19	66	2.1	
398	JULY 27	AKU	EPZ	13 36 17.7	0.7			.02			
			ESE	13 36 33.0	0.9		.03		125	2.4	PROB NEAR GRIMSEY
399	JULY 28	SID	IPZ	12 48 50.7							
			ISZ	12 48 57.9	0.7			.13	56	2.1	
400	JULY 30	AKU	EPZ	17 35 31.0							
			ESE	17 36 00.1	0.5		.02		238		
400	JULY 30	REY	IPZ	17 35 15.3	0.5			.40			
			ISN	17 35 32.5	0.8	.83			140		
400	JULY 30	SID	EPZ	17 35 04.6							
			ESZ	17 35 12.7	0.8			.17	65	2.8	63.6N 19.3W
401	JULY 30	AKU	ESE	19 19 43.3	0.7		.02				
401	JULY 30	REY	IPZ	19 19 02.0	0.6			.12	149		
401	JULY 30	SID	IPZ	19 18 47.3	0.2			.07			
			ISZ	19 18 54.9	0.2			.09	58	2.5	63.6N 19.2W
402	JULY 30	AKU	IPZ	20 04 45.0							
			ISE	20 05 11.3	0.9		.03		242		
402	JULY 30	REY	IPZ	20 04 31.3	0.4			.12			
			ISN	20 04 49.4					149		

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
402	JULY 30	SID	IPZ	20 04 17.8	0.3			.08			
			ISZ	20 04 25.4	0.2			.25	58	2.8	63.6N 19.2W
403	JULY 31	REY	IPZ	10 56 00.4	0.5			.07	150		
403	JULY 31	SID	EPZ	10 55 46.1							
			ESZ	10 55 53.8	0.3			.03	60	2.2	MYRDALSJOKULL
404	AUG. 3	REY	IPZ	00 32 54.0							
			ESZ	00 33 05.2	0.4			.08	90		
404	AUG. 3	SID	EPZ	00 32 55.6							
			ISZ	00 33 12.2	0.3			.03	102	2.2	SOUTH ICELAND LOWLAND
405	AUG. 5	REY	IPZ	11 56 46.0	0.2			.12			
			ISZ	11 56 49.8	0.3			.18	28		
405	AUG. 5	SID	EPZ	11 57 05.8							
			ESZ	11 57 27.4	0.2			.02	163	2.1	HENGILL REGION
406	AUG. 6	AKU	EPZ	04 43 00.9							
			ISE	04 43 09.2	0.3		.06		65		
406	AUG. 6	EYV	EPZ	04 43 25.3							
			ESZ	04 43 49.4	0.4						
406	AUG. 6	REY	ESZ	04 44 03.7	0.3			.01		2.1	PROB 66.2N 18.7W
407	AUG. 9	REY	IPZ	00 52 44.6							
			ESZ	00 52 55.4	0.4			.05	90		
407	AUG. 9	SID	IPZ	00 52 46.0							
			ISZ	00 53 02.6	0.2			.03	102	2.1	SOUTH ICELAND LOWLAND
408	AUG. 9	AKU	EPZ	19 13 16.8							
			ISE	19 13 29.9	0.7		.03		100		
408	AUG. 9	EYV	EPZ	19 13 37.5							
			ESZ	19 13 59.8	0.6			.01	195	2.2	NEAR GRIMSEY
409	AUG. 9	AKU	EPZ	19 14 02.2							
			ISE	19 14 13.9	0.6		.02		95		
409	AUG. 9	EYV	EPZ	19 14 17.5							
			ESZ	19 14 38.1	0.4			.01	193	2.2	NEAR GRIMSEY
410	AUG. 12	AKU	IPZ	23 12 35.2	0.7			.04 C			
			ISE	23 13 03.2	1.0		.06		290		
410	AUG. 12	EYV	IPZ	23 12 45.3	0.7			.27 C	370		
410	AUG. 12	REY	EPZ	23 12 58.9	0.6			.05	490		
410	AUG. 12	SID	EPZ	23 13 04.8	0.8			.03	500	3.4	NORTH OF ICELAND
411	AUG. 14	AKU	EPZ	16 53 03.9							
			ESE	16 53 33.1	1.0		.04		243		
411	AUG. 14	REY	IPZ	16 52 46.5	0.4			.30			
			SE	16 53 03.9	0.6		1.22				
			SZ		0.8			.28	140		
411	AUG. 14	SID	EPZ	16 52 36.1							
			ESZ	16 52 44.8	1.0			.47	67	3.0	MYRDALSJOKULL
412	AUG. 16	AKU	IPZ	23 39 48.6							
			ESE	23 40 00.7	0.5		.02		98		
412	AUG. 16	EYV	EPZ	23 40 07.8							
			ESZ	23 40 30.3					200	2.1	NEAR GRIMSEY
413	AUG. 17	AKU	EPZ	02 31 43.6							
			ISZ	02 31 54.7	0.7			.02	92		
413	AUG. 17	SID	EPZ	02 31 48.4	0.2			.01			
			ESZ	02 32 04.1					120	2.0	PROB 64.9N 18.1W
414	AUG. 17	AKU	EPZ	02 33 01.7							
			ISE	02 33 13.1	0.7		.06		92		
414	AUG. 17	SID	IPZ	02 33 06.6	0.3			.03			
			ESZ	02 33 21.3					120	2.5	PROB 64.9N 18.1W
415	AUG. 19	AKU	EPZ	00 46 17.8							
			ESE	00 46 48.0	1.4		.15		240		
415	AUG. 19	EYV	EPZ	00 46 26.5							
			SZ		0.8			.02	300		
415	AUG. 19	REY	IPZ	00 46 04.1	0.5			1.57			
			ISN	00 46 22.4	0.8	1.67			148	3.3	63.6N 19.2W
416	AUG. 22	AKU	EPZ	11 16 29.8							
			ESZ	11 16 49.1	1.1			.03	145		
416	AUG. 22	SID	EPZ	11 16 21.7							
			ESZ	11 16 32.5	0.3			.01	90	2.5	VATNAJOKULL REGION
417	AUG. 23	REY	IPZ	15 59 07.1							
			ISN	15 59 11.0	0.6	1.22					
			SZ		0.3			.30	26		
417	AUG. 23	SID	EPZ	15 59 28.7							
			ESZ	15 59 48.9	0.2			.01	165	2.1	HENGILL REGION
418	AUG. 23	REY	IPZ	17 13 20.9							
			ISN	17 13 24.3	0.6	.70					
			SZ		0.3			.19	24		
418	AUG. 23	SID	EPZ	17 13 42.5							

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ESZ	17 14 05.2	0.2			.01	168	1.8	HENGILL REGION
419	AUG. 23	REY	IPZ	17 21 37.0							
			ISN	17 21 40.9	0.6	1.83					
			SZ		0.4			.55	25		
419	AUG. 23	SID	EPZ	17 21 58.9	0.3			.03		2.1	HENGILL REGION
420	AUG. 23	AKU	IPZ	17 25 54.5	0.7			.04			
			ISE	17 26 23.9	0.7		.24		238		
420	AUG. 23	EYV	EPZ	17 26 15.0	0.4			.04			
			ESZ	17 26 55.3	0.8			.04	362		
420	AUG. 23	REY	IPZ	17 25 22.8							
			ISN	17 25 26.7	0.4	50.59			24		
420	AUG. 23	SID	IPZ	17 25 43.9	0.2			.24			
			ISZ	17 26 04.9	0.3			.24	168	3.6	64.1N 21.4W
421	AUG. 24	REY	IPZ	01 32 25.1	0.3			.05			
			ISN	01 32 33.5	0.6	.35					
			SZ		0.4			.09	66	2.1	PROB REYKJANES
422	AUG. 24	REY	IPZ	05 48 11.1	0.3			.08			
			ISN	05 48 19.6	0.4	.71					
			SZ		0.4			.14	67		
422	AUG. 24	SID	ESZ	05 49 08.8	0.4			.02		2.3	REYKJANES
423	AUG. 24	REY	IPZ	08 37 29.5							
			ISN	08 37 32.9	0.6	1.30			24		
423	AUG. 24	SID	EPZ	08 37 50.4							
			ESZ	08 38 11.1	0.6			.03	168	2.3	64.1N 21.4W
424	AUG. 24	AKU	IPZ	22 25 34.3	0.7			.03			
			ISZ	22 25 51.3	0.7			.04	135		
424	AUG. 24	SID	IPZ	22 25 26.9	0.2			.03			
			ESZ	22 25 36.6	1.0			.09	80	2.3	VATNAJOKULL REGION
425	AUG. 26	AKU	IPZ	07 40 12.4							
			ISE	07 40 24.1	1.0		.05		95		
425	AUG. 26	EYV	EPZ	07 40 31.0							
			ISZ	07 40 54.1	0.8			.04	205	2.4	NEAR GRIMSEY
426	AUG. 26	AKU	EPZ	08 46 22.2							
			ESZ	08 46 59.1	0.5			.02	300		
426	AUG. 26	EYV	IPZ	08 46 30.2	0.5			.06		2.7	NORTH OF ICELAND
427	AUG. 26	AKU	EPZ	15 42 20.0							
			ESZ	15 42 32.3	0.6			.03	100	2.3	PROB NEAR GRIMSEY
428	AUG. 26	AKU	IPZ	15 52 59.0	0.6			.03			
			ISE	15 53 11.0	0.6		.09		95		
428	AUG. 26	EYV	EPZ	15 53 16.1							
			ESZ	15 53 40.3	0.6			.03	205	2.6	NEAR GRIMSEY
429	AUG. 26	AKU	IPZ	17 03 23.0	0.5			.29			
			ISE	17 03 35.1	0.5		.47		95		
429	AUG. 26	EYV	EPZ	17 03 37.2	0.5			.23			
			ESZ	17 03 59.7	0.7			.54	190		
429	AUG. 26	REY	IPZ	17 03 59.7							
			ESZ	17 04 39.8	0.9			.23	335		
429	AUG. 26	SID	EPZ	17 03 52.0	0.5			.05			
			ESZ	17 04 26.8	0.9			.10	300	3.5	66.5N 17.4W
430	AUG. 26	AKU	IPZ	17 15 04.9	0.6			.31 C			
			ISE	17 15 17.1	0.7		1.52		95		
430	AUG. 26	EYV	EPZ	17 15 20.4	0.5			.26			
			ESZ	17 15 43.3	0.6			.55	196		
430	AUG. 26	REY	EPZ	17 15 38.9	0.4			.13			
			ESZ	17 16 18.6	0.5			.17	335		
430	AUG. 26	SID	EPZ	17 15 34.0	0.3			.03			
			ESZ	17 16 13.5	0.6			.06	305	3.7	66.5N 17.5W
431	AUG. 26	AKU	IPZ	17 16 23.5	0.5			.24			
			ISE	17 16 35.5	0.7		.68		95		
431	AUG. 26	EYV	EPZ	17 16 38.7	0.5			.23			
			ESZ	17 17 06.2	0.6			.48	203		
431	AUG. 26	SID	EPZ	17 16 54.8	0.5			.05			
			ESZ	17 17 27.4	1.2			.16	308	3.5	NEAR GRIMSEY
432	AUG. 26	AKU	IPZ	17 21 12.4	0.4			.03			
			ISE	17 21 24.3	0.5		.06		95		
432	AUG. 26	EYV	EPZ	17 21 27.4							
			ESZ	17 21 50.5	0.6			.04	193	2.6	NEAR GRIMSEY
433	AUG. 26	AKU	IPZ	17 25 37.3	0.5			.09			
			ISE	17 25 49.2	0.6		.31		95		
433	AUG. 26	EYV	EPZ	17 25 52.8	0.6			.08			
			ESZ	17 26 13.6	0.7			.14	200		
433	AUG. 26	SID	EPZ	17 26 08.1							
			ESZ	17 26 50.1	0.2			.01	305	3.0	66.5N 17.6W
434	AUG. 26	AKU	IPZ	18 43 40.4	0.5			.06			

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ISE	18 43 52.7	0.5		.26		100		
434	AUG. 26	EYV	EPZ	18 43 56.2	0.4			.07			
			ESZ	18 44 18.8	0.6			.10	195		
434	AUG. 26	SID	EPZ	18 44 09.5	0.3			.01	310	3.0	NEAR GRIMSEY
435	AUG. 26	AKU	IPZ	19 05 01.0	0.5			.09			
			ISE	19 05 12.9	0.7		.35		95		
435	AUG. 26	EYV	EPZ	19 05 16.2	0.6			.12			
			ESZ	19 05 42.0	0.7			.26	203		
435	AUG. 26	SID	EPZ	19 05 32.3							
			ESZ	19 06 14.3	0.3			.01	307	2.8	NEAR GRIMSEY
436	AUG. 26	AKU	IPZ	20 24 21.5	0.6			.37 C			
			ISE	20 24 33.9	0.7		.82		100		
436	AUG. 26	EYV	EPZ	20 24 37.3	0.5			.31			
			ESZ	20 25 02.3	0.6			.45	206		
436	AUG. 26	REY	EPZ	20 24 55.5							
			ESZ	20 25 36.0	1.1			.35	335		
436	AUG. 26	SID	EPZ	20 24 50.9	0.3			.03			
			ESZ	20 25 33.1	0.6			.06	310	3.6	66.6N 17.7W
437	AUG. 26	AKU	EPZ	20 45 39.0							
			ISE	20 45 51.2	0.5		.03		100		
437	AUG. 26	EYV	EPZ	20 45 58.5							
			ESZ	20 46 21.4	0.5			.02	205	2.4	NEAR GRIMSEY
438	AUG. 26	AKU	IPZ	20 47 42.2							
			ISE	20 47 53.3	0.6		.02		90		
438	AUG. 26	EYV	EPZ	20 48 02.5							
			ESZ	20 48 27.1	0.5			.02	205	2.3	NEAR GRIMSEY
439	AUG. 26	AKU	IPZ	21 26 54.3	0.6			.21 C			
			ISE	21 27 06.6	0.6		.46		100		
439	AUG. 26	EYV	IPZ	21 27 09.7	0.5			.17			
			ESZ	21 27 37.2	0.6			.35	203		
439	AUG. 26	REY	EPZ	21 27 28.8							
			ESZ	21 28 10.9	0.9			.16	335		
439	AUG. 26	SID	EPZ	21 27 23.2							
			ESZ	21 28 03.9	0.3			.02	310	3.4	66.5N 17.6W
440	AUG. 26	AKU	IPZ	21 31 06.4							
			ISZ	21 31 18.3	0.7			.02	95		
440	AUG. 26	EYV	ESZ	21 31 51.0	0.7			.01	210	2.2	NEAR GRIMSEY
441	AUG. 26	AKU	IPZ	22 41 04.8	0.6			1.71 C			
			ISE	22 41 16.4	1.0		10.08		93		
441	AUG. 26	EYV	IPZ	22 41 18.7	0.5			1.60			
			ESZ	22 41 41.0	0.6			3.85	195		
441	AUG. 26	REY	EPZ	22 41 36.0	0.4			.50			
			ESN	22 42 14.2	1.6	7.68					
			SZ		0.9			1.77	333		
441	AUG. 26	SID	EPZ	22 41 33.9	0.5			.30			
			ESZ	22 42 16.6	0.6			.53	302	4.5	66.5N 17.5W FELT
442	AUG. 26	AKU	IPZ	22 43 40.1	0.5			.09			
			ISE	22 43 52.4	0.6		.23		100		
442	AUG. 26	EYV	EPZ	22 43 57.9	0.4			.07			
			ESZ	22 44 24.7	0.6			.16	205	3.2	NEAR GRIMSEY
443	AUG. 26	AKU	IPZ	22 45 08.0	0.6			.14 C			
			ISE	22 45 20.0	0.8		.66		96		
443	AUG. 26	EYV	EPZ	22 45 22.3	0.5			.19			
			ESZ	22 45 45.9	0.6			.35	197		
443	AUG. 26	REY	EPZ	22 45 42.0							
			ESZ	22 46 27.8	0.9			.12	335		
443	AUG. 26	SID	EPZ	22 45 38.9							
			ESZ	22 46 19.5	0.5			.04	305	3.4	66.5N 17.5W
444	AUG. 26	AKU	IPZ	22 47 38.5							
			ISE	22 47 50.3	0.9		14.29		95		
444	AUG. 26	EYV	IPZ	22 47 52.0							
			SZ		0.7			6.88	196		
444	AUG. 26	REY	EPZ	22 48 08.8							
			ISN	22 48 51.4	1.0	20.83					
			SZ		1.2			10.00	334		
444	AUG. 26	SID	IPZ	22 48 07.1							
			I Z	22 48 11.3	0.9			2.74			
			ESZ	22 48 46.2	1.0			3.40	304	4.9	66.5N 17.5W FELT
445	AUG. 26	AKU	IPZ	22 51 24.2	0.6			.29			
			ESE	22 51 35.5	0.6		1.60		91		
445	AUG. 26	EYV	EPZ	22 51 37.3	0.4			.24			
			ESZ	22 52 00.3	0.5			.43	192		
445	AUG. 26	REY	EPZ	22 51 57.0							
			ESZ	22 52 37.5	0.8			.17	332		
445	AUG. 26	SID	EPZ	22 51 54.4	0.3			.03			
			ESZ	22 52 37.1	0.5			.10	300	3.7	66.5N 17.5W
446	AUG. 26	AKU	IPZ	22 52 45.8	0.6			.45			

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ESE	22 52 57.9	0.6		1.06		94		
446	AUG. 26	EYV	EPZ	22 53 00.3	0.7			.64			
			ESZ	22 53 26.2	0.6			.99	202		
446	AUG. 26	REY	EPZ	22 53 18.9	0.6			.15			
			ESZ	22 53 57.8	0.5			.19	330		
446	AUG. 26	SID	EPZ	22 53 14.7	0.6			.07			
			ESZ	22 53 55.9	0.7			.13	305	3.8	66.5N 17.6W
447	AUG. 26	AKU	EPZ	22 55 06.4	0.6			.03			
			ISE	22 55 18.2	0.7		.09		95		
447	AUG. 26	EYV	EPZ	22 55 25.1							
			ESZ	22 55 47.4	0.5			.04	200	2.7	NEAR GRIMSEY
448	AUG. 26	AKU	IPZ	22 59 45.4	0.4			.07			
			ISE	22 59 57.7	0.7		.27		100		
448	AUG. 26	EYV	EPZ	23 00 02.5	0.4			.07			
			ESZ	23 00 24.9	0.8			.14	210		
448	AUG. 26	SID	EPZ	23 00 16.5	0.3			.01	312	3.0	PROB 66.6N 17.7W
449	AUG. 26	AKU	EPZ	23 03 57.5	0.4			.06			
			ISZ	23 04 09.1	0.7			.15	92		
449	AUG. 26	EYV	EPZ	23 04 15.2							
			ESZ	23 04 37.3	0.9			.06	197	2.8	NEAR GRIMSEY
450	AUG. 26	AKU	EPZ	23 10 54.9							
			ESE	23 11 06.8	0.6		.05		93		
450	AUG. 26	EYV	EPZ	23 11 14.4							
			ESZ	23 11 39.9	0.5			.02	215	2.5	NEAR GRIMSEY
451	AUG. 26	AKU	IPZ	23 11 55.6	0.5			.05			
			ISE	23 12 07.3	0.8		.05		93		
451	AUG. 26	EYV	EPZ	23 12 14.2							
			ESZ	23 12 38.1	0.7			.06	206	2.6	NEAR GRIMSEY
452	AUG. 26	AKU	EPZ	23 15 26.6							
			ISE	23 15 38.5	0.5		.03		98	2.3	PROB NEAR GRIMSEY
453	AUG. 26	AKU	IPZ	23 17 41.3							
			ESE	23 17 52.3	0.4		.03		90	2.3	PROB NEAR GRIMSEY
454	AUG. 26	AKU	IPZ	23 21 00.1							
			ISZ	23 21 11.8	0.4			.03	94		
454	AUG. 26	EYV	EPZ	23 21 18.0							
			ESZ	23 21 44.2	0.7			.02	215	2.4	NEAR GRIMSEY
455	AUG. 26	AKU	IPZ	23 31 58.5							
			ESE	23 32 10.5	0.6		.06		96		
455	AUG. 26	EYV	ESZ	23 32 37.7	0.7			.02	200	2.5	NEAR GRIMSEY
456	AUG. 26	AKU	EPZ	23 41 42.3							
			ISE	23 41 54.1	0.5		.03		95		
456	AUG. 26	EYV	EPZ	23 42 00.8							
			ESZ	23 42 21.9	0.7			.02	200	2.3	NEAR GRIMSEY
457	AUG. 26	AKU	IPZ	23 49 21.0							
			ISE	23 49 32.8	0.6		7.37		97		
457	AUG. 26	EYV	IPZ	23 49 35.1							
			ESZ	23 49 59.5	0.6			3.46	197		
457	AUG. 26	REY	IPZ	23 49 52.3	0.6			.90			
			ISN	23 50 33.9	1.2	5.00					
			SZ		0.9			2.12	337		
457	AUG. 26	SID	IPZ	23 49 49.7	0.2			.04			
			I Z	23 49 52.1	0.9			.73			
			ESZ	23 50 30.5	0.9			1.13	307	4.5	66.5N 17.5W FELT
458	AUG. 26	AKU	IPZ	23 51 06.4							
			ISE	23 51 18.1	0.8		1.69		95		
458	AUG. 26	EYV	EPZ	23 51 24.0	0.8			.97			
			ESZ	23 51 46.3	0.8			.89	200		
458	AUG. 26	REY	IPZ	23 51 36.7	0.6			.30			
			ISZ	23 52 20.1	0.8			.52			
			ISN	23 52 21.7	0.8	1.67			333	3.9	NEAR GRIMSEY
459	AUG. 26	AKU	EPZ	23 55 07.5							
			ISE	23 55 19.5	0.5		.04		96	2.3	PROB NEAR GRIMSEY
460	AUG. 26	AKU	IPZ	23 59 01.1	0.6			.03			
			ISE	23 59 13.3	0.7		.06		95		
460	AUG. 26	EYV	EPZ	23 59 19.5							
			ESZ	23 59 45.9	0.6			.05	210	2.7	NEAR GRIMSEY
461	AUG. 27	AKU	EPZ	00 03 28.1							
			ESE	00 03 39.2	0.7		.05		90		
461	AUG. 27	EYV	EPZ	00 03 46.2							
			ESZ	00 04 11.0	0.7			.02	207	2.4	NEAR GRIMSEY
462	AUG. 27	AKU	IPZ	00 24 11.2	0.5			.03 D			
			ESE	00 24 22.5	0.7		.18		90		
462	AUG. 27	EYV	EPZ	00 24 28.1	0.7			.07			

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ESZ	00 24 54.3	0.6			.06	205		
462	AUG. 27	SID	EPZ	00 24 47.2	0.2			.01	302	2.8	NEAR GRIMSEY
463	AUG. 27	AKU	IPZ	00 30 38.2	0.7			.19			
			ISE	00 30 49.2	0.6		.46		89		
463	AUG. 27	EYV	EPZ	00 30 53.9	0.7			.43			
			ESZ	00 31 16.2	0.7			.40	193		
463	AUG. 27	REY	EPZ	00 31 13.2							
			ESZ	00 31 52.1	0.8			.15	330		
463	AUG. 27	SID	EPZ	00 31 07.3	0.4			.05			
			ESZ	00 31 47.5	1.0			.09	299	3.4	66.4N 17.5W
464	AUG. 27	AKU	EPZ	00 33 05.1	0.5			.02			
			ISE	00 33 17.1	0.6		.03		96	2.3	PROB NEAR GRIMSEY
465	AUG. 27	AKU	ISE	00 33 30.6	0.3		.09		95		
465	AUG. 27	EYV	EPZ	00 33 36.2	0.3			.01	195	2.3	PROB NEAR GRIMSEY
466	AUG. 27	AKU	IPZ	00 39 09.6	0.5			.06			
			ISE	00 39 21.3	0.7		.21		94		
466	AUG. 27	EYV	EPZ	00 39 26.6							
			ESZ	00 39 46.8	0.7			.09	200		
466	AUG. 27	SID	EPZ	00 39 42.0	0.3			.01	304	3.0	NEAR GRIMSEY
467	AUG. 27	AKU	IPZ	00 41 54.3							
			ISE	00 42 06.3	0.5		.03		96	2.3	PROB NEAR GRIMSEY
468	AUG. 27	AKU	ISE	00 42 43.2	0.6		.03		96	2.3	PROB NEAR GRIMSEY
469	AUG. 27	AKU	IPZ	00 47 45.2							
			ESE	00 47 57.3	0.7		.04		90		
469	AUG. 27	EYV	EPZ	00 48 04.2	0.7			.03			
			ESZ	00 48 27.0	0.4			.01	200	2.4	NEAR GRIMSEY
470	AUG. 27	AKU	EPZ	01 00 35.2							
			ISE	01 00 47.0	0.5		.04		94	2.3	PROB NEAR GRIMSEY
471	AUG. 27	AKU	EPZ	01 03 50.0							
			ISE	01 04 01.0	0.6		.05		89		
471	AUG. 27	EYV	EPZ	01 04 06.7							
			ESZ	01 04 31.5	0.6			.01	203	2.3	NEAR GRIMSEY
472	AUG. 27	AKU	EPZ	01 05 17.1	0.5			.03			
			ISE	01 05 28.6	0.5		.06		92		
472	AUG. 27	EYV	EPZ	01 05 35.3							
			ESZ	01 06 01.9	0.6			.05	215	2.7	NEAR GRIMSEY
473	AUG. 27	AKU	IPZ	01 15 11.5	0.5			.02			
			ISE	01 15 22.8	0.6		.03		90		
473	AUG. 27	EYV	EPZ	01 15 28.4							
			ESZ	01 15 52.3	0.4			.01	200	2.2	NEAR GRIMSEY
474	AUG. 27	AKU	IPZ	01 50 06.2	0.6			.06			
			ISE	01 50 18.1	0.6		.09		95		
474	AUG. 27	EYV	EPZ	01 50 24.2	0.6			.05			
			ESZ	01 50 50.8	0.7			.07	218		
474	AUG. 27	SID	EPZ	01 50 35.2	0.3			.01	307	2.7	NEAR GRIMSEY
475	AUG. 27	AKU	IPZ	01 57 30.4							
			ISE	01 57 42.8	0.6		.06		95		
475	AUG. 27	EYV	EPZ	01 57 49.1							
			ESZ	01 58 12.1	0.7			.02	205	2.5	NEAR GRIMSEY
476	AUG. 27	AKU	EPZ	01 59 09.5							
			ISE	01 59 21.1	0.5		.03		92		
476	AUG. 27	EYV	EPZ	01 59 27.0							
			ESZ	01 59 49.3	0.3			.01	197	2.3	NEAR GRIMSEY
477	AUG. 27	AKU	IPZ	02 01 43.0	0.5			.12 C			
			ESE	02 01 54.2	0.7		.59		90		
477	AUG. 27	EYV	EPZ	02 01 58.4	0.4			.14			
			ESZ	02 02 22.7	0.4			.24	200		
477	AUG. 27	REY	EPZ	02 02 17.9							
			ESZ	02 02 58.5	0.8			.15	330		
477	AUG. 27	SID	EPZ	02 02 11.5							
			ESZ	02 02 42.9	0.4			.02	300	3.3	66.5N 17.6W
478	AUG. 27	AKU	EPZ	02 03 32.5							
			ISE	02 03 44.0	0.3		.06		91		
478	AUG. 27	EYV	EPZ	02 03 49.9							
			ESZ	02 04 12.0	0.4			.01	197	2.3	NEAR GRIMSEY
479	AUG. 27	AKU	IPZ	02 10 44.2	0.5			.09 C			
			ISE	02 10 55.2	0.6		.27		90		
479	AUG. 27	EYV	EPZ	02 10 59.8	0.4			.09			
			ESZ	02 11 24.2	0.5			.17	197		
479	AUG. 27	SID	EPZ	02 11 14.3	0.3			.01	300	3.0	66.5N 17.6W
480	AUG. 27	AKU	EPZ	02 13 25.0							

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ESE	02 13 37.2	0.5		.05		97		
480	AUG. 27	EYV	EPZ	02 13 42.2	0.4			.01	205	2.3	NEAR GRIMSEY
481	AUG. 27	AKU	EPZ	02 19 01.7							
			ESE	02 19 13.3	0.4		.06		93	2.5	PROB NEAR GRIMSEY
482	AUG. 27	AKU	EPZ	02 19 03.7	0.3			.05			
			ESE	02 19 16.1	0.5		.29		100		
482	AUG. 27	EYV	EPZ	02 19 23.2	0.6			.12			
			ESZ	02 19 48.3	0.6			.16	210		
482	AUG. 27	SID	EPZ	02 19 37.1	0.3			.01		3.3	NEAR GRIMSEY
483	AUG. 27	AKU	EPZ	02 33 32.7							
			ESE	02 33 44.4	0.6		.02		94	2.2	PROB NEAR GRIMSEY
484	AUG. 27	AKU	IPZ	02 45 54.9	0.6			.06 D			
			ISE	02 46 06.5	0.6		.43		93		
484	AUG. 27	EYV	EPZ	02 46 11.5	0.6			.07			
			ESZ	02 46 33.7	0.6			.13	196		
484	AUG. 27	SID	EPZ	02 46 23.3							
			ESZ	02 47 03.0	0.3			.02	303	3.2	NEAR GRIMSEY
485	AUG. 27	AKU	EPZ	02 54 03.3							
			ESE	02 54 14.8	0.5		.02		92		
485	AUG. 27	EYV	ESZ	02 54 49.0	0.3				210	2.1	NEAR GRIMSEY
486	AUG. 27	AKU	EPZ	02 56 48.7							
			EPZ	02 57 01.0	0.6			.14	98		
486	AUG. 27	EYV	EPZ	02 57 07.2							
			ESZ	02 57 32.1	0.5			.06	213		
486	AUG. 27	SID	EPZ	02 57 19.4	0.3			.01		3.0	NEAR GRIMSEY
487	AUG. 27	AKU	IPZ	03 04 40.7	0.6			.02			
			ESE	03 04 53.2	0.6		.03		95		
487	AUG. 27	EYV	EPZ	03 04 58.5							
			EPZ	03 05 19.2	0.8			.02	195	2.3	NEAR GRIMSEY
488	AUG. 27	AKU	IPZ	03 14 47.8	0.5			.26 C			
			ISE	03 14 59.3	0.5		.91		92		
488	AUG. 27	EYV	IPZ	03 15 02.7	0.7			.65			
			ESZ	03 15 28.5	0.6			.83	200		
488	AUG. 27	REY	EPZ	03 15 21.4	0.4			.11			
			ESN	03 16 00.0	0.8	.67					
			SZ		1.0			.41	330		
488	AUG. 27	SID	EPZ	03 15 16.9	0.3			.04			
			ESZ	03 16 01.9	0.4			.06	303	3.6	66.5N 17.6W
489	AUG. 27	AKU	IPZ	03 24 41.2	0.7			.41			
			ISE	03 24 52.4	0.5		1.09		95		
489	AUG. 27	EYV	IPZ	03 24 56.4	0.6			.77			
			ESZ	03 25 22.2	0.6			.90	200		
489	AUG. 27	REY	EPZ	03 25 14.7	0.4			.11			
			ESN	03 25 53.2	0.8	1.33					
			SZ		0.9			.40	330		
489	AUG. 27	SID	EPZ	03 25 11.6	0.4			.04			
			ESZ	03 25 54.3	0.6			.10	308	3.7	66.5N 17.7W
490	AUG. 27	AKU	ISE	03 25 14.9	0.5		1.41		95		
490	AUG. 27	EYV	ESZ	03 25 40.7	0.4			.46	200		
490	AUG. 27	SID	ESZ	03 26 14.7	1.0			.11	305	3.7	NEAR GRIMSEY
491	AUG. 27	AKU	EPZ	03 27 58.3							
			ISE	03 28 09.3	0.5		1.04		92		
491	AUG. 27	EYV	EPZ	03 28 13.7	0.5			.51			
			ESZ	03 28 38.2	0.5			.57	192		
491	AUG. 27	REY	EPZ	03 28 35.0	0.5			.08			
			ESN	03 29 12.5	0.6	.43					
			SZ		0.9			.31	333		
491	AUG. 27	SID	EPZ	03 28 28.7	0.5			.06			
			ESZ	03 29 10.2	1.1			.12	300	3.6	66.5N 17.4W
492	AUG. 27	AKU	IPZ	03 30 18.3	0.6			.11			
			ISE	03 30 29.2	0.6		.27		88		
492	AUG. 27	EYV	EPZ	03 30 35.4	0.6			.16			
			ESZ	03 31 00.6	0.6			.19	205		
492	AUG. 27	SID	EPZ	03 30 49.0	0.3			.02		3.3	PROB 66.5N 17.8W
493	AUG. 27	AKU	IPZ	03 32 54.3							
			ISE	03 33 09.0	0.6		.06		100		
493	AUG. 27	EYV	EPZ	03 33 14.4							
			ESZ	03 33 37.2	0.3			.01	205	2.5	NEAR GRIMSEY
494	AUG. 27	AKU	EPZ	03 39 34.7							
			ISE	03 39 46.3	0.4		.14		91		
494	AUG. 27	EYV	EPZ	03 39 51.8	0.6			.04			
			ESZ	03 40 16.2					204	2.8	NEAR GRIMSEY
495	AUG. 27	AKU	EPZ	03 41 53.2							
			ISE	03 42 04.8	0.5		.06		92		

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
495	AUG. 27	EYV	EPZ	03 42 10.3							
			ESZ	03 42 32.9	0.5			.02	197	2.5	NEAR GRIMSEY
496	AUG. 27	AKU	IPZ	03 46 09.0	0.3			.17			
			ISE	03 46 20.9	0.6		.26		95		
496	AUG. 27	EYV	EPZ	03 46 24.8	0.6			.16			
			ESZ	03 46 48.9	0.6			.16	200		
496	AUG. 27	SID	EPZ	03 46 38.6	0.3			.02		3.2	66.5N 17.6W
497	AUG. 27	AKU	EPZ	03 49 16.8							
			ISE	03 49 27.9	0.5		.06		88		
497	AUG. 27	EYV	EPZ	03 49 33.5							
			ESZ	03 49 56.3	0.4			.02	195	2.5	NEAR GRIMSEY
498	AUG. 27	AKU	IPZ	03 54 20.4							
			ISE	03 54 32.1	0.4		.14		91		
498	AUG. 27	EYV	EPZ	03 54 37.5							
			ESZ	03 55 00.1	0.6			.04	197	2.8	NEAR GRIMSEY
499	AUG. 27	AKU	EPZ	03 56 23.0							
			ISE	03 56 34.7	0.7		.08		92		
499	AUG. 27	EYV	EPZ	03 56 41.0	0.8			.04			
			ESZ	03 57 02.8					200	2.6	NEAR GRIMSEY
500	AUG. 27	AKU	ISE	03 57 09.6	0.6		.05		92		
500	AUG. 27	EYV	ESZ	03 57 38.0	0.7			.02		2.5	PROB NEAR GRIMSEY
501	AUG. 27	AKU	EPZ	03 57 40.7							
			ESE	03 57 52.6	0.8		.05		93		
501	AUG. 27	EYV	EPZ	03 57 59.2							
			ESZ	03 58 24.1	0.8			.03	208	2.5	NEAR GRIMSEY
502	AUG. 27	AKU	EPZ	03 58 55.4							
			ISE	03 59 07.8	0.5		.04		92		
502	AUG. 27	EYV	EPZ	03 59 13.7							
			ESZ	03 59 35.3	0.4			.01	200	2.3	NEAR GRIMSEY
503	AUG. 27	AKU	EPZ	04 10 25.3							
			ESE	04 10 36.2	0.6		.05		90		
503	AUG. 27	EYV	EPZ	04 10 45.1							
			ESZ	04 11 06.7	0.8			.03	200	2.4	NEAR GRIMSEY
504	AUG. 27	AKU	IPZ	04 15 24.0	0.7			.47 D			
			ISE	04 15 35.9	0.8		1.34		95		
504	AUG. 27	EYV	EPZ	04 15 39.2	0.6			.54			
			ESZ	04 16 01.5	0.7			.54	198		
504	AUG. 27	REY	EPZ	04 15 55.9	0.5			.13			
			ISN	04 16 38.9	0.6	.96					
			SZ		0.8			.28	334		
504	AUG. 27	SID	EPZ	04 15 52.3	0.3			.08			
			ESZ	04 16 32.0	0.8			.14	305	3.7	66.5N 17.5W
505	AUG. 27	AKU	EPZ	04 18 39.0							
			ISE	04 18 50.4	0.7		.39		90		
505	AUG. 27	EYV	EPZ	04 18 56.2	0.4			.09			
			ESZ	04 19 16.2	0.6			.13			
505	AUG. 27	SID	EPZ	04 19 09.2	0.5			.03		3.3	NEAR GRIMSEY
506	AUG. 27	AKU	ISE	04 19 33.1	0.8		.19		90		
506	AUG. 27	EYV	EPZ	04 19 37.3	0.7			.17			
			ESZ	04 20 00.2	0.6			.07	190	3.1	NEAR GRIMSEY
507	AUG. 27	AKU	EPZ	04 21 03.9							
			ISE	04 21 15.6	0.8		.13		92		
507	AUG. 27	EYV	EPZ	04 21 21.6							
			ESZ	04 21 43.8	0.5			.04	200	2.8	NEAR GRIMSEY
508	AUG. 27	AKU	IPZ	04 25 39.5	0.6			.40			
			ISE	04 25 51.3	0.7		1.51		94		
508	AUG. 27	EYV	EPZ	04 25 53.7	0.5			.34			
			ESZ	04 26 19.2	0.6			.42	197		
508	AUG. 27	REY	EPZ	04 26 13.2	0.7			.13			
			ESN	04 27 52.3	1.2	.95					
			SZ		0.8			.21	333		
508	AUG. 27	SID	EPZ	04 26 09.9	0.4			.04			
			ESZ	04 26 50.6	1.0			.09	304	3.6	66.5N 17.5W
509	AUG. 27	AKU	IPZ	04 32 03.1							
			ISE	04 32 15.1	0.6		.09		92		
509	AUG. 27	EYV	EPZ	04 32 21.0							
			ESZ	04 32 42.3	0.7			.04	200	2.7	NEAR GRIMSEY
510	AUG. 27	AKU	EPZ	04 34 59.0							
			ESZ	04 35 10.0							
			SE		0.6		.03		88	2.3	PROB NEAR GRIMSEY
511	AUG. 27	AKU	IPZ	05 21 45.4	0.5			.03			
			ISE	05 21 57.2	0.5		.10		93		
511	AUG. 27	EYV	EPZ	05 22 03.0							

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ESZ	05 22 23.4	0.8			.06	192	2.8	NEAR GRIMSEY
512	AUG. 27	AKU	IPZ	05 27 51.4	0.5			.03			
			ISE	05 28 02.8	0.5		.09		90		
512	AUG. 27	EYV	EPZ	05 28 08.0							
			ESZ	05 28 30.2	0.6			.03	195	2.6	NEAR GRIMSEY
513	AUG. 27	AKU	EPZ	06 00 02.2							
			ISE	06 00 14.0	0.8		.03		94	2.3	PROB NEAR GRIMSEY
514	AUG. 27	AKU	IPZ	06 08 39.0	0.6			.03			
			ISE	06 08 50.8	0.6		.14		94		
514	AUG. 27	EYV	EPZ	06 08 57.2	0.6			.03			
			ESZ	06 09 17.3	0.7			.06	195	2.8	NEAR GRIMSEY
515	AUG. 27	AKU	EPZ	06 12 12.9							
			ISE	06 12 24.9	0.5		.03		96	2.3	PROB NEAR GRIMSEY
516	AUG. 27	AKU	EPZ	06 13 15.3							
			ISE	06 13 26.0	0.6		.02		86	2.1	PROB NEAR GRIMSEY
517	AUG. 27	AKU	IPZ	06 28 27.7	0.6			.02			
			ISE	06 28 39.6	0.6		.11		91		
517	AUG. 27	EYV	EPZ	06 28 45.3	0.6			.04			
			ESZ	06 29 07.4					198	2.8	NEAR GRIMSEY
518	AUG. 27	AKU	EPZ	07 03 29.6							
			ISE	07 03 41.0	0.4		.03		91		
518	AUG. 27	EYV	EPZ	07 03 49.2	0.3			.01	200	2.2	NEAR GRIMSEY
519	AUG. 27	AKU	EPZ	07 43 56.0							
			ISE	07 44 08.0	0.5		.02		96	2.2	PROB NEAR GRIMSEY
520	AUG. 27	AKU	IPZ	08 17 30.2	0.4			.06			
			ESE	08 17 42.6	0.7		.16		98		
520	AUG. 27	EYV	IPZ	08 17 45.3	0.5			.11			
			ESZ	08 18 12.2	0.7			.23	205		
520	AUG. 27	SID	EPZ	08 18 01.3							
			EPZ	08 18 39.5	0.2			.01	310	3.0	NEAR GRIMSEY
521	AUG. 27	AKU	IPZ	08 44 22.6							
			ESE	08 44 34.8	0.5		.15		95		
521	AUG. 27	EYV	EPZ	08 44 40.2							
			ESZ	08 45 02.6	0.8			.06	203	2.8	NEAR GRIMSEY
522	AUG. 27	AKU	EPZ	09 18 07.0	0.4			.03			
			ISE	09 18 18.1	0.7		.15		89		
522	AUG. 27	EYV	EPZ	09 18 24.5	0.5			.06			
			ESZ	09 18 48.3	0.6			.12	200	3.0	NEAR GRIMSEY
523	AUG. 27	AKU	EPZ	10 00 14.2							
			ISE	10 00 26.0	0.5		.09		94		
523	AUG. 27	EYV	EPZ	10 00 31.3							
			ESZ	10 00 53.1	0.4			.02	193	2.6	NEAR GRIMSEY
524	AUG. 27	AKU	EPZ	10 16 37.2	0.4			.06			
			ISE	10 16 48.2	0.5		.11		88		
524	AUG. 27	EYV	EPZ	10 16 54.5	0.5			.05	200	2.8	NEAR GRIMSEY
525	AUG. 27	AKU	IPZ	10 18 03.0	0.5			.06			
			EPE	10 18 14.5	0.5		.11		92		
525	AUG. 27	EYV	EPZ	10 18 20.0	0.7			.07			
			ESZ	10 18 41.5					195	2.8	NEAR GRIMSEY
526	AUG. 27	AKU	EPZ	10 48 15.2	0.5			.04			
			ESE	10 48 28.3	0.5		.06		95		
526	AUG. 27	EYV	EPZ	10 48 33.7	0.7			.04			
			ESZ	10 48 55.8					200	2.6	NEAR GRIMSEY
527	AUG. 27	AKU	EPZ	10 50 13.8	0.6			.04			
			ESZ	10 50 26.6	0.5			.09	100		
527	AUG. 27	EYV	EPZ	10 50 33.1	0.7			.04			
			ESZ	10 50 56.4					210	2.7	NEAR GRIMSEY
528	AUG. 27	AKU	EPZ	11 19 36.0							
			ISE	11 19 47.8	0.7		.05		94		
528	AUG. 27	EYV	EPZ	11 19 54.4							
			ESZ	11 20 18.0	0.5			.03	204	2.5	NEAR GRIMSEY
529	AUG. 27	AKU	IPZ	12 01 53.0	0.4			.06			
			ESE	12 02 04.3	0.5		.07		90		
529	AUG. 27	EYV	EPZ	12 02 10.3	0.6			.03		2.6	NEAR GRIMSEY
530	AUG. 27	AKU	IPZ	12 12 55.3							
			ISE	12 13 07.3	0.5		4.53		96		
530	AUG. 27	EYV	IPZ	12 13 08.6	0.6			2.88			
			ISZ	12 13 35.0	0.7			3.48	196		
530	AUG. 27	REY	EPZ	12 13 26.3	0.3			.32			
			ESN	12 14 08.4	1.6	6.32					
			SZ		1.0			1.72	336		

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
530	AUG. 27	SID	EPZ	12 13 24.0	0.5			.09			
			ISZ	12 13 56.0	0.6			.07			
			E Z	12 14 03.9	0.7			.32	305	4.3	66.5N 17.5W FELT
531	AUG. 27	AKU	EPZ	12 20 03.0							
			ESE	12 20 15.1	0.6		.06		96		
531	AUG. 27	EYV	EPZ	12 20 20.3							
			ESZ	12 20 41.4	0.5			.02	196	2.5	NEAR GRIMSEY
532	AUG. 27	AKU	EPZ	12 28 01.9							
			ESE	12 28 13.4	0.4		.03		90		
532	AUG. 27	EYV	EPZ	12 28 19.8							
			ESZ	12 28 44.3	0.6			.02	205	2.3	NEAR GRIMSEY
533	AUG. 27	AKU	IPZ	12 29 34.5	0.6			.03			
			ESE	12 29 46.0	0.5		.08		90		
533	AUG. 27	EYV	EPZ	12 29 52.3							
			ESZ	12 30 14.0	0.6			.06	197	2.7	NEAR GRIMSEY
534	AUG. 27	AKU	EPZ	13 03 06.3							
			ISE	13 03 18.3	0.6		.03		95		
534	AUG. 27	EYV	ESZ	13 03 47.2	0.8			.03	200	2.4	NEAR GRIMSEY
535	AUG. 27	AKU	IPZ	13 29 12.1	0.5			.03			
			ESE	13 29 23.8	0.6		.10		94		
535	AUG. 27	EYV	EPZ	13 29 29.7							
			ESZ	13 29 55.9	0.6			.06	210	2.8	NEAR GRIMSEY
536	AUG. 27	AKU	IPZ	13 44 43.5	0.5			.03			
			ISE	13 44 55.3	0.6		.27		94		
536	AUG. 27	EYV	EPZ	13 44 59.8	0.4			.03			
			ESZ	13 45 21.5	0.6			.10	190	3.1	NEAR GRIMSEY
537	AUG. 27	AKU	ISE	13 45 39.1	0.5		.04		95		
537	AUG. 27	EYV	ESZ	13 46 05.7	0.3			.02	190	2.4	PROB NEAR GRIMSEY
538	AUG. 27	AKU	IPZ	13 49 17.6	0.5			.15 C			
			ISE	13 49 29.1	0.5		.59		93		
538	AUG. 27	EYV	IPZ	13 49 33.1	0.6			.37			
			ESZ	13 49 57.5	0.6			.61	200		
538	AUG. 27	REY	EPZ	13 49 49.9	0.4			.05			
			ESN	13 50 32.3	0.6	.35					
			SZ		0.4			.09	330		
538	AUG. 27	SID	EPZ	13 49 48.8	0.4			.03			
			ESZ	13 50 22.6	0.7			.06	305	3.4	66.5N 17.6W
539	AUG. 27	AKU	EPZ	14 39 19.4							
			ISE	14 39 31.1	0.6		.03		94		
539	AUG. 27	EYV	ESZ	14 39 58.8	0.8			.02	200	2.3	
540	AUG. 27	AKU	EPZ	14 42 11.0							
			ISE	14 42 23.1	0.5		.03		98		
540	AUG. 27	EYV	ESZ	14 42 52.7	0.6			.01	200	2.2	NEAR GRIMSEY
541	AUG. 27	AKU	EPZ	14 52 08.0							
			ESE	14 52 20.1	0.5		.09		98		
541	AUG. 27	EYV	EPZ	14 52 22.3							
			ESZ	14 52 45.2	0.7			.05	190	2.7	NEAR GRIMSEY
542	AUG. 27	AKU	EPZ	15 58 11.6							
			ESE	15 58 23.9	0.6		.03		100		
542	AUG. 27	EYV	ESZ	15 58 54.6	0.7			.02	210	2.3	NEAR GRIMSEY
543	AUG. 27	AKU	EPZ	16 31 49.2							
			ESE	16 32 01.0	0.6		.03		94	2.3	PROB NEAR GRIMSEY
544	AUG. 27	AKU	EPZ	18 30 25.1							
			ESE	18 30 37.0	0.6		.03		95	2.3	PROB NEAR GRIMSEY
545	AUG. 27	AKU	EPZ	20 48 48.2	0.7			.02			
			ISE	20 49 00.1	0.6		.09		95		
545	AUG. 27	EYV	EPZ	20 49 04.6							
			ESZ	20 49 27.3	0.7			.02	195	2.5	NEAR GRIMSEY
546	AUG. 27	AKU	IPZ	21 31 06.0	0.4			.07			
			ESE	21 31 18.0	0.7		.12		95		
546	AUG. 27	EYV	EPZ	21 31 22.8	0.5			.08			
			ESZ	21 31 48.5	0.6			.06	210		
546	AUG. 27	SID	EPZ	21 31 40.0	0.3			.01	308	2.8	NEAR GRIMSEY
547	AUG. 27	AKU	IPZ	21 34 26.0	0.3			.11			
			ESE	21 34 38.0	0.7		.12		95		
547	AUG. 27	EYV	EPZ	21 34 42.6	0.4			.07			
			ESZ	21 35 07.6	0.6			.10	207		
547	AUG. 27	SID	EPZ	21 34 55.4	0.3			.01	306	2.8	NEAR GRIMSEY
548	AUG. 27	AKU	EPZ	22 21 10.1							
			ISE	22 21 22.1	0.8		.06		96		
548	AUG. 27	EYV	EPZ	22 21 28.3							

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ESZ	22 21 51.4	0.4			.01	203	2.5	NEAR GRIMSEY
549	AUG. 28	AKU	EPZ	01 10 56.0							
			ESE	01 11 07.8	0.9		.03		94		
549	AUG. 28	EYV	EPZ	01 11 14.7							
			ESZ	01 11 37.7	0.7			.02	203	2.3	NEAR GRIMSEY
550	AUG. 28	AKU	EPZ	02 26 53.0							
			ISE	02 27 05.3	1.0		.04		97		
550	AUG. 28	EYV	EPZ	02 27 12.3							
			ESZ	02 27 34.8	0.5			.03	203	2.4	NEAR GRIMSEY
551	AUG. 28	REY	EPZ	04 14 58.3	0.3			.06			
			ISZ	04 15 20.3	0.8			.24	180		
551	AUG. 28	SID	EPZ	04 15 16.8	0.3			.01		3.1	PROB SW OF REYKJANES
552	AUG. 28	AKU	IPZ	05 12 41.4	0.5			.03			
			ISE	05 12 53.3	0.6		.10		95		
552	AUG. 28	EYV	EPZ	05 12 56.7							
			ESZ	05 13 18.9	0.6			.06	192	2.8	NEAR GRIMSEY
553	AUG. 28	AKU	EPZ	05 26 12.9	1.0			.05			
			ESE	05 27 10.6	1.0		.03		430		
553	AUG. 28	REY	EPZ	05 25 38.3	1.0			.51			
			ESE	05 26 00.2	1.4		2.29				
			SZ		0.8			.54	180		
553	AUG. 28	SID	EPZ	05 25 57.6							
			ESZ	05 26 33.5	1.0			.13	320	3.4	SW OF REYKJANES
554	AUG. 28	AKU	EPZ	10 46 36.6							
			ESE	10 46 47.1	0.5		.03		85		
554	AUG. 28	EYV	EPZ	10 46 54.2							
			ESZ	10 47 18.0	0.4				197	2.0	NEAR GRIMSEY
555	AUG. 28	REY	IPZ	12 15 24.7	0.2			.12			
			ISN	12 15 28.5	0.6	.78					
			SZ		0.3			.06	25		
555	AUG. 28	SID	EPZ	12 15 47.2	0.3			.01	166	1.9	PROB HENGILL REGION
556	AUG. 28	AKU	EPZ	13 17 01.2							
			ISE	13 17 13.9	0.3		.05		100		
556	AUG. 28	EYV	EPZ	13 17 20.3							
			ESZ	13 17 45.3	0.4				210	2.1	NEAR GRIMSEY
557	AUG. 28	AKU	EPZ	13 26 05.8	0.5			.32			
			ISE	13 26 17.9	0.6		.80		94		
557	AUG. 28	EYV	EPZ	13 26 22.4	0.4			.17			
			ESZ	13 26 45.9	0.7			.38	206		
557	AUG. 28	REY	EPZ	13 26 38.2							
			ESZ	13 27 16.9	1.0			.21	328		
557	AUG. 28	SID	IPZ	13 26 34.8	0.6			.06			
			ESZ	13 27 08.5					305	3.5	66.5N 17.8W
558	AUG. 29	AKU	IPZ	09 39 35.6	0.5			.03			
			ESE	09 39 53.2	0.9		.04		140		
558	AUG. 29	EYV	EPZ	09 39 39.4							
			ESZ	09 40 01.1	0.4			.01	167		
558	AUG. 29	SID	IPZ	09 39 26.8	0.4			.02			
			ISZ	09 39 38.2	0.4			.04	85	2.2	64.5N 17.4W
559	AUG. 30	AKU	EPZ	17 44 55.4							
			ESE	17 45 26.0	1.1		.05		242		
559	AUG. 30	REY	IPZ	17 44 37.2	0.5			.44			
			ISN	17 44 56.4	0.8	1.42			143		
559	AUG. 30	SID	EPZ	17 44 27.8	0.6			.06			
			ESZ	17 44 37.1	0.9			.31	64	2.9	MYRDALSJOKULL
560	AUG. 30	AKU	EPZ	23 58 13.2							
			ESZ	23 58 43.8	0.7			.02	242		
560	AUG. 30	REY	IPZ	23 57 53.2	0.5			.42			
			ESN	23 58 11.6	1.0	.92			143		
560	AUG. 30	SID	IPZ	23 57 42.6	0.6			.03			
			ESZ	23 57 51.9	0.9			.16	64	2.7	MYRDALSJOKULL
561	AUG. 31	AKU	IPZ	00 54 34.9	0.4			.05			
			ESE	00 54 46.1	0.6		.12		90		
561	AUG. 31	EYV	EPZ	00 54 49.6	0.7			.14			
			ESZ	00 55 09.9	0.7			.14	180	3.0	NEAR GRIMSEY
562	AUG. 31	SID	EPZ	04 53 13.0	0.2						
			ESZ	04 53 20.2	0.9			.13	56	2.0	
563	AUG. 31	AKU	IPZ	05 18 11.4	0.6			.06			
			ISE	05 18 29.5	0.9		.30		135		
563	AUG. 31	EYV	EPZ	05 18 18.7							
			ESZ	05 18 39.2	0.6			.04	174		
563	AUG. 31	REY	EPZ	05 18 23.5	0.8			.16			
			ESZ	05 19 00.2					214		
563	AUG. 31	SID	EPZ	05 18 03.9							
			I Z	05 18 08.8							

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ISZ	05 18 17.6	0.8			.35	85	3.0	64.5N 17.6W
564	AUG. 31	AKU	EPZ	09 00 42.0							
			ESN	09 01 21.7	0.8	.03			310		
564	AUG. 31	REY	IPZ	09 00 04.0	0.2			.25 D			
			ISN	09 00 11.6	0.6	1.30					
			SZ		0.4			.44	60		
564	AUG. 31	SID	ISZ	09 01 01.7	0.3			.03	235	2.8	REYKJANES
565	SEP. 1	AKU	IPZ	07 31 02.8	0.4			.19 C			
			I Z	07 31 04.8	0.6			.40			
			ISE	07 31 14.0	0.7		2.62		91		
565	SEP. 1	EYV	EPZ	07 31 17.0							
			I Z	07 31 18.2	0.6			.64			
			ESZ	07 31 40.3	0.7			1.63	191		
565	SEP. 1	REY	EPZ	07 31 37.0	0.5			.22			
			ISN	07 32 17.4	0.6	.87					
			SZ		0.5			.31	332		
565	SEP. 1	SID	EPZ	07 31 33.8	0.6			.11			
			ESZ	07 32 10.6	0.8			.21	300	3.9	66.5N 17.5W
566	SEP. 5	AKU	IPZ	00 58 49.7	0.6			.03			
			ISE	00 59 00.3	0.5		.06		90		
566	SEP. 5	EYV	EPZ	00 59 06.1	0.7			.04			
			ISZ	00 59 32.7	0.7			.07	205	2.7	NEAR GRIMSEY
567	SEP. 6	AKU	IPZ	00 20 50.4							
			ESE	00 21 19.2	0.7		.02		240		
567	SEP. 6	EYV	EPZ	00 20 59.7	0.8			.04		2.6	NORTH OF ICELAND
568	SEP. 6	AKU	EPZ	07 27 19.9							
			ISE	07 27 52.9	0.6		.03		270		
568	SEP. 6	EYV	EPZ	07 27 29.3	0.7			.04	330	3.0	NORTH OF ICELAND
569	SEP. 6	AKU	EPZ	07 28 08.4							
			ESZ	07 28 39.9	0.7			.04	260		
569	SEP. 6	EYV	ESZ	07 28 18.0							
			ESZ	07 28 53.5	1.0			.08	325	3.1	NORTH OF ICELAND
570	SEP. 6	AKU	EPZ	07 29 33.3							
			ESZ	07 30 06.0	0.9			.06	270		
570	SEP. 6	EYV	IPZ	07 29 43.2							
			ESZ	07 30 18.2	0.3			.04	335	3.2	NORTH OF ICELAND
571	SEP. 6	REY	EPZ	07 38 58.7							
			ISN	07 39 29.2	0.6	.87					
			SZ		0.5			.22	250		
571	SEP. 6	SID	EPZ	07 39 15.8							
			ESZ	07 39 59.4	1.1			.05	370	3.3	SW OF REYKJANES
572	SEP. 6	AKU	ESZ	15 09 29.9	0.3			.01	230		
572	SEP. 6	REY	EPZ	15 08 45.9	0.8			.09	140		
572	SEP. 6	SID	EPZ	15 08 36.3							
			ESZ	15 08 43.2	0.5			.10	58	2.2	MYRDALSJÖKULL
573	SEP. 7	SID	MZ	18 10	1.0			.19	55	2.1	
574	SEP. 7	SID	MZ	18 22	1.0			.58	55	2.6	
575	SEP. 7	SID	MZ	18 29	1.1			.49	55	2.4	
576	SEP. 7	SID	MZ	18 38	1.0			.34	55	2.4	
577	SEP. 7	SID	MZ	18 49	1.0			.83	55	2.8	
578	SEP. 7	SID	MZ	18 57	1.0			.28	55	2.3	
579	SEP. 7	SID	MZ	19 04	1.0			.47	55	2.5	
580	SEP. 7	SID	MZ	19 11	1.0			.28	55	2.3	
581	SEP. 7	SID	MZ	19 22	1.0			.70	55	2.7	
582	SEP. 7	SID	MZ	19 30	1.0			.21	55	2.1	
583	SEP. 7	SID	MZ	19 48	1.0			.49	55	2.5	
584	SEP. 7	SID	MZ	20 02	1.0			.45	55	2.5	
585	SEP. 7	SID	MZ	20 16	1.0			.38	55	2.4	
586	SEP. 7	SID	MZ	20 41	1.0			.38	55	2.4	
587	SEP. 7	SID	MZ	20 59	1.0			.36	55	2.4	
588	SEP. 7	SID	MZ	21 35	1.0			.19	55	2.1	
589	SEP. 7	SID	MZ	22 10	1.0			.21	55	2.1	

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
590	SEP. 7	SID	MZ	23 07	1.1			.26	55	2.1	
591	SEP. 8	SID	MZ	00 17	1.0			.21	55	2.1	
592	SEP. 8	SID	MZ	00 40	1.0			.34	55	2.4	
593	SEP. 8	SID	MZ	01 28	1.0			.34	55	2.4	
594	SEP. 8	SID	MZ	01 48	1.0			.19	55	2.1	
595	SEP. 8	SID	MZ	02 59	1.0			.21	55	2.1	
596	SEP. 8	SID	MZ	17 59	1.0			.19	55	2.1	
597	SEP. 8	SID	MZ	20 28	1.0			.23	55	2.2	
598	SEP. 9	REY	IPZ	02 06 45.4							
			ISN	02 06 49.8	0.4	2.94					
			SZ		0.7			1.34	33		
598	SEP. 9	SID	EPZ	02 07 04.3	0.4			.10			
			ESZ	02 07 23.3	0.5			.06	159	2.7	HENGILL REGION
599	SEP. 9	REY	IPZ	04 08 26.4							
			ISN	04 08 37.8	0.6	.35					
			SZ		0.3			.09	91	2.4	PROB REYKJANES
600	SEP. 9	AKU	EPZ	04 52 33.1							
			ESN	04 53 15.7	0.7	.04			341		
600	SEP. 9	REY	IPZ	04 51 56.2							
			ISN	04 52 07.7	0.8	1.92					
			SZ		0.5			.77	92		
600	SEP. 9	SID	EPZ	04 52 22.4							
			ESZ	04 52 54.6	0.8			.08	262	3.1	63.6N 23.3W
601	SEP. 9	AKU	EPZ	05 01 07.8							
			ESN	05 01 48.2	0.9	.04			342		
601	SEP. 9	REY	IPZ	05 00 28.7	0.6			.74 D			
			ISN	05 00 40.3	0.4	2.82					
			SZ		0.4			.62	93		
601	SEP. 9	SID	EPZ	05 00 54.6							
			ESZ	05 01 21.3	0.5			.05	262	3.1	REYKJANES
602	SEP. 9	AKU	EPZ	05 04 59.9	0.6			.09			
			ESN	05 05 44.6	0.7	.21					
602	SEP. 9	REY	IPZ	05 04 25.6	0.7			3.08			
			ISN	05 04 37.3	1.0	11.25					
			SE		1.0		13.08				
			SZ		0.4			3.65	93		
602	SEP. 9	SID	EPZ	05 04 50.2	0.5			.13			
			ESZ	05 05 19.9	0.4			.17	261	3.8	REYKJANES
603	SEP. 9	REY	IPZ	05 17 21.1	0.5			.13			
			ESN	05 17 32.8	0.6	.43					
			SZ		0.7			.31	93		
603	SEP. 9	SID	EPZ	05 17 45.5							
			ESZ	05 18 16.8	0.6			.02	259	2.6	REYKJANES
604	SEP. 9	AKU	EPZ	06 30 33.9	0.7			.06			
			ESN	06 31 18.9	0.8	.26			343		
604	SEP. 9	EYV	EPZ	06 30 58.9	0.8			.04	475		
604	SEP. 9	REY	IPZ	06 29 59.3	0.5			2.42			
			ISN	06 30 11.1	0.8	12.50					
			SZ		0.5			4.84	94		
604	SEP. 9	SID	EPZ	06 30 23.9	0.5			.15			
			ESZ	06 30 56.8	0.9			.32	265	3.8	REYKJANES FELT
605	SEP. 9	AKU	EPZ	06 33 14.3	0.6			.14			
			ISN	06 33 59.8	0.8	.38			340		
605	SEP. 9	EYV	EPZ	06 33 39.6							
			ESZ	06 34 27.4	0.9			.07	470		
605	SEP. 9	REY	IPZ	06 32 40.2	0.5			4.77			
			ISN	06 32 51.4	1.0	22.92					
			SE		1.0		25.83				
			SZ		0.7			7.44	90		
605	SEP. 9	SID	EPZ	06 33 04.0	0.3			.21			
			ESZ	06 33 32.8	0.9			.61	258	4.0	REYKJANES FELT
606	SEP. 9	AKU	EPZ	06 37 41.5					335		
			ESN	06 38 21.6	1.0	.05					
606	SEP. 9	REY	IPZ	06 36 59.0	0.4			.27			
			ISN	06 37 09.6	1.4	3.05					
			SZ		0.5			.70	86		
606	SEP. 9	SID	EPZ	06 37 24.4							
			ESZ	06 37 55.9	0.8			.08	259	3.1	REYKJANES FELT
607	SEP. 9	REY	IPZ	06 43 05.1	0.4			.09			
			ISN	06 43 16.3	0.8	.33					
			SZ		0.5			.31	90		
607	SEP. 9	SID	EPZ	06 43 30.3							

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ESZ	06 44 00.7	0.3			.01	258	2.7	REYKJANES
608	SEP. 9	AKU	EPZ	08 43 38.9	0.3			.02			
608	SEP. 9	REY	EPZ	08 43 02.5							
			ESZ	08 43 13.6	0.7			.20	89		
608	SEP. 9	SID	EPZ	08 43 25.4					253	2.4	REYKJANES
609	SEP. 9	REY	EPZ	09 20 36.5	0.4			.09			
			ESN	09 20 47.5	0.8	.83					
			SZ		0.4			.18	88		
609	SEP. 9	SID	EPZ	09 21 01.4							
			ESZ	09 21 32.5					255	2.7	REYKJANES
610	SEP. 9	AKU	EPZ	09 41 15.9							
			ESN	09 41 57.1	0.9	.02			337		
610	SEP. 9	REY	IPZ	09 40 41.0	0.6			.30			
			ISN	09 40 51.8	0.8	.92					
			SZ		0.7			.67	88		
610	SEP. 9	SID	EPZ	09 41 05.7							
			ESZ	09 41 38.1	0.6			.04	259	2.8	REYKJANES
611	SEP. 9	REY	EPZ	09 48 58.5							
			ISN	09 49 09.1	1.0	.42					
			SZ		0.3			.09	85		
611	SEP. 9	SID	EPZ	09 49 24.7							
			ESZ	09 50 00.9	0.4			.02	260	2.7	REYKJANES
612	SEP. 10	AKU	ESZ	09 28 17.5	0.8			.01			
612	SEP. 10	REY	IPZ	09 26 56.8	0.3			.15 D			
			ISN	09 27 06.6	0.6	.70			78	2.5	REYKJANES
613	SEP. 10	AKU	EPZ	09 31 07.0							
			ESN	09 31 46.2	0.8	.03			329		
613	SEP. 10	REY	IPZ	09 30 30.3	0.5			.55 D			
			ISN	09 30 40.2	1.0	2.67					
			SZ		0.5			.75	79	3.1	REYKJANES
614	SEP. 10	AKU	ESN	09 52 18.0	0.7	.01					
614	SEP. 10	REY	IPZ	09 50 58.4	0.3			.09 D			
			ESN	09 51 08.2	1.0	1.08					
			SZ		0.4			.16	78	2.6	REYKJANES
615	SEP. 10	AKU	EPN	10 05 15.3							
			ESN	10 05 55.9	1.0	.02			333		
615	SEP. 10	REY	EPZ	10 04 40.4	0.3			.23			
			ISN	10 04 50.8	0.8	1.33					
			SZ		0.4			.26	83	2.8	REYKJANES
616	SEP. 10	REY	EPZ	12 12 12.7							
			ISN	12 12 23.0	0.4	.47					
			SZ		0.5			.11	82	2.3	PROB REYKJANES
617	SEP. 10	REY	IPZ	12 21 07.2							
			ISN	12 21 17.3	0.6	.35					
			SZ		0.6			.15	81	2.3	PROB REYKJANES
618	SEP. 10	REY	IPZ	12 53 22.0							
			ISN	12 53 32.2	0.8	.33					
			SZ		0.5			.18	82	2.4	PROB REYKJANES
619	SEP. 12	AKU	IPZ	04 29 46.4	0.5			.09 C			
			ISN	04 30 04.9	0.8	.31			132		
619	SEP. 12	EYV	EPZ	04 29 52.6							
			I Z	04 29 55.1	0.7			.06			
			ISZ	04 30 13.1	0.6			.11	173		
619	SEP. 12	REY	EPZ	04 29 58.4	0.4			.05			
			ISN	04 30 26.5	1.0	.42			215		
619	SEP. 12	SID	IPZ	04 29 38.8							
			ISZ	04 29 53.5	0.8			.28	86	3.0	64.5N 17.6W
620	SEP. 12	AKU	IPZ	07 46 33.9							
			ISN	07 46 41.1	0.6	.58					
			SZ		1.0			1.06	59		
620	SEP. 12	EYV	IPZ	07 46 45.2	0.2			.18 C			
			ISZ	07 47 01.8	0.5			.87	136		
620	SEP. 12	REY	EPZ	07 47 12.0	0.6			.12			
			ISN	07 47 44.5	1.0	.33			306		
620	SEP. 12	SID	IPZ	07 47 00.8	0.4			.06			
			ISZ	07 47 30.6	0.8			.11	243	3.4	65.9N 16.9W
621	SEP. 14	SID	MZ	04 03	1.0			.21	55	2.1	
622	SEP. 14	SID	MZ	05 38	1.0			.45	55	2.5	
623	SEP. 14	SID	MZ	06 11	1.0			.28	55	2.3	
624	SEP. 14	SID	MZ	07 20	1.0			.57	55	2.6	
625	SEP. 14	SID	MZ	08 58	1.0			.72	55	2.7	

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
626	SEP. 14	SID	MZ	12 21	1.1			.82	55	2.6	
627	SEP. 14	AKU	EPZ	12 31 58.7	0.8			.03			
			ESN	12 32 27.0	1.0	.03					
			SE		1.0		.04		245		
627	SEP. 14	REY	EPZ	12 31 41.2	0.4			.26			
			ISN	12 31 59.2	0.6	1.30			148		
627	SEP. 14	SID	EPZ	12 31 31.6	0.4			.05			
			ESZ	12 31 45.1	1.0			.38	62	2.9	MYRDALSJOKULL
628	SEP. 14	SID	MZ	13 46	1.0			1.04	55	2.8	
629	SEP. 14	SID	MZ	14 27	1.0			.66	55	2.6	
630	SEP. 14	SID	MZ	14 58	1.0			.83	55	2.7	
631	SEP. 14	SID	MZ	15 27	1.0			.34	55	2.4	
632	SEP. 14	SID	MZ	16 11	1.0			1.02	55	2.8	
633	SEP. 14	SID	MZ	16 35	1.0			.17	55	2.1	
634	SEP. 14	SID	MZ	17 14	1.0			.64	55	2.6	
635	SEP. 14	SID	MZ	18 24	1.0			.47	55	2.5	
636	SEP. 14	SID	MZ	19 56	1.0			.43	55	2.5	
637	SEP. 14	SID	MZ	22 02	1.0			.21	55	2.1	
638	SEP. 15	AKU	EPZ	04 28 26.9							
			ESN	04 28 37.8	0.6	.06			87	2.5	PROB NEAR GRIMSEY
639	SEP. 15	AKU	IPZ	07 46 56.9	0.4			.16 C			
			ISE	07 47 05.6	0.4		.81		69		
639	SEP. 15	REY	EPZ	07 47 33.8							
			ESZ	07 48 12.7	0.8			.09	318		
639	SEP. 15	SID	EPZ	07 47 26.5							
			ESZ	07 47 59.8	0.4			.03	270	3.2	66.2N 17.1W
640	SEP. 16	SID	MZ	04 19	1.0			.15	55	2.0	
641	SEP. 16	SID	MZ	05 45	1.0			.85	55	2.7	
642	SEP. 16	SID	MZ	07 40	1.0			.75	55	2.7	
643	SEP. 16	SID	MZ	08 21	1.0			.23	55	2.2	
644	SEP. 16	SID	MZ	09 12	1.0			.66	55	2.6	
645	SEP. 16	SID	MZ	13 35	1.0			1.32	55	2.9	
646	SEP. 16	SID	MZ	14 00	1.0			.57	55	2.6	
647	SEP. 16	SID	MZ	14 32	1.0			.89	55	2.8	
648	SEP. 16	SID	MZ	15 02	1.0			.75	55	2.7	
649	SEP. 16	SID	MZ	15 23	1.0			.64	55	2.6	
650	SEP. 16	SID	MZ	15 51	1.0			.66	55	2.6	
651	SEP. 16	SID	MZ	16 37	1.0			.49	55	2.5	
652	SEP. 16	AKU	EPZ	18 15 32.2							
			ESE	18 16 04.7	0.6		.02		244		
652	SEP. 16	REY	IPZ	18 15 15.4	0.4			.27			
			ISN	18 15 33.0	0.4	.82			149		
652	SEP. 16	SID	EPZ	18 15 03.7							
			SZ		1.0			.25	60	2.7	MYRDALSJOKULL
653	SEP. 16	AKU	EPZ	23 07 34.1	0.9			.02			
			ESE	23 08 03.4	1.0		.05		225		
653	SEP. 16	REY	IPZ	23 07 19.9	0.8			.47			
			ISN	23 07 37.1	0.8	1.58			128		
653	SEP. 16	SID	EPZ	23 07 10.6							
			ESZ	23 07 19.6	0.9			.39	66	2.9	MYRDALSJOKULL
654	SEP. 17	AKU	EPZ	04 39 11.4							
			ESN	04 39 41.3	0.7	.01			247		
654	SEP. 17	REY	EPZ	04 38 53.5	0.6			.20			
			ESN	04 39 11.3	0.6	.43			140		
654	SEP. 17	SID	EPZ	04 38 44.8							
			ESZ	04 38 52.8	1.0			.13	70	2.4	MYRDALSJOKULL
655	SEP. 17	SID	MZ	08 41	1.0			.15	55	2.0	
656	SEP. 17	AKU	ESZ	23 02 16.3	0.7			.01			
656	SEP. 17	SID	EPZ	23 01 35.0							

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ESZ	23 01 41.6	0.3			.06	50	2.0	
657	SEP. 18	AKU	EPZ	05 29 10.6	0.7			.01	242		
657	SEP. 18	REY	IPZ	05 28 55.5	0.5			.29			
			ISN	05 29 14.7	0.6	.43			147		
657	SEP. 18	SID	EPZ	05 28 43.9							
			ESZ	05 28 54.0	1.0			.19	60	2.6	MYRDALSJÖKULL
658	SEP. 18	AKU	EPZ	12 15 08.2							
			ESE	12 15 34.6	0.8		.03		230		
658	SEP. 18	REY	IPZ	12 14 53.3	0.5			.37			
			ISN	12 15 11.8	0.8	1.33			138		
658	SEP. 18	SID	EPZ	12 14 43.4	0.4			.04			
			ESZ	12 14 50.9	0.8			.25	61	2.9	MYRDALSJÖKULL
659	SEP. 20	REY	EPZ	16 04 18.9							
			ISN	16 04 26.6	0.6	.61					
			SZ		0.7			.17	60	2.2	PROB REYKJANES
660	SEP. 23	SID	MZ	11 43	1.0			.43	55	2.5	
661	SEP. 23	SID	MZ	12 19	1.1			.47	55	2.4	
662	SEP. 23	SID	MZ	12 53	1.1			.73	55	2.6	
663	SEP. 23	SID	MZ	16 43	1.0			.19	55	2.1	
664	SEP. 28	AKU	EPZ	02 33 50.5							
			ESE	02 34 18.8	0.8		.04		230		
664	SEP. 28	REY	IPZ	02 33 38.1	0.5			.66			
			ISN	02 33 55.6	1.0	1.67			140		
664	SEP. 28	SID	IPZ	02 33 25.8	0.4			.21 C			
			ESZ	02 33 33.1	0.7			.65	57		
664	SEP. 28	VIR	IPZ	02 33 20.0							
			MZ		1.0				24	3.1	63.7N 19.2W
665	SEP. 28	AKU	EPZ	14 51 16.7							
			SZ		0.8			.01	235		
665	SEP. 28	REY	EPZ	14 51 04.5	0.6			.17			
			ISZ	14 51 22.8	0.7			.14	135		
665	SEP. 28	SID	EPZ	14 50 56.3							
			ESZ	14 51 03.8	1.0			.11	65	2.4	MYRDALSJÖKULL
666	SEP. 28	AKU	IPZ	18 21 26.9							
			ISN	18 21 39.7	1.0	2.40					
			MZ		1.0			1.68	118		
666	SEP. 28	EYV	PZ	18 21							
			SZ		0.7			2.10	118		S - P = 12,8 SEK
666	SEP. 28	SID	IPZ	18 21 28.3							
			ESZ	18 21 44.0	0.8			.38	135	3.7	64.8N 16.6W
667	SEP. 28	AKU	IPZ	19 42 10.8							
			ISN	19 42 23.5	0.7	.22					
			MZ		0.5			.09	108		
667	SEP. 28	EYV	SZ	19 42	0.4			.06	145		
667	SEP. 28	SID	EPZ	19 42 11.7							
			ESZ	19 42 27.4	0.3			.03	120	2.8	PROB 64.8N 17.2W
668	SEP. 29	REY	IPZ	19 33 14.3							
			ISN	19 33 17.8	0.4	.71					
			SZ		0.5			.33	25		
668	SEP. 29	SID	EPZ	19 33 38.4	0.3			.01		1.7	KLEIFARVATN-BLAFJÖLL REGION
669	SEP. 30	AKU	EPZ	07 44 39.1							
			ESN	07 45 05.8	1.0	.04					
			MZ		1.0			.02	240		
669	SEP. 30	REY	IPZ	07 44 21.3	0.4			.44			
			ISN	07 44 39.4	1.0	1.50			140		
669	SEP. 30	SID	EPZ	07 44 11.4							
			ESZ	07 44 20.2	1.0			.30	66	3.0	MYRDALSJÖKULL
670	OCT. 3	AKU	IPZ	12 05 11.9				C			
			ISN	12 05 25.2	0.5	1.06					
			MZ		0.5			.71	111		
670	OCT. 3	REY	IPZ	12 05 28.4	0.5			.35			
			ESN	12 05 57.6	1.4	1.90			235		
670	OCT. 3	SID	IPZ	12 05 12.6							
			ESZ	12 05 27.4	0.7			.28	115	3.5	64.8N 17.2W
671	OCT. 5	SID	MZ	15 10	1.0			.43	55	2.5	
672	OCT. 5	REY	EPZ	15 43 23.7							
			ESZ	15 43 33.1	0.3			.05	75	1.9	PROB REYKJANES
673	OCT. 5	SID	MZ	15 45	1.1			.61	55	2.5	
674	OCT. 5	SID	MZ	16 09	1.1			.42	55	2.4	
675	OCT. 5	SID	MZ	16 40	1.0			.30	55	2.3	

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
676	OCT. 5	AKU	IPZ	21 10 22.2							
			ISE	21 10 34.4	0.3		.12		100		
676	OCT. 5	EYV	SZ	21 10	0.8			.04	220	2.6	S - P = 26,6 SEK NEAR GRIMSEY
677	OCT. 5	REY	EPZ	23 08 02.0	0.5			.20			
			ESN	23 08 21.0	1.0	.50			140		
677	OCT. 5	SID	EPZ	23 07 53.9							
			SZ		0.9			.18	70	2.7	MYRDALSJÖKULL
678	OCT. 6	AKU	EPZ	06 53 09.3					245		
678	OCT. 6	REY	IPZ	06 52 51.2	0.5			.44			
			ESN	06 53 08.6	0.8	.67			140		
678	OCT. 6	SID	IPZ	06 52 41.4							
			ISZ	06 52 49.8	1.0			.17	69	3.1	MYRDALSJÖKULL
679	OCT. 6	AKU	IPZ	07 15 06.4							
			ISE	07 15 13.3	0.6		.11		53	2.5	PROB 66.2N 18.3W
680	OCT. 6	REY	EPZ	07 26 13.1							
			ESN	07 26 25.6	0.4	.59					
			SZ		0.5			.24	96		
680	OCT. 6	SID	EPZ	07 26 37.5							
			ESZ	07 27 08.2	0.3			.01	257	2.6	63.5N 23.2W
681	OCT. 6	REY	EPZ	10 28 33.2							
			ISN	10 28 43.8	0.5	.60					
			MZ		0.5			.24	85		
681	OCT. 6	SID	EPZ	10 28 59.9	0.3			.01			
			ESZ	10 29 27.9					250	2.6	REYKJANES
682	OCT. 6	REY	EPZ	10 45 52.1							
			ESN	10 46 02.3	0.4	.24					
			MZ		0.5			.09	82	2.1	PROB REYKJANES
683	OCT. 6	REY	IPZ	10 48 10.2							
			ESN	10 48 22.2	0.3	.43					
			MZ		0.5			.11	55		
683	OCT. 6	SID	EPZ	10 48 40.3	0.3			.01			
			ESZ	10 49 11.9					260	2.4	REYKJANES
684	OCT. 6	REY	EPZ	11 11 47.0							
			ESN	11 11 58.5	0.6	.52					
			MZ		0.5			.13	92		
684	OCT. 6	SID	EPZ	11 12 10.8							
			ESZ	11 12 35.7	0.4			.03	255	2.6	REYKJANES
685	OCT. 6	REY	EPZ	12 12 31.8							
			ESN	12 12 43.6	0.6	.43					
			MZ		0.6			.22	94		
685	OCT. 6	SID	EPZ	12 12 59.1	0.3			.01	255	2.6	REYKJANES
686	OCT. 6	REY	EPZ	12 14 59.2							
			ESN	12 15 10.3	0.5	.20					
			MZ		0.5			.11	90	2.1	PROB REYKJANES
687	OCT. 6	AKU	ESZ	12 20 48.8	0.8			.02	350		
687	OCT. 6	REY	EPZ	12 19 27.0							
			ISN	12 19 39.1	0.6	1.04					
			MZ		1.0			1.00	100		
687	OCT. 6	SID	EPZ	12 19 51.0	0.3			.03	265	2.9	SW OF REYKJANES
688	OCT. 6	REY	EPZ	12 21 33.0							
			ESN	12 21 46.2	0.6	.43					
			MZ		0.7			.20	107		
688	OCT. 6	SID	EPZ	12 21 57.1	0.5			.02	270	2.6	SW OF REYKJANES
689	OCT. 6	AKU	ESZ	12 32 46.7	0.8			.03	390		
689	OCT. 6	REY	IPZ	12 31 18.0							
			ISN	12 31 35.8	0.6	2.00					
			MZ		1.0			.58	140		
689	OCT. 6	SID	EPZ	12 31 45.6	0.4			.02	300	3.1	SW OF REYKJANES
690	OCT. 6	REY	EPZ	12 34 40.1							
			ESZ	12 34 50.9							
			MZ		0.5			.11	86	2.2	PROB REYKJANES
691	OCT. 6	AKU	EPZ	12 36 07.5							
			ISE	12 36 57.1	0.8		.05				
			MZ		1.0			.08	347		
691	OCT. 6	REY	IPZ	12 35 34.8							
			ESN	12 35 46.8	1.0	3.33					
			MZ		0.5			1.10	97		
691	OCT. 6	SID	EPZ	12 35 58.8							
			ESZ	12 36 30.7	0.5			.07	260	3.4	REYKJANES
692	OCT. 6	REY	IPZ	12 57 10.0	0.3			.11			
			ISN	12 57 22.0	0.8	.50					
			MZ		0.5			.33	96		

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
692	OCT. 6	SID	EPZ	12 57 37.2							
			ESZ	12 58 08.0	0.4			.03	260	2.8	REYKJANES
693	OCT. 6	REY	EPZ	19 56 31.1							
			ESZ	19 56 45.7	0.5			.15	120	2.7	PROB SW OF REYKJANES
694	OCT. 8	AKU	EPZ	09 02 15.3							
			ESN	09 02 51.8	1.0	.04			270		
694	OCT. 8	REY	IPZ	09 01 32.4							
			ISN	09 01 35.8	0.5	6.00			25		
694	OCT. 8	SID	IPZ	09 01 58.6							
			ISZ	09 02 21.5	0.4			.08	195	2.9	63.9N 22.0W FELT
695	OCT. 8	AKU	ESE	14 42 16.4	0.7		.02		340		
695	OCT. 8	REY	IPZ	14 40 52.5							
			ISN	14 41 02.6	0.6	1.13					
			MZ		0.3			.20	90		
695	OCT. 8	SID	EPZ	14 41 15.6							
			ESZ	14 41 47.7	0.3			.02	250	2.8	SW OF REYKJANES
696	OCT. 10	AKU	EPZ	17 17 20.8							
			ESN	17 17 44.5	0.8	.05			210		
696	OCT. 10	REY	IPZ	17 17 09.3							
			ESN	17 17 24.3	0.6	.78					
			MZ		0.8			.22	132		
696	OCT. 10	SID	IPZ	17 16 58.4							
			ISZ	17 17 06.1	0.7			.57	60		
696	OCT. 10	VIR	IPZ	17 16 55.8	0.2				42	2.8	63.9N 19.3W
697	OCT. 11	REY	IPZ	17 07 48.4							
			ESN	17 07 56.2							
			MZ		0.3			.12	59		
697	OCT. 11	SID	IPZ	17 08 00.0							
			ISZ	17 08 16.2	0.4			.05	133	2.3	PROB 64.0N 20.7W
698	OCT. 12	AKU	EPZ	01 50 17.8							
			ESE	01 50 49.3	1.0		.04		250		
698	OCT. 12	REY	IPZ	01 50 00.4	0.6			.35			
			ISN	01 50 18.5	0.5	1.40			140		
698	OCT. 12	SID	EPZ	01 49 51.6							
			MZ		1.2			.48	74		
698	OCT. 12	VIR	EPZ	01 49 44.3	0.2				29	2.9	63.5N 19.4W
699	OCT. 12	AKU	EPZ	16 10 56.3							
			ESZ	16 11 23.0	0.8			.01	243		
699	OCT. 12	REY	IPZ	16 10 39.2	0.7			.34			
			ISN	16 10 57.7	0.8	.50			147		
699	OCT. 12	SID	EPZ	16 10 28.9							
			ESZ	16 10 34.9	0.7			.10	60	2.6	63.6N 19.2W
700	OCT. 13	AKU	EPN	20 05 20.1							
			ESE	20 05 55.0	0.7		.02		245		
700	OCT. 13	REY	IPZ	20 05 03.6	0.7			.17			
			ESN	20 05 22.1	0.6	.78			140		
700	OCT. 13	SID	EPZ	20 04 54.2							
			SZ		1.0			.21	70	2.6	PROB 63.6N 19.3W
701	OCT. 14	AKU	EPZ	14 08 04.2							
			ESE	14 08 31.7	0.9		.02		240		
701	OCT. 14	REY	IPZ	14 07 46.9	0.5			.37			
			ESN	14 08 05.0	0.6	.87			140		
701	OCT. 14	SID	EPZ	14 07 36.7							
			ESZ	14 07 45.9	1.0			.23	65	2.8	63.6N 19.3W
702	OCT. 17	AKU	EPZ	22 38 47.2							
			ESE	22 39 16.1	1.2		.08		238		
702	OCT. 17	REY	IPZ	22 38 30.9	0.5			.31			
			ISN	22 38 50.6	0.5	1.40			138		
702	OCT. 17	SID	IPZ	22 38 20.3							
			ISZ	22 38 30.3	1.0			.36	65		
702	OCT. 17	VIR	EPZ	22 38 14.8							
			ESZ	22 38 19.9	0.2				27	2.9	63.6N 19.4W
703	OCT. 18	AKU	IPZ	12 33 26.1							
			I Z	12 33 26.8							
			ISE	12 33 40.5	0.8		.25				
			MZ		0.7			.09	122		
703	OCT. 18	EYV	EPZ	12 33 48.4	0.6			.06			
			ESZ	12 34 20.9	0.7			.10	265		
703	OCT. 18	REY	EPZ	12 33 56.1							
			ESZ	12 34 38.2	0.5			.07	316		
703	OCT. 18	SID	EPZ	12 33 58.1	0.2			.01	330	3.1	66.7N 19.0W
704	OCT. 19	AKU	EPZ	15 08 42.8							
			ESZ	15 09 16.1	0.7			.02	235		
704	OCT. 19	REY	IPZ	15 08 12.4	0.5			.99 C			
			ISN	15 08 15.8	0.4	4.35			26		
704	OCT. 19	SID	IPZ	15 08 32.6	0.3			.05			

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ISZ	15 08 52.9					165	2.5	64.1N 21.4W
705	OCT. 20	AKU	EPZ	04 41 28.2							
			ESZ	04 42 09.9	0.6			.01	310		
705	OCT. 20	REY	IPZ	04 40 52.6							
			ISN	04 41 00.5	0.4	3.06					
			MZ		0.5			.42	62		
705	OCT. 20	SID	EPZ	04 41 18.7							
			ESZ	04 41 46.9	0.5			.05	240	2.7	63.8N 22.9W
706	OCT. 20	AKU	EPZ	04 48 14.2							
			ESZ	04 48 54.6	0.5			.01	310		
706	OCT. 20	REY	IPZ	04 47 38.2							
			ISN	04 47 46.2	0.5	2.10					
			MZ		0.5			.37	62		
706	OCT. 20	SID	EPZ	04 48 04.7							
			ESZ	04 48 32.9	0.5			.04	240	2.6	63.8N 22.9W
707	OCT. 20	AKU	IPZ	13 00 06.0							
			ISE	13 00 17.0	0.5		.64				
			MZ		0.5			.10	90		
707	OCT. 20	EYV	EPZ	13 00 20.8	0.3			.06			
			ESZ	13 00 43.8	0.3			.06	190		
707	OCT. 20	SID	EPZ	13 00 39.0							
			ESZ	13 01 15.6	0.3			.01	300	3.1	66.4N 17.4W
708	OCT. 21	AKU	IPZ	20 59 07.7							
			ISE	20 59 25.6							
			MZ		0.8			.04	132		
708	OCT. 21	EYV	EPZ	20 59 13.5	0.6			.02	170		
708	OCT. 21	SID	EPZ	20 59 00.8							
			ESZ	20 59 11.8	0.5			.05	88	2.3	64.5N 17.5W
709	OCT. 21	REY	IPZ	23 11 46.1				C			
			ISN	23 11 51.4	0.5	1.30					
			MZ		0.8			.61	35		
709	OCT. 21	SID	EPZ	23 12 04.2							
			ESZ	23 12 23.4	0.4			.04	156	2.5	HENGILL REGION
710	OCT. 22	AKU	EPZ	07 31 42.1							
			ESE	07 32 12.9	1.0		.05		240		
710	OCT. 22	REY	IPZ	07 31 24.6	0.5			.24			
			ISN	07 31 43.6	0.8	2.25			140		
710	OCT. 22	SID	EPZ	07 31 13.8							
			ESZ	07 31 21.4	1.0			.57	65		
710	OCT. 22	VIR	EPZ	07 31 07.0					25	3.0	63.6N 19.3W
711	OCT. 22	REY	IPZ	23 05 09.7				C			
			ISN	23 05 14.3	0.4	2.24					
			MZ		0.5			.99	35		
711	OCT. 22	SID	EPZ	23 05 27.8							
			ESZ	23 05 46.7	0.4			.04	156	2.5	HENGILL REGION
712	OCT. 23	AKU	EPZ	20 44 43.3							
			ESN	20 45 00.8	0.7	.02			144		
712	OCT. 23	SID	EPZ	20 44 39.7							
			ESZ	20 44 54.5	0.4			.02	120	2.1	VATNAJOKULL REGION
713	OCT. 24	REY	IPZ	01 35 48.3	0.5			.26			
			ISN	01 36 06.0	0.6	.61			140		
713	OCT. 24	SID	EPZ	01 35 38.8							
			ISZ	01 35 46.3	1.0			.17	65		
713	OCT. 24	VIR	ESZ	01 35 35.9					26	2.7	63.6N 19.3W
714	OCT. 24	REY	IPZ	09 31 39.9	0.7			.20			
			ISN	09 31 57.7	0.6	.43			140		
714	OCT. 24	SID	EPZ	09 31 31.1							
			MZ		1.1			.14	65	2.5	MYRDALSJOKULL
715	OCT. 26	AKU	EPZ	18 36 41.3							
			ESE	18 37 17.2	0.5		.04		295		
715	OCT. 26	EYV	IPZ	18 36 48.5	0.4			.19 C			
			ESZ	18 37 32.5					360		
715	OCT. 26	SID	EPZ	18 37 14.0	0.2			.01	500	3.3	PROB 68.3N 17.0W
716	OCT. 28	REY	IPZ	08 06 55.8				C			
			ISN	08 07 00.9	0.6	1.57					
			SZ		0.5			.77	34		
716	OCT. 28	SID	EPZ	08 07 14.8							
			ESZ	08 07 34.2	0.7			.10	157	2.5	HENGILL REGION
717	OCT. 30	AKU	EPZ	01 41 42.2							
			ESE	01 42 10.2	1.0		.06		245		
717	OCT. 30	REY	IPZ	01 41 25.8							
			I Z	01 41 26.5	0.5			.44			
			ISE	01 41 44.0	1.0		1.75		137		
717	OCT. 30	SID	EPZ	01 41 16.4							
			ESZ	01 41 26.3	1.0			.58	72		
717	OCT. 30	VIR	EPZ	01 41 10.4					30	3.1	63.6N 19.5W

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
718	NOV. 1	REY	IPZ	02 00 39.7	0.4			.22			
			ESN	02 00 58.3	0.8	.50			140		
718	NOV. 1	SID	EPZ	02 00 26.9							
			ESZ	02 00 37.9	1.2			.32	65	2.7	MYRDALSJÖKULL
719	NOV. 2	REY	IPZ	16 07 01.6	0.5			.88			
			ISE	16 07 05.1	0.4		3.88		25		
719	NOV. 2	SID	EPZ	16 07 27.3							
			ESZ	16 07 49.6	0.5			.02	190	2.3	KLEIFARVATN-BLAFJÖLL REGION
720	NOV. 4	AKU	EPZ	19 54 18.2							
			ESE	19 54 49.4	1.0		.05		237		
720	NOV. 4	REY	IPZ	19 54 01.6	0.8			.50			
			ISE	19 54 19.5	0.8		1.83		149		
720	NOV. 4	SID	EPZ	19 53 50.1							
			MZ		0.9			.42	56		
720	NOV. 4	VIR	EPZ	19 53 45.4							
			MZ		0.3				16	3.0	MYRDALSJÖKULL
721	NOV. 6	AKU	IPZ	10 38 15.0							
			ISN	10 38 32.9	0.6	.11			135		
721	NOV. 6	EYV	EPZ	10 38 15.2							
			ESZ	10 38 30.0	0.5			.09	136		
721	NOV. 6	SID	EPZ	10 38 11.5							
			ISZ	10 38 25.6	0.3			.04	112	2.8	64.6N 16.8W
722	NOV. 7	REY	IPZ	08 44 28.6	0.7			.31			
			ESN	08 44 46.7	0.8	.67			140		
722	NOV. 7	SID	EPZ	08 44 18.8							
			MZ		0.8			.18	65	2.8	MYRDALSJÖKULL
723	NOV. 8	REY	IPZ	21 01 46.3							
			ESE	21 01 55.6	0.8		.92				
			MZ		0.7			.31	74		
723	NOV. 8	SID	EPZ	21 01 14.2							
			ESZ	21 01 42.4	0.5			.03	245	2.6	PROB 63.7N 23.0W
724	NOV. 9	REY	IPZ	01 12 55.3	0.6			.22			
			ESE	01 13 12.4	0.8		.83		140		
724	NOV. 9	SID	EPZ	01 12 45.9	0.8			.11	65	2.7	MYRDALSJÖKULL
725	NOV. 12	SID	EPZ	20 54 15.2							
			ESZ	20 54 21.2	0.5			.15	45	2.1	PROB MYRDALSJÖKULL
726	NOV. 14	REY	IPZ	06 36 43.9							
			ISZ	06 36 51.7	0.4			.15	61	2.1	PROB REYKJANES
727	NOV. 16	SID	IPZ	02 28							
			ISZ	02 28	0.3			.05	56	2.0	S - P = 7,2 SEK
728	NOV. 16	SID	IPZ	12 47							
			ISZ	12 47	0.4			.06	115	2.5	S - P = 14,0 SEK
729	NOV. 21	AKU	EPZ	20 33 04.0							
			ESE	20 33 22.5	0.8		.03		152		
729	NOV. 21	EYV	ESZ	20 33 56.4	1.1			.07	275	2.7	PROB 67.0N 18.7W
730	NOV. 22	SID									FROM 2 TO 9 MANY SMALL QUAKES WITH LARGE SURFACE WAVES
731	NOV. 24	AKU	EPZ	13 25 39.3							
			ESE	13 26 05.8	0.8		.03		249		
731	NOV. 24	REY	IPZ	13 25 24.2	0.5			.59 D			
			ISZ	13 25 45.0	0.8			.19	151		
731	NOV. 24	SID	IPZ	13 25 11.6				C			
			ISZ	13 25 19.5	0.5			.34	63		
731	NOV. 24	VIK	ESN	13 25 06.0					13		
731	NOV. 24	VIR	IPZ	13 25 04.8				C	18	3.0	63.5N 19.2W
732	NOV. 25	AKU	EPZ	01 59 12.1							
			ESE	01 59 30.2	0.5		.03		140		
732	NOV. 25	SID	EPZ	01 59 04.4							
			ESZ	01 59 13.0	0.5			.04	78	2.2	VATNAJÖKULL REGION
733	DEC. 2	AKU	EPZ	06 49 16.1							
			ISE	06 49 29.9	0.7		.05		110		
733	DEC. 2	EYV	IPZ	06 49 21.2							
			ESZ	06 49 38.5	0.5			.03	143	2.5	VATNAJÖKULL REGION
734	DEC. 2	AKU	IPZ	15 34 20.8							
			ISN	15 34 34.9							
			I N	15 34 38.2	0.6	.15			117		
734	DEC. 2	EYV	IPZ	15 34 26.3				C			
			ESZ	15 34 44.2	0.5			.09	154		
734	DEC. 2	REY	EPZ	15 34 37.3	0.7			.11	230	3.0	64.7N 17.3W
735	DEC. 2	AKU	EPZ	22 54 31.2							

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
			ESN	22 54 45.3	0.5	.04			117		
735	DEC. 2	EYV	EPZ	22 54 38.4							
			ESZ	22 54 54.7	0.6			.03	152		
735	DEC. 2	SID	ESZ	22 54 43.2	0.4			.02	110	2.3	64.7N 17.3W
736	DEC. 7	AKU	EPZ	03 06 10.4							
			ISE	03 06 21.3							
			I E	03 06 22.3	0.5		.20		87		
736	DEC. 7	EYV	EPZ	03 06							
			ESZ	03 06	0.8			.04	211	2.8	S - P = 25,7 SEK NEAR GRIMSEY
737	DEC. 7	AKU	IPZ	19 28 40.3							
			ISE	19 28 54.0	0.7		.08		111		
737	DEC. 7	EYV	IPZ	19 28							
			ISZ	19 28	0.7			.10	150	2.7	S - P = 18,3 SEK VATNAJÖKULL REGION
738	DEC. 8	AKU	EPZ	17 56 10.2							
			ESN	17 56 22.3	0.4	.05			100		
738	DEC. 8	EYV	EPZ	17 56							
			ESZ	17 56	0.7			.06	150	2.5	S - P = 18,0 SEK PROB VATNAJÖKULL REGION
739	DEC. 8	AKU	EPZ	20 56 05.8							
			ESE	20 56 18.7	0.6		.03		105		
739	DEC. 8	EYV	IPZ	20 56							
			ESZ	20 56	0.5			.03	150	2.4	S - P = 18,1 SEK PROB VATNAJÖKULL REGION
740	DEC. 9	AKU	EPN	01 30 48.7							
			ESN	01 31 24.2	0.5	.01			270		
740	DEC. 9	REY	IPZ	01 30 12.4							
			ISN	01 30 15.3	0.3	8.70			22	2.5	KLEIFARVATN-BLAFJÖLL REGION
741	DEC. 9	AKU	EPZ	05 32 15.7							
			ESE	05 32 27.2	0.7		.06		92	2.5	PROB NEAR GRIMSEY
742	DEC. 9	AKU	EPZ	15 35 49.4							
			ESE	15 36 15.4	0.7		.02		250		
742	DEC. 9	REY	EPZ	15 35 32.8	0.5			.31			
			ESE	15 35 52.0	0.5		.40		150		
742	DEC. 9	VIK	ESN	15 35 16.0					15		
742	DEC. 9	VIR	IPZ	15 35 13.5							
			ESZ	15 35 17.0					18	2.8	63.5N 19.2W
743	DEC. 11	AKU	EPZ	05 19 04.9							
			ESN	05 19 20.2	0.5	.01					
			SZ		0.8			.02	125	2.2	
744	DEC. 12	AKU	EPZ	22 34 20.1							
			ISE	22 34 46.0	0.7		.18		217		
744	DEC. 12	REY	IPZ	22 33 59.5							
			ISN	22 34 09.0	1.0	3.75			78		
744	DEC. 12	SID	IPZ	22 34 04.9	0.3			.12			
			ESZ	22 34 19.0	0.4			.33	114		
744	DEC. 12	VIR	IPZ	22 34 01.1							
			I Z	22 34 08.4							
			ISZ	22 34 12.2					90	3.4	64.0N 20.3W FELT
745	DEC. 13	REY	EPZ	16 01 54.2							
			ESZ	16 02 07.3	0.3			.05	106		
745	DEC. 13	SID	EPZ	16 01 57.0							
			ISZ	16 02 11.8	0.3			.06	124		
745	DEC. 13	VIR	IPZ	16 01 48.4							
			ISZ	16 01 59.1					80	2.4	63.4N 20.4W
746	DEC. 23	REY	EPZ	12 19 56.1							
			ISN	12 20 01.3	0.6	.52					
			SZ		0.5			.31	43	2.1	PROB REYKJANES PENINSULA
747	DEC. 23	AKU	EPZ	12 29 55.8	0.7			.04			
			ISN	12 30 14.2	0.6	.11			145		
747	DEC. 23	EYV	EPZ	12 29							
			ESZ	12 30	0.8			.04	154		S - P =19,1 SEK
747	DEC. 23	SID	EPZ	12 29 50.3							
			ESZ	12 30 01.3	0.8			.20	93	2.7	64.5N 17.0W
748	DEC. 23	AKU	EPZ	12 33 05.2							
			ESN	12 33 22.2	0.5	.02			138		
748	DEC. 23	SID	EPZ	12 32 59.2							
			ESZ	12 33 10.3	0.8			.07	90	2.3	64.5N 17.2W
749	DEC. 23	AKU	EPZ	12 57 29.4							
			ESN	12 57 46.7	0.7	.04			143		
749	DEC. 23	SID	EPZ	12 57 21.9							
			ESZ	12 57 33.9	0.8			.10	95	2.5	64.5N 17.0W
750	DEC. 23	AKU	EPZ	12 58 42.5	0.7			.05			

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	DISTANCE	MAGNITUDE	REMARKS
		ISN		12 59 00.9	0.6	.11			145		
750	DEC. 23	EYV	EPZ	12 58				.04	165		S - P = 21,0 SEK
			ESZ	12 59	0.8						
750	DEC. 23	SID	EPZ	12 58 35.0				.17	85	2.7	64.4N 17.2W
			SZ		0.6						
751	DEC. 23	AKU	EPZ	13 06 37.6							
			ISN	13 06 55.9	0.5	.03			145		
			SE		0.8		.05				
751	DEC. 23	SID	EPZ	13 06 32.2							
			ESZ	13 06 42.2	0.6			.07	85	2.4	VATNAJÖKULL REGION
752	DEC. 23	AKU	EPZ	13 22 37.1							
			ISN	13 22 56.7	0.6	.05			145		
752	DEC. 23	SID	EPZ	13 22 33.8							
			ESZ	13 22 43.8	0.6			.06	85	2.4	VATNAJÖKULL REGION
753	DEC. 23	REY	EPZ	15 35 56.6							
			ISN	15 36 02.4	0.6	.43					
			SZ		0.4			.16	44	2.0	PROB REYKJANES PENINSULA
754	DEC. 23	REY	EPZ	15 42 59.9							
			ESN	15 43 04.3							
			SZ		0.4			.15	40	1.8	PROB REYKJANES PENINSULA
755	DEC. 29	AKU	EPZ	03 44 56.4	0.8			.03			
			ESN	03 46 02.3	0.9	.04			520		
755	DEC. 29	REY	EPZ	03 44 22.3							
			ESN	03 44 44.7	0.8	1.17					
			SZ		0.8			.81	280		
755	DEC. 29	SID	EPZ	03 44							
			ESZ	03 45	0.8			.04	430	3.6	S - P = 57,6 SEK SW OF REYKJANES
756	DEC. 29	AKU	IPZ	20 19 49.8	0.3			.17 D			
			ISZ	20 19 54.9	0.4			.17			
			SE		0.7		.16		38	2.4	EYJAFJÖRDUR-AXARFJÖRDUR REGION
757	DEC. 29	AKU	IPZ	22 23 23.7							
			ISZ	22 23 28.9	0.4			.07	39	2.1	EYJAFJÖRDUR-AXARFJÖRDUR REGION
758	DEC. 31	AKU	EPZ	21 36 18.7	0.5			.05			
			ISE	21 36 36.3	0.7		.14		144		
758	DEC. 31	EYV	EPZ	21 36 21.1							
			SZ		0.7			.03	160		
758	DEC. 31	SID	EPZ	21 36							
			ESZ	21 36	0.7			.06	89	2.5	

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	ORIGIN TIME H. M. S.	REMARKS
1	JAN. 2	AKU	IPZ	14 17 11.2	1.0			.04 C	14 07 05.2	53.9N 160.6E USCGS
2	JAN. 3	AKU	IPZ	03 27 45.3	1.0			.05 D		
2	JAN. 3	EYV	EPZ	03 27 26.3	1.0			.05	03 16 38.1	37.1N 57.9E USCGS
3	JAN. 5	AKU	EPZ	13 45 32.4	1.3			.19	13 26 39.9	8.0S 158.9E USCGS
3	JAN. 5	REY	IPZ	13 45 36.4	0.9			.71 C		
3	JAN. 5	SID	EPZ	13 45 36.7	1.0			.13		
4	JAN. 6	AKU	IPZ	15 58 02.6	1.2			.13 C	15 39 00.9	10.5S 164.5E USCGS
4	JAN. 6	REY	IPZ	15 58 05.7	1.1			.36 C		
4	JAN. 6	SID	EPZ	15 58 06.6	1.1			.12		
5	JAN. 14	AKU	EPZ	23 19 58.8	1.0			.08		
5	JAN. 14	EYV	EPZ	23 19 35.9	0.8			.08	23 12 07.9	36.2N 29.2E USCGS
5	JAN. 14	REY	EPZ	23 19 55.7	0.8			.12		
6	JAN. 18	AKU	IPZ	03 21 18.3	0.7			.03	03 02 38.7	56.8S 26.8W USCGS
7	JAN. 19	AKU	IPZ	07 12 48.0	1.0			4.00 C		
7	JAN. 19	EYV	IPZ	07 12 46.7						
			I Z	07 12 48.1	0.7			1.38	07 02 04.4	45.0N 143.2E USCGS
7	JAN. 19	REY	IPZ	07 12 59.2	1.0			5.22		
7	JAN. 19	SID	IPZ	07 13 00.9	1.3			11.11		
8	JAN. 19	AKU	IPZ	19 09 49.6	1.0			.20		
			I Z	19 10 34.3	1.0			.11	18 50 52.1	14.9S 167.2E USCGS
8	JAN. 19	EYV	IPZ	19 09 50.0	1.0			.09		
			I Z	19 10 01.7	1.2			.39		
8	JAN. 19	REY	IPZ	19 09 52.2	0.7			.50		
			I Z	19 13 05.2	1.2			.93		
8	JAN. 19	SID	IPZ	19 13 08.3	1.3			1.50 C		
9	JAN. 20	AKU	IPZ	14 30 17.1	1.0			.38 C	14 20 11.5	54.9N 166.0E USCGS
9	JAN. 20	EYV	IPZ	14 30 19.5	1.0			.22 C		
9	JAN. 20	REY	IPZ	14 30 26.9	0.9			.50 C		
10	JAN. 22	AKU	IPZ	00 52 27.9	0.9			.11	00 42 30.0	55.9N 163.0E USCGS
11	JAN. 24	AKU	IPZ	02 51 17.2	0.9			.08 C		
			I Z	02 53 53.4	1.5			.48		
11	JAN. 24	REY	EPZ	02 51 15.9	1.0			.17		
			I Z	02 53 55.3	0.8			.25	02 33 03.5	21.9S 179.6W USCGS
12	JAN. 25	AKU	EPZ	05 38 13.1	1.3			.11	05 19 17.1	0.8N 126.1E USCGS
13	JAN. 26	AKU	IPZ	15 15 33.0	1.0			.06	15 05 32.7	55.8N 162.9E USCGS
14	JAN. 30	AKU	EPZ	10 44 12.1	1.0			.09		
			I Z	10 48 18.5	1.8			1.67		
14	JAN. 30	EYV	EPZ	10 43 53.9	0.8			.12		
			E Z	10 48 04.8	1.0			.22	10 29 40.4	4.8N 127.4E USCGS
14	JAN. 30	SID	EPZ	10 44 37.0						
			I Z	10 48 28.6	1.2			.29		
15	JAN. 31	AKU	IPZ	23 50 08.0	0.8			.25	23 31 16.2	32.1S 179.6E USCGS
15	JAN. 31	EYV	IPZ	23 50 10.6	0.7			.18		
			I Z	23 51 48.7						
15	JAN. 31	REY	IPZ	23 50 09.5	0.9			.53		
15	JAN. 31	SID	IPZ	23 50 14.1	0.9			.15 C		
16	FEB. 3	AKU	IPZ	08 12 21.5	1.0			.09	07 51 25.4	25.8S 178.1E USCGS
17	FEB. 3	AKU	EPZ	22 00 08.3	1.0			.10	21 41 41.9	4.9N 127.4E USCGS
17	FEB. 3	EYV	EPZ	22 00 08.4	0.9			.07		
18	FEB. 4	AKU	IPZ	04 22 57.8	0.9			.07		
18	FEB. 4	REY	IPZ	04 22 46.3	1.0			.25	04 10 13.3	8.2S 80.2W USCGS
18	FEB. 4	SID	EPZ	04 22 53.0	1.0			.11		
19	FEB. 8	EYV	IPZ	02 34 36.4	0.6			.35 D		
20	FEB. 8	REY	EPZ	09 17 28.9	0.9			.21		
21	FEB. 10	AKU	EPZ	23 16 01.9	1.4			.67		
			I Z	23 18 46.2	1.1			.86	22 58 05.8	22.7S 178.6E USCGS
21	FEB. 10	EYV	EPZ	23 16	0.7			.12		
			I Z	23 18	0.8			.40 C		
21	FEB. 10	REY	EPZ	23 16 13.8						
			I Z	23 18 49.6	0.9			1.21		
21	FEB. 10	SID	I Z	23 18 52.0	1.2			.77		
22	FEB. 11	AKU	IPZ	22 18 32.3	1.0			.21		
22	FEB. 11	EYV	IPZ	22 18	1.0			.54 C	22 08 54.7	41.4N 79.2E USCGS
22	FEB. 11	REY	EPZ	22 18 51.1	1.0			.42		
22	FEB. 11	SID	EPZ	22 18 36.2	0.9			.32		
23	FEB. 11	AKU	EPZ	22 34 09.8	1.2			.34		
			E Z	22 35 06.8	1.7			1.27		

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	ORIGIN TIME H. M. S.	REMARKS
23	FEB. 11	EYV	EPZ	22 34	0.6			.12		
			E Z	22 35	2.0			1.92	22 16 13.5	6.7S 126.8E USCGS
23	FEB. 11	REY	EPZ	22 34 13.3	0.8			.47		
23	FEB. 11	SID	EPZ	22 34 11.0	1.0			.15		
24	FEB. 23	AKU	EPZ	00 56 05.5	2.5			.59	00 36 56.6	3.1S 118.9E USCGS
24	FEB. 23	SID	EPZ	00 56 18.3	3.5			3.76		
25	FEB. 25	AKU	IPZ	04 10 45.3	0.7			.07	03 51 45.6	32.4S 180.0E USCGS
25	FEB. 25	EYV	IPZ	04 10 48.0	0.8			.08 D		
26	FEB. 25	AKU	IPZ	07 50 00.1	1.2			.06	07 39 00.6	15.2N 87.5W USCGS
27	FEB. 28	AKU	IPZ	02 46 43.9	1.6			8.21 C		
27	FEB. 28	REY	IPZ	02 46 33.8	1.2			6.10 C		
27	FEB. 28	SID	IPZ	02 46 26.9	1.5			20.00	02 40 32.5	36.0N 10.6W USCGS
28	FEB. 28	AKU	IPZ	04 31 44.9	1.0			.15		
28	FEB. 28	SID	EPZ	04 31 25.4	1.0			.19	04 25 36.9	36.2N 10.5W USCGS
29	MARZ 3	AKU	IPZ	01 06 16.0	1.4			.15	00 59 10.5	40.1N 27.4E USCGS
30	MARZ 3	AKU	IPZ	14 59 55.4	0.8			.03	14 49 28.0	51.6N 159.3E USCGS
30	MARZ 3	EYV	IPZ	14 59	0.7			.07		
31	MARZ 5	AKU	IPZ	19 42 42.7	1.0			.28		
31	MARZ 5	EYV	IPZ	19 42 39.6	0.8			.87 C		
			I Z	19 43 49.7	1.0			.22	19 33 23.0	36.4N 70.7E USCGS
31	MARZ 5	REY	IPZ	19 43 04.1	0.7			.39		
31	MARZ 5	SID	IPZ	19 42 53.3	0.8			.56 C		
32	MARZ 5	AKU	EPZ	22 42 46.8						
			ESN	22 43 53.6	0.6	.02				
32	MARZ 5	EYV	IPZ	22 42 41.3						
			ISZ	22 43 52.3	0.7			.16	22 41 10.7	71.1N 5.6W USCGS
33	MARZ 8	AKU	IPZ	10 31 16.4	0.9			.06 C		
33	MARZ 8	EYV	IPZ	10 31 15.6	0.9			.23	10 20 09.3	41.3N 139.6E USCGS
34	MARZ 10	AKU	IPZ	07 12 43.5	1.0			.08	06 54 17.6	5.6S 147.2E USCGS
34	MARZ 10	REY	EPZ	07 12 47.5	0.8			.56		
34	MARZ 10	SID	EPZ	07 12 48.8	0.9			.29		
35	MARZ 15	AKU	IPZ	22 45 12.3	0.7			.02		
36	MARZ 19	AKU	IPZ	14 11 31.6	1.2			.06		
36	MARZ 19	EYV	IPZ	14 11 25.0	0.5			.06	13 59 22.7	28.8N 128.2E USCGS
37	MARZ 21	AKU	IPZ	03 16 43.1	0.6			.02	03 05 11.9	40.3N 143.7E USCGS
38	MARZ 23	AKU	IPZ	21 15 59.9	1.5			.17 D		
38	MARZ 23	REY	IPZ	21 16 08.6	1.2			.43		
38	MARZ 23	SID	IPZ	21 15 52.8	1.5			.40	21 08 42.6	39.2N 28.5E USCGS
39	MARZ 25	REY	IPZ	13 28 54.3	1.0			.29		
39	MARZ 25	SID	IPZ	13 28 39.6	1.0			.15	13 21 32.4	39.2N 28.4E USCGS
40	MARZ 26	AKU	EPZ	13 00 03.0	1.5			.17		
40	MARZ 26	REY	EPZ	13 00 20.6	0.9			.14		
41	MARZ 28	AKU	IPZ	01 55 53.2	1.6			.26		
41	MARZ 28	SID	IPZ	01 55 46.2	1.2			.19	01 48 30.4	38.6N 28.4E USCGS
42	MARZ 28	AKU	IPZ	22 58 34.5	1.5			.17	22 55 59.1	57.8N 32.7W USCGS
43	MARZ 31	AKU	IPZ	07 24 48.2	1.3			.52 D		
43	MARZ 31	REY	IPZ	07 24 55.6	1.1			.94		
43	MARZ 31	SID	IPZ	07 24 41.9	0.9			.44 D	07 15 54.4	27.7N 34.0E USCGS
44	MARZ 31	AKU	IPZ	19 36 24.3	1.0			.26	19 25 27.2	38.3N 134.6E USCGS
44	MARZ 31	REY	IPZ	19 36 36.2	1.0			.92		
44	MARZ 31	SID	IPZ	19 36 34.8	1.0			.40 D		
45	APR. 3	AKU	EPZ	22 19 00.4	1.0			.06		
45	APR. 3	SID	EPZ	22 18 49.7	0.9			.08	22 12 23.8	40.7N 19.9E USCGS
46	APR. 4	AKU	EPZ	08 55 46.6	0.9			.04	08 45 18.7	51.2N 173.7E USCGS
47	APR. 4	AKU	IPZ	23 07 24.0	0.7			.04	22 57 16.8	54.5N 169.4E USCGS
48	APR. 6	AKU	IPZ	03 56 48.2	1.2			.19		
48	APR. 6	REY	IPZ	03 56 56.0	1.0			.63		
48	APR. 6	SID	IPZ	03 56 40.4	1.0			.13	03 49 33.5	38.5N 26.4E USCGS
49	APR. 9	AKU	IPZ	13 09 04.4	1.0			.09 C	12 57 24.8	36.8N 139.6E USCGS
50	APR. 10	AKU	IPZ	15 04 22.4	1.0			.11	14 54 03.9	42.0N 130.9E USCGS
51	APR. 15	AKU	EPZ	17 42	0.8			.03	17 30 55.8	39.8N 143.4E USCGS

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	ORIGIN TIME H. M. S.	REMARKS
52	APR. 16	AKU	IPZ	23 03 19.0	1.0			.03	22 55 37.2	35.3N 27.9E USCGS
52	APR. 16	REY	IPZ	23 03 25.4	0.9			.14		
53	APR. 19	AKU	IPZ	19 35 02.9	1.0			.05	19 26 17.3	60.3N 146.0W USCGS
54	APR. 21	AKU	IPZ	07 31 34.6	1.8			.67		
54	APR. 21	EYV	IPZ	07 31 32.4	0.7			.11	07 19 27.5	32.2N 131.9E USCGS
54	APR. 21	REY	IPZ	07 31 45.8	1.5			.75		
54	APR. 21	SID	EPZ	07 31 43.9	1.6			.69		
55	APR. 21	AKU	EPZ	22 31 03.6	1.0			.05		
55	APR. 21	EYV	IPZ	22 30 49.0	0.7			.05	22 27 59.5	74.2N 9.7E USCGS
56	APR. 22	AKU	IPZ	08 22 56.8	0.8			.04 C		
56	APR. 22	EYV	IPZ	08 22 54.9	0.7			.05		
			I Z	08 23 01.4					08 11 21.6	39.8N 143.0E USCGS
56	APR. 22	REY	EPZ	08 23 06.5	0.8			.09		
57	APR. 22	AKU	IPZ	22 46 06.5	1.0			.06 D		
57	APR. 22	REY	IPZ	22 46 15.4	0.5			.11		
57	APR. 22	SID	EPZ	22 46 03.7	1.0			.09	22 34 38.4	13.0N 58.2E USCGS
58	APR. 28	EYV	I Z	07 47	1.0			.15		
58	APR. 28	REY	EPZ	07 44 16.8						
			I Z	07 47 21.6	1.1			.26	07 25 29.7	22.4S 177.7W USCGS
59	APR. 28	AKU	PN	16 56						
			SN	16 57	0.7	.20			16 55 33.7	69.3N 22.1W S - P = 44,7 SEK
59	APR. 28	REY	EPZ	16 56 57.1						
			ESE	16 57 54.9	1.2		.52			
			SZ		0.8			.31		
59	APR. 28	SID	EPZ	16 57 01.7	0.9			.06		
			ESZ	16 58 09.9						
60	APR. 29	REY	IPZ	04 47 23.4	0.9			.14		
60	APR. 29	SID	IPZ	04 47 09.9	1.5			.27 C	04 37 40.7	29.6N 51.5E USCGS
61	MAY 5	AKU	IPZ	05 40 32.9	1.1			.08		
61	MAY 5	EYV	IPZ	05 40	1.0			.15		
61	MAY 5	REY	EPZ	05 40 24.7	1.0			.17		
61	MAY 5	SID	EPZ	05 40 12.7	0.8			.08	05 34 23.5	36.0N 10.4W USCGS
62	MAY 7	AKU	IPZ	13 55 07.7	1.2			.08	13 45 00.0	37.3N 116.5W USCGS
63	MAY 13	AKU	EPZ	14 28 01.9	1.1			.07	14 16 52.8	11.5N 86.4W USCGS
64	MAY 13	AKU	IPZ	14 47 54.1	0.9			.06	14 30 19.6	7.2S 120.9E USCGS
65	MAY 14	AKU	EPZ	10 12 52.2	0.9			.02	10 05 15.8	35.3N 27.8E USCGS
65	MAY 14	REY	EPZ	10 13 01.1	0.7			.08		
66	MAY 14	AKU	IPZ	19 43 18.3	1.5			.65 C		
			EPZ	20 12 28.2	1.2			.06	19 32 54.2	51.3N 179.9W USCGS
66	MAY 14	REY	IPZ	19 43 25.9	0.7			.25		
			EPZ	20 12 28.6	0.9			.07		
66	MAY 14	SID	EPZ	19 43 32.1	0.8			.13 C		
67	MAY 14	AKU	EPZ	20 45 24.2	1.1			.04	20 34 09.7	43.3N 146.5E USCGS
68	MAY 15	REY	IPZ	20 52 59.6	1.0			.54	20 43 33.4	16.8N 61.3W USCGS
69	MAY 16	AKU	IPZ	07 33 52.4	1.2			.05	07 26 58.7	39.2N 21.8E USCGS
70	MAY 18	AKU	IPZ	08 52 49.7	1.1			.11	08 44 03.6	60.3N 146.0W USCGS
70	MAY 18	SID	IPZ	08 53 07.1	1.1			.07		
71	MAY 23	AKU	IPZ	13 14 27.8	0.7			.03 D	13 04 36.6	53.4N 160.2W USCGS
72	MAY 25	AKU	IPZ	20 37 56.6	1.0			.02	20 18 30.0	32.0S 178.9W USCGS
73	MAY 28	AKU	EPZ	04 00 02.6	1.7			.17	03 57 19.4	73.5N 8.2E USCGS
74	MAY 28	AKU	IPZ	13 41 56.9	1.0			.19		
74	MAY 28	REY	EPZ	13 41 46.6	1.0			.42	13 30 08.9	2.1S 76.9W USCGS
74	MAY 28	SID	IPZ	13 41 54.1	1.1			.42 D		
75	MAY 30	AKU	EPZ	16 15 09.0	1.5			.06	15 55 37.1	32.2S 178.1W USCGS
75	MAY 30	REY	EPZ	16 15 12.0	0.8			.06		
75	MAY 30	SID	EPZ	16 15 14.3	1.2			.19		
76	MAY 30	AKU	EPZ	16 42 17.9	1.5			.09	16 22 47.8	32.3S 178.1W USCGS
76	MAY 30	REY	EPZ	16 42 20.6	1.0			.13		
76	MAY 30	SID	EPZ	16 42 30.8	1.2			.32		
77	JUNE 2	AKU	EPZ	09 56 45.4	1.0			.03	09 47 59.4	59.5N 144.7W USCGS
78	JUNE 3	AKU	EPZ	04 09 27.9	0.8			.03	03 58 01.5	19.1N 107.5W
79	JUNE 4	SID	IPZ	04 58 30.2	1.1			.12 C	04 38 39.0	32.3S 177.8W USCGS

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	ORIGIN TIME H. M. S.	REMARKS
80	JUNE 5	AKU	EPZ	20 49 47.0	0.9			.02	20 39 58.9	10.7N 41.0W USCGS
81	JUNE 6	AKU	EPZ	00 29 45.2	0.2			.16	00 10 05.2	35.2S 179.9W USCGS
82	JUNE 6	AKU	EPZ	04 11 56.1	0.3			.04		
			ESN	04 13 06.0	0.6	.02			04 10 09.5	71.1N 5.5W USCGS
83	JUNE 7	AKU	EPZ	05 43 51.1	1.0			.04	05 24 11.0	35.4S 179.9W USCGS
84	JUNE 8	AKU	IPZ	14 59 43.5	0.9			.12 C	14 49 31.6	53.3N 159.7E USCGS
84	JUNE 8	REY	IPZ	14 59 55.3	0.9			.20		
85	JUNE 10	AKU	IPZ	23 01 39.2	1.1			.09 D	22 52 12.1	36.4N 70.7E USCGS
86	JUNE 10	AKU	EPZ	23 40 18.1	1.1			.06	23 30 53.7	36.3N 70.4E USCGS
86	JUNE 10	SID	IPZ	23 40 22.6	1.0			.13		
87	JUNE 11	AKU	EPZ	01 06 59.4	1.1			.05	00 58 10.1	59.6N 144.8W USCGS
88	JUNE 12	AKU	EPZ	07 52 48.3	1.0			.03	07 41 25.1	40.3N 143.7E USCGS
89	JUNE 12	AKU	IPZ	15 21 09.4	1.2			.45		
89	JUNE 12	REY	IPZ	15 21 17.0	0.6			.19 C		
89	JUNE 12	SID	IPZ	15 21 01.3	1.2			.39 C	15 13 31.1	34.4N 25.1E USCGS
90	JUNE 13	AKU	IPZ	08 59 06.2	0.9			.11 D	08 48 29.5	49.4N 155.5E USCGS
90	JUNE 13	REY	IPZ	08 59 17.2	1.2			.70 D		
90	JUNE 13	SID	IPZ	08 59 18.7	0.8			.08 D		
91	JUNE 14	AKU	IPZ	03 41 47.7	0.7			.05	03 22 56.8	7.9S 159.0E USCGS
91	JUNE 14	REY	IPZ	03 41 50.3	1.0			.29		
91	JUNE 14	SID	EPZ	03 41 50.8	1.0			.08		
92	JUNE 14	AKU	IPZ	13 55 06.2	0.6			.03 C	13 47 24.2	34.3N 25.1E USCGS
93	JUNE 17	AKU	IPZ	19 39 28.8	0.8			.07		
			I Z	19 40 18.1	1.0			.04	19 26 28.9	19.0N 145.5E USCGS
93	JUNE 17	REY	IPZ	19 39 37.1	0.8			.24		
94	JUNE 17	AKU	EPZ	23 32 28.4	0.9			.06	23 24 41.7	43.2N 45.3E USCGS
94	JUNE 17	REY	EPZ	23 32 41.2	0.9			.08		
95	JUNE 18	AKU	IPZ	01 47 34.4	1.0			.06	01 38 46.4	59.5N 145.0W USCGS
96	JUNE 18	AKU	IPZ	23 54 17.7	1.0			.04	23 44 11.2	52.6N 167.9W USCGS
97	JUNE 19	AKU	IPZ	07 15 42.3	1.2			.06	07 03 04.9	28.1N 130.0E USCGS
98	JUNE 20	AKU	IPZ	02 47 45.2	1.0			.07	02 37 51.5	53.2N 162.4W USCGS
99	JUNE 20	AKU	IPZ	06 53 05.4	1.5			.09	06 41 06.2	38.6N 141.8E USCGS
100	JUNE 20	AKU	IPZ	15 49 14.3	0.5			.04	15 37 50.2	40.8N 142.1E USCGS
101	JUNE 21	AKU	EPZ	05 41 45.3	0.9			.04		
			ESE	05 42 50.2	0.3	.02				JAN MAYEN
101	JUNE 21	EYV	SZ	05 42	0.4			.17		S - P = 67,0 SEK
102	JUNE 21	AKU	IPZ	16 45 07.2	0.7			.02	16 35 08.3	27.4N 57.5E USCGS
103	JUNE 22	AKU	IPZ	02 44 35.1	1.1			.06	02 33 52.8	49.2N 158.5E USCGS
104	JUNE 22	AKU	EPZ	05 10 23.0	1.5			.06	05 07 08.8	55.6N 35.2E USCGS
105	JUNE 22	AKU	EPZ	05 21 32.6	1.5			.04		
106	JUNE 22	AKU	IPZ	10 55 43.9	0.9			.43 C		
			E Z	11 24 48.5	1.2			.04	10 45 24.5	51.5N 179.9W USCGS
106	JUNE 22	REY	IPZ	10 55 50.8	0.9			.48		
107	JUNE 23	AKU	EPZ	00 01 52.6	1.5			.04		
107	JUNE 23	REY	EPZ	00 01 21.5	1.0			.13	23 58 43.3	55.6N 35.2W USCGS
108	JUNE 23	AKU	IPZ	07 19 50.7	1.5			.11	07 08 27.7	18.4N 104.5W USCGS
109	JUNE 25	AKU	EPZ	02 56 48.4	0.8			.03		
			ESE	02 57 57.4	0.5	.02				JAN MAYEN
109	JUNE 25	EYV	SZ	02 56	0.7			.40		S - P = 68,7 SEK
110	JUNE 27	AKU	IPZ	02 27 05.2	0.8			.03		
			E Z	02 27 21.3	1.0			.02	02 15 46.3	42.4N 142.9E USCGS
111	JUNE 4	AKU	IPZ	02 55 43.2	0.7			.05	02 46 57.0	49.7N 78.2E USCGS
112	JUNE 8	AKU	EPZ	07 30 02.9	1.0			.04		
112	JUNE 8	REY	EPZ	07 30 02.4	1.3			.14	07 10 33.5	34.1S 179.2W USCGS
113	JUNE 8	AKU	IPZ	08 16 16.5	1.5			.19	08 09 17.5	37.6N 20.3E USCGS
113	JUNE 8	REY	EPZ	08 16 24.6	0.9			.11		

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	ORIGIN TIME H. M. S.	REMARKS
114	JUNE 9	AKU	IPZ	02 06 04.0	1.0			.03	01 55 39.8	51.6N 174.8E USCGS
114	JUNE 9	REY	IPZ	02 06 12.8	1.1			.08		
115	JUNE 9	AKU	IPZ	03 22 35.2	1.4			.13	03 02 58.0	34.2S 178.9W USCGS
116	JUNE 9	AKU	IPZ	05 49 23.4	1.0			.02	05 29 46.9	34.1S 178.8W USCGS
117	JUNE 12	AKU	IPZ	13 11 34.9	0.9			.27	13 00 36.9	46.5N 153.3E USCGS
117	JUNE 12	REY	IPZ	13 11 51.3	0.8			.28		
117	JUNE 12	SID	IPZ	13 11 52.6	0.8			.20 D		
118	JUNE 12	AKU	EPZ	19 28 06.3	1.0			.02	19 16 31.6	39.7N 143.5E USCGS
118	JUNE 12	SID	EPZ	19 28 18.6	1.0			.04		
119	JUNE 16	AKU	IPZ	08 27 10.7	0.9			.07		
			E Z	08 56 20.8	0.5			.06	08 16 53.3	52.2N 159.0E USCGS
119	JUNE 16	REY	IPZ	08 27 23.4	1.1			.03		
120	JUNE 18	AKU	IPZ	05 36 06.0	1.2			.43 D	05 24 48.0	38.3N 119.4E USCGS
120	JUNE 18	REY	EPZ	05 36 22.9	1.0			.15		
120	JUNE 18	SID	EPZ	05 36 16.6	1.1			.23		
121	JUNE 18	AKU	EPZ	23 30 19.2	1.0			.02		
121	JUNE 18	REY	IPZ	23 30 03.4	1.0			.10	23 17 10.6	18.2S 63.3W USCGS
121	JUNE 18	SID	EPZ	23 30 05.7	1.0			.06		
122	JUNE 19	AKU	IPZ	05 07 59.9	1.3			.16 C		
122	JUNE 19	REY	EPZ	05 07 49.9	0.9			.65	04 54 54.1	17.3S 72.5W USCGS
122	JUNE 19	SID	IPZ	05 07 55.1	1.2			.29 C		
123	JUNE 23	AKU	IPZ	02 55 42.8	0.7			.05	02 46 58.1	49.9N 78.3E USCGS
124	JUNE 24	REY	IPZ	03 12 04.8	1.5			.86 D	02 59 21.0	11.9S 75.1W USCGS
125	JUNE 27	AKU	IPZ	21 30 30.6	0.8			.04	21 21 40.6	59.4N 145.3W USCGS
126	JUNE 28	AKU	EPZ	06 39 09.3	0.7			.04	06 29 53.9	57.5N 153.9W USCGS
127	JUNE 29	AKU	IPZ	06 43 17.2	1.0			.03	06 24 21.6	14.8S 167.2E USCGS
127	JUNE 29	REY	IPZ	06 43 20.4	0.9			.13		
128	AUG. 1	AKU	IPZ	23 54 48.3	1.0			.07		
128	AUG. 1	EYV	EPZ	23 54 47.6	0.8			.10	23 43 44.9	45.3N 151.1E USCGS
128	AUG. 1	REY	IPZ	23 54 59.1	1.0			.19		
128	AUG. 1	SID	EPZ	23 55 01.0	1.0			.09		
129	AUG. 2	AKU	EPZ	00 45 25.4	1.0			.03		
129	AUG. 2	EYV	IPZ	00 45 24.1	0.8			.04	00 34 16.9	45.3N 151.1E USCGS
130	AUG. 3	AKU	EPZ	00 41 15.2	0.8			.03	00 22 32.0	4.2S 153.0E USCGS
130	AUG. 3	REY	EPZ	00 41 17.4	0.7			.14		
130	AUG. 3	SID	EPZ	00 41 19.5	1.0			.06		
131	AUG. 3	EYV	IPZ	04 32 09.2	0.8			.15 C	04 19 41.4	24.9N 123.2E USCGS
132	AUG. 3	AKU	IPZ	07 59 19.9	1.2			.08	07 48 11.4	45.4N 151.8E USCGS
133	AUG. 4	AKU	EPZ	10 33 52.3	0.8			.02	10 23 28.9	51.4N 179.6W USCGS
134	AUG. 4	AKU	IPZ	17 37 03.6	1.0			.16 C		
134	AUG. 4	EYV	IPZ	17 37 00.8	0.8			.09 C	17 19 19.6	5.7S 125.3E USCGS
134	AUG. 4	REY	IPZ	17 37 07.5	1.0			.57		
134	AUG. 4	SID	IPZ	17 37 06.3	1.0			.09		
135	AUG. 5	AKU	EPZ	02 27 38.9						
			E Z	02 31 31.0	1.2			.13	02 13 09.6	1.3N 126.2E USCGS
135	AUG. 5	EYV	EPZ	02 27 41.2	1.1			.07		
			E Z	02 31 44.4	1.0			.11		
135	AUG. 5	REY	E Z	02 31 53.2	1.5			.45		
			E Z	02 42 46.6	1.1			.16		
135	AUG. 5	SID	E Z	02 31 51.2	1.1			.21		
			E Z	02 42 50.9	1.1			.09		
136	AUG. 5	REY	IPZ	16 51 13.4	0.7			.05	16 32 25.8	5.2S 153.8E USCGS
137	AUG. 8	AKU	IPZ	06 40 26.5	0.9			.14 C		
			I Z	06 41 10.4	1.0			.20		
137	AUG. 8	EYV	IPZ	06 40 14.2	0.9			.23 C		
			I Z	06 40 58.9	1.0			.43	06 30 57.1	36.4N 70.9E USCGS
137	AUG. 8	REY	IPZ	06 40 40.0	0.6			.13		
			I Z	06 41 24.1	1.0			.27		
137	AUG. 8	SID	IPZ	06 40 28.3	1.0			.32		
			I Z	06 41 13.3	1.2			.84		
138	AUG. 8	AKU	IPZ	21 02 40.4	1.0			.04	20 44 21.0	6.1S 129.7E USCGS
138	AUG. 8	EYV	EPZ	21 02 42.3	0.7			.04		
138	AUG. 8	REY	IPZ	21 02 46.8	0.9			.14		
139	AUG. 11	AKU	IPZ	21 37 51.1	1.0			.12 C		

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	ORIGIN TIME H. M. S.	REMARKS
139	AUG. 11	EYV	IPZ	21 37 50.6	0.8			.08 C	21 26 37.6	43.4N 147.9E USCGS
139	AUG. 11	REY	IPZ	21 38 00.9	1.0			.19 C		
139	AUG. 11	SID	IPZ	21 38 02.9	1.3			.56 C		
140	AUG. 11	AKU	IPZ	21 38 42.3	1.2			2.29		
			ISN	21 48 07.0	3.0	.97				
140	AUG. 11	EYV	EPZ	21 38 41.8	0.9			1.20	21 27 39.4	43.5N 147.4E USCGS
140	AUG. 11	REY	IPZ	21 38 53.1						
			ISE	21 48 29.1	3.6		17.78			
140	AUG. 11	SID	IPZ	21 38 54.7	1.0			2.74		
141	AUG. 11	AKU	IPZ	21 47 23.6	1.1			.24		
141	AUG. 11	EYV	EPZ	21 47 23.0	0.9			.23	21 36 08.0	KURILE ISLANDS UPPSALA
141	AUG. 11	REY	IPZ	21 47 33.7	1.1			.30		
141	AUG. 11	SID	EPZ	21 47 34.7	1.1			.54		
142	AUG. 11	AKU	IPZ	21 49 37.2	2.7			.90		
142	AUG. 18	EYV	IPZ	21 49 36.5	0.8			.10	21 38 24.0	KURILE ISLANDS UPPSALA
142	AUG. 11	REY	IPZ	21 49 55.5	0.8			.11		
142	AUG. 11	SID	IPZ	21 49 47.4	1.0			.19		
143	AUG. 11	AKU	IPZ	21 52 07.2	1.0			.13		
143	AUG. 11	EYV	IPZ	21 52 07.3	0.9			.10	21 40 55.4	43.8N 147.5E USCGS
143	AUG. 11	REY	EPZ	21 52 17.2	0.9			.13		
143	AUG. 11	SID	EPZ	21 52 17.6	1.2			.32		
144	AUG. 11	AKU	EPZ	22 03 00.0	1.4			.07		
144	AUG. 11	EYV	IPZ	22 02 59.2	0.8			.02		
			I Z	22 03 36.7	0.9			.05	21 51 47.0	KURILE ISLANDS UPPSALA
145	AUG. 11	AKU	IPZ	22 05 11.7	1.0			.05	21 53 59.0	KURILE ISLANDS UPPSALA
145	AUG. 11	SID	IPZ	22 05 23.4	1.1			.09 C		
146	AUG. 11	AKU	IPZ	22 06 40.5	1.0			.04		
146	AUG. 11	EYV	EPZ	22 06 39.9	0.8			.06	21 55 35.3	44.0N 145.7E USCGS
146	AUG. 11	REY	EPZ	22 06 49.7	0.8			.07		
146	AUG. 11	SID	EPZ	22 06 41.8	1.1			.12		
147	AUG. 11	AKU	IPZ	22 12 32.8	1.2			.10		
147	AUG. 11	EYV	EPZ	22 12 31.8	0.9			.09	22 01 17.9	43.5N 147.3E USCGS
147	AUG. 11	REY	EPZ	22 12 42.2	0.8			.06		
147	AUG. 11	SID	IPZ	22 12 44.5	1.0			.09		
148	AUG. 11	AKU	IPZ	22 39 03.0	0.9			.03 C		
148	AUG. 11	EYV	IPZ	22 39 02.6	0.8			.06	22 27 44.7	42.7N 147.4E USCGS
148	AUG. 11	REY	EPZ	22 39 11.9	0.8			.05		
148	AUG. 11	SID	EPZ	22 39 14.6	1.0			.06		
149	AUG. 11	AKU	IPZ	22 53 19.6	0.8			.02 C		
149	AUG. 11	EYV	IPZ	22 53 18.5	0.8			.07	22 42 00.3	42.7N 147.2E USCGS
149	AUG. 11	REY	IPZ	22 53 28.8	0.8			.04		
149	AUG. 11	SID	IPZ	22 53 30.8	1.0			.08		
150	AUG. 11	AKU	EPZ	23 00 48.0	1.0			.02		
150	AUG. 11	EYV	IPZ	23 00 47.7	0.8			.06	22 49 35.0	KURILE ISLANDS UPPSALA
151	AUG. 11	AKU	IPZ	23 05 08.7	0.9			.07		
151	AUG. 11	EYV	IPZ	23 05 08.6	0.8			.09	22 54 00.4	44.0N 148.3E USCGS
151	AUG. 11	REY	IPZ	23 05 18.8	0.8			.12		
151	AUG. 11	SID	IPZ	23 05 20.4	1.0			.15		
152	AUG. 11	AKU	EPZ	23 10 14.3	0.8			.02		
152	AUG. 11	EYV	IPZ	23 10 14.0	0.8			.04	22 59 00.0	KURILE ISLANDS UPPSALA
152	AUG. 11	REY	IPZ	23 10 23.9	0.8			.03		
152	AUG. 11	SID	EPZ	23 10 25.5	0.9			.05		
153	AUG. 11	AKU	IPZ	23 14 10.4	0.9			.06		
153	AUG. 11	EYV	EPZ	23 14 10.1	0.9			.14	23 02 53.8	43.1N 147.8E USCGS
153	AUG. 11	REY	IPZ	23 14 20.7	0.9			.06		
153	AUG. 11	SID	IPZ	23 14 22.6	1.0			.09		
154	AUG. 11	AKU	EPZ	23 32 58.4	1.2			.04	23 21 43.1	43.4N 147.5E USCGS
154	AUG. 11	EYV	EPZ	23 33 03.5	0.8			.02		
154	AUG. 11	REY	EPZ	23 33 07.8	0.8			.05		
154	AUG. 11	SID	IPZ	23 33 05.2	1.0			.06		
155	AUG. 11	AKU	IPZ	23 45 24.0	1.0			.04		
155	AUG. 11	EYV	IPZ	23 45 24.0	0.8			.07	23 34 08.4	43.3N 148.0E USCGS
155	AUG. 11	SID	IPZ	23 45 36.4	1.0			.09		
156	AUG. 11	SID	EPZ	23 48 22.5	1.0			.06	23 36 57.0	KURILE ISLANDS UPPSALA
157	AUG. 11	AKU	IPZ	23 50 46.6	0.8			.02		
157	AUG. 11	EYV	EPZ	23 50 44.5	0.9			.02	23 39 29.0	42.9N 146.7E USCGS
157	AUG. 11	REY	EPZ	23 50 50.1	1.2			.09		
157	AUG. 11	SID	EPZ	23 50 58.2	0.8			.03		
158	AUG. 11	AKU	IPZ	23 53 16.8	1.2			.06		
158	AUG. 11	EYV	EPZ	23 53 14.8	0.8			.02	23 42 03.5	43.7N 147.8E USCGS

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	ORIGIN TIME H. M. S.	REMARKS
158	AUG. 11	REY	IPZ	23 53 25.8	0.7			.05		
158	AUG. 11	SID	IPZ	23 53 28.0	1.0			.09		
159	AUG. 12	AKU	IPZ	00 00 02.3	1.0			.04		
159	AUG. 12	EYV	EPZ	00 00 01.6	0.8			.02	23 48 48.9	43.7N 147.9E USCGS
159	AUG. 12	SID	EPZ	00 00 12.7	1.0			.06		
160	AUG. 12	AKU	EPZ	00 07 22.9	1.4			.07		
			E Z	00 11 28.3	1.4			.24		
160	AUG. 12	EYV	EPZ	00 07 18.0	1.0			.06		
			E Z	00 11 14.0	1.1			.16	23 52 56.9	1.7N 126.5E USCGS
160	AUG. 12	REY	E Z	00 11 33.8	1.3			.26		
			E Z	00 22 44.9	1.0			.08		
160	AUG. 12	SID	E Z	00 11 55.6	1.1			.19		
			E Z	00 22 42.8	1.2			.06		
161	AUG. 12	AKU	IPZ	00 36 54.9	1.0			.02		
161	AUG. 12	EYV	EPZ	00 36 53.5	0.8			.02	00 25 45.4	44.5N 148.7E USCGS
162	AUG. 12	AKU	EPZ	01 04 52.3	1.0			.03		
162	AUG. 12	EYV	IPZ	01 04 51.7	0.9			.06	00 53 36.0	43.4N 147.3E USCGS
162	AUG. 12	REY	EPZ	01 05 01.9	0.9			.04		
162	AUG. 12	SID	IPZ	01 05 03.7	1.0			.09		
163	AUG. 12	AKU	EPZ	01 14 22.1	1.0			.03		
163	AUG. 12	EYV	EPZ	01 14 21.5	0.8			.05	01 03 07.3	43.5N 147.2E USCGS
163	AUG. 12	REY	EPZ	01 14 37.0	1.0			.05		
163	AUG. 12	SID	EPZ	01 14 33.8	1.0			.06		
164	AUG. 12	AKU	IPZ	03 44 54.4	2.3			.27 C		
164	AUG. 12	EYV	EPZ	03 44 54.4	0.8			.07	03 33 37.2	43.1N 147.6E USCGS
164	AUG. 12	REY	IPZ	03 45 04.9	1.0			.19		
164	AUG. 12	SID	EPZ	03 45 06.2	1.0			.13		
165	AUG. 12	AKU	EPZ	04 59 44.4	0.8			.01	04 48 25.1	43.0N 147.8E USCGS
165	AUG. 12	SID	IPZ	04 59 55.2	1.0			.06		
166	AUG. 12	AKU	IPZ	05 04 52.2	1.1			.08 D		
166	AUG. 12	EYV	IPZ	05 04 51.8	0.8			.10 D	04 53 36.5	43.3N 147.5E USCGS
166	AUG. 12	REY	EPZ	05 04 53.8	1.0			.10		
166	AUG. 12	SID	IPZ	05 05 04.3	1.2			.29 D		
167	AUG. 12	AKU	IPZ	05 14 41.4	1.3			.46 C		
167	AUG. 12	EYV	IPZ	05 14 40.6	1.1			.23 C	05 03 26.9	43.6N 148.0E USCGS
167	AUG. 12	REY	IPZ	05 14 51.0	0.9			.22 C		
167	AUG. 12	SID	IPZ	05 14 53.2	1.3			1.03 C		
168	AUG. 12	AKU	IPZ	05 20 15.0	1.0			.04		
168	AUG. 12	EYV	IPZ	05 20 14.5	0.9			.08	05 08 59.0	43.2N 147.0E USCGS
168	AUG. 12	REY	IPZ	05 20 24.8	1.0			.08		
168	AUG. 12	SID	IPZ	05 20 26.6	1.0			.09		
169	AUG. 12	AKU	IPZ	06 04 41.8	1.0			.10		
169	AUG. 12	EYV	EPZ	06 04 41.6	0.9			.16	05 53 28.2	43.7N 148.5E USCGS
169	AUG. 12	REY	IPZ	06 04 48.9	0.8			.19		
169	AUG. 12	SID	EPZ	06 04 54.8	1.0			.17		
170	AUG. 12	AKU	EPZ	06 50 05.9	0.9			.03		
170	AUG. 12	EYV	IPZ	06 50 05.7	0.8			.04	06 38 49.0	43.1N 147.5E USCGS
170	AUG. 12	REY	EPZ	06 50 10.1	1.0			.06		
170	AUG. 12	SID	IPZ	06 50 18.0	1.1			.09		
171	AUG. 12	AKU	IPZ	07 21 55.4	0.8			.07		
171	AUG. 12	EYV	IPZ	07 21 55.1	0.9			.09	07 10 41.4	43.7N 147.9E USCGS
171	AUG. 12	REY	IPZ	07 22 05.1	0.8			.09 D		
171	AUG. 12	SID	IPZ	07 22 06.9	0.9			.10		
172	AUG. 12	AKU	IPZ	09 36 55.4	1.0			.06	09 25 38.7	43.1N 147.6E USCGS
172	AUG. 12	EYV	IPZ	09 36 56.3	0.8			.06		
172	AUG. 12	REY	EPZ	09 37 05.5	1.0			.06		
172	AUG. 12	SID	IPZ	09 37 07.7	1.1			.14		
173	AUG. 12	AKU	IPZ	09 44 57.5	1.0			.05		
173	AUG. 12	EYV	IPZ	09 44 57.2	0.8			.10	09 33 43.2	43.6N 147.5E USCGS
173	AUG. 12	REY	IPZ	09 45 06.9	0.9			.16		
173	AUG. 12	SID	IPZ	09 45 09.3	1.0			.17		
174	AUG. 12	AKU	IPZ	11 32 35.7	1.1			.13		
174	AUG. 12	EYV	EPZ	11 32 34.9	1.0			.10	11 21 21.6	43.9N 148.7E USCGS
174	AUG. 12	SID	IPZ	11 32 47.0	1.2			.32		
175	AUG. 12	AKU	IPZ	13 29 23.1	0.9			.08		
175	AUG. 12	EYV	EPZ	13 29 22.5	0.9			.15	13 18 08.2	43.5N 148.0E USCGS
175	AUG. 12	SID	EPZ	13 29 34.7	1.0			.21		
176	AUG. 12	AKU	IPZ	15 39 11.8	0.9			.03	15 28 01.4	44.5N 149.0E USCGS
177	AUG. 12	AKU	IPZ	21 27 29.1	1.0			.08 C		
177	AUG. 12	EYV	IPZ	21 27 28.3	0.9			.06 C	21 16 11.3	42.9N 146.6E USCGS

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	ORIGIN TIME H. M. S.	REMARKS
177	AUG. 12	REY	IPZ	21 27 38.8	0.8			.08 C		
177	AUG. 12	SID	IPZ	21 27 40.6	1.0			.11 C		
178	AUG. 12	AKU	EPZ	23 17 12.3	0.7			.02	23 05 57.1	43.3N 147.7E USCGS
178	AUG. 12	EYV	EPZ	23 17 13.4	0.9			.04		
178	AUG. 12	SID	EPZ	23 17 24.4	0.9			.05		
179	AUG. 13	AKU	IPZ	02 18 21.4	1.0			.02	02 07 07.3	43.8N 148.7E USCGS
180	AUG. 13	AKU	IPZ	03 40 29.0	1.0			.02		
180	AUG. 13	EYV	EPZ	03 40 28.1	0.9			.04	03 29 14.1	43.5N 147.4E USCGS
180	AUG. 13	SID	EPZ	03 40 40.8	1.0			.08		
181	AUG. 13	AKU	IPZ	04 39 32.4	0.7			.02		
181	AUG. 13	EYV	IPZ	04 39 32.3	0.8			.04	04 28 18.0	43.5N 148.0E USCGS
181	AUG. 13	REY	EPZ	04 39 43.6	0.9			.08		
182	AUG. 13	AKU	IPZ	08 42 45.3	1.0			.08		
182	AUG. 13	EYV	IPZ	08 42 44.5	0.9			.06	08 31 32.2	44.0N 147.7E USCGS
182	AUG. 13	REY	IPZ	08 42 55.0	1.0			.15		
183	AUG. 13	AKU	IPZ	23 08 19.0	1.0			.07 C		
183	AUG. 13	EYV	IPZ	23 08 18.3	0.8			.06 C	22 57 07.4	44.0N 148.1E USCGS
183	AUG. 13	REY	IPZ	23 08 28.6	0.9			.19		
183	AUG. 13	SID	EPZ	23 08 31.6	1.0			.15		
184	AUG. 14	AKU	IPZ	14 30 18.5	1.3			.57 C		
184	AUG. 14	EYV	IPZ	14 30 17.9	0.9			.35 C	14 19 01.6	43.1N 147.5E USCGS
184	AUG. 14	REY	IPZ	14 30 28.7	0.7			.06		
184	AUG. 14	SID	EPZ	14 30 30.3	1.1			1.08		
185	AUG. 15	AKU	IPZ	04 43 17.8	1.2			.19 C		
185	AUG. 15	EYV	IPZ	04 43 17.5	0.8			.10	04 32 00.4	43.0N 147.9E USCGS
185	AUG. 15	REY	EPZ	04 43 27.5	1.0			.15		
185	AUG. 15	SID	IPZ	04 43 29.6	1.1			.35 C		
186	AUG. 15	AKU	IPZ	08 54 29.2	1.5			.43 C		
186	AUG. 15	EYV	IPZ	08 54 27.8	1.4			.26 C	08 41 54.9	21.6N 143.0E USCGS
186	AUG. 15	REY	IPZ	08 54 38.3	1.2			.76		
186	AUG. 15	SID	IPZ	08 54 37.7	1.2			.19		
187	AUG. 15	AKU	IPZ	20 59 00.8	0.9			.03		
187	AUG. 15	EYV	IPZ	20 59 00.0	0.8			.04	20 47 47.1	43.2N 147.1E USCGS
188	AUG. 15	AKU	EPZ	22 55 03.5	1.0			.02		
188	AUG. 15	EYV	EPZ	22 55 03.0	0.5			.01	22 43 45.5	42.9N 147.6E USCGS
189	AUG. 16	AKU	EPZ	06 19 27.1						
			ISE	06 20 41.1	0.7		.02			
189	AUG. 16	EYV	IPZ	06 19 22.1	0.4			.05		
			ESZ	06 20 29.3	0.6			.26		JAN MAYEN
190	AUG. 16	AKU	IPZ	08 59 05.2	1.0			.03 C		
190	AUG. 16	EYV	IPZ	08 59 05.1	0.8			.03 C	08 47 51.0	43.2N 147.6N USCGS
190	AUG. 16	SID	EPZ	08 59 17.0	1.1			.05		
191	AUG. 16	AKU	IPZ	09 14 25.1	0.9			.03		
191	AUG. 16	EYV	IPZ	09 14 24.9	0.8			.02	09 03 13.9	43.9N 148.5E USCGS
191	AUG. 16	REY	EPZ	09 14 37.0	0.9			.06		
191	AUG. 16	SID	IPZ	09 14 37.1	1.0			.06		
192	AUG. 16	AKU	IPZ	15 26 45.6	1.1			.19 C		
192	AUG. 16	EYV	IPZ	15 26 45.1	0.8			.15 C	15 15 32.7	43.3N 147.6E USCGS
192	AUG. 16	REY	IPZ	15 26 55.9	1.0			.22		
192	AUG. 16	SID	IPZ	15 26 53.3	1.1			.49 C		
193	AUG. 16	AKU	IPZ	17 24 58.7	1.0			.06		
193	AUG. 16	EYV	IPZ	17 24 57.9	0.8			.06	17 13 44.0	43.2N 147.7E USCGS
193	AUG. 16	REY	EPZ	17 25 08.4	0.9			.06		
			I Z	17 25 22.7	1.0			.09		
193	AUG. 16	SID	IPZ	17 25 10.2	1.0			.11		
194	AUG. 17	AKU	IPZ	12 05 59.9	1.0			.14 C		
194	AUG. 17	EYV	IPZ	12 05 58.7	0.7			.17 C	11 54 54.9	42.7N 141.4E USCGS
194	AUG. 17	REY	IPZ	12 06 11.1	0.8			.26		
194	AUG. 17	SID	IPZ	12 06 11.7	1.7			1.11		
195	AUG. 17	AKU	EPZ	20 24 06.0	1.9			.28	20 13 08.2	25.3N 109.2W USCGS
195	AUG. 17	EYV	EPZ	20 24 24.6	1.7			.26		
196	AUG. 17	AKU	EPZ	20 25 48.0	18.0			43.21		
196	AUG. 17	EYV	EPZ	20 26 20.1	1.8			.47		
196	AUG. 17	REY	EPZ	20 25 40.1	1.3			.43	20 14 58.9	25.0N 109.5W USCGS
197	AUG. 18	AKU	IPZ	11 54 42.9	1.0			.09		
197	AUG. 18	EYV	IPZ	11 54 42.7	0.8			.06 C	11 43 30.5	43.8N 148.6E USCGS
197	AUG. 18	REY	IPZ	11 54 53.6	1.1			.21		
198	AUG. 19	AKU	IPZ	09 01 07.5	1.0			.12		

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	ORIGIN TIME H. M. S.	REMARKS
198	AUG. 19	EYV	IPZ	09 01 07.0	0.8			.10	08 49 54.8	43.8N 148.2E USCGS
198	AUG. 19	REY	EPZ	09 01 22.4	0.9			.22		
198	AUG. 19	SID	IPZ	09 01 19.3	0.1			.09		
199	AUG. 20	AKU	IPZ	08 00 50.6	1.2			1.46 C	07 50 05.5	47.9N 153.6E USCGS
199	AUG. 20	EYV	IPZ	08 00 51.0	0.8			.57 C		
199	AUG. 20	REY	IPZ	08 01 01.0	1.2			1.52		
200	AUG. 21	AKU	EPZ	00 39 51.7	1.0			.04	00 28 36.8	43.2N 148.2E USCGS
201	AUG. 21	AKU	EPZ	02 55 18.1	1.0			.04	02 44 01.3	43.0N 147.3E USCGS
202	AUG. 21	AKU	IPZ	03 43 28.1	1.0			.04		
202	AUG. 21	EYV	IPZ	03 43 27.9	0.8			.06	03 32 11.5	43.2N 147.0E USCGS
202	AUG. 21	SID	IPZ	03 43 35.2	1.0			.11		
203	AUG. 21	AKU	IPZ	13 35 14.7	0.8			.03		
203	AUG. 21	EYV	IPZ	13 35 14.6	0.8			.06	13 24 01.9	43.6N 148.1E USCGS
203	AUG. 21	REY	IPZ	13 35 25.8	0.7			.08		
203	AUG. 21	SID	EPZ	13 35 26.6	0.8			.08		
204	AUG. 22	AKU	EPZ	10 15 50.7	0.7			.02		
204	AUG. 22	REY	IPZ	10 15 45.8	1.0			.09	10 04 36.4	23.3N 110.4W USCGS
205	AUG. 27	AKU	IPZ	03 37 28.2	0.9			.04		
205	AUG. 27	EYV	IPZ	03 37 28.1	0.8			.04	03 26 16.1	43.7N 147.6E USCGS
206	AUG. 28	EYV	EPZ	14 13 44.4	0.8			.02	13 54 11.0	31.5S 177.9W USCGS
206	AUG. 28	SID	EPZ	14 14 01.2	1.0			.09		
207	AUG. 29	AKU	EPZ	10 14 30.5	0.8			.02		
207	AUG. 29	EYV	IPZ	10 14 23.3	0.8			.03	10 02 49.6	26.3N 96.1E USCGS
207	AUG. 29	SID	EPZ	10 14 35.9	0.6			.04		
208	AUG. 30	AKU	IPZ	07 22 56.0	0.8			.13		
208	AUG. 30	EYV	EPZ	07 22 50.9	0.8			.31	07 11 39.5	43.7N 147.8E USCGS
208	AUG. 30	REY	EPZ	07 23 05.5	0.8			.25		
208	AUG. 30	SID	IPZ	07 23 07.0	0.9			.24		
209	AUG. 30	AKU	EPZ	07 52 58.5	0.9			.04		
209	AUG. 30	EYV	IPZ	07 52 52.5	0.5			.02	07 41 43.4	43.7N 147.9E USCGS
210	SEP. 1	AKU	EPZ	10 01 08.8	0.7			.02		
210	SEP. 1	EYV	IPZ	10 01 08.6	0.7			.04	09 49 52.0	43.1N 147.6E USCGS
210	SEP. 1	SID	EPZ	10 01 20.4	0.8			.04		
211	SEP. 2	AKU	EPZ	18 11 56.4	0.7			.02	17 52 37.5	33.2S 179.8E USCGS
211	SEP. 2	EYV	EPZ	18 11 57.4	0.8			.02		
212	SEP. 4	AKU	IPZ	03 19 50.0	1.0			.17	03 08 52.0	46.6N 153.5E USCGS
212	SEP. 4	EYV	EPZ	03 19 50.1	0.8			.27		
212	SEP. 4	SID	EPZ	03 19 55.5	1.0			.17		
213	SEP. 4	AKU	IPZ	21 23 49.3	0.8			.03		
213	SEP. 4	EYV	EPZ	21 23 48.7	0.8			.11	21 12 39.5	43.8N 147.4E USCGS
213	SEP. 4	REY	IPZ	21 23 59.6	0.8			.12 C		
213	SEP. 4	SID	IPZ	21 24 01.2	0.8			.14 C		
214	SEP. 6	AKU	EPZ	14 36 40.3	1.0			.08		
214	SEP. 6	EYV	EPZ	14 36 33.7	0.9			.11		
214	SEP. 6	REY	EPZ	14 36 29.5	1.0			.21		
214	SEP. 6	SID	EPZ	14 36 22.1	1.0			.19	14 30 39.5	36.9N 11.9W USCGS
215	SEP. 10	AKU	EPZ	12 21 54.4	1.3			.08		
215	SEP. 10	REY	EPZ	12 22 06.3	0.8			.09		
215	SEP. 10	SID	EPZ	12 21 53.1	0.9			.06	12 14 00.4	39.2N 41.4E USCGS
216	SEP. 11	AKU	EPZ	03 29 39.9	1.3			.08		
216	SEP. 11	EYV	EPZ	03 29 29.4	0.8			.04	03 17 00.1	26.1N 128.5E USCGS
217	SEP. 11	AKU	IPZ	04 10 44.1	0.5			.03		
217	SEP. 11	EYV	IPZ	04 10 34.6	0.5			.02	04 01 57.1	49.7N 78.1E USCGS
218	SEP. 12	AKU	EPZ	09 07 28.7	0.7			.08	08 57 07.3	51.2N 179.2W USCGS
218	SEP. 12	EYV	EPZ	09 07 35.1	0.7			.08		
218	SEP. 12	REY	EPZ	09 07 36.0	0.9			.28		
218	SEP. 12	SID	EPZ	09 07 41.4	1.0			.08		
219	SEP. 13	AKU	EPZ	12 03 54.4	1.2			.13 C		
219	SEP. 13	SID	EPZ	12 03 38.8	1.1			.14	11 52 15.3	43.6N 147.6E USCGS
220	SEP. 14	AKU	EPZ	13 00 25.7	0.9			.03	12 49 12.2	43.5N 147.6E USCGS
221	SEP. 14	AKU	EPZ	14 56 10.6	0.8			.03	14 46 21.1	39.6N 74.9E USCGS
222	SEP. 14	AKU	EPZ	16 25 01.1	0.7			.02	16 15 24.8	39.7N 74.9E USCGS
222	SEP. 14	SID	EPZ	16 25 06.3	0.9			.06		
223	SEP. 15	AKU	IPZ	14 56 01.8	1.0			.09	14 45 42.0	51.9N 175.5E USCGS

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	ORIGIN TIME H. M. S.	REMARKS
223	SEP. 15	REY	IPZ	14 56 09.9	0.9			.35		
224	SEP. 15	AKU	IPZ	18 58 44.2	1.4			.11	18 47 41.3	45.5N 151.6E USCGS
224	SEP. 15	REY	EPZ	18 58 14.5	1.0			.21		
225	SEP. 16	AKU	IPZ	08 12 56.5	1.2			.06	08 00 35.8	27.2N 127.3E USCGS
226	SEP. 16	AKU	IPZ	14 40 08.4	1.5			.43		
226	SEP. 16	RLY	IPZ	14 40 02.7	1.6			2.55	14 30 00.0	37.3N 116.5W USCGS
227	SEP. 17	AKU	EPZ	18 52 57.8	2.1			.32	18 40 45.8	31.1N 131.3E USCGS
228	SEP. 19	AKU	IPZ	21 26 19.0	1.0			.05	21 23 04.9	NORTH ATLANTIC OCEAN, UPPSALA
229	SEP. 20	AKU	IPZ	00 00 39.1	1.4			.11	23 58 01.2	NORTH ATLANTIC OCEAN, UPPSALA
230	SEP. 20	AKU	EPZ	00 59 18.4	1.0			.06		
			ESE	01 01 35.6						
230	SEP. 20	REY	EPZ	00 58 44.3	0.9			.18		
			SN		4.8	27.83			00 56 51.3	58.1N 32.2E USCGS
231	SEP. 20	AKU	IPZ	01 10 05.8	1.5			.30		
			ESE	01 12 11.3						
231	SEP. 20	REY	EPZ	01 09 30.5	0.8			.25		
			SE		4.6		57.69		01 07 38.4	58.2N 32.1W USCGS
231	SEP. 20	SID	EPZ	01 09 53.0	0.9			.05		
232	SEP. 20	REY	EPZ	01 12 25.5	0.9			.14	01 10 03.0	NORTH ATLANTIC OCEAN, UPPSALA
233	SEP. 20	AKU	EPZ	01 15 31.6	1.7			.43		
			ESE	01 17 55.2						
233	SEP. 20	REY	IPZ	01 15 00.1	1.0			.21	01 13 04.6	58.1N 32.1W USCGS
233	SEP. 20	SID	EPZ	01 15 19.4	1.2			.10		
234	SEP. 20	AKU	IPZ	05 11 22.4						
			I Z	05 11 25.3	1.5			2.98		
			ESE	05 13 20.3						
234	SEP. 20	REY	IPZ	05 10 49.0	0.9			1.95		
			ESE	05 12 33.0	5.0		730.00		05 08 57.6	58.3N 32.2W USCGS
234	SEP. 20	SID	EPZ	05 11 00.5						
			E Z	05 11 08.1	0.8			.21		
			SZ		5.2			338.24		
235	SEP. 20	SID	IPZ	14 17 29.7	1.1			.12	14 07 57.8	38.4N 69.8E USCGS
236	SEP. 20	AKU	IPZ	15 39 10.2	1.3			.21	15 26 41.5	1.8N 101.0W USCGS
236	SEP. 20	SID	EPZ	15 39 18.3	1.3			.30		
237	SEP. 24	AKU	EPZ	04 02 31.2	1.0			.09		
237	SEP. 24	REY	EPZ	04 01 58.9	1.0			.33		
			E Z	04 04 09.0	0.2			.06	03 58 56.5	52.5N 31.8W USCGS
237	SEP. 24	SID	EPZ	04 02 03.5	0.3			.14		
			E Z	04 04 20.7	0.2			.14		
238	SEP. 24	AKU	EPZ	04 24 25.2	1.3			.27		
238	SEP. 24	REY	EPZ	04 23 52.5	0.8			.22		
			E Z	04 26 07.5	0.3			.08	04 20 52.9	52.6N 31.8W USCGS
238	SEP. 24	SID	EPZ	04 23 56.9	0.3			.14		
			E Z	04 26 07.6	0.2			.10	09 00 00.0	
239	SEP. 24	AKU	EPZ	18 12 41.2	1.5			.43		
239	SEP. 24	REY	EPZ	18 12 38.0	1.0			.25	18 03 19.0	15.2N 45.8W USCGS
239	SEP. 24	SID	EPZ	18 12 40.1	1.3			.26		
240	SEP. 27	AKU	EPZ	04 13 25.5	1.0			.02	04 02 16.3	43.9N 147.0E USCGS
240	SEP. 27	SID	IPZ	04 13 38.7	1.0			.15		
241	SEP. 27	AKU	EPZ	09 23 13.8	1.0			.04		
241	SEP. 27	REY	EPZ	09 22 50.4	1.0			.13	09 04 02.8	60.9S 56.0W USCGS
242	SEP. 28	AKU	IPZ	23 01 47.4	1.0			.10		
242	SEP. 28	SID	EPZ	23 01 37.9	1.0			.09	22 54 06.6	34.3N 25.1E USCGS
243	SEP. 29	AKU	EPZ	10 30 21.6	1.2			.08		
			ESN	10 32 10.0						
243	SEP. 29	EYV	SZ	10 30	0.5			.27	10 27 49.1	65.1N 6.6E USCGS
243	SEP. 29	SID	EPZ	10 30 22.9						
			ESZ	10 32 16.1	0.9			.06		
244	SEP. 30	AKU	EPZ	18 11 24.8	1.0			.04		
244	SEP. 30	REY	EPZ	18 11 16.4	1.2			.14	17 51 41.8	31.9S 178.0W USCGS
244	SEP. 30	SID	EPZ	18 11 21.0	1.0			.09		
245	SEP. 1	AKU	IPZ	05 18 37.3	1.2			.19		
245	SEP. 1	REY	IPZ	05 18 28.1	1.0			.25 D	05 05 43.2	11.9S 75.1W USCGS
245	SEP. 1	SID	EPZ	05 18 31.6	1.0			.19		
246	SEP. 1	AKU	IPZ	06 11 06.0	1.0			.06 C		
246	SEP. 1	REY	IPZ	06 10 54.9	1.0			.21	05 58 12.7	11.7S 75.1W USCGS

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	ORIGIN TIME H. M. S.	REMARKS
246	SEP. 1	SID	EPZ	06 10 57.5	1.0			.11		
247	SEP. 1	AKU	IPZ	08 41 07.8	1.0			.05		
247	SEP. 1	REY	IPZ	08 40 57.3	1.1			.21	08 29 14.0	11.8S 75.0W USCGS
247	SEP. 1	SID	IPZ	08 41 02.7	1.0			.15		
248	SEP. 2	AKU	IPZ	22 16 23.7	1.3			.96	22 06 00.0	51.4N 179.2W USCGS
248	SEP. 2	REY	IPZ	22 16 29.1	0.9			.43		
248	SEP. 2	SID	IPZ	22 16 36.5	1.2			.45		
249	SEP. 3	AKU	EPZ	01 52 56.5	1.0			.10	01 33 19.8	32.9S 178.0W USCGS
249	SEP. 3	REY	IPZ	01 52 57.4	0.9			.35		
250	SEP. 13	AKU	IPZ	01 09 15.7	1.2			.08		
250	SEP. 13	EYV	IPZ	01 09 01.8	0.8			.05	01 02 28.5	39.9N 20.6E USCGS
250	SEP. 13	REY	IPZ	01 09 22.2	0.8			.12		
250	SEP. 13	SID	IPZ	01 09 07.0	1.0			.09		
251	SEP. 13	AKU	IPZ	07 14 52.3	1.0			.09		
251	SEP. 13	REY	EPZ	07 14 50.4	1.0			.25	06 56 01.6	18.9S 169.3E USCGS
251	SEP. 13	SID	IPZ	07 15 09.6	1.0			.11		
252	SEP. 14	AKU	IPZ	07 05 34.1	0.9			.39 C		
252	SEP. 14	EYV	IPZ	07 05 26.7	0.8			.28 C		
			I Z	07 05 34.7	0.7			.91	07 00 06.2	73.4N 54.8E USCGS
252	OCT. 14	REY	EPZ	07 05 52.1	1.0			.25		
253	OCT. 17	AKU	IPZ	01 36 59.8	1.2			.45 D		
			I Z	01 37 34.9						
253	OCT. 17	EYV	IPZ	01 36 52.6	1.0			.59		
			E Z	01 37 27.5	1.0			.44	01 25 12.4	23.1N 94.7E USCGS
253	OCT. 17	REY	IPZ	01 37 12.4	0.8			.16		
253	OCT. 17	SID	IPZ	01 37 05.5	1.0			1.15 D		
254	OCT. 18	AKU	IPZ	01 25 27.2				C		
			I Z	01 25 56.6	1.0			.07	01 13 59.7	39.3N 141.4E USCGS
254	OCT. 18	REY	I Z	01 26 06.6	1.7			1.27		
255	OCT. 18	AKU	IPZ	08 54 19.7	1.0			.19 C	08 44 00.0	52.5N 173.5E USCGS
255	OCT. 18	EYV	IPZ	08 54 22.8	0.9			.06		
255	OCT. 18	REY	IPZ	08 54 27.6	0.9			.50		
255	OCT. 18	SID	IPZ	08 54 33.0	1.0			.09		
256	OCT. 20	AKU	EPZ	13 22 21.8	1.4			.11		
256	OCT. 20	EYV	EPZ	13 22 30.4	0.8			.04		
256	OCT. 20	REY	IPZ	13 22 07.4	1.0			.38	13 11 37.0	10.8N 72.5W USCGS
256	OCT. 20	SID	IPZ	13 22 16.3	1.0			.15 C		
257	OCT. 21	AKU	IPZ	21 04 08.0	0.9			.06 C	20 53 47.5	51.3N 179.2W USCGS
257	OCT. 21	EYV	EPZ	21 04 11.9	0.8			.03		
258	OCT. 22	AKU	EPZ	13 02 40.0	0.5			.05		
258	OCT. 22	SID	IPZ	13 02 32.5	0.8			.38		
			I Z	13 02 52.8	0.8			.28	12 52 22.0	10.9N 62.6W USCGS
259	OCT. 22	AKU	EPZ	23 02 08.3	1.2			.06	22 51 33.5	34.8N 121.3W USCGS
260	OCT. 27	AKU	IPZ	08 16 54.6	1.0			.07		
260	OCT. 27	EYV	EPZ	08 16 37.1	0.8			.07	08 10 58.3	44.9N 17.2E USCGS
260	OCT. 27	SID	EPZ	08 16 44.4	1.0			.11		
261	OCT. 31	AKU	IPZ	06 54 23.3	1.1			.68		
261	OCT. 31	EYV	EPZ	06 54 22.7	0.4			.05	06 43 17.5	45.8N 150.7E USCGS
261	OCT. 31	SID	IPZ	06 54 36.4	0.9			.10		
262	OCT. 31	AKU	IPZ	11 43 25.7	1.2			.19	11 33 04.8	51.3N 179.0W USCGS
262	OCT. 31	EYV	EPZ	11 43 30.0	0.7			.05		
262	OCT. 31	REY	EPZ	11 43 33.4	1.0			.33		
262	OCT. 31	SID	EPZ	11 43 39.7	1.0			.09		
263	NOV. 1	AKU	EPZ	11 19 32.5	1.5			.45		
263	NOV. 1	EYV	EPZ	11 19 44.4	1.8			.55		
263	NOV. 1	REY	EPZ	11 19 31.1	1.0			.21	11 08 20.9	23.1N 107.9W USCGS
264	NOV. 5	AKU	IPZ	18 04 47.7	1.2			.08	17 54 13.6	34.8N 121.2W USCGS
265	NOV. 6	AKU	EPZ	20 30 40.2	0.8			.03	20 20 18.5	51.5N 178.9W USCGS
266	NOV. 7	AKU	IPZ	18 44 06.6				C		
			I Z	18 44 07.9	1.2			.76		
266	NOV. 7	EYV	IPZ	18 43 56.5	0.8			.43	18 33 59.9	27.9N 60.1E USCGS
266	NOV. 7	REY	IPZ	18 44 20.2	1.2			1.08 C		
266	NOV. 7	SID	IPZ	18 44 07.5				C		
			I Z	18 44 08.5	0.8			.63		
267	NOV. 17	EYV	IPZ	00 58 01.4	0.8			.07		
268	NOV. 20	AKU	EPZ	23 55 32.3	1.0			.04	23 46 11.6	56.6N 153.2W USCGS
268	NOV. 20	EYV	EPZ	23 55 32.4	0.9			.06		

NO.	DATE	STATION	PHASE COMP.	TIME-GMT H. M. S.	PER. SEC.	AMPLITUDE MICRON N	E	Z	ORIGIN TIME H. M. S.	REMARKS	
269	NOV. 21	AKU	EPZ	02 19 14.9							
			E Z	02 23 08.8	1.5			.56			
269	NOV. 21	EYV	EPZ	02 19 08.0	1.1			.17	02 05 35.3	2.1N 94.6E	USCGS
269	NOV. 21	REY	EPZ	02 23 24.6	1.0			.21			
269	NOV. 21	SID	IPZ	02 23 15.2	1.3			.43			
270	NOV. 22	AKU	IPZ	23 19 21.2	1.3			.62	23 09 37.2	57.8N 163.5E	USCGS
270	NOV. 22	EYV	EPZ	23 19 23.3	0.8			.14			
270	NOV. 22	REY	EPZ	23 19 31.7	1.2			.65			
270	NOV. 22	SID	IPZ	23 19 39.4	1.0			.13			
271	NOV. 24	AKU	IPZ	17 32 53.6	1.1			.12 D			
271	NOV. 24	EYV	IPZ	17 32 43.7	1.0			.20 D	17 23 20.2	37.2N 71.7E	USCGS
271	NOV. 24	SID	IPZ	17 32 57.7	1.1			.40 D			
272	NOV. 24	AKU	EPZ	23 01 14.1	1.0			.06	22 51 50.1	56.2N 153.6W	USCGS
272	NOV. 24	EYV	EPZ	23 01 20.5	0.9			.06			
272	NOV. 24	SID	EPZ	23 01 35.9	1.0			.09			
273	NOV. 30	AKU	IPZ	03 41 44.9	0.8			.20 C			
273	NOV. 30	EYV	IPZ	03 41 35.8	0.5			.21 C	03 32 57.2	49.9N 79.0E	USCGS
273	NOV. 30	REY	IPZ	03 42 02.1	0.5			.11 C			
274	DEC. 1	AKU	EPZ	01 10 08.3							
			I Z	01 10 19.0	0.7			.04			
274	DEC. 1	EYV	EPZ	01 09 56.6							
			I Z	01 10 26.7	0.8			.10			
275	DEC. 4	AKU	IPZ	09 01 53.7	1.0			.04 C	08 50 21.6	40.7N 144.7E	USCGS
276	DEC. 6	AKU	IPZ	07 11 11.2	1.0			.17 C			
			I Z	07 12 51.3							
276	DEC. 6	EYV	IPZ	07 11	0.8			.46 C	07 02 57.4	43.8N 54.8E	USCGS
277	DEC. 10	AKU	EPZ	20 13 15.1	1.1			.04	19 53 58.2	14.8S 167.0E	USCGS
278	DEC. 14	AKU	EPZ	03 01 03.2	1.5			.15	02 42 09.4	2.0N 126.9E	USCGS
279	DEC. 14	AKU	EPZ	18 49 02.5	1.5			.19	18 37 09.5	8.2N 58.5E	USCGS
280	DEC. 17	AKU	EPZ	02 50 56.6							
			I Z	02 51 06.4	0.9			.04			
			MN		0.9	.06					
281	DEC. 18	AKU	EPZ	06 16 03.4	0.7			.02			
282	DEC. 18	AKU	IPZ	13 42 25.7	0.9			.29			
282	DEC. 18	EYV	IPZ	13 42 25.5							
			I Z	13 42 27.2	0.8			.19	13 32 05.2	46.3N 142.5E	USCGS
282	DEC. 18	REY	EPZ	13 42 37.4	0.9			.35			
282	DEC. 18	SID	IPZ	13 42	0.9			.24			
283	DEC. 18	EYV	EPZ	19 02 25.8							
			ESZ	19 03 45.8	0.7			.29	19 00 39.9	71.7N 2.7W	USCGS
284	DEC. 22	AKU	IPZ	11 29 25.4	1.0			.03	11 19 19.3	52.5N 168.1W	USCGS
285	DEC. 23	AKU	EPZ	13 32 40.9	1.0			.05	13 22 54.2	57.4N 163.1E	USCGS
286	DEC. 25	AKU	EPZ	21 42 16.7	0.8			.46			
286	DEC. 25	REY	IPZ	21 42 02.1	0.9			1.06	21 32 27.3	15.8N 59.7W	USCGS
287	DEC. 25	AKU	EPZ	22 40 51.1	0.8			.10			
287	DEC. 25	REY	EPZ	22 40 34.4	1.1			.26	22 31 02.3	16.1N 59.8W	USCGS
288	DEC. 26	AKU	EPZ	00 28 02.2	0.9			.07	00 18 21.0	55.2N 160.4W	USCGS
289	DEC. 28	AKU	IPZ	03 55 41.9	0.6			.09	03 46 58.0	50.0N 77.8E	USCGS
290	DEC. 29	AKU	EPZ	01 01 33.6	1.6			.15	00 51 47.2	16.2N 59.7W	USCGS
291	DEC. 31	AKU	EPZ	05 44 44.6	1.2			.06			
291	DEC. 31	EYV	IPZ	05 44 31.3	0.7			.03	05 37 02.5	34.4N 26.1E	USCGS
292	DEC. 31	AKU	EPZ	19 14 19.5	1.3			.16			
292	DEC. 31	EYV	EPZ	19 14 16.0	0.7			.05	19 01 56.1	28.5N 129.1E	USCGS

Date	Time GMT	Location				Intensity	Remarks
Apr 1	o3 41	Grímsey	66°	32´N,	18°o1´W	II - III	
	o4 12	Grímsey	66	32	18 o1	V	
		Fjöll (Kelduhv.)	66	o5	16 58	III - IV	
		Húsavík	66	o3	17 21	III - IV	
		Hólar	65	44	19 o7	III - IV	
		Vaglir	65	43	17 54	III - IV	
		Reyðará	66	11	18 47	III	
		Raufarhöfn	66	27	15 57	III	
		Sandur	65	57	17 33	II - III	
	o5 o9	Grímsey	66	32	18 o1		
Apr 21	1o 58	Skúlagarður	66	o5	16 43	IV - V	
May 5	21 48	Grímsey	66	32	18 o1		
		Raufarhöfn	66	27	15 57	III	
		Siglufjörður	66	o9	18 55		
		Ólafsfjörður	66	o4	18 39		
		Akureyri	66	41	18 o5		
9	14 27 14 33 14 38	These three quakes were felt at many places in South Iceland between Hveragerði, 64°oo´N, 21°12´W and Hella 63°5o´N, 2o°24´W					
15	18 16	Until 21 47, 9 quakes were felt at Reykjanesviti 63°49´N, 22°43´W					
25	11 15	Garður	66	o4	16 46		
Aug 26	22 47	Hólar	65	44	19 o7		
		Siglufjörður	66	o9	18 55		
		Reyðará	66	11	18 47		
		Grímsey	66	32	18 o1		
		Dalvík	65	58	18 32		
		Akureyri	66	41	18 o5		
		Húsavík	66	o3	17 21	IV - V	
		Mánárbakki	66	12	17 o6	IV - V	
		Reynihlíð	65	39	16 55	II	
		Garður	66	o4	16 46		
		Sultir	66	o5	16 53		
		Skúlagarður	66	o5	16 43		
		Leirhöfn	66	24	16 3o	V	
		Raufarhöfn	66	27	15 57		
		Until end of August many quakes felt in Grímsey, a few of these also in some other places in Northern Iceland					
Sep 9	o6 3o o6 33 o6 37	These quakes were felt at Þverholt 64°35´N, 22°o9´W					
Sep 15	o7 47	Sandhólar	66	11	17 13	II - III	
Oct 8	o9 o2	Hafnarfjörður	64	o4	21 58	III - IV	
		Reykjavík	64	o8	21 54	II	
		Krísuvík	63	54	22 o3	IV - V	
Dec 6	21 1o 24	Two quakes not registered on instruments felt at Forsæti 63°51´N, 2o°43´W				II - III III - IV	
12	22 34	Hella	63	5o	2o 24	III - IV	
		Leirubakki	64	oo	2o oo		
13	o2	Hella	63	5o	2o 24	II - III	

Prentþjónustan hf. Prenttækni sf.