

SEISMOLOGICAL BULLETIN

OF THE

IMPERIAL MARINE OBSERVATORY

AND

KOBE METEOROLOGICAL OBSERVATORY.

KOBE, JAPAN.

VOL. XI No. 1.

From Jan. 1 1935, to Mar. 31 1935.

KOBE
—
June, 1936.

From No. 1, to No. 51, 1935.

KÔBE JAPAN.

SEISMOLOGICAL BULLETIN

of the Imperial Marine Observatory and the Kobe Meteorological Observatory of Japan.

$\phi=34^{\circ} 41' 18''N$ $\lambda=135^{\circ} 10' 51''E$ $h=58.3$ m Underground: Diluvial Series.

Instruments: Omori's Seismograph.
(Horizontal Pendulum)

Wiechert Seismograph.
(Horizontal & Vertical)

Jan.

| | T_o | ϵ | $\frac{r}{T_o^2}$ | V |
|-----|-------|------------|-------------------|----|
| AE: | 18.9 | | 0.001 | 20 |
| AN: | 18.6 | | 0.001 | 20 |

| | T_o | ϵ | $\frac{r}{T_o^2}$ | V |
|-----|-------|------------|-------------------|-----|
| AE: | 6.6 | Aperiodic | 0.007 | 100 |
| AN: | 6.7 | " | 0.006 | 92 |
| AZ: | 3.9 | 4 | 0.005 | 82 |

Feb.

| | T_o | ϵ | $\frac{r}{T_o^2}$ | V |
|-----|-------|------------|-------------------|----|
| AE: | 20.6 | | 0.001 | 20 |
| AN: | 19.8 | | 0.001 | 20 |

| | T_o | ϵ | $\frac{r}{T_o^2}$ | V |
|-----|-------|------------|-------------------|-----|
| AE: | 5.9 | 6 | 0.002 | 117 |
| AN: | 6.1 | 7 | 0.002 | 109 |
| AZ: | 3.7 | 5 | 0.004 | 96 |

Mar.

| | T_o | ϵ | $\frac{r}{T_o^2}$ | V |
|-----|-------|------------|-------------------|----|
| AE: | 19.3 | | 0.005 | 20 |
| AN: | 20.1 | | 0.005 | 20 |

| | T_o | ϵ | $\frac{r}{T_o^2}$ | V |
|-----|-------|------------|-------------------|-----|
| AE: | 6.0 | | 0.005 | 108 |
| AN: | 6.3 | | 0.004 | 107 |
| AZ: | 3.8 | 6 | 0.004 | 91 |

CONTENTS

| | Page |
|--|------|
| Seismological Bulletin of Kobe | 1 |
| Seismological Bulletin of Sumoto | 15 |
| Seismological Bulletin of Toyooka | 29 |

| No. | Date | Phase | Time | Period | Amplitude | | | Δ | Remarks |
|-----|--------|-------|----------|--------|-----------|-------|-------|----------|---|
| | | | | | AE | AN | AZ | | |
| | | | G. M. T | s | μ | μ | μ | km. | |
| 1 | Jan. 1 | PZ | h m s | | | | | 416 | North off Osima, Izu Province. Felt in Kwanto district. |
| | | ePE | 13 06 36 | | | | | | |
| | | ez | 13 06 41 | | | | | | |
| | | iE | 13 06 50 | | | | | | |
| | | eN | 13 06 49 | | | | | | |
| | | iz | 13 06 55 | | | | | | |
| | | SE | 13 07 32 | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks | |
|--------------------|----------|------------------|------------------|-------------|-------------------------|-------------------------|-------------------------|--------------------|---------------------------|----------------------------|
| | | | | | A _E μ | A _N μ | A _Z μ | | | |
| 2 | Jan. 1 | Sz | 13 07 33 | | | | | | | |
| | | iN | 13 07 37 | | | | | | | |
| | | ME | 13 07 39 | | | +8 | | | | |
| | | MN | 13 07 39 | 2.6 | | | +10 | | | |
| | | MZ | 13 07 39 | 2.5 | | | | +3 | | |
| | | CE | 13 09 09 | 3.5 | | -6 | | | | |
| | | eF | 13 14 ± | | | | | | | |
| | | ePE | 13 31 40 | | | | | | 7250 | South Pacific Ocean. Felt |
| | | ePN | 13 31 41 | | | | | | | in Samoa. Intensity 3-4. |
| | | Pz | 13 31 39 | 5.3 | | | | +3 | | Record is deep focus type. |
| | | iz | 13 32 46 | | | | | +2 | | |
| | | ee | 13 33 30 | | | | | | | |
| | | ez | 13 33 20 | | | | | +4 | | |
| | | eN | 13 36 55 | | | | | | | |
| | | SN | 13 40 21 | | | | | -7 | | |
| Sz | 13 40 35 | 7.8 | | | | | | | | |
| ScS ₂ E | 13 41 17 | | | | | | | | | |
| PP'Z | 13 59 48 | | | | | (+)? | |in Time mark. | | |
| iz | 14 01 01 | | | | | | | | | |
| ePP'Z | 14 02 08 | | | | | | | | | |
| eF | 14 07 ± | | | | | | | | | |
| 3 | Jan. 3 | Pz | 1 57 37 | 2.3 | | | | 4265 | Tibet, China. 31°5N 88°E. | |
| | | ePE | 1 57 40 | 3.4 | | | | | according to Strasbourg | |
| | | ePN | 1 57 44 | 5.1 | | | | | report. | |
| | | ie | 1 57 47 | 1.5 | | | | | | |
| | | ez | 1 57 46 | 1.5 | | | | | | |
| | | SEN | 2 03 42 | | | | | | | |
| | | ez | 2 06 45 | | | | | | | |
| | | eN | 2 07 02 | | | | | | | |
| | | eLQ _N | 2 10.4 | | | | | | | |
| | | eLEZ | 2 11.7 | | | | | | | |
| | | ME | 2 12 35 | 18.0 | | -3 | | | | |
| | | MN | 2 12 04 | 18.5 | | | +8 | | | |
| MZ | 2 14 02 | 19.2 | | | | ±2 | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|----------|-------|------------------|-------------|-------------------------|-------------------------|-------------------------|-----------------|-----------------------------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 4 | Jan. 3 | eF | 2 36 ± | | | | | | |
| | | PE | 14 55 59 | | | | | 451 | Mouth of the Edo River, |
| | | PN | 14 55 58 | | | | | | SE of Tokyo City. |
| | | Pz | 14 55 57 | | | | | | Felt in Kwanto district. |
| | | eEN | 14 56 05 | | | | | | |
| | | iz | 14 56 08 | | | | | | |
| | | ee | 14 56 12 | | | | | | |
| | | eN | 14 56 16 | | | | | | |
| | | SN | 14 56 58 | | | | | | |
| | | Sz | 14 56 56 | | | | | | |
| | | ez | 14 56 58 | | | | | | |
| | | ME | 14 57 05 | 1.8 | | -5 | | | |
| MN | 14 57 16 | 2.8 | | | +5 | | | | |
| MZ | 14 57 11 | 1.9 | | | | ±3 | | | |
| eF | 15 04 ± | | | | | | | | |
| 5 | Jan. 4 | ez | 15 08 50 | | | | | | Very faint record. |
| | | eN | 15 30 23 | 20.0 | | | | | Sea of Marumora, Turkey. |
| | | eN | 15 33 41 | 15.0 | | | ±2 | | 40°8 N. 28°3 E. Destructive |
| | | ez | 15 33 12 | | | | | | earthquake. According to |
| | | ee | 15 36 49 | 14.0 | | +2 | | | Strasbourg's report. |
| | | MZ | 15 39 32 | 16.0 | | | | ±1 | |
| | | eF | 15 51 ± | | | | | | |
| 6 | Jan. 8 | ee | 2 04 09 | | | | | | Mouth of the Ihi River, |
| | | eN | 2 04 18 | | | | | | northern part of Ise Bay. |
| | | S | 2 04 34 | | | | | | |
| | | ME | 2 04 36 | 0.8 | | +3 | | | |
| | | MN | 2 04 35 | 0.5 | | | -4 | | |
| | | MZ | 2 04 35 | 0.8 | | | | ±1 | |
| F | 2 05 11 | | | | | | | | |
| 7 | Jan. 8 | ee | 18 36 04 | | | | | | Southern part of Kasima |
| | | eN | 18 36 02 | | | | | | nada, east off Ibaraki Pre- |
| | | ez | 18 36 06 | | | | | | fecture. |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|------------------|------|----|-------|--------|----------------|----------------|----------------|----------|-----------------------------|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | iE | 18 | 37 | 06 | | | | | | |
| | | eN | 18 | 37 | 06 | | | | | | |
| | | ez | 18 | 37 | 07 | | | | | | |
| | | iE | 18 | 37 | 18 | 2.0 | | | | | |
| | | M _N | 18 | 37 | 22 | 2.9 | | ± 1 | | | |
| | | M _E | 18 | 37 | 42 | 2.4 | +1 | | | | |
| | | eM _Z | 18 | 37 | 41 | 2.1 | | | ± 1 | | |
| | | eF | 18 | 43 | \pm | | | | | | |
| 8 | Jan. 9 | S _E | 5 | 10 | 24 | | | | | | Very small movement. |
| | | M _E | 5 | 10 | 25 | 0.5 | ± 1 | | | | Lower basin of the Hidaka |
| | | M _N | 5 | 10 | 25 | 0.4 | | ± 1 | | | River, Wakayama Prefecture. |
| | | F | 5 | 10 | 44 | | | | | | |
| 9 | Jan. 9 | ez | 16 | 37 | 42 | | | | | 70 | Basin of the Hidaka River, |
| | | eP _{EN} | 16 | 37 | 43 | | | | | | Wakayama Prefecture. |
| | | ez | 16 | 37 | 45 | | | | | | |
| | | S | 16 | 37 | 53 | | | | +1 | | |
| | | M _E | 16 | 37 | 53 | 0.5 | -2 | | | | |
| | | M _N | 16 | 37 | 53 | 0.6 | | -2 | | | |
| | | F | 16 | 38 | 23 | | | | | | |
| 10 | Jan. 13 | eP _E | 14 | 16 | 15 | | | | | 143 | Middle part of Aiti Prefec- |
| | | eP _Z | 14 | 16 | 16 | | | | | | ture. |
| | | S _{EN} | 14 | 16 | 35 | | +3 | +2 | | | |
| | | S _Z | 14 | 16 | 34 | | | | | | |
| | | M _E | 14 | 16 | 36 | 0.8 | ± 4 | | | | |
| | | M _N | 14 | 16 | 35 | 0.7 | | -4 | | | |
| | | M _Z | 14 | 16 | 35 | 0.9 | | | +2 | | |
| | | F | 14 | 17 | 02 | | | | | | |
| 11 | Jan. 15 | S _N | 0 | 39 | 31 | | | | | | Local shock. |
| | | M _E | 0 | 39 | 35 | 0.8 | ± 1 | | | | |
| | | M _N | 0 | 39 | 36 | 1.0 | | ± 2 | | | |
| | | M _Z | 0 | 39 | 38 | 0.8 | | | ± 1 | | |
| | | F | 0 | 39 | 52 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-----------------------------|------|----|-------|--------|----------------|----------------|----------------|----------|-----------------------------|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 12 | Jan. 18 | eP _E | 15 | 48 | 39 | | | | | 160 | Mouth of the Numata River, |
| | | iP _N | 15 | 48 | 39 | | | -3 | | | West of Onomiti, Hiroshima |
| | | P _Z | 15 | 48 | 39 | | | | -0.5? | | Prefecture. |
| | | i _N | 15 | 48 | 42 | | | | | | |
| | | iS _N | 15 | 49 | 00 | | | +8 | | | |
| | | S _Z | 15 | 49 | 00 | | | | | | |
| | | i _Z | 15 | 49 | 03 | | | | | | |
| | | M _E | 15 | 49 | 01 | 1.2 | +6 | | | | |
| | | M _N | 15 | 49 | 04 | 0.8 | | -14 | | | |
| | | M _Z | 15 | 49 | 03 | 0.9 | | | -5 | | |
| | | F | 15 | 50 | 48 | | | | | | |
| 13 | Jan. 18 | ez | 22 | 44 | 36 | | | | | 431 | Mouth of the Tama River, |
| | | eP _{EN} | 22 | 44 | 44 | | | | | | Northwestern part of the |
| | | eP _Z | 22 | 44 | 45 | | | | | | Tōkyō Bay. |
| | | iE | 22 | 45 | 31 | | | | | | |
| | | S _{EN} | 22 | 45 | 42 | | | | | | |
| | | M _E | 22 | 45 | 43 | 2.6 | +15 | | | | |
| | | M _N | 22 | 45 | 42 | 2.6 | | +19 | | | |
| | | eS _Z | 22 | 45 | 47 | | | | | | |
| | | M _Z | 22 | 45 | 49 | 2.1 | | | -5 | | |
| | | eF | 22 | 50 | \pm | | | | | | |
| 14 | Jan. 19 | P _{EN} | 0 | 40 | 49 | | | | | 56 | Near the Mouth of Arita |
| | | S _{EN} | 0 | 40 | 57 | | | | | | River, Wakayama Prefecture. |
| | | M _E | 0 | 40 | 57 | 1.0 | ± 5 | | | | |
| | | M _N | 0 | 40 | 57 | 0.6 | | -5 | | | |
| | | F | 0 | 41 | 46 | | | | | | |
| 15 | Jan. 23 | eP _E | 7 | 32 | 04 | | | | | 4630 | Near Fox Isl, Aleutian IIs. |
| | | P _N | 7 | 32 | 03 | | | | | | |
| | | P _Z | 7 | 32 | 04 | | | | | | |
| | | i _Z | 7 | 32 | 22 | | | | | | |
| | | S _E | 7 | 38 | 26 | | | | | | |
| | | eS _N | 7 | 38 | 35 | | | | | | |
| | | eL _{Q_E} | 7 | 41 | 48 | 33.3 | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|-------------|-----------------------------|------------------|-------------|-------------------------|-------------------------|-------------------------|-----------------|--|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| | | eL _Q N | 7 42 05 | | | | | | |
| | | eL _P E | 7 46 24 | | | | | | |
| | | eL _P N | 7 45 54 | | | | | | |
| | | eL _P Z | 7 45 23 | | | | | | |
| | | M _E | 7 47 29 | 22.0 | ± 7 | | | | |
| | | M _N | 7 46 50 | 25.0 | | ± 4 | | | |
| | | M _Z | 7 46 34 | 24.5 | | | $+ 4$ | | |
| 16 | Feb. 3 | e [?] E | 11 20 39 | | | | | | East off Miyake IIs, South off Izu Peninsula. |
| | | i _E Z | 11 20 47 | | $+ 4$ | | | | |
| | | M _E | 11 20 48 | 1.1 | $- 4$ | | | | |
| | | eM [?] Z | 11 20 57 | 1.3 | | | ± 1 | | |
| | | eF | 11 21 36 | | | | | | |
| 17 | Feb. 4 | P | 0 30 09 | | | | $+ 3.4$ | 23 | Northern part of Osaka Bay. Felt along the Coast of Osaka Bay. |
| | | e _E | 0 30 12 | | | | | | |
| | | i _N | 0 30 12 | | | | | | |
| | | i _{SE} N | 0 30 13 | | | | | | |
| | | i _S Z | 0 30 12 | | | | | | |
| | | M _E | 0 30 13 | | $+ 66$ | | | | |
| | | M _N | 0 30 13 | 0.6 | | $+ 42$ | | | |
| | | M _Z | 0 30 14 | | | | $+ 12$ | | |
| | | e _N | 0 30 17 | | | $+ 15$ | | | |
| | | e _E | 0 30 19 | | $- 15$ | | | | |
| 18 | Feb. 4 | i _{EN} | 20 10 53 | | | | | | In the Iyo nado, Inland Sea. |
| | | e _E | 20 11 16 | | | | | | |
| | | e _{SE} | 20 11 28 | | | | | | |
| | | e _Z | 20 11 25 | | | | | | |
| | | M _E | 20 11 29 | 0.5 | $+ 3$ | | | | |
| | | M _N | 20 11 31 | | | ± 2 | | | |
| | | M _Z | 20 11 30 | 0.8 | | | ± 1 | | |
| | | M ² _E | 20 11 33 | 0.8 | ± 2 | | | | |
| eF | 20 13 \pm | | | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----------------|----------|-------------------------------|------------------|-------------|-------------------------|-------------------------|-------------------------|--|---|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 19 | Feb. 4 | iP [?] _{NZ} | 21 14 02 | | | $- 1.2$ | $+ 2.9?$ | | Felt in Northern part of Molucca and Celebes. According to Batavias report. |
| | | e _E | 21 14 05 | | | | | | |
| | | i _N | 21 14 06 | | | | | | |
| | | i _Z | 21 14 05 | | | | | | |
| | | e _E | 21 15 34 | | | | | | |
| | | i _N | 21 15 46 | | | | | | |
| | | e _Z | 21 15 09 | | | | | | |
| 20 | Feb. 7 | iP _{NZ} | 17 34 21 | | | $+ 1.5$ | $+ 1.7$ | | Felt in southeastern part of Luzon. |
| | | P _E | 17 34 23 | | $+ 2.8$ | | | | |
| | | e _N | 17 35 21 | 3.5 | | ± 3 | | | |
| | | e _N | 17 35 48 | 3.9 | | ± 3 | | | |
| | | e _E | 17 36 03 | 3.1 | ± 3 | | | | |
| | | e _Z | 17 35 59 | 3.5 | | | | | |
| | | eF | 17 44 \pm | | | | | | |
| 21 | Feb. 9 | eP _E | 19 23 18 | | | | | $2400?$ | Near Suo. Strong shocks were felt in Northern part of Formosa. |
| | | eP _N | 19 23 20 | | | | | | |
| | | i _N | 19 23 35 | | | $+ 4.9$ | | | |
| | | e _Z | 19 23 29 | | | | | | |
| | | e _N | 19 27 02 | | | | | | |
| | | e _{SN} | 19 27 15 | | | | | | |
| | | i _E | 19 29 43 | | | | | | |
| | | i _N | 19 29 46 | | | | | | |
| | | eL _E | 19 29 53 | | | | | | |
| | | e _Z | 19 29 58 | | | | | | |
| | | M _E | 19 30 11 | 14.0 | ± 5 | | | | |
| 22 | Feb. 10 | M _N | 19 30 53 | 15.0 | | ± 4 | | | |
| | | M _Z | 19 30 49 | 15.0 | | | ± 1 | | |
| | | eF | 19 47 \pm | | | | | | |
| | | iP _E | 18 31 05 | | $- 4.4$ | | 680 | West off Bonin Isl. Deep focus earthquake. | |
| | | iP _N | 18 31 04 | | | $+ 10.1$ | | | |
| iP _Z | 18 31 04 | 1.6 | | | $+ 88$ | | | | |
| i _N | 18 31 09 | | | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|---------|-----------------|------------------|-------------|-------------------------|-------------------------|-------------------------|--|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| | | ez | 18 31 09 | | | | | | |
| | | iN | 18 31 24 | | | | | | |
| | | eN | 18 32 09 | | | | | | |
| | | ez | 18 32 13 | | | | | | |
| | | iSEN | 18 32 19 | | -28 | -14 | | | |
| | | Sz | 18 32 19 | | | | | | |
| | | SM _E | 18 32 21 | 3.4 | +66 | | | | |
| | | SM _N | 18 32 20 | 2.4 | | +44 | | | |
| | | iz | 18 32 20 | | | | | | |
| | | SM _Z | 18 32 21 | 2.4 | | | +39 | | |
| | | eN | 18 32 44 | | | | | Short period wave. | |
| | | eEN | 18 33 12 | | | | | Long period wave. | |
| | | M _E | 18 34 06 | 4.4 | -28 | | | | |
| | | M _N | 18 33 53 | 4.7 | | +27 | | | |
| | | eEN | 18 34 24 | | | | | | |
| | | eF | 18 43 ± | | | | | | |
| 23 | Feb. 14 | ePEZ | 16 59 08 | | | | 163? | Basin of the Tubo River, southeastern part of Gihu Prefecture. | |
| | | iSEN | 16 59 30 | | -2 | +3 | | | |
| | | iSz | 16 59 29 | | | | | | |
| | | M _E | 16 59 30 | 0.9 | -2 | | | | |
| | | M _N | 16 59 30 | 0.5 | | +3 | | | |
| | | M _Z | 16 59 30 | 0.8 | | | +2 | | |
| | | F | 17 00 08 | | | | | | |
| 24 | Feb. 16 | e? | 7 01 25 | | | | | Near Wakayama Cyty. | |
| | | S | 7 01 43 | | | | | | |
| | | M _E | 7 01 43 | | +2 | | | | |
| | | M _N | 7 01 44 | | | +2 | | | |
| | | M _Z | 7 01 45 | | | | ±1 | | |
| | | F | 7 02 12 | | | | | | |
| 25 | Feb. 18 | M _E | 4 41 17 | 1.1 | ±1 | | | Local shock. | |
| | | M _N | 4 41 16 | 1.2 | | ±1 | | | |
| | | F | 4 41 44 | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|---------|-----------------|------------------|-------------|-------------------------|-------------------------|-------------------------|---|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 26 | Feb. 18 | ePEZ | 14 57 20 | | | | | | |
| | | eS | 14 57 47 | | | | | | |
| | | M _E | 14 57 53 | 1.2 | +4 | | | Near Mt. Asigara, eastern foot of Mt. Fuji. | |
| | | M _N | 14 58 03 | | | -3 | | | |
| | | M _Z | 14 57 53 | 0.9 | | | ±1 | | |
| | | eF | 15 00 ± | | | | | | |
| 27 | Feb. 19 | eP?N | 8 03 35 | | | | | SE off Muroto Cape, Sikoku district. | |
| | | eP?Z | 8 03 32 | | | | | | |
| | | iS?EN | 8 03 46 | | | | | | |
| | | M _E | 8 03 50 | | +3 | | | | |
| | | M _N | 8 03 50 | 0.8 | | ±2 | | | |
| | | iz | 8 03 57 | | | | | | |
| | | M _Z | 8 04 02 | 0.9 | | | -2 | | |
| | | F | 8 04 53 | | | | | | |
| 28 | Feb. 19 | P _N | 17 51 59 | | | | | Middle basin of the Abe R., Sizuoka Prefecture. | |
| | | ePz | 17 52 00 | | | | | | |
| | | eS _E | 17 52 24 | | | | | | |
| | | eS _N | 17 52 33 | | | | | | |
| | | Sz | 17 52 33 | | | | | | |
| | | M _E | 17 52 39 | 1.4 | +3 | | | | |
| | | M _N | 17 52 46 | 1.3 | | -2 | | | |
| | | M _Z | 17 52 37 | 1.7 | | | ±2 | | |
| | | eF | 17 56 ± | | | | | | |
| 29 | Feb. 19 | P _{EN} | 20 11 33 | | +0.9 | -0.5 | 497 | Northern part of the Kuju- kuri-hama, Tiba Prefecture. Weak shocks were felt in Kwanto district. | |
| | | Pz | 20 11 32 | | | | -0.6 | | |
| | | iEz | 20 11 42 | | | | | | |
| | | iNz | 20 11 47 | | | | | | |
| | | eE | 20 11 49 | | | | | | |
| | | i | 20 11 56 | | +29 | -10 | -21 | | |
| | | iz | 20 12 16 | | | | | | |
| | | ez | 20 15 32 | | | | | | |
| | | S _E | 20 12 43 | | +48 | | | | |
| | | S _N | 20 12 40 | | | | -17 | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|---------|-----------------------------|------------------|-------------|-------------------------|-------------------------|-------------------------|--|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| | | Sz | 20 12 41 | | | | +24 | | |
| | | M ¹ _E | 20 12 56 | 3.7 | +48 | | | | |
| | | M ¹ _N | 20 12 54 | 4.2 | | -56 | | | |
| | | M _Z | 20 12 56 | 3.1 | | | +35 | | |
| | | M ² _E | 20 13 38 | 3.7 | -50 | | | | |
| | | M ² _N | 20 13 26 | 4.3 | | +64 | | | |
| | | M ³ _E | 20 14 53 | 3.4 | -49 | | | | |
| | | eF | 20 26 ± | | | | | | |
| 30 | Feb. 21 | M _N | 18 55 24 | 16.0 | | ±1 | | Middle part of Formosa. | |
| | | eF | 19 13 ± | | | | | | |
| 31 | Feb. 22 | Pz | 17 12 51 | | | | | 3755 Aleutian IIs. 50°5N, 176°6E. (J. S. A) | |
| | | i _N | 17 13 06 | | | | | | |
| | | e _Z | 17 13 03 | | | | | | |
| | | eS _{EN} | 17 18 25 | | | | | | |
| | | e _N | 17 20 10 | | | | | | |
| | | e _Z | 17 19 59 | | | | | | |
| | | L ⁰ _N | 17 20 37 | | | | | | |
| | | M _Z ² | 17 20 44 | 19.0 | | | ±4 | | |
| | | i _E | 17 21 04 | | | | | | |
| | | M _E | 17 26 14 | 14.0 | -10 | | | | |
| | | M _N | 17 26 33 | 13.2 | | +25 | | | |
| | | M ¹ _Z | 17 27 19 | 15.0 | | | -4 | | |
| | | M ² _Z | 17 31 21 | 11.0 | | | +6 | | |
| | | eF | 18 23 ± | | | | | | |
| 32 | Feb. 24 | P _N | 5 15 54 | | | (-) | | 78 Southern part of Nara Prefecture. | |
| | | P _Z | 5 15 53 | | | | (-) | | |
| | | S _{EN} | 5 16 03 | | +12 | +12 | | | |
| | | S _Z | 6 16 04 | | | | -4 | | |
| | | M _E | 5 16 04 | | -17 | | | | |
| | | M _N | 5 16 04 | 0.5 | | +12 | | | |
| | | M _Z | 5 16 04 | 0.8 | | | -4 | | |
| | | eF | 5 17 10 | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|---------|------------------|------------------|-------------|-------------------------|-------------------------|-------------------------|--|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 33 | Feb. 24 | e _N | 16 55 39 | | | | | Near Wakayama City. | |
| | | e _Z | 16 55 41 | | | | | | |
| | | S | 16 55 50 | | -2 | +2? | | | |
| | | M _E | 16 55 51 | 0.6 | -2 | | | | |
| | | M _N | 16 55 51 | | | ±1 | | | |
| | | M _Z | 16 55 55 | 0.5 | | | ±1 | | |
| | | F | 16 56 25 | | | | | | |
| 34 | Feb. 25 | P _N | 3 03 55 | | | | | Destructive in Crete IIs. eastern part of the Medi- terranean Sea. | |
| | | P _Z | 3 03 54 | | | | | | |
| | | i _{NZ} | 3 03 56 | | | | | | |
| | | e _N | 3 05 07 | | | | | | |
| | | e _Z | 3 05 11 | | | | | | |
| | | i _{EN} | 3 05 35 | | | | | | |
| | | i _Z | 3 05 43 | | | | | | |
| | | i _E | 3 05 38 | 2.6 | ±1 | | | | |
| | | i _N | 3 05 45 | 2.6 | | ±2 | | | |
| | | i _Z | 3 05 45 | 3.4 | | | ±1 | | |
| | | eF | 3 11 ± | | | | | | |
| 35 | Feb. 25 | eP _{EN} | 15 08 41 | | | | | 620 SW off Hatidyo Isl. | |
| | | i _S | 15 09 49 | | -2 | -3 | +1 | | |
| | | M _E | 15 11 03 | 3.4 | ±1 | | | | |
| | | M _N | 15 11 03 | 2.5 | | ±1 | | | |
| | | eP | 15 15 ± | | | | | | |
| 36 | Mar. 1 | P | 1 50 15 | | -2.7 | +2.9 | +0.0 | 82 In the Kii Channel. | |
| | | P _{MZ} | 1 50 15 | | | | -7 | | |
| | | S _{EN} | 1 50 26 | | +3 | +4 | | | |
| | | M _E | 1 50 28 | 0.8 | +6 | | | | |
| | | M _N | 1 50 28 | 0.6 | | ±7 | | | |
| | | eF | 1 52 24 | | | | | | |
| 37 | Mar. 2 | e _E | 7 06 30 | 1.6 | | | | Local shock. | |
| | | e _N | 7 06 27 | 1.8 | | | | | |
| | | eF | 7 10 ± | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|--------|-------|-------|-----|-------|--------|----------------|----------------|----------------|---|---|
| | | | g. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 38 | Mar. 4 | eE | 1 | 52 | 40 | | | | | | Local shock. |
| | | eN | 1 | 52 | 38 | | | | | | |
| | | eEN | 1 | 52 | 42 | 0.8 | ± 2 | ± 3 | | | |
| | | F | 1 | 52 | 47 | | | | | | |
| 39 | Mar. 4 | eE | 4 | 06 | 46 | | | | | | Near Simotuma, Middle basin of the Kinu River, Ibaraki Prefecture. |
| | | eZ | 4 | 06 | 47 | | | | | | |
| | | eN | 4 | 07 | 07 | | | | | | |
| | | eF | 4 | 11 | \pm | | | | | | |
| 40 | Mar. 7 | ePN | 10 | 28 | 39 | | | | | | West off Oga Peninsula, Akita Prefecture. Felt in northern part of Ooudistrict. |
| | | ePE | 10 | 28 | 53 | | | | | | |
| | | eSN | 10 | 29 | 38 | | | | | | |
| | | eSE | 10 | 29 | 48 | | | | | | |
| | | eSZ | 10 | 29 | 45 | | | | | | |
| | | ME | 10 | 30 | 38 | 6.4 | ± 5 | | | | |
| | | MN | 10 | 31 | 27 | 9.3 | | ± 6 | | | |
| MZ | 10 | 31 | 03 | 9.1 | | | -1 | | | | |
| eF | 10 | 39 | \pm | | | | | | | | |
| 41 | Mar. 7 | ePN | 10 | 42 | 18 | | | | 391 | Northern foot of Mt. Aso, Kyûsyû district. | |
| | | ePZ | 10 | 42 | 17 | | | | | | |
| | | eSEZ | 10 | 43 | 07 | | | | | | |
| | | eSN | 10 | 43 | 10 | | | | | | |
| | | eF | 10 | 50 | \pm | | | | | | |
| 42 | Mar. 7 | eE | 17 | 29 | 56 | 1.3 | +2 | | | Basin of the Nakanogawa, Hukusima Prefecture. Previous earthquake of next shock? | |
| | | eN | 17 | 29 | 57 | 1.7 | | -1 | | | |
| | | iZ | 17 | 29 | 54 | 1.9 | | | -1 | | |
| | | eE | 17 | 31 | 02 | 3.1 | ± 1 | | | | |
| 43 | Mar. 7 | ePEN | 17 | 33 | 00 | | | | | Basin of the Nakanogawa, Hukusima Prefecture. Strong shocks were felt in the epicentral region. | |
| | | ePZ | 17 | 32 | 57 | | | | | | |
| | | SEZ | 17 | 33 | 59 | | +14 | | +5 | | |
| | | iSN | 17 | 34 | 00 | | | -11 | | | |
| | | SMZ | 17 | 34 | 02 | 1.9 | | | ± 6 | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-----------------|-------|----|-------|--------|----------------|----------------|----------------|----------|---|
| | | | g. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | ME | 17 | 34 | 42 | 5.2 | ± 4 | | | | |
| | | MZ | 17 | 34 | 48 | 5.1 | | | ± 2 | | |
| | | eF | 17 | 44 | \pm | | | | | | |
| 44 | Mar. 8 | eP?E | 16 | 09 | 48 | | | | | | Faint record. Northern part of Kasima nada, east off Hukusima Prefecture. |
| | | eP?Z | 16 | 09 | 46 | | | | | | |
| | | eN | 16 | 10 | 09 | | | | | | |
| | | eSE | 16 | 10 | 39 | | | | | | |
| | | eSN | 16 | 10 | 47 | | | | | | |
| | | eSZ | 16 | 10 | 48 | | | | | | |
| eF | 16 | 17 | \pm | | | | | | | | |
| 45 | Mar. 13 | PZ | 3 | 01 | 55 | | | | | 76 | In the Kii Channel. |
| | | SN | 3 | 02 | 04 | | | +3 | | | |
| | | SZ | 3 | 02 | 05 | | | | +1 | | |
| | | ME | 3 | 02 | 05 | 0.7 | ± 3 | | | | |
| | | MN | 3 | 02 | 06 | 0.8 | | ± 4 | | | |
| F | 3 | 02 | 53 | | | | | | | | |
| 46 | Mar. 14 | ePE | 14 | 16 | 39 | | | | | 297 | Near Odawara, Kanagawa Prefecture. Record is deep focus type. |
| | | ePN | 14 | 16 | 38 | | | | | | |
| | | eS | 14 | 17 | 18 | | ± 2 | +3 | -1 | | |
| | | iSE | 14 | 17 | 19 | 1.0 | -7 | | | | |
| | | iSN | 14 | 17 | 20 | 2.4 | | -15 | | | |
| | | iSZ | 14 | 17 | 19 | 1.5 | | | -15 | | |
| eF | 14 | 22 | \pm | | | | | | | | |
| 47 | Mar. 18 | PE | 12 | 32 | 24 | | | | | -4.4 | Course of the Masuda River, Gihu Prefecture. Focal depth about 260KM. |
| | | iPN | 12 | 32 | 25 | | | | | -6.7 | |
| | | iPZ | 12 | 32 | 24 | | | | | -10.3 | |
| | | PM _E | 12 | 32 | 25 | 1.5 | +9 | | | | |
| | | PM _N | 13 | 32 | 26 | 1.1 | | ± 7 | | | |
| | | PM _Z | 12 | 32 | 25 | 1.7 | | | +15 | | |
| iS | 12 | 33 | 00 | | +13 | -8 | -10 | | | | |
| eF | 12 | 42 | \pm | | | | | | | | |

SUMOTO JAPAN.

SEISMOLOGICAL BULLETIN

A Branch Station of the Kobe Meteorological Observatory of Japan.
 $\phi = 34^\circ 21'$ $\lambda = 134^\circ 53'$ $h = 109.0$ m. Underground: Cretaceous.

Instrument: Omori's Seismograph.
 (Horizontal Pendulum.)

Wiechert Seismograph.
 (Horizontal & Vertical)

Jan.

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|-----|-------|------------|-------------------|----|
| AE: | 17.3 | 6 | 0.0002 | 20 |
| AN: | 17.2 | 2 | 0.0003 | 20 |

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|-----|-------|------------|-------------------|-----|
| AE: | 4.7 | Aperiodic | 0.002 | 114 |
| AN: | 4.5 | " | 0.003 | 104 |
| Az: | 4.3 | " | 0.001 | 61 |

Feb.

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|-----|-------|------------|-------------------|----|
| AE: | 17.3 | 3 | 0.0004 | 20 |
| AN: | 16.6 | 2 | 0.0003 | 20 |

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|-----|-------|------------|-------------------|-----|
| AE: | 4.6 | Aperiodic | 0.002 | 119 |
| AN: | 4.5 | " | 0.003 | 102 |
| Az: | 4.3 | " | 0.002 | 61 |

Mar.

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|-----|-------|------------|-------------------|----|
| AE: | 17.8 | 3 | 0.0002 | 20 |
| AN: | 17.3 | 2 | 0.0002 | 20 |

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|-----|-------|------------|-------------------|-----|
| AE: | 4.7 | Aperiodic | 0.003 | 106 |
| AN: | 4.5 | " | 0.003 | 104 |
| Az: | 4.2 | " | 0.001 | 59 |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-----------------------------|-------|----|-------|--------|----------------|----------------|----------------|----------|--|
| | | | g. | m. | s. | | A _E | A _N | A _Z | | |
| 48 | Mar. 20 | eS _N | 23 | 18 | 28 | | | | | | A distant earthquake. Near Solomon Is. |
| | | eL _E | 23 | 19 | 07 | | | | | | |
| | | M _E | 23 | 23 | 08 | 15.5 | ± 1 | | | | |
| | | M _N | 23 | 23 | 08 | 16.0 | | -4 | | | |
| | | eF | 23 | 40 | \pm | | | | | | |
| 49 | Mar. 28 | S _E | 23 | 51 | 38 | | -3 | | | | Disturbed by microseisms. Northern part of Japan Sea. Deep focus earthquake. |
| | | S _N | 23 | 51 | 39 | | | -4 | | | |
| | | eS _Z | 23 | 51 | 37 | | | | | | |
| | | M _E | 23 | 51 | 49 | 2.9 | +9 | | | | |
| | | M _N | 23 | 51 | 50 | 3.4 | | ± 6 | | | |
| | | M _Z | 23 | 51 | 47 | 3.0 | | | ± 4 | | |
| | | eF | 23 | 58 | \pm | | | | | | |
| 50 | Mar. 30 | eP _{EN} | 21 | 21 | 13 | | | | 730 | | NE off Sioya Cape, Huku- sima Prefecture. Moderate shocks were felt in the Pa- cific coast of Kwanto and southern part of Oou dist- rict. |
| | | P _Z | 21 | 21 | 14 | | | | +1.0 | | |
| | | e _E | 21 | 22 | 11 | | | | | | |
| | | e _N | 21 | 22 | 16 | | | | | | |
| | | iS _E | 21 | 22 | 32 | | -32 | | | | |
| | | S _N | 21 | 22 | 35 | | | -34 | | | |
| | | S _Z | 21 | 22 | 44 | | | -8 | | | |
| | | i _N | 21 | 22 | 48 | | | | +57 | | |
| | | M _E | 21 | 23 | 01 | 6.0 | +58 | | | | |
| | | M _N | 21 | 23 | 26 | 5.5 | | -79 | | | |
| | | M _Z | 21 | 23 | 17 | 2.1 | | | -30 | | |
| | | M _E ² | 21 | 24 | 00 | 6.5 | -78 | | | | |
| | | eF | 21 | 55 | \pm | | | | | | |
| 51 | Mar. 31 | P _{EN} | 23 | 20 | 07 | | -2.3 | +1.9 | | 82 | Lower basin of the Hidaka River, Wakayawa Prefecture. |
| | | iP _Z | 23 | 20 | 06 | | | | -11.1 | | |
| | | iS _{EN} | 23 | 20 | 18 | | -9 | -9 | | | |
| | | M _{EZ} | 23 | 20 | 18 | 0.8 | +58 | | | +20 | |
| | | M _N | 23 | 20 | 19 | 0.8 | | +52 | | | |
| | | e _N | 23 | 21 | 26 | 2.3 | | ± 9 | | | |
| eF | 23 | 29 | \pm | | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|--------|-----------------|------|----|-------|--------|----------------|----------------|----------------|--|---------|
| | | | g. | m. | s. | | A _E | A _N | A _Z | | |
| 1 | Jan. 1 | S | 13 | 07 | 33 | | | | | North off Osima, Izu Pro- vince. | |
| | | | 13 | 09 | 11 | | | | | | |
| | | | 13 | 15 | \pm | | | | | | |
| 2 | Jan. 1 | P _{EZ} | 13 | 31 | 39 | | | | | South off Samoa, South Pacific Ocean. | |
| | | | 13 | 31 | 40 | | | | | | |
| | | | 13 | 32 | 46 | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|--------|------------------|------------------|-------------|-------------------------|-------------------------|-------------------------|--|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 3 | Jan. 3 | i _{EN} | 13 40 20 | | | | | | |
| | | M _N | 13 40 24 | 6.6 | +5 | | | | |
| | | M _E | 13 41 25 | 6.6 | | +7 | | | |
| | | eF | 13 59 ± | | | | | | |
| | | eP _{EN} | 1 57 34 | | | | | Tibet, China. | |
| | | S _N | 2 03 43 | | | | | | |
| | | eE | 2 06 40 | | | | | | |
| | | eN | 2 06 44 | | | | | | |
| | | eL _E | 2 09 24 | | | | | | |
| | | eL _N | 2 10 16 | | | | | | |
| 4 | Jan. 3 | M _E | 2 13 06 | 14.0 | +23 | | | | |
| | | M _N | 2 12 02 | 20.0 | | -67 | | | |
| | | F | 2 37 ± | | | | | | |
| | | eP _{EZ} | 14 56 20 | | | | 412 | Mouth off the Edo River, SE of Tokyo. Felt in Kwanto district. | |
| | | eP _N | 14 56 23 | | | | | | |
| 5 | Jan. 4 | eS _{EN} | 14 57 17 | | | | | | |
| | | eS _Z | 14 57 16 | | | | | | |
| | | M _E | 14 57 36 | 3.0 | -1 | | | | |
| | | M _N | 14 57 21 | 1.7 | | -1 | | | |
| | | M _Z | 14 57 17 | 1.3 | | | -1 | | |
| | | eF | 15 02 ± | | | | | | |
| | | eN | 15 17 49 | | | | | Sea off Marmora. Turkey. Destructive earthquake. | |
| 6 | Jan. 6 | eE | 15 23 14 | | | | | | |
| | | eN | 15 23 12 | | | | | | |
| | | L _E | 15 30 06 | | | | | | |
| | | L _N | 15 30 04 | | | | | | |
| | | eZ | 15 31 20 | | | | | | |
| | | eF | 15 59 ± | | | | | | |
| 6 | Jan. 6 | P | 12 01 01 | | | | 33 | Near Wakayama City. | |
| | | S | 12 01 05 | | | | | | |
| | | M _E | 12 01 05 | | -1 | | | | |
| | | M _N | 12 01 06 | 0.3 | | ±2 | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|---------|-----------------|------------------|-------------|-------------------------|-------------------------|-------------------------|--|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 7 | Jan. 6 | F | 12 01 32 | | | | | | |
| | | P | 12 14 57 | | | | 28 | Ditto. | |
| | | S | 12 15 00 | | | | | | |
| | | M _{EN} | 12 15 01 | 0.4 | -2 | -3 | | | |
| | | F | 12 15 33 | | | | | | |
| 8 | Jan. 8 | eP _E | 16 51 37 | | | | | ENE off Amami Osima, Ryūkyū. | |
| | | eP _N | 16 51 42 | | | | | | |
| | | eN | 16 55 44 | | | | | | |
| | | eF | 17 15 ± | | | | | | |
| 9 | Jan. 8 | eE | 18 37 19 | | | | | Southern part of Kasima nada, east off Ibaraki Pre- fecture. | |
| | | eN | 18 37 18 | | | | | | |
| | | eN | 18 42 13 | | | | | | |
| | | F | 18 54 ± | | | | | | |
| 10 | Jan. 9 | P _{EN} | 5 10 08 | | | | 47 | Lower basin of the Hidaka River, Wakayama Prefecture. | |
| | | S _{EN} | 5 10 15 | | | | | | |
| | | M _E | 5 10 15 | | -1 | | | | |
| | | M _N | 5 10 15 | 0.4 | | -4 | | | |
| | | F | 5 10 53 | | | | | | |
| 11 | Jan. 9 | P | 14 08 38 | | | | 39 | Local shock. | |
| | | S | 14 08 43 | | | | | | |
| | | M _E | 14 08 43 | 0.5 | +4 | | | | |
| | | M _N | 14 08 44 | 0.5 | | -6 | | | |
| | | M _Z | 14 08 45 | | | | ±1 | | |
| 12 | Jan. 18 | F | 14 09 27 | | | | | | |
| | | P _{EN} | 3 41 41 | | | | 37 | Lower basin of the Hidaka River, Wakayama Prefecture. | |
| | | S _{EN} | 3 41 46 | | | | | | |
| | | M _E | 3 41 47 | 0.6 | -3 | | | | |
| 6 | Jan. 6 | M _N | 3 41 46 | 0.5 | | -5 | | | |
| | | F | 3 42 26 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|------------------|------|----|-------|--------|-----------|----------|-----------|--|---------|
| | | | h | m | s | | μ | μ | μ | | |
| 13 | Jan. 18 | eP _N | 15 | 48 | 32 | | | | | Mouth of the Numata R., West of Onomiti, Hiroshima Prefecture. | |
| | | eP _E | 15 | 48 | 38 | | | | | | |
| | | S _{EN} | 15 | 48 | 52 | | | | | | |
| | | S _Z | 15 | 48 | 54 | | | | | | |
| | | M _E | 15 | 48 | 54 | 0.6 | ± 3 | | | | |
| | | M _{NZ} | 15 | 48 | 54 | 0.5 | | ± 6 | $+3$ | | |
| | | F | 15 | 49 | 43 | | | | | | |
| 14 | Jan. 18 | eP _E | 22 | 44 | 55 | | | | 395 | Mouth of the Tama River, NW of Tokyo Bay. | |
| | | eP _N | 22 | 44 | 51 | | | | | | |
| | | i _Z | 22 | 45 | 00 | | | | | | |
| | | S _E | 22 | 45 | 49 | | | | | | |
| | | S _N | 22 | 45 | 44 | | | | | | |
| | | S _Z | 22 | 45 | 52 | | | | | | |
| | | M _E | 22 | 46 | 01 | 2.9 | -4 | | | | |
| | | M _N | 22 | 46 | 01 | 2.7 | | ± 3 | | | |
| 15 | Jan. 19 | P | 0 | 40 | 45 | | | | 45 | Near the Mouth of Arita River, Wakayama Prefecture. | |
| | | S | 0 | 40 | 51 | | | | | | |
| | | M _E | 0 | 40 | 52 | 0.8 | -10 | | | | |
| | | M _N | 0 | 40 | 53 | 0.5 | | -10 | | | |
| | | M _Z | 0 | 40 | 55 | 0.7 | | | $+8$ | | |
| | | F | 0 | 42 | 54 | | | | | | |
| 16 | Jan. 22 | e _N | 0 | 35 | 28 | | | | | Southern part of the Ama- kusa nada, West off Kyûsyû, | |
| | | e _E | 0 | 35 | 35 | | | | | | |
| | | e _Z | 0 | 35 | 43 | | | | | | |
| | | S _E | 0 | 36 | 10 | | | | | | |
| | | S _Z | 0 | 36 | 06 | | | | | | |
| | | M _E | 0 | 36 | 20 | 2.6 | ± 3 | | | | |
| | | eS _N | 0 | 36 | 23 | | | | | | |
| | | M _N | 0 | 36 | 25 | 2.0 | | $+5$ | | | |
| 17 | Jan. 22 | eP _N | 8 | 16 | 39 | | | | 33 | Lower basin of the Arita River, Wakayama Prefecture. | |
| | | S | 8 | 16 | 43 | | | | | | |
| | | M _E | 8 | 16 | 43 | 0.4 | $+2$ | | | | |
| | | M _N | 8 | 16 | 44 | 0.4 | | -3 | | | |
| 18 | Jan. 22 | M _Z | 8 | 16 | 43 | | | | | Basin of the Hidaka River, Wakayama Prefecture. | |
| | | F | 8 | 17 | 15 | | | | $+1$ | | |
| | | S | 23 | 03 | 43 | | | | | | |
| | | M _{EN} | 23 | 03 | 43 | 0.4 | -4 | ± 3 | | | |
| | | F | 23 | 04 | 11 | | | | | | |
| | | P _E | 7 | 32 | 03 | | | | 4685 | | |
| 19 | Jan. 23 | P _N | 7 | 32 | 07 | | | | | Near Fox Isl, Aleutian Is. | |
| | | P _Z | 7 | 32 | 05 | | | | | | |
| | | S _E | 7 | 38 | 32 | | | | | | |
| | | S _N | 7 | 38 | 31 | | | | | | |
| | | eS _Z | 7 | 38 | 26 | | | | | | |
| | | eL _E | 7 | 42 | 02 | | | | | | |
| | | eL _N | 7 | 42 | 40 | | | | | | |
| | | M _E | 7 | 47 | 09 | 20.0 | -67 | | | | |
| | | M _N | 7 | 51 | 33 | 19.1 | | ± 50 | | | |
| | | M _Z | 7 | 47 | 00 | 24.0 | | | ± 100 | | |
| 20 | Jan. 23 | eF | 8 | 18 | \pm | | | | | Local Shock. | |
| | | P _{EN} | 10 | 27 | 23 | | | | 29 | | |
| | | S | 10 | 27 | 27 | | | | | | |
| | | M _E | 10 | 27 | 27 | 0.4 | $+3$ | | | | |
| 21 | Jan. 27 | M _N | 10 | 27 | 28 | 0.4 | | -6 | | Basin of the Arita River, Wakayama Prefecture. | |
| | | F | 10 | 28 | 16 | | | | | | |
| | | eP _{EN} | 3 | 56 | 34 | | | | 30 | | |
| 21 | Jan. 27 | S | 3 | 56 | 38 | | | | | Basin of the Arita River, Wakayama Prefecture. | |
| | | M _E | 3 | 56 | 39 | 0.5 | ± 1 | | | | |
| | | M _N | 3 | 56 | 40 | 0.4 | | ± 2 | | | |
| | | F | 3 | 57 | 04 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|------------------|------|----|-------|--------|-----------|----------|-----------|--|---|
| | | | h | m | s | | μ | μ | μ | | |
| 17 | Jan. 22 | eP _N | 8 | 16 | 39 | | | | | 33 | Lower basin of the Arita River, Wakayama Prefecture. |
| | | S | 8 | 16 | 43 | | | | | | |
| | | M _E | 8 | 16 | 43 | 0.4 | $+2$ | | | | |
| | | M _N | 8 | 16 | 44 | 0.4 | | -3 | | | |
| | | M _Z | 8 | 16 | 43 | | | | $+1$ | | |
| | | F | 8 | 17 | 15 | | | | | | |
| | | S | 23 | 03 | 43 | | | | | | |
| 18 | Jan. 22 | M _{EN} | 23 | 03 | 43 | 0.4 | -4 | ± 3 | | Basin of the Hidaka River, Wakayama Prefecture. | |
| | | F | 23 | 04 | 11 | | | | | | |
| | | P _E | 7 | 32 | 03 | | | | 4685 | | |
| 19 | Jan. 23 | P _N | 7 | 32 | 07 | | | | | Near Fox Isl, Aleutian Is. | |
| | | P _Z | 7 | 32 | 05 | | | | | | |
| | | S _E | 7 | 38 | 32 | | | | | | |
| | | S _N | 7 | 38 | 31 | | | | | | |
| | | eS _Z | 7 | 38 | 26 | | | | | | |
| | | eL _E | 7 | 42 | 02 | | | | | | |
| | | eL _N | 7 | 42 | 40 | | | | | | |
| | | M _E | 7 | 47 | 09 | 20.0 | -67 | | | | |
| | | M _N | 7 | 51 | 33 | 19.1 | | ± 50 | | | |
| | | M _Z | 7 | 47 | 00 | 24.0 | | | ± 100 | | |
| 20 | Jan. 23 | eF | 8 | 18 | \pm | | | | | Local Shock. | |
| | | P _{EN} | 10 | 27 | 23 | | | | 29 | | |
| | | S | 10 | 27 | 27 | | | | | | |
| | | M _E | 10 | 27 | 27 | 0.4 | $+3$ | | | | |
| 21 | Jan. 27 | M _N | 10 | 27 | 28 | 0.4 | | -6 | | Basin of the Arita River, Wakayama Prefecture. | |
| | | F | 10 | 28 | 16 | | | | | | |
| | | eP _{EN} | 3 | 56 | 34 | | | | 30 | | |
| 21 | Jan. 27 | S | 3 | 56 | 38 | | | | | Basin of the Arita River, Wakayama Prefecture. | |
| | | M _E | 3 | 56 | 39 | 0.5 | ± 1 | | | | |
| | | M _N | 3 | 56 | 40 | 0.4 | | ± 2 | | | |
| | | F | 3 | 57 | 04 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|----------------|--------|-----------------|------|----|----|--------|----------------|----------------|----------------|--|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 22 | Feb. 3 | eP _E | 11 | 20 | 57 | | | | | 432 | East off Miyake Isl., south off Izu Peninsula. |
| | | eP _N | 11 | 20 | 53 | | | | | | |
| | | S _E | 11 | 21 | 53 | | | | | | |
| | | S _N | 11 | 21 | 54 | | | | | | |
| | | S _Z | 11 | 21 | 58 | | | | | | |
| | | M _E | 11 | 22 | 00 | 1.7 | ±1 | | | | |
| | | M _N | 11 | 22 | 05 | 1.7 | | ±1 | | | |
| | | M _Z | 11 | 22 | 02 | 1.0 | | ±1 | | | |
| eF | 11 | 25 | ± | | | | | | | | |
| 23 | Feb. 4 | P | 0 | 30 | 12 | | | | 39 | Northern part of the Osaka Bay. Felt along the Coast of Osaka Bay. | |
| | | iS | 0 | 30 | 18 | | +6 | +5 | | | |
| | | M _E | 0 | 30 | 18 | 0.7 | +6 | | | | |
| | | M _N | 0 | 30 | 19 | 0.7 | | -13 | | | |
| | | M _Z | 0 | 30 | 19 | 1.0 | | +3 | | | |
| | | F | 0 | 31 | 56 | | | | | | |
| 24 | Feb. 4 | eP _E | 20 | 10 | 42 | | | | 229 | In the Iyo nada, Inland Sea. | |
| | | eP _N | 20 | 10 | 40 | | | | | | |
| | | eZ | 20 | 10 | 52 | | | | | | |
| | | S _E | 20 | 11 | 13 | | | | | | |
| | | S _N | 20 | 11 | 10 | | | | | | |
| | | S _Z | 20 | 11 | 12 | | | | | | |
| | | M _E | 20 | 11 | 19 | 1.3 | -2 | | | | |
| | | M _N | 20 | 11 | 20 | 0.5 | | +3 | | | |
| M _Z | 20 | 11 | 21 | | | +3 | | | | | |
| F | 20 | 13 | 17 | | | | | | | | |
| 25 | Feb. 5 | eN | 18 | 49 | 34 | | | | | In the Kii Channel. | |
| | | eE | 18 | 49 | 38 | | | | | | |
| | | eS _N | 18 | 49 | 40 | | | | | | |
| | | eS _E | 18 | 49 | 42 | | | | | | |
| | | M _E | 18 | 49 | 44 | 0.7 | ±1 | | | | |
| | | M _N | 18 | 49 | 45 | 0.9 | | ±2 | | | |
| | | F | 18 | 50 | 13 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|----------------|---------|------------------|------|-----|----|--------|----------------|----------------|----------------|--|-------------------------------------|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 26 | Feb. 7 | P _E | 17 | 34 | 15 | | | | | | Felt in southeastern part of Luzon. |
| | | P _{NZ} | 17 | 34 | 16 | | | | | | |
| | | eN | 17 | 38 | 24 | | | | | | |
| | | eE | 17 | 38 | 32 | | | | | | |
| | | eF | 17 | 53 | ± | | | | | | |
| 27 | Feb. 9 | eP _N | 19 | 23 | 03 | | | | 2485 | Near Suō, Strong Shocks were felt in northern part of Formosa. | |
| | | eP _{EZ} | 19 | 23 | 09 | | | | | | |
| | | S _E | 19 | 27 | 11 | | | | | | |
| | | S _N | 19 | 27 | 09 | | | | | | |
| | | eZ | 19 | 28 | 21 | | | | | | |
| eF | 19 | 47 | ± | | | | | | | | |
| 28 | Feb. 10 | iP _E | 18 | 31 | 03 | | -3.4 | | 542 | West off Bonin Isl. Deep focus earthquake. | |
| | | iP _{NZ} | 18 | 31 | 02 | | | +3.9 | | | +4.9 |
| | | S _E | 18 | 32 | 17 | | | | | | |
| | | S _{NZ} | 18 | 32 | 15 | | | | | | |
| | | M _E | 18 | 32 | 19 | 3.7 | -24 | | | | |
| | | M _N | 18 | 35 | 19 | 3.3 | | -20 | | | |
| M _Z | 18 | 32 | 19 | 2.0 | | | +7 | | | | |
| eF | 18 | 43 | ± | | | | | | | | |
| 29 | Feb. 12 | P _{EN} | 11 | 28 | 57 | | | | 53 | Western part of the Kii Channel. | |
| | | P _Z | 11 | 28 | 55 | | | | | | |
| | | S _{EN} | 11 | 29 | 04 | | | | | | |
| | | S _Z | 11 | 29 | 03 | | | | | | |
| | | M _{EN} | 11 | 29 | 04 | 0.8 | +3 | -11 | | | |
| | | M _Z | 11 | 29 | 03 | 0.4 | | -2 | | | |
| | | F | 11 | 29 | 51 | | | | | | |
| 30 | Feb. 12 | eP _{EN} | 21 | 22 | 42 | | | | 43 | Near Hinomisaki, Wakayama Prefecture. | |
| | | S _{EN} | 21 | 22 | 48 | | | | | | |
| | | M _{EN} | 21 | 22 | 49 | 0.4 | +2 | -4 | | | |
| | | F | 21 | 23 | 40 | | | | | | |
| 31 | Feb. 16 | eP _E | 7 | 01 | 28 | | | | 38 | Near Wakayama City. | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|------------------|------|----|-------|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | SE | 7 | 01 | 33 | | | | | | |
| | | SNZ | 7 | 01 | 32 | | | | | | |
| | | ME | 7 | 01 | 39 | 0.7 | ± 3 | | | | |
| | | MN | 7 | 01 | 41 | 0.4 | | ± 2 | | | |
| | | MZ | 7 | 01 | 38 | | | | -1 | | |
| | | F | 7 | 02 | 22 | | | | | | |
| 32 | Feb. 19 | eP | 8 | 03 | 12 | | | | | 145 | SE off Muroto Cape, Sikoku district. Time is uncertain. |
| | | S | 8 | 03 | 32 | | | | | | |
| | | MN | 8 | 03 | 34 | 1.6 | | ± 3 | | | |
| | | MZ | 8 | 03 | 34 | 1.0 | | | +1 | | |
| | | ME | 8 | 03 | 48 | 1.2 | ± 2 | | | | |
| | | F | 8 | 05 | 04 | | | | | | |
| 33 | Feb. 19 | eEN | 17 | 52 | 11 | | | | | | Middle basin of the Abe River, Sizuoka Prefecture. |
| | | SE | 17 | 52 | 44 | | | | | | |
| | | SNZ | 17 | 52 | 46 | | | | | | |
| | | ME | 17 | 52 | 48 | 2.0 | ± 1 | | | | |
| | | MN | 17 | 52 | 57 | 2.0 | | | -2 | | |
| | | F | 17 | 58 | \pm | | | | | | |
| 34 | Feb. 19 | P | 20 | 11 | 37 | | -0.8 | -1.0? | +1.6 | 593 | Northern part of Kujukurihama, Tiba Prefecture. Weak Shocks were felt in Kwanto district. |
| | | SE | 20 | 12 | 56 | | | | | | |
| | | SNZ | 20 | 12 | 57 | | | | | | |
| | | M ¹ E | 20 | 13 | 28 | 3.6 | -29 | | | | |
| | | M ¹ N | 20 | 13 | 24 | 4.2 | | +45 | | | |
| | | MZ | 20 | 13 | 12 | 3.5 | | | -25 | | |
| | | M ² E | 20 | 14 | 12 | 3.3 | +19 | | | | |
| | | M ² N | 20 | 14 | 08 | 2.9 | | | -29 | | |
| | | eN | 20 | 47 | 05 | | | | | | |
| | | eE | 20 | 50 | 26 | | | | | | |
| | | eF | 20 | 56 | \pm | | | | | | |
| 35 | Feb. 22 | ePEZ | 17 | 12 | 56 | | | | | 3435 | Aleutian IIs. 50°5N 176°6E (J. S. A.) |
| | | ePN | 17 | 12 | 58 | | | | | | |
| | | eSE | 17 | 18 | 08 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-------|------|----|-------|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | eSN | 17 | 18 | 19 | | | | | | |
| | | eSZ | 17 | 18 | 04 | | | | | | |
| | | LE | 17 | 20 | 42 | | | | | | |
| | | LN | 17 | 20 | 40 | | | | | | |
| | | ME | 17 | 24 | 47 | 14.1 | +46 | | | | |
| | | MN | 17 | 24 | 53 | 12.4 | | ± 60 | | | |
| | | MZ | 17 | 26 | 41 | 12.7 | | | | -31 | |
| | | eF | 18 | 33 | \pm | | | | | | |
| 36 | Feb. 24 | eP | 16 | 55 | 36 | | | | | 33 | Near Wakayama City. |
| | | S | 16 | 55 | 40 | | | | | | |
| | | ME | 16 | 55 | 40 | 0.4 | +3 | | | | |
| | | MN | 16 | 55 | 41 | 0.5 | | | -5 | | |
| | | MZ | 16 | 55 | 41 | | | | | +2 | |
| | | F | 16 | 56 | 34 | | | | | | |
| 37 | Feb. 25 | ePEZ | 3 | 03 | 55 | | | | | 9030 | Destructive in Crete IIs. eastern part of Mediterranean Sea. |
| | | ePN | 3 | 03 | 57 | | | | | | |
| | | eSE | 3 | 14 | 07 | | | | | | |
| | | eSN | 3 | 14 | 09 | | | | | | |
| | | eP | 3 | 35 | \pm | | | | | | |
| 38 | Feb. 25 | eE | 15 | 09 | 45 | | | | | | SW off Hatidyō IIs. |
| | | eN | 15 | 09 | 46 | | | | | | |
| | | F | 15 | 13 | \pm | | | | | | |
| 39 | Mar. 1 | P | 1 | 50 | 10 | | | | | 45 | In the Kii Channel. |
| | | SEZ | 1 | 50 | 16 | | | | | | |
| | | SN | 1 | 50 | 17 | | | | | | |
| | | ME | 1 | 50 | 17 | 0.6 | -10 | | | | |
| | | MN | 1 | 50 | 17 | 0.4 | | | -14 | | |
| | | MZ | 1 | 50 | 16 | 0.4 | | | | ± 3 | |
| | | F | 1 | 52 | 52 | | | | | | |
| 40 | Mar. 1 | eN | 4 | 40 | 32 | | | | | | Near Matuyama City, Sikoku district. |
| | | S | 4 | 40 | 53 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|----------------|--------|------------------|-------|-----|-------|---------|----------------|----------------|---|---|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 41 | Mar. 7 | M _E | 4 | 40 | 56 | 0.5 | ± 1 | | | 720 | West off the Oga Peninsula, Akita Prefecture. Felt in Northern part off Oou district. |
| | | M _N | 4 | 40 | 56 | 0.4 | | -3 | | | |
| | | F | 4 | 41 | 23 | | | | | | |
| | | eP | 10 | 28 | 32 | | | | | | |
| | | S _E | 10 | 30 | 12 | | | | | | |
| | | S _N | 10 | 30 | 10 | | | | | | |
| | | S _Z | 10 | 30 | 05 | | | | | | |
| | | M _E | 10 | 30 | 44 | 3.8 | +2 | | | | |
| M _N | 10 | 31 | 21 | 3.2 | | ± 2 | | | | | |
| M _Z | 10 | 31 | 42 | 7.5 | | | -2 | | | | |
| eF | 10 | 42 | \pm | | | | | | | | |
| 42 | Mar. 7 | P _E | 10 | 42 | 13 | | | | Northern foot off Mt. Aso, Kyūsyū district. | | |
| | | P _{NZ} | 10 | 42 | 14 | | | | | | |
| | | S _E | 10 | 42 | 56 | | | | | | |
| | | S _N | 10 | 42 | 55 | | | | | | |
| | | S _Z | 10 | 42 | 59 | | | | | | |
| | | M _E | 10 | 43 | 11 | 2.0 | ± 6 | | | | |
| | | M _N | 10 | 43 | 04 | 2.9 | | +12 | | | |
| | | M _Z | 10 | 43 | 00 | 1.8 | | | | +3 | |
| eF | 10 | 53 | \pm | | | | | | | | |
| 43 | Mar. 7 | eP | 17 | 30 | 00 | | | | Basin of the Nakanogawa, Hukusima Prefecture. | | |
| | | eF | 17 | 33 | \pm | | | | | | |
| 44 | Mar. 7 | eP _{EN} | 17 | 33 | 03 | | | | 447? | Basin of the Nakanogawa, Hukusima Prefecture. Strong shocks were felt in the epicentral region. | |
| | | eP _Z | 17 | 33 | 05 | | | | | | |
| | | S _E | 17 | 34 | 03 | | | | | | |
| | | S _N | 17 | 34 | 05 | | | | | | |
| | | S _Z | 17 | 34 | 04 | | | | | | |
| | | M _E | 17 | 34 | 39 | 3.0 | +3 | | | | |
| | | M _N | 17 | 34 | 39 | 3.2 | | -3 | | | |
| | | M _Z | 17 | 34 | 38 | 2.7 | | | | | -2 |
| eF | 17 | 45 | \pm | | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|----------------|---------|------------------|-------|-----|----|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 45 | Mar. 7 | eP _{EN} | 20 | 25 | 16 | | | | | 333 | Northern foot of Mt. Aso, Kyūshū district. |
| | | S _E | 20 | 26 | 02 | | | | | | |
| | | S _N | 20 | 26 | 00 | | | | | | |
| | | M _E | 20 | 26 | 05 | 2.2 | ± 1 | | | | |
| | | M _N | 20 | 26 | 03 | 1.8 | | +1 | | | |
| eF | 20 | 32 | \pm | | | | | | | | |
| 46 | Mar. 8 | eP _E | 0 | 46 | 02 | | | | | 391 | Ditto. |
| | | eP _N | 0 | 46 | 00 | | | | | | |
| | | S _{EZ} | 0 | 46 | 54 | | | | | | |
| | | S _N | 0 | 46 | 53 | | | | | | |
| | | M _E | 0 | 47 | 02 | 1.8 | -1 | | | | |
| | | M _N | 0 | 47 | 02 | 2.3 | | +1 | | | |
| | | M _Z | 0 | 47 | 07 | 2.2 | | | +1 | | |
| eF | 0 | 51 | \pm | | | | | | | | |
| 47 | Mar. 8 | eP _E | 16 | 09 | 45 | | | | | 568 | Northern part of Kasimada, East off Hukusima Prefecture. |
| | | eP _N | 16 | 09 | 47 | | | | | | |
| | | ez | 16 | 10 | 38 | | | | | | |
| | | S _E | 16 | 11 | 02 | | | | | | |
| | | S _N | 16 | 11 | 03 | | | | | | |
| | | M _E | 16 | 11 | 21 | 3.1 | -1 | | | | |
| | | M _N | 16 | 11 | 17 | 1.8 | | +2 | | | |
| M _Z | 16 | 11 | 14 | 1.8 | | | +1 | | | | |
| eF | 16 | 17 | \pm | | | | | | | | |
| 48 | Mar. 9 | P | 5 | 24 | 01 | | | | | 28 | Near Wakayama City. |
| | | S | 5 | 24 | 04 | | | | | | |
| | | M _{EN} | 5 | 24 | 05 | 0.4 | -4 | -5 | | | |
| | | M _Z | 5 | 24 | 05 | 0.3 | | | +1 | | |
| | | F | 5 | 24 | 38 | | | | | | |
| 49 | Mar. 13 | S _{EN} | 1 | 45 | 37 | | | | | Ditto. | |
| | | M _E | 1 | 54 | 38 | 0.4 | +1 | | | | |
| | | M _N | 1 | 45 | 39 | 0.4 | | | ± 1 | | |
| | | F | 1 | 45 | 57 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|----------------|---------|-----------------|-------|------|----|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 50 | Mar. 13 | P _{EN} | 3 | 01 | 49 | | | | | 38 | In the Kii Channel. |
| | | S | 3 | 01 | 54 | | | | | | |
| | | M _{EN} | 3 | 01 | 55 | 0.5 | -3 | +4 | | | |
| | | M _Z | 3 | 01 | 56 | | | | ± 1 | | |
| | | F | 3 | 02 | 38 | | | | | | |
| 51 | Mar. 14 | eP _E | 14 | 16 | 40 | | | | | 287 | Near Odawara, Kanagawa Prefecture. |
| | | eP _N | 14 | 16 | 53 | | | | | | |
| | | S _{EN} | 14 | 17 | 25 | | | | | | |
| | | eS _Z | 14 | 17 | 26 | | | | | | |
| | | M _E | 14 | 17 | 29 | 1.5 | +2 | | | | |
| | | M _N | 14 | 17 | 25 | 2.4 | | +3 | | | |
| | | M _Z | 14 | 17 | 26 | 1.8 | | | ± 1 | | |
| F | 14 | 22 | \pm | | | | | | | | |
| 52 | Mar. 18 | iP | 12 | 32 | 28 | | +0.9 | +1.9 | -3.4 | 272 | Course of the Masuda R., Gihu Prefecture. |
| | | iS | 12 | 33 | 05 | | | | | | |
| | | M _E | 12 | 33 | 07 | 2.2 | -8 | | | | |
| | | M _N | 12 | 33 | 07 | 1.8 | | -11 | | | |
| | | M _Z | 12 | 33 | 06 | 1.7 | | | +3 | | |
| 53 | Mar. 20 | e _N | 23 | 12 | 06 | | | | | | A distant earthquake. Near Solomon IIs, Melanesia. |
| | | e _E | 23 | 12 | 18 | | | | | | |
| | | eS _Z | 23 | 18 | 22 | | | | | | |
| | | eS _E | 23 | 18 | 28 | | | | | | |
| | | eS _N | 23 | 19 | 00 | | | | | | |
| | | M _E | 23 | 19 | 36 | 18.2 | -13 | | | | |
| | | M _N | 23 | 20 | 49 | 17.3 | | -14 | | | |
| M _Z | 23 | 19 | 31 | 16.4 | | | -10 | | | | |
| 54 | Mar. 26 | S _N | 23 | 33 | 26 | | | | | | Near Wakayama City. |
| | | M _N | 23 | 33 | 26 | | | -2 | | | |
| | | F | 23 | 33 | 41 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|----------------|---------|------------------|-------|-----|-------|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 55 | Mar. 28 | eP _{EN} | 8 | 27 | 37 | | | | | 33 | Ditto. |
| | | S | 8 | 27 | 42 | | | | | | |
| | | M _E | 8 | 27 | 43 | 0.3 | ± 4 | | | | |
| | | M _N | 8 | 27 | 43 | 0.5 | | ± 7 | | | |
| | | M _Z | 8 | 27 | 43 | | | | ± 2 | | |
| | | F | 8 | 28 | 10 | | | | | | |
| 56 | Mar. 28 | e _N | 23 | 50 | 19 | | | | | | Northern part of the Japan Sea. |
| | | e _E | 23 | 50 | 24 | | | | | | |
| | | eS _E | 23 | 51 | 45 | | | | | | |
| | | eS _{NZ} | 23 | 51 | 47 | | | | | | |
| | | M _E | 23 | 51 | 57 | 2.5 | -4 | | | | |
| | | M _N | 23 | 51 | 58 | 2.5 | | ± 4 | | | |
| | | M _Z | 23 | 51 | 58 | 1.9 | | | ± 1 | | |
| eF | 0 | 02 | \pm | | | | | | | | |
| 57 | Mar. 29 | eP _{EN} | 19 | 01 | 32 | | | | | 30 | Near Wakayama City. |
| | | S _{EN} | 19 | 01 | 36 | | | | | | |
| | | M _E | 19 | 01 | 36 | | +2 | | | | |
| | | M _N | 19 | 01 | 36 | 0.3 | | +3 | | | |
| 58 | Mar. 30 | i _{EN} | 0 | 05 | 02 | | | | | | Near Hiroshima City. |
| | | eS _E | 0 | 05 | 18 | | | | | | |
| | | eS _N | 0 | 05 | 21 | | | | | | |
| | | F | 0 | 08 | \pm | | | | | | |
| 59 | Mar. 30 | P _{EN} | 21 | 21 | 17 | | | | | 653 | NE off Sioya Cape, Huku-sima Prefecture. Moderate shocks were felt in the Pacific coast of Kwanto and Southern part of Oou district. |
| | | P _Z | 21 | 21 | 15 | | | | | | |
| | | S _E | 21 | 22 | 43 | | | | | | |
| | | S _N | 21 | 22 | 40 | | | | | | |
| | | S _Z | 21 | 22 | 49 | | | | | | |
| | | M _E | 21 | 23 | 02 | 2.5 | -41 | | | | |
| | | M _N | 21 | 23 | 12 | 3.2 | | +40 | | | |
| M _Z | 21 | 23 | 09 | 4.0 | | | -31 | | | | |
| eF | 21 | 44 | \pm | | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|------|---------|-------|------|----|----|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | S. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 60 | Mar. 31 | PEN | 12 | 33 | 22 | | | | | 29 | Near Wakayama City. |
| | | SEN | 12 | 33 | 26 | | | | | | |
| | | ME | 12 | 33 | 26 | 0.4 | +6 | | | | |
| | | MN | 12 | 33 | 27 | 0.5 | | +9 | | | |
| | | F | 12 | 34 | 30 | | | | | | |
| * 61 | Mar. 31 | iPEN | 23 | 20 | 02 | | +11.3 | -7.7 | | 68 | Perceptible. |
| | | iPZ | 23 | 20 | 03 | | | | | -15.3 | Lower basin of the Hidaka River, Wakayama Prefecture. |
| | | SEN | 23 | 20 | 11 | | | | | | |
| | | SZ | 23 | 20 | 12 | | | | | | |
| | | ME | 23 | 20 | 12 | 0.5 | -96 | | | | |
| | | MN | 23 | 20 | 12 | 0.4 | | +48 | | | |
| | | MZ | 23 | 20 | 13 | 0.4 | | | | | -13 |
| | | F | 23 | 23 | 46 | | | | | | |

From No. 1 to No. 23, 1935.

TOYOOKA JAPAN.

SEISMOLOGICAL BULLETIN

A Branch Station of the Kobe Meteorological Observatory of Japan.
 $\varphi=35^{\circ} 32'$ $\lambda=134^{\circ} 49'$ $h=32.2$ m. Underground: Tertiary.

Instruments: Omori's Seismograph. (Horizontal Pendulum)
 Wiechert Seismograph. (Horizontal & Vertical)

Jan.

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|------------------|-------|------------|-------------------|----|
| A _E : | 22.4 | 3 | 0.001 | 20 |
| A _N : | 20.9 | 3 | 0.001 | 20 |

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|------------------|-------|------------|-------------------|----|
| A _E : | 5.8 | 10 | 0.006 | 89 |
| A _N : | 5.1 | 10 | 0.005 | 96 |
| A _Z : | 3.8 | 4 | 0.003 | 53 |

Feb.

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|------------------|-------|------------|-------------------|----|
| A _E : | 22.0 | 3 | 0.001 | 20 |
| A _N : | 21.0 | 3 | 0.001 | 20 |

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|------------------|-------|------------|-------------------|-----|
| A _E : | 5.8 | 10 | 0.006 | 92 |
| A _N : | 4.9 | 10 | 0.005 | 100 |
| A _Z : | 4.0 | 5 | 0.003 | 51 |

Mar.

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|------------------|-------|------------|-------------------|----|
| A _E : | 21.8 | 3 | 0.002 | 20 |
| A _N : | 20.8 | 3 | 0.001 | 20 |

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|------------------|-------|------------|-------------------|-----|
| A _E : | 5.8 | 10 | 0.005 | 97 |
| A _N : | 5.0 | 10 | 0.006 | 110 |
| A _Z : | 4.0 | 5 | 0.003 | 50 |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|--------|-------|------|----|----|--------|----------------|----------------|----------------|----------|--------------------------------|
| | | | G. | M. | S. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 1 | Jan. 1 | PE | 13 | 06 | 53 | | | | | 334 | North off Osima, Izu Province. |
| | | ePN | 13 | 06 | 55 | | | | | | |
| | | PZ | 13 | 06 | 55 | | | | | +? | |
| | | eSE | 13 | 07 | 38 | | | | | | |
| | | SNZ | 13 | 07 | 39 | | | | | | |
| | | ME | 13 | 08 | 01 | | | -2 | | | |
| | | MN | 13 | 08 | 02 | | | | +5 | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----|---------|-------|------|----|----|--------|----------------|----------------|----------------|----------|--|---------------|
| | | | g. | m. | s. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| | | MZ | 13 | 07 | 48 | | | | -6 | | | |
| | | eF | 13 | 10 | ± | | | | | | | |
| | | | | | | | | | | | | |
| 2 | Jan. 1 | ePE | 13 | 31 | 47 | | | | | | South off Samoa, south Pacific Ocean. | |
| | | ePN | 13 | 31 | 49 | | | | | | | |
| | | eF? | 13 | 33 | ± | | | | | | | |
| 3 | Jan. 3 | LN | 2 | 11 | 07 | | | | | | | Tibet, China. |
| | | MN | 2 | 12 | 34 | | | | | | | |
| | | eF | 2 | 21 | ± | | | | | | | |
| 4 | Jan. 3 | ePE | 14 | 56 | 15 | | | | | 378 | Mouth off the Edo River, SE off Tokyo City. Felt in Kwanto district. | |
| | | ePN | 14 | 56 | 13 | | | | | | | |
| | | ePZ | 14 | 56 | 12 | | | | | | | |
| | | S | 14 | 57 | 04 | | | | | | | |
| | | ME | 14 | 57 | 18 | 1.3 | -6 | | | | | |
| | | MN | 14 | 57 | 13 | 1.7 | | -9 | | | | |
| | | MZ | 14 | 57 | 16 | | | | +6 | | | |
| 5 | Jan. 18 | P | 15 | 48 | 39 | | | | | 149 | Mouth of the Numata R., west off Onomiti, Hiroshima Prefecture. | |
| | | S | 15 | 48 | 59 | | | | | | | |
| | | ME | 15 | 49 | 01 | 0.9 | +9 | | | | | |
| | | MNZ | 15 | 49 | 01 | | | +11 | -4 | | | |
| | | F | 15 | 49 | 30 | | | | | | | |
| 6 | Jan. 18 | ePE | 22 | 44 | 48 | | | | | 362 | Mouth of the Tama River, NW of the Toyooka Bay. | |
| | | PNZ | 22 | 44 | 49 | | | | | | | |
| | | eSE | 22 | 45 | 38 | | | | | | | |
| | | SN | 22 | 45 | 37 | | | | | | | |
| | | SZ | 22 | 45 | 34 | | | | | | | |
| | | eME | 22 | 45 | 44 | | | -3 | | | | |
| | | MN | 22 | 45 | 46 | 1.6 | | +24 | | | | |
| | | MZ | 22 | 45 | 45 | | | | -6 | | | |
| eF | 22 | 47 | 21 | | | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----|---------|------------------|------|----|----|--------|----------------|----------------|----------------|----------|---------|---|
| | | | g. | m. | s. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| 7 | Jan. 19 | SE | 0 | 41 | 25 | | | | | | | Very small movement. Near the Mouth of the Arita R., Wakayama Prefecture. |
| | | SN | 0 | 41 | 24 | | | | | | | |
| | | F | 0 | 41 | 48 | | | | | | | |
| 8 | Jan. 23 | ePN | 7 | 32 | 05 | | | | | | | Faint record. Near Fox Isl, Aleutian Is. |
| | | PZ | 7 | 31 | 59 | | | | | | | |
| | | eSN | 7 | 38 | 33 | | | | | | | |
| | | eLN | 7 | 42 | 30 | | | | | | | |
| | | LZ | 7 | 44 | 30 | | | | | | | |
| 9 | Jan. 30 | M ¹ N | 7 | 48 | 05 | 16.5 | | +11 | | | | Local shock. |
| | | MZ | 7 | 47 | 03 | | | | -3 | | | |
| | | M ² N | 7 | 50 | 04 | 21.5 | | +10 | | | | |
| | | eF | 7 | 59 | ± | | | | | | | |
| | | PEN | 18 | 07 | 36 | | | | | 19 | | |
| 10 | Feb. 4 | PZ | 18 | 07 | 37 | | | | | | | Northern part of the Osaka Bay. |
| | | S | 18 | 07 | 39 | | | | | | | |
| | | MEN | 18 | 07 | 39 | | ±9 | ±11 | | | | |
| | | MZ | 18 | 07 | 40 | | | | +2 | | | |
| | | F | 18 | 08 | 13 | | | | | | | |
| 11 | Feb. 9 | ePN | 19 | 23 | 22 | | | | | | | Near Suó, Strong shocks were felt in northern part of Formosa. |
| | | PZ | 19 | 23 | 21 | | | | | | | |
| | | eSN | 19 | 27 | 20 | | | | | | | |
| | | eF | 19 | 39 | ± | | | | | | | |
| 12 | Feb. 10 | PNZ | 18 | 31 | 13 | | | +4.0 | +9.8 | 605 | | West off Bonin Isl. E-W Component is not obtained. |
| | | SN | 18 | 32 | 34 | | | | | | | |
| | | SZ | 18 | 32 | 37 | | | | | | | |
| | | MN | 18 | 32 | 42 | 3.0 | | +45 | | | | |
| | | MZ | 18 | 32 | 40 | 3.0 | | | +27 | | | |
| | | eF | 18 | 37 | ± | | | | | | | |

| No. | Date | Phase | Time | | Period | Amplitude | | | Δ | Remarks |
|----------------|---------|-----------------------------|------|-------|--------|----------------|----------------|----------------|--|---|
| | | | G. | M. T. | | A _E | A _N | A _Z | | |
| | | | h | m s | s | μ | μ | μ | km. | |
| 13 | Feb. 19 | PEZ | 20 | 11 46 | | | | +2.1 | 508 | Northern part of Kujukurihama, Tiba Prefecture. Weak shocks were felt in Kwanto district. |
| | | ePN | 20 | 11 45 | | | | | | |
| | | P _E | 20 | 11 59 | | | | | | |
| | | P _Z | 20 | 12 00 | | | | | | |
| | | SEN | 20 | 12 55 | | | | | | |
| | | SZ | 20 | 12 59 | | | | | | |
| | | M _N | 20 | 13 11 | 3.5 | | -158 | | | |
| | | M ¹ _Z | 20 | 13 09 | 2.3 | | | +80 | | |
| | | M _E | 20 | 13 22 | 4.2 | | +88 | | | |
| | | M ² _Z | 20 | 13 20 | 2.3 | | | +74 | | |
| C _N | 20 | 14 31 | | | | | | | | |
| eF | 20 | 20 ± | | | | | | | | |
| 14 | Feb. 22 | ePE | 17 | 12 42 | | | | | Aleutian IIs. | |
| | | PN | 17 | 12 38 | | | | | | |
| | | P _Z | 17 | 12 59 | | | | | | |
| | | eSE | 17 | 20 11 | | | | | | |
| | | SN | 17 | 20 14 | | | | | | |
| | | SZ | 17 | 20 41 | | | | | | |
| | | L _N | 17 | 25 51 | | | | | | |
| | | M _E | 17 | 32 14 | 12.3 | | +11 | | | |
| M _N | 17 | 29 25 | | | | +8 | | | | |
| eF | 17 | 53 ± | | | | | | | | |
| 15 | Mar. 7 | P _Z | 10 | 28 21 | | | | | 518 | West off Oga Peninsula, Akita Prefecture. Felt in northern part of Oou district. |
| | | PEN | 10 | 28 43 | | | | | | |
| | | SEN | 10 | 29 53 | | | | | | |
| | | SZ | 10 | 30 00 | | | | | | |
| | | eF | 10 | 37 ± | | | | | | |
| 16 | Mar. 7 | PEN | 10 | 42 24 | | | | | Northern foot of Mt. Aso, Kyūsyū district. | |
| | | P _Z | 10 | 42 21 | | | | | | |
| | | SE | 10 | 43 17 | | | | | | |
| | | SN | 10 | 43 15 | | | | | | |
| | | SZ | 10 | 43 16 | | | | | | |
| | | M _E | 10 | 43 25 | 1.2 | | +6 | | | |

| No. | Date | Phase | Time | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|----------------|------|-------|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. T. | | A _E | A _N | A _Z | | |
| | | | h | m s | s | μ | μ | μ | km. | |
| | | M _N | 10 | 43 20 | | | -5 | | | |
| | | M _Z | 10 | 43 32 | | | | -4 | | |
| | | F | 10 | 45 27 | | | | | | |
| 17 | Mar. 7 | P _N | 17 | 32 43 | | | | | 518 | Basin off the Nakanogawa, Hukusima Prefecture. Strong shocks were felt in the epicentral region. |
| | | ePE | 17 | 32 55 | | | | | | |
| | | P _Z | 17 | 32 52 | | | | | | |
| | | eSE | 17 | 33 59 | | | | | | |
| | | SN | 17 | 33 52 | | | | | | |
| | | SZ | 17 | 33 56 | | | | | | |
| | | M _N | 17 | 34 09 | | | | -7 | | |
| | | eF | 17 | 37 ± | | | | | | |
| 18 | Mar. 8 | PEN | 16 | 09 38 | | | | | 486 | Northern part of Kasimada, east off Hukusima Prefecture. |
| | | S | 16 | 10 43 | | | | | | |
| | | M _E | 16 | 11 08 | | | -3 | | | |
| | | M _N | 16 | 11 09 | | | | -3 | | |
| | | M _Z | 16 | 11 02 | | | | +2 | | |
| F | 16 | 12 42 | | | | | | | | |
| 19 | Mar. 14 | PE | 14 | 16 41 | | | | | 282 | Very faint record. Near Odawara, Kanagawa Prefecture. |
| | | P _N | 14 | 16 42 | | | | | | |
| | | eSE | 14 | 17 19 | | | | | | |
| | | eSN | 14 | 17 23 | | | | | | |
| | | M _E | 14 | 17 27 | | | +3 | | | |
| eF | 14 | 19 27 | | | | | | | | |
| 20 | Mar. 18 | PEN | 12 | 32 24 | | | +8.3 | +3.6 | 251 | Course of the Masuda R., Gihu Prefecture. Deep focus earthquake. |
| | | P _Z | 12 | 32 23 | | | | | | |
| | | S | 12 | 32 57 | | | | | | |
| | | eMEN | 12 | 32 58 | | | -5 | -6 | | |
| | | eF | 12 | 35 ± | | | | | | |
| 21 | Mar. 20 | eLE | 23 | 19 35 | | | | | | Very faint record. Near Solomon IIs. |
| | | eF | 33 | 26 ± | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-----------------|------|----|----|--------|-----------|-------|-------|----------|---|
| | | | G. | M. | T. | | A_E | A_N | A_Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 22 | Mar. 28 | P _{EN} | 23 | 49 | 52 | | | | | | Northern part of Japan Sea. Deep focus earthquake. |
| | | P _Z | 23 | 49 | 51 | | | | | | |
| | | S _E | 23 | 51 | 27 | | | | | | |
| | | S _{NZ} | 23 | 51 | 29 | | | | | | |
| | | M _E | 23 | 51 | 38 | | -7 | | | | |
| | | M _N | 23 | 51 | 36 | | | -16 | | | |
| | | M _Z | 23 | 51 | 35 | | | | -4 | | |
| | | eF | 23 | 55 | ± | | | | | | |
| 23 | Mar. 30 | P _{EZ} | 21 | 21 | 10 | | | | | 482 | NE off Siويا Cape, Huku- sima Prefecture. Moderate shocks were felt in Pacific coast of Kwanto district and southern part of Oou district. |
| | | P _N | 21 | 21 | 11 | | | | | | |
| | | S _E | 21 | 22 | 16 | | | | | | |
| | | S _N | 21 | 22 | 15 | | | | | | |
| | | S _Z | 21 | 22 | 19 | | | | | | |
| | | M _E | 21 | 23 | 14 | | +70 | | | | |
| | | M _Z | 21 | 23 | 06 | | | | -54 | | |
| | | M _N | 21 | 23 | 10 | 5.4 | | +126 | | | |
| | | M _N | 21 | 23 | 13 | 6.0 | | +145 | | | |
| | | M _Z | 21 | 23 | 33 | | | | +44 | | |
| | | eF | 21 | 38 | ± | | | | | | |
| 24 | Mar. 31 | eP _Z | 23 | 20 | 13 | | | | | 157 | Lower basin of the Hidaka River, Wakayama Prefecture. |
| | | P _{EN} | 23 | 20 | 17 | | +1.0 | -1.8 | | | |
| | | iP _Z | 23 | 20 | 17 | | | | -6.0 | | |
| | | S _{EN} | 23 | 20 | 39 | | | | | | |
| | | S _Z | 23 | 20 | 38 | | | | | | |
| | | M _E | 23 | 20 | 39 | 0.4 | -39 | | | | |
| | | M _N | 23 | 20 | 44 | | | +19 | | | |
| | | M _Z | 23 | 20 | 39 | | | | +14 | | |
| | | F | 23 | 22 | 35 | | | | | | |

STRASBURG 9

SEISMOLOGICAL BULLETIN
OF THE
IMPERIAL MARINE OBSERVATORY
AND
KOBE METEOROLOGICAL OBSERVATORY.

KOBE, JAPAN.

VOL. XI No. 2.

From April 1 1935, to June 30 1935.

KOBE
—
June, 1936.

From No. 52, to No. 125, 1935.

KÔBE JAPAN.

SEISMOLOGICAL BULLETIN

of the Imperial Marine Observatory and the Kobe Meteorological Observatory of Japan.
 $\varphi = 34^{\circ} 41' 18''N$ $\lambda = 135^{\circ} 10' 51''E$ $h = 58.3$ m Underground: Diluvial Series.

Instruments: Omori's Seismograph.
 (Horizontal Pendulum)

Wiechert Seismograph.
 (Horizontal & Vertical)

CONTENTS

| | Page. |
|--|-------|
| Seismological Bulletin of Kobe | 35 |
| Seismological Bulletin of Sumoto | 58 |
| Seismological Bulletin of Toyooka | 76 |

April

| | T_o | ε | $\frac{r}{T_o^2}$ | V |
|-----|-------|---------------|-------------------|----|
| AE: | 19.5 | | 0.001 | 20 |
| AN: | 21.8 | | 0.001 | 20 |

| | T_o | ε | $\frac{r}{T_o^2}$ | V |
|-----|-------|---------------|-------------------|-----|
| AE: | 6.0 | 8 | 0.005 | 114 |
| AN: | 6.5 | 10 | 0.004 | 105 |
| AZ: | 3.9 | 6 | 0.006 | 87 |

May

| | T_o | ε | $\frac{r}{T_o^2}$ | V |
|-----|-------|---------------|-------------------|----|
| AE: | 18.0 | | 0.001 | 20 |
| AN: | 19.2 | | 0.001 | 20 |

| | T_o | ε | $\frac{r}{T_o^2}$ | V |
|-----|-------|---------------|-------------------|-----|
| AE: | 6.2 | 8 | 0.006 | 107 |
| AN: | 6.6 | 12 | 0.006 | 100 |
| AZ: | 4.0 | 6 | 0.006 | 87 |

June

| | T_o | ε | $\frac{r}{T_o^2}$ | V |
|-----|-------|---------------|-------------------|----|
| AE: | 19.7 | | 0.001 | 20 |
| AN: | 20.8 | | 0.001 | 20 |

| | T_o | ε | $\frac{r}{T_o^2}$ | V |
|-----|-------|---------------|-------------------|-----|
| AE: | 6.1 | 11 | 0.006 | 111 |
| AN: | 6.7 | 11 | 0.004 | 97 |
| AZ: | 4.1 | 6 | 0.005 | 82 |

| No. | Date | Phase | Time | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-------|------|----------|--------|-----------|-------|-------|----------|---|
| | | | G. | M. T | | AE | AN | AZ | | |
| 52 | April 1 | iP | h | m s | s | μ | μ | μ | km. | Lower basin of the Hidaka River, Wakayama Prefecture. |
| | | iSE | 0 | 27 39 | | -3.6 | +1.9 | -10.0 | | |
| | | iSNZ | 0 | 27 38 | | -5 | -5 | -4 | | |
| | | MEN | 0 | 27 39 | 0.8 | +42 | +36 | | | |
| | | MZ | 0 | 27 40 | 0.7 | | | -7 | | |
| | | eE | 0 | 29 19 | 2.9 | ± 4 | | | | |
| | | eF | 0 | 35 \pm | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|----------|-------|------------------|-------------|---------------------|---------------------|---------------------|----------|---|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 53 | April 3 | P | 14 09 16 | | | | | 8 | Felt in Near Mt. Rokko, Hyogo Prefecture. |
| | | SNZ | 14 09 17 | | +4 | +4 | | | |
| | | MEN | 14 09 18 | 0.4 | -8 | -9 | | | |
| | | MZ | 14 09 18 | 0.3 | | | -5 | | |
| | | F | 14 10 16 | | | | | | |
| 54 | April 4 | ePN | 13 23 29 | | | | | 540 | NE off Sioya Cape, Felt in Oou and Kwanto district |
| | | ePz | 13 23 33 | | | | | | |
| | | eSE | 13 24 29 | | | | | | |
| | | eSN | 13 24 46 | | | | | | |
| | | ME | 13 25 07 | 2.6 | -5 | | | | |
| | | MN | 13 25 04 | 2.6 | | +5 | | | |
| | | Mz | 13 25 06 | 0.8 | | | ±2 | | |
| | | eN | 13 25 52 | 4.0 | | ±4 | | | |
| | | eF | 13 34 ± | | | | | | |
| 55 | April 5 | S | 10 03 01 | | -4 | -1 | +1 | | Near Mineyama, NW of Kyôto Prefecture. |
| | | M | 10 03 03 | 0.5 | +4 | +4 | ±2 | | |
| | | F | 10 04 23 | | | | | | |
| 56 | April 9 | iPEN | 8 19 24 | | +11.7 | +2.3 | | 269 | Middle basin of the Tenryu River. Moderate shocks were felt in Sizuoka Prefecture. |
| | | iPz | 8 19 23 | 1.6 | | | +8.0 | | |
| | | iE | 8 19 32 | 1.2 | -18 | | | | |
| | | iN | 8 19 32 | 0.8 | | | -11 | | |
| | | iz | 8 19 30 | | | | +5 | | |
| | | iE | 8 19 51 | 1.5 | -40 | | | | |
| | | iSEN | 8 20 01 | | +38 | +40 | | | |
| | | Sz | 8 20 02 | | | | -40 | | |
| | | ME | 8 20 03 | 1.4 | -90 | | | | |
| | | MN | 8 20 03 | 1.3 | | +69 | | | |
| 57 | April 11 | Mz | 8 20 05 | 1.8 | | | -36 | | NE of Bengal Bay. |
| | | iE | 8 21 12 | 2.4 | +30 | | | | |
| | | eF | 8 34 ± | | | | | | |
| | | eN | 1 40 25 | | | | | | |
| | | eN | 1 42 33 | | | | ±1 | | |
| | | | | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|----------|-----------------------------|------------------|-------------|---------------------|---------------------|---------------------|----------|---|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| | | eE | 1 44 49 | | | | | | |
| | | eZ | 1 44 38 | 12.0 | | | ±1 | | |
| | | eF | 3 03 ± | | | | | | |
| 58 | April 11 | ePE | 15 26 18 | | | | | 680 | Near Hirakata, Pacific Coast of northern part of Ibaraki Prefecture. Moderate shocks were felt in eastern part of Kwanto district. |
| | | ePNZ | 15 26 16 | | | | | | |
| | | eE | 15 26 40 | | +5 | | | | |
| | | eN | 15 26 44 | | | -3 | | | |
| | | iz | 15 26 50 | | | | -4 | | |
| | | SE | 15 27 32 | | +6 | | | | |
| | | SN | 15 27 30 | | | -7 | | | |
| | | eSN | 15 27 30 | | | | +3 | | |
| | | ME | 15 27 57 | 3.5 | +25 | | | | |
| | | MN | 15 27 49 | 4.2 | | ±18 | | | |
| | | Mz | 15 27 44 | 1.8 | | | -10 | | |
| | | iE | 15 29 24 | 3.8 | ±15 | | | | |
| | | iz | 15 29 22 | 3.4 | | | ±5 | | |
| eF | 15 38 ± | | | | | | | | |
| 59 | April 11 | eZ | 23 25 06 | | | | | | Destructive in southern coast of Caspian Sea, Persia. 36°2 N. 50°7 E. |
| | | eE | 23 56 08 | 10.5 | ±1 | | | | |
| | | eZ | 0 01 17 | 12.5 | | | | | |
| 60 | April 15 | eF | 0 12 ± | | | | | | NW of Hida Province. Focal depth about 260 km. Abnormal felt area in Paci- fic side of NE Japan. Epi- center 36°2 N. 137°1 E. |
| | | iP | 11 15 53 | | -12.3 | +52.4 | +131.0 | 267 | |
| | | PM _E | 11 15 54 | 3.1 | +135 | | | | |
| | | PM _N | 11 15 54 | 1.2 | | +98 | | | |
| | | PM _Z | 11 15 54 | 2.0 | | | +173 | | |
| | | iSEN | 11 16 29 | | -60 | -150 | | | |
| | | iSz | 11 16 30 | 2.2 | | | -90 | | |
| | | SM _E | 11 16 31 | 3.4 | +163 | | | | |
| | | SM _N | 11 16 30 | 4.0 | | +185 | | | |
| | | M ¹ _E | 11 16 47 | 2.5 | ±85 | | | | |
| | | M ² _E | 11 17 31 | 3.3 | -88 | | | | |
| | | M ³ _E | 11 17 52 | 2.5 | -95 | | | | |
| | | M _N | 11 17 47 | 3.3 | | +85 | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|----------|-----------------|------|----|----|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 61 | April 16 | M _Z | 11 | 17 | 41 | 2.9 | | | -47 | 92 | Near Mt. Oodai, Kii Peninsula. Felt in Kinki and Tyôbu district. |
| | | eF | 11 | 32 | ± | | | | | | |
| | | P _{EN} | 22 | 44 | 02 | | | | | | |
| | | P _Z | 22 | 44 | 01 | | | | -2.3 | | |
| | | iP _N | 22 | 44 | 02 | | | -2.0 | | | |
| | | iS | 22 | 44 | 14 | | -50 | -77 | +11 | | |
| | | M _{EZ} | 22 | 44 | 15 | 0.5 | +62 | | -19 | | |
| | | M _N | 22 | 44 | 15 | 0.6 | | +84 | | | |
| | | e _N | 22 | 45 | 12 | 2.9 | | ±12 | | | |
| | | e _{EN} | 22 | 46 | 04 | 2.6 | ±10 | ±11 | | | |
| | | e _Z | 22 | 46 | 06 | 2.3 | | | ±5 | | |
| eF | 22 | 53 | ± | | | | | | | | |
| 62 | April 17 | P _E | 4 | 47 | 31 | | | | | 230 | Near Nagoya City. Felt in Tyôbu district. |
| | | P _Z | 4 | 47 | 30 | | | | | | |
| | | i | 4 | 47 | 38 | | +4 | -3 | -3 | | |
| | | e _E | 4 | 47 | 47 | | +2 | | | | |
| | | e _Z | 4 | 47 | 44 | | | | | | |
| | | i _E | 4 | 47 | 51 | | +11 | | | | |
| | | i _{SE} | 4 | 48 | 01 | | -7 | | | | |
| | | S _N | 4 | 48 | 02 | | | -4 | | | |
| | | i _{SZ} | 4 | 48 | 03 | 1.4 | | | -7 | | |
| | | M _E | 4 | 48 | 07 | 1.1 | -11 | | | | |
| | | M _N | 4 | 48 | 04 | 1.4 | | ±9 | | | |
| eF | 4 | 52 | ± | | | | | | | | |
| 63 | April 18 | e _E | 16 | 32 | 16 | | | | | | Near Iwai, Middle basin of the Tone River. Felt in Kwanto district. |
| | | S _E | 16 | 32 | 49 | | +2 | | | | |
| | | S _N | 16 | 32 | 50 | | | -3 | | | |
| | | e _{SZ} | 16 | 32 | 48 | | | | | | |
| | | e _Z | 16 | 32 | 51 | 1.9 | | | +3 | | |
| | | M _E | 16 | 33 | 05 | 2.1 | +3 | | | | |
| | | M _N | 16 | 33 | 06 | 2.1 | | | | | |
| | | e _E | 16 | 34 | 24 | 2.6 | ±2 | | | | |
| eF | 16 | 37 | ± | | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----------------------------|----------|-----------------------------|------|------|----|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 64 | April 19 | eP _{EN} | 15 | 36 | 21 | | | | | 9470 | Strong shocks were felt in Near Toripoli, Libia. |
| | | eP _Z | 15 | 36 | 34 | | | | | | |
| | | e _Z | 15 | 40 | 19 | 7.9 | | | +1 | | |
| | | e _N | 15 | 41 | 00 | | | | | | |
| | | e _{SE} | 15 | 46 | 55 | | | | | | |
| | | e _{SN} | 15 | 47 | 07 | | | | | | |
| | | e _{SZ} | 15 | 48 | 40 | | | | | | |
| | | e _N | 15 | 54 | 33 | | | | | | |
| | | e _E | 15 | 58 | 18 | | | | | | |
| | | e _N | 15 | 57 | 33 | | | | | | |
| | | eL _N | 16 | 07 | 28 | | | | | | |
| | | eL _Z | 16 | 13 | 27 | | | | | | |
| | | M ¹ _E | 16 | 20 | 18 | 19.0 | ±3 | | | | |
| | | M ¹ _N | 16 | 20 | 15 | 17.0 | | ±3 | | | |
| | | M ² _E | 16 | 24 | 36 | 17.0 | ±2 | | | | |
| M ² _N | 16 | 24 | 15 | 18.0 | | ±3 | | | | | |
| M ² _Z | 16 | 24 | 24 | 16.0 | | | -2 | | | | |
| M ³ _E | 16 | 28 | 51 | 20.0 | ±2 | | | | | | |
| M ³ _N | 16 | 28 | 28 | 19.0 | | ±4 | | | | | |
| M ² _Z | 16 | 29 | 07 | 19.0 | | | ±3 | | | | |
| eF | 16 | 57 | ± | | | | | | | | |
| 65 | April 20 | e _N | 11 | 11 | 34 | | | | | | Near the Nero deep, SE off Guam Isl. according to Manila's report. |
| | | e _Z | 11 | 11 | 31 | | | | | | |
| | | eM _E | 11 | 16 | 02 | 4.8 | +1 | | | | |
| | | eM _N | 11 | 16 | 53 | 5.3 | | ±1 | | | |
| | | eF | 11 | 23 | ± | | | | | | |
| 66 | April 20 | P _{EN} | 22 | 05 | 48 | | | | | 1940 | The epicenter is at about lat 24°20'N and long 120°49'E, (near the border of Taityû and Sintiku Provinces). The focus being very shallow. Shocks felt all over Formosa. Fault line of 60 km. long found in the neighbourhood of the epicenter, running from NE to SW, 3300 persons killed and 18000 houses destroyed. |
| | | eP _Z | 22 | 05 | 48 | | | | | | |
| | | e _{SE} | 22 | 08 | 57 | | | | | | |
| | | e _{SN} | 22 | 09 | 06 | | | | | | |
| | | e _{SZ} | 22 | 09 | 04 | | | | | | |
| | | i _E | 22 | 09 | 32 | | | -13 | | | |
| | | i _N | 22 | 09 | 35 | | | | +21 | | |
| | | eL _E | 22 | 11 | 00 | 19.0 | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|----------|---|------------------|-------------|-------------------------|-------------------------|-------------------------|---|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| | | eLN | 22 10 38 | 23.0 | | | | | |
| | | eLZ | 22 11 04 | 29.0 | | | | | |
| | | iE | 22 11 29 | 21.0 | +22 | | | | |
| | | iN | 22 11 08 | 21.0 | | -43 | | | |
| | | iz | 22 11 38 | 19.0 | | | -15 | | |
| | | M ¹ _N | 22 12 20 | 16.0 | | -90 | | | |
| | | M ¹ _E | 22 14 08 | 12.0 | -55 | | | | |
| | | M ² _N | 22 14 48 | 11.0 | | -105 | | | |
| | | M ¹ _Z | 22 14 48 | 11.5 | | | ± 24 | | |
| | | M ³ _N | 22 17 28 | 10.5 | | ± 65 | | | |
| | | M ⁴ _N | 22 19 51 | 9.7 | | ± 65 | | | |
| | | M ² _Z | 22 19 46 | 8.3 | | | ± 15 | | |
| | | The end part overlaped by the following earthquake. | | | | | | | |
| 67 | April 20 | eP | 22 31 05 | | | | 1940 | An after shock of previous earthquake. | |
| | | eSE | 22 34 38 | | | | | | |
| | | eSN | 22 34 23 | | | | | | |
| | | eSZ | 22 34 28 | | | | | | |
| | | iz | 22 35 10 | 14.3 | | | ± 3 | | |
| | | eLE | 22 37 08 | | | | | | |
| | | eLN | 22 36 35 | | | | | | |
| | | iN | 22 37 06 | 14.0 | | +24 | | | |
| | | ME | 22 38 40 | 11.7 | -7 | | | | |
| | | MN | 22 38 38 | 11.7 | | ± 11 | | | |
| | | MZ | 22 38 40 | 17.0 | | | ± 2 | | |
| | | eF | 23 13 \pm | | | | | | |
| 68 | April 21 | eE | 3 24 38 | | | | | Southern foot of Mt. Haruna, Gunma Prefecture. Focal depth about 120 km. Felt in Kwanto district. | |
| | | eN | 3 24 39 | | | | | | |
| | | eZ | 3 24 33 | | | | | | |
| | | eS ² _N | 3 24 46 | | | -2 | | | |
| | | MN | 3 24 50 | | | | | | |
| | | MZ | 3 24 50 | | | | ± 3 | | |
| | | eF | 3 31 \pm | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|----------|------------------------------|------------------|-------------|-------------------------|-------------------------|-------------------------|----------------------------------|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 69 | April 21 | PN | 4 10 18 | | | | 10 | Near Mt. Rokko, NE of Kobe City. | |
| | | PZ | 4 10 17 | | | | | | |
| | | SEN | 4 10 19 | | +7 | +4 | | | |
| | | SZ | 4 10 18 | | | | -2 | | |
| | | M _{EN} | 4 10 20 | 0.5 | +7 | +4 | | | |
| | | MZ | 4 10 18 | 0.4 | | | -2 | | |
| | | F | 4 11 09 | | | | | | |
| 70 | April 23 | eP ² _E | 16 54 27 | | | | | Burma? | |
| | | PE | 16 54 36 | | -6 | | | | |
| | | eEZ | 16 58 14 | | | | | | |
| | | iN | 16 58 14 | | | | | | |
| | | eE | 17 00 11 | | | | | | |
| | | eF | 17 03 \pm | | | | | | |
| 71 | April 23 | eEN | 18 59 09 | | -4 | -3 | | Near Kōhu, Yamanashi Prefecture. | |
| | | eEN | 19 00 09 | | | | | | |
| | | eF | 19 02 \pm | | | | | | |
| 72 | April 25 | eP _{EN} | 19 56 22 | | | | 272 | South off Osima, Izu Province. | |
| | | eP _Z | 19 56 21 | | | | | | |
| | | eSE | 19 56 58 | | | | | | |
| | | eSN | 19 56 59 | | | | | | |
| | | ME | 19 57 09 | | +3 | | | | |
| | | eM _N | 19 57 44 | 2.1 | | ± 2 | | | |
| | | eM _Z | 19 58 16 | 2.6 | | | ± 1 | | |
| | | eF | 20 04 \pm | | | | | | |
| 73 | April 27 | eP _{EZ} | 2 28 22 | | | | 291 | Near Hannō, Saitama Prefecture. | |
| | | eSEZ | 2 29 01 | | | | | | |
| | | eSN | 2 29 00 | | | | | | |
| | | ME | 2 29 05 | 1.5 | ± 1 | | | | |
| | | MN | 2 29 04 | 1.6 | | ± 1 | | | |
| | | MZ | 2 29 03 | 2.0 | | | ± 1 | | |
| | | eF | 2 33 \pm | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|----------|------------------|------------------|-------------|-------------------------|-------------------------|-------------------------|--|---|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 74 | May 3 | iPeN | 15 11 46 | | +1.2 | -3.0 | | 99 | Near Mineyama, NW of Kyôto Prefecture. |
| | | iPz | 15 11 46 | 0.8 | | +3.4 | | | |
| | | PM _E | 15 11 48 | 0.8 | ± 3 | | | | |
| | | PM _{NZ} | 15 11 47 | 0.8 | | ± 4 | ± 4 | | |
| | | iS _{EN} | 15 11 59 | | -3 | +1 | | | |
| | | Sz | 15 11 59 | | | | +2 | | |
| | | M _{1E} | 15 12 02 | 0.9 | ± 5 | | | | |
| | | M _{1N} | 15 12 01 | 0.3 | | ± 4 | | | |
| | | M _{2EN} | 15 12 06 | 0.6 | ± 5 | ± 4 | | | |
| | | F | 15 13 11 | | | | | | |
| 75 | May 4 | eP _E | 23 05 59 | | | | 2020 | Au after shock of Great Formasa earthquake, on April 20, 1935. | |
| | | eP _N | 23 05 57 | | | | | | |
| | | eS _{EN} | 23 09 23 | | | | | | |
| | | ez | 23 11 03 | | | | | | |
| | | eN | 23 11 47 | | | | | | |
| | | M _N | 23 15 02 | 12.0 | | +4 | | | |
| eF | 23 31 ± | | | | | | | | |
| 76 | May 5 | iS _{EN} | 10 57 41 | | +4 | +3 | | Upper basin of the Arita River, Wakayama Prefecture. | |
| | | Sz | 10 57 41 | | | +1 | | | |
| | | MEZ | 10 57 42 | 0.5 | -5 | +2 | | | |
| | | M _N | 10 57 41 | 0.7 | | -7 | | | |
| | | F | 10 58 20 | | | | | | |
| 77 | May 5 | P _E | 18 07 28 | | | | 33 | Near Wakayama City. | |
| | | iP _N | 18 07 28 | | | +1 | | | |
| | | ePz | 18 07 28 | | | | | | |
| | | S _{EN} | 18 07 32 | | -2 | | | | |
| | | M _E | 18 07 33 | 0.7 | ± 6 | | | | |
| | | M _N | 18 07 34 | 0.7 | | -5 | | | |
| | | Mz | 18 07 33 | | | | | | -2 |
| F | 18 07 53 | | | | | | | | |
| 78 | May 7 | eP _N | 6 01 36 | | | | 1930? | Felt at Douao, Mindanao, Philippine. | |
| | | eP _E | 6 01 47 | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks | |
|-----|--------|-----------------|------------------|-------------|-------------------------|-------------------------|-------------------------|-----------------|------------------------------------|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | | |
| | | ePz | 6 02 03 | | | | | | | |
| | | e _E | 6 03 05 | | | | | | | |
| | | e _N | 6 02 51 | | | | | | | |
| | | ez | 6 02 37 | | | | | | | |
| | | eS _E | 6 04 47 | | | | | | | |
| | | eS _N | 6 04 53 | | | | | | | |
| | | eS _Z | 6 04 38 | | | | | | | |
| | | M _N | 6 11 22 | 24.5 | | ± 1 | | | | |
| | | Mz | 6 11 37 | 19.0 | | | | | ± 1 | |
| | | M _{2N} | 6 15 09 | 19.0 | | ± 1 | | | | |
| | | M _{2Z} | 6 15 15 | 17.6 | | | | ± 1 | | |
| | | eF | 6 25 ± | | | | | | | |
| 79 | May 7 | P | 7 37 03 | | | | | 22 | Local Shock. | |
| | | iS | 7 37 06 | | -5 | +5 | | | | -1 |
| | | M _{EN} | 7 37 06 | 0.5 | -5 | +5 | | | | |
| | | Mz | 7 37 06 | | | | | | | ± 1 |
| | | F | 7 37 34 | | | | | | | |
| 80 | May 9 | e _N | 9 17 55 | | | | | | WNW off Wazima, Noto Peninsula. | |
| | | iz | 9 18 43 | | | | | | | +2 |
| | | eS _E | 9 18 41 | | | | | | | |
| | | M _E | 9 18 45 | 2.3 | +10 | | | | | |
| | | M _N | 9 18 46 | 2.0 | | ± 4 | | | | |
| | | Mz | 9 18 44 | 1.8 | | | | | | -4 |
| eF | 9 23 ± | | | | | | | | | |
| 81 | May 10 | eS _E | 7 31 39 | | | | | | Local shock. | |
| | | eS _N | 7 31 38 | | | | | | | |
| | | ez | 7 31 35 | | | | | | | |
| | | eM _E | 7 31 42 | 0.7 | ± 1 | | | | | |
| | | eM _N | 7 31 39 | 0.8 | | ± 2 | | | | |
| | | eF | 7 31 52 | | | | | | | |
| 82 | May 10 | eP | 16 14 17 | | | | | | Near Tiba City. | |
| | | eS _E | 16 14 49 | | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|----------------|-------------|-----------------------------|------------------|-------------|-------------------------|-------------------------|-------------------------|--|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| | | eS _N | 16 14 54 | | | | | | |
| | | eS _Z | 16 14 52 | | | | | | |
| | | eE | 16 15 20 | 1.3 | ± 2 | | | | |
| | | eN | 16 15 19 | | | | | | |
| | | eZ | 16 15 18 | | | | | | |
| | | eM _N | 16 15 52 | 2.4 | ± 1 | | | | |
| | | eF | 16 19 \pm | | | | | | |
| 83 | May 10 | eP _N | 17 13 48 | | | | | Between Burma and Siam, According to Nanking's re- port. | |
| M _N | 17 23 30 | 14.0 | ± 1 | | | | | | |
| eF | 17 31 \pm | | | | | | | | |
| 84 | May 11 | P _{EN} | 14 35 06 | | +3 | -5 | | Northern foot of Mt. Huji. | |
| | | PM _{EN} | 14 35 07 | 1.0 | +6 | -6 | | | |
| | | PM _Z | 14 35 06 | 1.0 | | | -4 | | |
| | | i _N | 14 35 11 | 1.0 | | | | | |
| | | eS _{EZ} | 14 35 44 | | | ± 4 | | | |
| | | eM _E | 14 35 49 | 1.0 | ± 5 | | | | |
| 85 | May 13 | eP _E | 20 05 45 | | | | | Between Yunnan and Burma, according to Nanking's re- port. | |
| | | eP _N | 20 05 47 | | | | | | |
| | | eE | 20 08 50 | | | | | | |
| | | eN | 20 08 51 | | | | | | |
| | | eL _N | 20 10 06 | | | | | | |
| | | M ¹ _N | 20 12 36 | 12.0 | | +20 | | | |
| | | M _E | 20 14 53 | 9.0 | ± 10 | | | | |
| | | M ² _N | 20 14 05 | 12.0 | | ± 12 | | | |
| | | M _Z | 20 14 56 | 8.5 | | | ± 3 | | |
| | | eF | 20 35 \pm | | | | | | |
| 86 | May 14 | eP _Z | 23 42 04 | | | | | Near Sandwich IIs South Atlantic Ocean. Each phases is not distinct. | |
| | | eZ | 23 42 18 | | | | | | |
| | | eN | 23 42 56 | | | | | | |
| | | eN | 23 44 14 | | | | | | |
| | | eN | 23 54 11 | | | | | | |
| | | i _E | 0 05 58 | 23.0 | +4 | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----------------|----------|-------------------------------|------------------|-------------|-------------------------|-------------------------|-------------------------|--|---------------------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 87 | May 16 | eF | 0 19 \pm | | | | | 86 | In the Kii Channel. |
| | | P _N | 4 55 19 | | | | | | |
| | | i _S | 4 55 30 | -3 | +3 | | | | |
| | | M _E | 4 55 31 | 0.6 | +6 | | | | |
| | | M _{NZ} | 4 55 31 | 0.5 | | ± 3 | ± 1 | | |
| 88 | May 20 | eN? | 5 26 04 | | | | | Northern part of the Malu- cca Passage. | |
| | | eN | 5 27 53 | | | | | | |
| | | eZ | 5 28 44 | | | | | | |
| | | eE | 5 29 04 | | | | | | |
| | | M _N | 5 41 20 | 19.0 | | ± 1 | | | |
| 89 | May 21 | M _Z | 5 42 14 | 19.0 | | | ± 1 | | |
| | | eF | 5 51 \pm | | | | | | |
| | | P _N | 6 59 28 | | | +2 | 4480 | New Guinea. | |
| | | eZ | 6 59 29 | | | | +2 | | |
| | | P _{RE} | 6 59 57 | 1.8 | | | | | |
| | | S | 7 05 42 | | -6 | -8 | | | |
| | | S ² _{REN} | 7 06 34 | | | | | | |
| M _E | 7 14 16 | 17.0 | ± 1 | | | | | | |
| M _N | 7 14 21 | 18.0 | | +1 | | | | | |
| 90 | May 21 | M _Z | 7 14 12 | 18.0 | | | ± 1 | | |
| | | eF | 7 26 \pm | | | | | | |
| | | eP _N | 13 14 50 | | | | | New Guinea. | |
| | | eP _E | 13 15 14 | | | | | | |
| | | eS _E | 13 21 03 | | | | | | |
| | | eS _N | 13 21 01 | | | | | | |
| eS _Z | 13 20 58 | | | | | | | | |
| eE | 13 22 04 | 3.7 | -3 | | | | | | |
| 91 | May 23 | eN | 13 21 59 | 3.7 | | ± 1 | | | |
| | | eF | 13 28 \pm | | | | | | |
| | | eP _E | 2 11 34 | | | | | ESE off Kinkwazan, Miyagi | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----|--------|-------|------|-----|-----|--------|----------------|----------------|----------------|------|--|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| 92 | May 23 | ePz | 2 | 11 | 35 | | | | | | Prefecture. Felt in eastern part of Oou district. | |
| | | eN | 2 | 12 | 10 | | | | | | | |
| | | ez | 2 | 12 | 08 | | | | | | | |
| | | eN | 2 | 12 | 37 | | | | | | | |
| | | eE | 2 | 13 | 12 | | | | | | | |
| | | eN | 2 | 13 | 02 | | | | | | | |
| | | ez | 2 | 13 | 03 | | | | | | | |
| | | eME | 2 | 13 | 31 | 2.3 | ±2 | | | | | |
| | | eMN | 2 | 13 | 35 | 3.1 | | ±2 | | | | |
| | | eMZ | 2 | 13 | 37 | 2.3 | | | ±1 | | | |
| | | eF | 2 | 24 | ± | | | | | | | |
| | | ePE | 6 | 11 | 05 | | | | | | | Upper basin of the Oono River, Ooita Prefecture. Felt in coast of Bungo Channel. |
| | | PNZ | 6 | 11 | 05 | | | -2 | -1 | | | |
| | | iEN | 6 | 11 | 30 | | -4 | -5 | | | | |
| | | iz | 6 | 11 | 29 | | | | -3 | | | |
| SE | 6 | 11 | 51 | | +5 | | | | | | | |
| iSN | 6 | 12 | 00 | | | -10 | | | | | | |
| Sz | 6 | 11 | 53 | 2.4 | | | ±6 | | | | | |
| ME | 6 | 12 | 13 | 2.6 | -22 | | | | | | | |
| MN | 6 | 12 | 10 | 2.6 | | ±8 | | | | | | |
| MZ | 6 | 12 | 12 | 2.4 | | | ±6 | | | | | |
| iE | 6 | 13 | 27 | | +21 | | | | | | | |
| iN | 6 | 13 | 40 | | | -11 | | | | | | |
| iz | 6 | 13 | 27 | 2.4 | | | -3 | | | | | |
| eF | 6 | 25 | ± | | | | | | | | | |
| 93 | May 24 | eP | 5 | 41 | 52 | | +1.5 | +1.5 | -2.0 | 2705 | North of Samar Isl, Philippine. Strong shocks were felt in Visayas Philippine. | |
| | | eE | 5 | 42 | 05 | | | | | | | |
| | | eN | 5 | 42 | 03 | | | | | | | |
| | | ez | 5 | 42 | 11 | | | | -8 | | | |
| | | iN | 5 | 42 | 14 | 3.7 | | -20 | | | | |
| | | iz | 5 | 42 | 30 | 2.6 | | | -10 | | | |
| | | eN | 5 | 45 | 47 | | | | | | | |
| | | ez | 5 | 45 | 50 | | | | | | | |
| | | eE | 5 | 46 | 01 | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|---|--------|------------------|------|-----|----|--------|----------------|----------------|----------------|------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | SN | 5 | 46 | 13 | | | -25 | | | |
| | | eSz | 5 | 46 | 15 | | | | | | |
| | | iE | 5 | 46 | 35 | 30.0 | +40 | | | | |
| | | eLz | 5 | 48 | 14 | 22.0 | | | | | |
| | | M ¹ N | 5 | 54 | 58 | 16.0 | | ±9 | | | |
| | | M ¹ Z | 5 | 55 | 11 | 18.0 | | | ±6 | | |
| | | M ² N | 6 | 04 | 09 | 16.0 | | ±20 | | | |
| | | M ² Z | 6 | 02 | 45 | 18.0 | | | ±5 | | |
| | | eF | 8 | 11 | ± | | | | | | |
| | | | | | | | | | | | |
| 94 | May 24 | eE | 22 | 34 | 50 | 4.7 | -1 | | | | Very faint record. An after shock of previous earthquake? |
| | | eN | 22 | 34 | 16 | 4.0 | | ±1 | | | |
| | | eF | 22 | 43 | ± | | | | | | |
| 95 | May 25 | ePE | 0 | 13 | 07 | | | | | 2795 | An after shock of No. 93. |
| | | ePN | 0 | 13 | 04 | | | | | | |
| | | ePz | 0 | 13 | 12 | | | | | | |
| | | i | 0 | 13 | 20 | | +1 | +3 | +2 | | |
| | | iN | 0 | 13 | 26 | | | ±4 | | | |
| | | SE | 0 | 17 | 35 | | +5 | | | | |
| | | eSN | 0 | 17 | 30 | | | | | | |
| | | eSz | 0 | 17 | 34 | | | | | | |
| | | iE | 0 | 19 | 18 | 4.0 | ±6 | | | | |
| | | iN | 0 | 19 | 16 | 4.0 | | ±4 | | | |
| eLz | 0 | 19 | 31 | | | | | | | | |
| The end part overlaped by the following earthquake. | | | | | | | | | | | |
| 96 | May 25 | ePN | 0 | 22 | 08 | | | | | 2745 | An after shock of No. 93. |
| | | ePz | 0 | 22 | 11 | | | | | | |
| | | eE | 0 | 22 | 15 | | -1 | | | | |
| | | iNZ | 0 | 22 | 13 | | | +3 | +2 | | |
| | | ez | 0 | 26 | 01 | | | | | | |
| | | SE | 0 | 26 | 29 | | +4 | | | | |
| | | SN | 0 | 26 | 32 | | | -1 | | | |
| iE | 0 | 28 | 12 | 3.6 | ±3 | | | | | | |
| iN | 0 | 28 | 09 | 3.9 | | ±2 | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----|--------|-------|------|------|----|--------|----------------|----------------|----------------|----------|---------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| 97 | May 25 | eE | 0 | 29 | 07 | | | | | | | |
| | | eN | 0 | 28 | 58 | | | | | | | |
| | | eMz | 0 | 34 | 29 | 10.0 | | | | | | |
| | | eF | 0 | 54 | ± | | | | | | | |
| | | eE | 8 | 38 | 25 | | | | | | | An after shock of No. 93. |
| | | eN | 8 | 38 | 19 | | | | | | | |
| | | eZ | 8 | 38 | 21 | | | | | | | |
| | | eE | 8 | 42 | 41 | | | | | | | |
| | | eN | 8 | 42 | 50 | | | | | | | |
| | | eE | 8 | 44 | 24 | 3.7 | -2 | | | | | |
| eN | 8 | 44 | 14 | 3.5 | | ±1 | | | | | | |
| eF | 8 | 52 | ± | | | | | | | | | |
| 98 | May 26 | ePE | 22 | 09 | 02 | | | | | | 2745 | Philippine. |
| | | ePN | 22 | 09 | 05 | | | | | | | |
| | | ePz | 22 | 09 | 07 | | | | | | | |
| | | PN | 22 | 09 | 07 | | | | -2 | | | |
| | | iN | 22 | 09 | 29 | 4.5 | | ±5 | | | | |
| | | iz | 22 | 09 | 27 | 4.3 | | | -2 | | | |
| | | eE | 22 | 13 | 05 | | | | | | | |
| | | eSE | 22 | 13 | 25 | | | | | | | |
| | | eLN | 22 | 13 | 35 | 22.0 | | | | | | |
| | | eLz | 22 | 13 | 37 | | | | | | | |
| | | eME | 22 | 17 | 15 | 12.0 | ±4 | | | | | |
| | | MN | 22 | 18 | 12 | 18.0 | | | -8 | | | |
| Mz | 22 | 18 | 32 | 17.0 | | | | ±2 | | | | |
| eF | 23 | 24 | ± | | | | | | | | | |
| 99 | May 28 | PEN | 2 | 16 | 06 | | +1 | +1 | | | 82 | Near Tuyama, NE of Okaya- yama Prefecture. |
| | | Pz | 2 | 16 | 05 | | | | -1 | | | |
| | | iPE | 2 | 16 | 06 | 0.8 | -4 | | | | | |
| | | iPN | 2 | 16 | 06 | | | | -1 | | | |
| | | iPz | 2 | 16 | 06 | 0.9 | | | | +3 | | |
| | | SE | 2 | 16 | 17 | | +2 | | | | | |
| | | iSN | 2 | 16 | 17 | | | | +3 | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|------------------|--------|-------|------|------|----|--------|----------------|----------------|----------------|----------|---------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| 100 | May 30 | iE | 2 | 16 | 20 | | +8 | | | | | |
| | | iN | 2 | 16 | 19 | | | +4 | | | | |
| | | iz | 2 | 16 | 18 | | | | -4 | | | |
| | | ME | 2 | 16 | 23 | 0.8 | ±8 | | | | | |
| | | MN | 2 | 16 | 22 | 0.9 | | +5 | | | | |
| | | Mz | 2 | 16 | 20 | 0.9 | | | | ±4 | | |
| | | iN | 2 | 16 | 31 | | | | -5 | | | |
| | | iz | 2 | 16 | 29 | | | | | -3 | | |
| | | eF | 2 | 20 | ± | | | | | | | |
| | | ePEN | 21 | 42 | 44 | | | | | | | 6610 |
| ePz | 21 | 42 | 41 | | | | | | | | | |
| iz | 21 | 43 | 13 | | | | | -7 | | | | |
| iE | 21 | 43 | 35 | | | ±10 | | | | | | |
| iE | 21 | 46 | 06 | | | +13 | | | | | | |
| SE | 21 | 50 | 53 | | | +13 | | | | | | |
| eSN | 21 | 50 | 41 | | | | | | | | | |
| eSz | 21 | 50 | 40 | | | | | | | | | |
| iE | 21 | 51 | 01 | 8.7 | | ±30 | | | | | | |
| iN | 21 | 51 | 02 | 8.7 | | | ±20 | | | | | |
| iE | 21 | 51 | 34 | | | -20 | | | | | | |
| iN | 21 | 51 | 33 | | | | | -30 | | | | |
| iE | 21 | 53 | 06 | 7.6 | | +40 | | | | | | |
| iE | 21 | 55 | 30 | 19.0 | | | | | | | | |
| eLz | 21 | 55 | 40 | | | | | | | | | |
| iN | 22 | 02 | 08 | 48.0 | | | | | | | | |
| M ₁ N | 22 | 08 | 38 | 16.0 | | | | -110 | | | | |
| M ¹ E | 22 | 11 | 02 | 16.0 | | -120 | | | | | | |
| M ² N | 22 | 10 | 31 | 15.0 | | | ±120 | | | | | |
| Mz | 22 | 11 | 00 | 14.0 | | | | ±30 | | | | |
| M ² E | 22 | 12 | 27 | 13.0 | | ±100 | | | | | | |
| eF | 23 | 58 | ± | | | | | | | | | |
| 101 | May 31 | eP | 8 | 19 | 53 | | | | | | 560 | 38°6 N, 134°2 E. Middle part of the Japan Sea. Focal depth about 450 KM. Abnormal felt area in Pacific side of NE Japan. |
| | | i | 8 | 19 | 56 | | -9 | +14 | -16 | | | |
| | | iN | 8 | 20 | 28 | | | | -13 | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|------|--------|-----------------|------|----|----|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | iN | 8 | 20 | 51 | | | +19 | | | |
| | | iz | 8 | 20 | 49 | | | | -10 | | |
| | | iSEN | 8 | 20 | 55 | | -225 | -185 | | | |
| | | iSz | 8 | 20 | 56 | | | | -45 | | |
| | | ME | 8 | 20 | 57 | 4.8 | +355 | | | | |
| | | MN | 8 | 21 | 00 | 5.0 | | +250 | | | |
| | | MZ | 8 | 21 | 05 | 3.1 | | | -80 | | |
| | | eE | 8 | 32 | 35 | | +7 | | | | ScS Wave? |
| | | eF | 8 | 46 | ± | | | | | | |
| *102 | May 31 | iP | 23 | 30 | 15 | | +2.0? | -4.0? | -2.4 | 40 | Near Takatuki, NE of Osaka City. |
| | | PM _E | 23 | 30 | 15 | | -6 | | | | Perceptible at Kobe, Osaka and Kyôto City. |
| | | iE | 23 | 30 | 18 | | +3 | | | | |
| | | iSEN | 23 | 30 | 20 | | +21 | +20 | | | |
| | | iSz | 23 | 30 | 19 | | | | -3 | | |
| | | M _{EN} | 23 | 30 | 21 | 0.4 | +26 | +38 | | | |
| | | MZ | 23 | 30 | 21 | 0.5 | | | +13 | | |
| | | F | 23 | 32 | 20 | | | | | | |
| 103 | June 1 | eP _E | 5 | 23 | 16 | | | | | 59 | Near Wakayama City. |
| | | iPz | 5 | 23 | 15 | | | | -2.2 | | |
| | | SEN | 5 | 23 | 22 | | -1 | +2 | | | |
| | | ME | 5 | 23 | 23 | 0.5 | +5 | | | | |
| | | MN | 5 | 23 | 24 | 0.5 | | -3 | | | |
| | | MZ | 5 | 23 | 24 | | | | | | |
| | | F | 5 | 24 | 50 | | | | | | |
| 104 | June 1 | PN | 14 | 45 | 38 | | | | | | East off Mindanao, Philippine, Felt at Davao. |
| | | iPz | 14 | 45 | 36 | | | | +1.0 | | |
| | | PRN | 14 | 46 | 34 | | | | | | |
| | | iz | 14 | 46 | 49 | | | | | | |
| | | eE | 14 | 47 | 40 | | | | | | |
| | | iEN | 14 | 50 | 17 | | | | | | |
| | | eE | 14 | 51 | 55 | | | | | | |
| | | iN | 14 | 51 | 48 | | | | | | |
| | | eMN | 14 | 56 | 55 | 16.0 | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|--------|-----------------------------|------|----|----|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | eF | 15 | 02 | ± | | | | | | |
| 105 | June 2 | eP | 9 | 33 | 52 | 5.4 | | | | | An after shock of No. 100. |
| | | eN | 9 | 48 | 09 | 17.0 | | | | | |
| | | eM _E | 10 | 15 | 00 | 35.0 | +1 | | | | |
| | | eM _N | 10 | 15 | 11 | 30.0 | | +1 | | | |
| | | eF | 10 | 24 | ± | | | | | | |
| 106 | June 5 | P | 7 | 04 | 49 | | +0.4 | -0.6 | -1.4 | 102 | West off Tanabe, Wakayama Prefecture. |
| | | ez | 7 | 05 | 02 | | | | | | |
| | | iSEN | 7 | 05 | 03 | | +27 | +15 | | | |
| | | Sz | 7 | 05 | 04 | | | | | | |
| | | ME | 7 | 05 | 03 | 0.7 | +27 | | | | |
| | | MN | 7 | 05 | 03 | 0.8 | | -21 | | | |
| | | MZ | 7 | 05 | 04 | 0.3 | | | +6 | | |
| | | C ¹ _E | 7 | 06 | 05 | 1.9 | -5 | | | | |
| | | C _N | 7 | 06 | 09 | 1.9 | | ±4 | | | |
| | | C _Z | 7 | 06 | 09 | 2.0 | | | ±2 | | |
| | | C ² _E | 7 | 06 | 52 | 3.0 | ±3 | | | | |
| | | eF | 7 | 09 | ± | | | | | | |
| 107 | June 5 | P _{EN} | 13 | 38 | 54 | | | +1.0 | | 77 | Off the Hinomisaki, Wakayama Prefecture. |
| | | iPz | 13 | 38 | 54 | | | | +3.0 | | |
| | | iN | 13 | 38 | 56 | | | | | | |
| | | iSE | 13 | 39 | 04 | | +4 | | | | |
| | | SN | 13 | 39 | 04 | | | | | | |
| | | ez | 13 | 39 | 05 | | | | | | |
| | | M ¹ _E | 13 | 39 | 05 | 0.4 | -13 | | | | |
| | | M ¹ _N | 13 | 39 | 07 | 0.6 | | +10 | | | |
| | | iE | 13 | 39 | 11 | 0.8 | | | | | |
| | | M ² _E | 13 | 39 | 11 | 0.8 | -7 | | | | |
| | | M ² _N | 13 | 39 | 14 | 0.8 | | -7 | | | |
| | | iz | 13 | 39 | 17 | | | | | | |
| | | M _Z | 13 | 39 | 18 | 0.7 | | | ±3 | | |
| | | eF | 13 | 43 | ± | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|---------|-----------------|------------------|-------------|-------------------------|-------------------------|-------------------------|---|---|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 108 | June 6 | PEN | 12 59 51 | | | | | 324 | SSW off Hatidyô Isl. Deep focus earthquake. |
| | | Pz | 12 59 50 | | | +1? | | | |
| | | iSEN | 13 00 35 | +7 | +6 | | | | |
| | | SM _E | 13 00 36 | 2.4 | -17 | | | | |
| | | SM _N | 13 00 36 | 2.6 | -7 | | | | |
| | | ez | 13 00 37 | | | | | | |
| | | eEN | 13 01 21 | | | | | | |
| | | M _N | 13 01 25 | 2.4 | -3 | | | | |
| | | M _E | 13 01 43 | 2.1 | +6 | | | | |
| eF | 13 06 ± | | | | | | | | |
| 109 | June 8 | ePEN | 4 58 24 | | | | 395 | Southwestern part of Mt. Tukuba, Ibaraki Prefecture. Felt in Kwanto district. | |
| | | eE | 4 58 33 | | | | | | |
| | | iz | 4 58 31 | | | | | | |
| | | eSE | 4 59 17 | | | | | | |
| | | eSN | 4 59 15 | | | | | | |
| | | eE | 4 59 25 | 1.3 | | | | | |
| | | M _E | 4 59 44 | 2.6 | ±3 | | | | |
| | | M _N | 4 59 43 | 3.2 | -4 | | | | |
| | | M _Z | 4 59 33 | 2.2 | | ±2 | | | |
| eF | 5 06 ± | | | | | | | | |
| 110 | June 9 | ePE | 6 39 17 | | | | 2780? | South china Sea. | |
| | | ePN | 6 39 15 | | | | | | |
| | | Pz | 6 39 20 | 2.6 | | | | | |
| | | eE | 6 39 45 | 3.4 | | | | | |
| | | ez | 6 39 45 | | | | | | |
| | | eN | 6 40 27 | | | | | | |
| | | eE | 6 40 59 | | | | | | |
| | | eS _N | 6 43 42 | | | | | | |
| | | eS _Z | 6 43 39 | | | | | | |
| | | eE | 6 44 42 | 3.6 | ±1 | | | | |
| | | eN | 6 44 52 | 3.2 | | ±1 | | | |
| | | M _N | 6 47 30 | 13.0 | | ±1 | | | |
| | | eF | 7 00 ± | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----------------------------|----------|-----------------|------------------|-------------|-------------------------|-------------------------|-------------------------|--|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 111 | June 10 | iEN | 6 53 11 | | | | 369 | Felt in Hatidyô Isl. Disturbed by severe Microseisms. | |
| | | iz | 6 53 10 | | | | | | |
| | | PEN | 6 53 15 | | | | | | |
| | | SE | 6 54 13 | | | | | | |
| | | eSN | 6 54 00 | | | | | | |
| | | Sz | 6 54 02 | | | | | | |
| | | M _N | 6 54 27 | 3.6 | ±4 | | | | |
| | | M _Z | 6 54 26 | 3.8 | | ±2 | | | |
| | | M _E | 6 55 22 | 2.3 | +10 | | | | |
| eF | 7 06 ± | | | | | | | | |
| 112 | June 14 | ePEN | 9 42 09 | | | | 366 | Lower basin of the Heki River, Wakayama Prefecture. Disturbed by Microseisms. | |
| | | SEN | 9 42 15 | | | | | | |
| | | M _E | 9 42 17 | +8 | | | | | |
| | | M _N | 9 42 16 | 0.8 | -5 | | | | |
| | | M _Z | 9 42 24 | 0.5 | | ±1 | | | |
| | | F | 9 43 00 | | | | | | |
| 113 | June 14 | eEN | 21 10 31 | | | | 366 | South off Katuura, Pacific coast of Tiba Prefecture. Weak shocks were felt in Kwanto district. | |
| | | PEN | 21 10 34 | | | | | | |
| | | iPz | 21 10 34 | | | -1.8 | | | |
| | | ie | 21 10 38 | | | | | | |
| | | eN | 21 10 39 | | | | | | |
| | | iz | 21 10 36 | | | | | | |
| | | SE | 21 11 23 | | | | | | |
| | | eN | 21 11 23 | | | | | | |
| | | Sz | 21 11 26 | | | | | | |
| | | S _N | 21 11 31 | | | | | | |
| | | M _E | 21 11 38 | 3.7 | +16 | | | | |
| | | M _N | 21 11 52 | 3.1 | | -13 | | | |
| M _Z | 21 12 24 | 3.0 | | +8 | | | | | |
| M ² _E | 21 13 59 | 2.7 | +13 | | | | | | |
| eF | 21 26 ± | | | | | | | | |
| 114 | June 18 | iSEN | 20 52 20 | | +3 | +3 | | In the Kii Channel. Very small movement. | |
| | | M _{EN} | 20 52 20 | 0.4 | +3 | +3 | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----|---------|-------------------|------|----|----|--------|----------------|----------------|----------------|----------|--|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| 115 | June 18 | F | 20 | 52 | 48 | | | | | | | |
| | | PEZ | 22 | 32 | 58 | | +2.0 | | +3.0 | 2610 | East off Samar Isl., Phil- ppine. | |
| | | PN | 22 | 32 | 58 | 3.4 | | +6 | | | | |
| | | eN | 22 | 35 | 18 | | | | | | | |
| | | SEN | 22 | 37 | 12 | | | | | | | |
| | | eSSN | 22 | 37 | 44 | | | +8 | | | | |
| | | eE | 22 | 38 | 45 | | +6 | | | | | |
| | | eN | 22 | 42 | 18 | 6.5 | | +4 | | | | |
| | | eE | 22 | 46 | 36 | 4.2 | | +2 | | | | |
| | | eN | 22 | 49 | 49 | | | | | | | |
| 116 | June 20 | eM ² E | 22 | 59 | 22 | 7.8 | | | | | | |
| | | eM ¹ N | 23 | 18 | 24 | 7.8 | | | | | | |
| | | eF | 23 | 29 | ± | | | | | | | |
| | | ePE | 19 | 30 | 54 | | | | | 361? | Near Mt. Tukuba, Ibaraki Prefecture. | |
| | | ePN | 19 | 30 | 56 | | | | | | Moderate shocks were felt in the epicentral region. | |
| | | ePZ | 19 | 30 | 55 | | | | | | | |
| | | iN | 19 | 31 | 06 | | | | | | | |
| 117 | June 21 | iz | 19 | 31 | 07 | | | | | | | |
| | | iN | 19 | 31 | 09 | | | | | | | |
| | | iE | 19 | 31 | 11 | | | | | | | |
| | | SE | 19 | 31 | 48 | | | | | | | |
| | | S _{NZ} | 19 | 31 | 44 | | | | | | | |
| | | ME | 19 | 31 | 51 | 1.8 | -9 | | | | | |
| | | MN | 19 | 31 | 52 | 2.1 | | +6 | | | | |
| | | MZ | 19 | 31 | 50 | 2.4 | | | +3 | | | |
| | | M ² E | 19 | 33 | 12 | 2.4 | +6 | | | | | |
| | | eF | 19 | 39 | ± | | | | | | | |
| 117 | June 21 | iEN | 14 | 23 | 50 | | | | | | Near Tadono, middle basin of the Arita River, Waka- yama Prefecture. | |
| | | SEN | 14 | 23 | 54 | | | | | | Very small movement. | |
| | | ME | 14 | 23 | 55 | 0.8 | -3 | | | | | |
| | | MN | 14 | 23 | 55 | | | -3 | | | | |
| | | F | 14 | 24 | 26 | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|------------------|---------|-------------------|------|------|----|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 118 | June 22 | iPN | 10 | 54 | 25 | | | | | 74 | Near Hinomisaki, Wakayama Prefecture. |
| | | PZ | 10 | 54 | 24 | | | | -1.0 | | |
| | | SEN | 10 | 54 | 35 | | | | | | |
| | | ME | 10 | 54 | 38 | 6.0 | -2 | | | | |
| | | MN | 10 | 54 | 37 | | | +3 | | | |
| | | MZ | 10 | 54 | 38 | 0.5 | | | +1 | | |
| 119 | June 22 | F | 10 | 55 | 11 | | | | | | |
| | | PN | 15 | 56 | 35 | 3.9 | | +2.0 | | 4610 | Felt in SW Celebes. Record is deep focus type. |
| | | PZ | 15 | 56 | 37 | | | | +2.1 | | |
| | | iE | 15 | 57 | 43 | | | | | | |
| | | eN | 15 | 57 | 58 | | | | | | |
| | | SE | 16 | 02 | 56 | | | | | | |
| | | SN | 16 | 02 | 56 | 5.2 | | | | | |
| | | SZ | 16 | 02 | 54 | | | | | | |
| | | SRE | 16 | 04 | 21 | | -3 | | | | |
| | | S _{RN} | 16 | 04 | 26 | | | +1 | | | |
| 120 | June 24 | eZ | 16 | 04 | 24 | | | | | | |
| | | eF | 16 | 18 | ± | | | | | | |
| | | iPE | 23 | 33 | 02 | | -2.8 | | | 6330 | Near New Hebrides IIs. South Pacific Ocean. |
| | | iPN | 23 | 33 | 02 | 3.6 | | +5.8 | | | |
| | | iPZ | 23 | 33 | 02 | 3.9 | | | +4.5 | | |
| | | iN | 23 | 33 | 32 | | | | | | pP Wave? |
| | | iz | 23 | 33 | 33 | | | | | | |
| | | iNZ | 23 | 33 | 51 | | | | | | |
| | | eP _{R1E} | 23 | 35 | 22 | | | | | | |
| | | SE | 23 | 40 | 56 | | | | | | |
| 120 | June 24 | iSN | 23 | 40 | 56 | | | | | | |
| | | iE | 23 | 41 | 54 | | | | | | |
| | | SSN | 23 | 41 | 54 | 28.0 | | | | | |
| | | S _N | 23 | 43 | 28 | | | | | | |
| | | eLN | 23 | 45 | 56 | 17.0 | | | | | |
| | | eLE | 23 | 48 | ± | 26.0 | | | | | |
| | | ME | 23 | 49 | 54 | 21.0 | -3 | | | | |
| M ¹ N | 23 | 50 | 07 | 18.0 | | -9 | | | | | |

| No. | Date | Phase | Time | | Period | Amplitude | | | Δ | Remarks | |
|----------------|---------|--|------|------|--------|-----------|----------------|----------------|------|----------------------------|------------------------------|
| | | | G. | M. | | T. | A _E | A _N | | | A _Z |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 121 | June 25 | M ² _N | 23 | 58 | 20 | 14.9 | | ±6 | | | |
| | | P ¹ P ¹ _N | 0 | 02 | 45 | 2.8 | | +1.5 | | | |
| | | P ¹ P ¹ _Z | 0 | 02 | 45 | 2.7 | | | -2 | | |
| | | eF | 0 | 31 | ± | | | | | | |
| | | ez | 12 | 37 | 22 | | | | | 1850 | SE off Yetorofu Isl., Kurile |
| | | P _N | 12 | 37 | 30 | | | | | | Is. |
| | | iP _E | 12 | 37 | 33 | | +3.3 | | | | |
| | | iP _Z | 12 | 37 | 32 | 1.9 | | | -2.5 | | |
| | | eE | 12 | 37 | 58 | 4.5? | ±2 | | | | |
| | | iS _{EN} | 12 | 40 | 40 | | +6 | +? | | | |
| | | eL _N | 12 | 42 | 08 | 23.0 | | | | | |
| | | eL _Z | 12 | 42 | 34 | | | | | | |
| | | M _E | 12 | 43 | 05 | 16.5 | +7 | | | | |
| M _N | 12 | 44 | 54 | 14.0 | | +12 | | | | | |
| M _Z | 12 | 43 | 56 | 16.0 | | | +4 | | | | |
| eF | 13 | 07 | ± | | | | | | | | |
| 122 | June 26 | iS _E | 16 | 55 | 27 | 1.9 | -6 | | | In the Kumano nada, SE | |
| | | iS _N | 16 | 55 | 27 | 1.4 | | -4 | | off Kii Peninsula. Deep | |
| | | M _E | 16 | 55 | 28 | 1.9 | +6 | | | focus earthquake. | |
| | | M _N | 16 | 55 | 28 | 1.4 | | +3 | | | |
| | | F | 16 | 56 | 24 | | | | | | |
| 123 | June 26 | eP _{EN} | 23 | 43 | 20 | | | | | Near Miyazu, NW of Kyō- | |
| | | S _{EN} | 23 | 43 | 31 | | | | | to Prefecture. Very small | |
| | | M _{EN} | 23 | 43 | 33 | 0.8 | ±1 | ±1 | | movement. | |
| | | M _Z | 23 | 43 | 35 | | | | ±1 | | |
| | | F | 23 | 43 | 55 | | | | | | |
| 124 | June 28 | eP _Z | 18 | 58 | 54 | | | | 373? | South off Katuura, Pacific | |
| | | eP _{EN} | 18 | 58 | 59 | | | | | coast of Tiba Prefecture. | |
| | | iz | 18 | 58 | 59 | | | | | Felt in Kwanto district. | |
| | | i _N | 18 | 59 | 02 | | | | | Disturbed by Severe micro- | |
| | | i _E | 18 | 59 | 14 | | | | | seisms. | |
| | | S _Z | 18 | 59 | 43 | | | | | | |

| No. | Date | Phase | Time | | Period | Amplitude | | | Δ | Remarks | |
|-----------------------------|---------|-----------------------------|------|------|--------|-----------|----------------|----------------|-----|---------|--------------------------|
| | | | G. | M. | | T. | A _E | A _N | | | A _Z |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 125 | June 29 | S _{EN} | 18 | 59 | 49 | | | | | | |
| | | M ¹ _E | 19 | 00 | 08 | 2.5 | +35 | | | | |
| | | M _N | 19 | 00 | 48 | 2.7 | | | -38 | | |
| | | M _Z | 19 | 00 | 48 | 3.1 | | | | ±26 | |
| | | M ² _E | 19 | 01 | 52 | 2.8 | | | -37 | | |
| | | eF | 19 | 16 | ± | | | | | | |
| | | eL _N | 8 | 04 | 45 | | | | | | Southern part of Mexico. |
| M ¹ _N | 8 | 06 | 08 | 17.0 | | | ±1 | | | | |
| eF | 8 | 19 | ± | | | | | | | | |

SUMOTO JAPAN.

SEISMOLOGICAL BULLETIN

A Branch Station of the Kobe Meteorological Observatory of Japan.
 $\varphi = 34^{\circ} 21'$ $\lambda = 134^{\circ} 53'$ $h = 109.0$ m. Underground: Cretaceous.

Instrument: Omori's Seismograph.
 (Horizontal Pendulum.)

Wiechert Seismograph.
 (Horizontal & Vertical)

April

| | T_0 | ε | $\frac{r}{T_0^2}$ | V |
|-----|-------|---------------|-------------------|----|
| AE: | 18.0 | 3 | 0.0003 | 20 |
| AN: | 17.1 | 2 | 0.0001 | 20 |

| | T_0 | ε | $\frac{r}{T_0^2}$ | V |
|-----|-------|---------------|-------------------|-----|
| AE: | 4.8 | Aperiodic | 0.004 | 105 |
| AN: | 4.5 | " | 0.003 | 99 |
| AZ: | 4.2 | " | 0.002 | 62 |

May

| | T_0 | ε | $\frac{r}{T_0^2}$ | V |
|-----|-------|---------------|-------------------|----|
| AE: | 17.8 | 2 | 0.0003 | 20 |
| AN: | 17.1 | 2 | 0.0003 | 20 |

| | T_0 | ε | $\frac{r}{T_0^2}$ | V |
|-----|-------|---------------|-------------------|-----|
| AE: | 4.8 | Aperiodic | 0.003 | 111 |
| AN: | 4.5 | " | 0.003 | 101 |
| AZ: | 4.1 | " | 0.002 | 68 |

June

| | T_0 | ε | $\frac{r}{T_0^2}$ | V |
|-----|-------|---------------|-------------------|----|
| AE: | 17.8 | 2 | 0.0003 | 20 |
| AN: | 17.1 | 2 | 0.0003 | 20 |

| | T_0 | ε | $\frac{r}{T_0^2}$ | V |
|-----|-------|---------------|-------------------|-----|
| AE: | 4.8 | Aperiodic | 0.003 | 111 |
| AN: | 4.5 | " | 0.003 | 101 |
| AZ: | 4.1 | " | 0.002 | 68 |

| No. | Date | Phase | Time | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-----------------|----------|--------|-----------|-------|-------|----------|---|
| | | | | | AE | AN | AZ | | |
| | | | G. M. T. | s | μ | μ | μ | km. | |
| 62 | April 1 | iP | 0 27 23 | | +9.0 | -6.1 | -16.1 | 65 | Lower basin of the Hidaka River, Wakayama Prefecture. |
| | | PM _E | 0 27 23 | 0.4 | +17 | | | | |
| | | PM _N | 0 27 24 | 0.4 | | -25 | | | |
| | | iS | 0 27 31 | | | | | | |
| | | ME | 0 27 32 | 0.4 | -75 | | | | |
| | | M _N | 0 27 32 | 0.6 | | +33 | | | |
| | | M _Z | 0 27 31 | 0.4 | | | +10 | | |

| No. | Date | Phase | Time | Period | Amplitude | | | Δ | Remarks |
|-----|---------|----------------|----------|--------|-----------|-------|--|--|---------|
| | | | | | AE | AN | AZ | | |
| | | | G. M. T. | s | μ | μ | μ | km. | |
| 63 | April 1 | eF | 0 34 ± | | | | | 68 | Ditto. |
| | | ePEN | 0 44 59 | | | | | | |
| | | S | 0 45 08 | | | | | | |
| | | MEN | 0 45 09 | 0.4 | +3 | +6 | | | |
| 64 | April 4 | ePEN | 13 04 17 | | | | 30 | Near Tadono, middle basin of the Arita River, Wakayama Prefecture. | |
| | | SEN | 13 04 21 | | | | | | |
| | | MEN | 13 04 21 | | +1 | -2 | | | |
| | | F | 13 04 43 | | | | | | |
| 65 | April 4 | ePEN | 13 23 37 | | | | 527 | NE off Sioya Cape. Felt in Oou and Kwanto district. | |
| | | SE | 13 24 49 | | | | | | |
| | | SN | 13 24 47 | | | | | | |
| | | SZ | 13 24 52 | | | | | | |
| | | ME | 13 25 02 | 2.6 | -2 | | | | |
| | | M _N | 13 25 14 | 2.6 | | +3 | | | |
| | | M _Z | 13 25 12 | 2.4 | | | | | +1 |
| 66 | April 5 | SEN | 10 03 11 | | -3.8 | -1.0 | Near Mineyama, NW of Kyōto Prefecture. | | |
| | | ME | 10 03 11 | 0.3 | -4 | | | | |
| | | M _N | 10 03 12 | 0.4 | | -4 | | | |
| | | F | 10 03 40 | | | | | | |
| 67 | April 7 | ePEN | 1 11 14 | | | | 28 | In the Kii channel. | |
| | | SEN | 1 11 17 | | | | | | |
| | | ME | 1 11 19 | | +1 | | | | |
| | | M _N | 1 11 18 | 0.3 | | -2 | | | |
| | | F | 1 11 37 | | | | | | |
| 68 | April 9 | PE | 8 19 26 | | -2.8 | | 303 | Middle basin of the Tenryū River, Moderate shocks were felt in Sizuoka Prefecture. | |
| | | PNZ | 8 19 27 | | | -1.0 | | | +2.4 |
| | | ez | 8 19 35 | | | | | | |
| | | SE | 8 20 07 | | | | | | |
| | | SEN | 8 20 08 | | | | | | |
| | | SNZ | 8 20 08 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----|----------|-----------------|------|----|----|--------|----------------|----------------|----------------|----------|---------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| 69 | April 11 | M _E | 8 | 20 | 22 | 2.8 | -60 | | | | | |
| | | M _N | 8 | 20 | 18 | 3.0 | | +53 | | | | |
| | | M _Z | 8 | 20 | 22 | 3.1 | | | +9 | | | |
| | | eF | 8 | 31 | ± | | | | | | | |
| | | e _E | 1 | 36 | 24 | | | | | | | Northern part of Bengal Bay, India. |
| | | e _N | 1 | 36 | 29 | | | | | | | |
| | | e _{SE} | 1 | 43 | 13 | | | | | | | |
| | | e _{SN} | 1 | 42 | 00 | | | | | | | |
| 70 | April 11 | ez | 1 | 44 | 14 | | | | | | | |
| | | eF | 2 | 04 | ± | | | | | | | |
| | | P _E | 15 | 26 | 22 | | | | | 483 | | Near Hirakata, Pacific coast of northern part of Ibaraki Prefecture. Moderate shocks were felt in eastern part of Kwanto district. |
| | | P _{NZ} | 15 | 26 | 23 | | | | | | | |
| | | S _E | 15 | 27 | 23 | | | | | | | |
| | | S _N | 15 | 27 | 25 | | | | | | | |
| | | S _Z | 15 | 27 | 36 | | | | | | | |
| | | M _E | 15 | 27 | 50 | 3.6 | ±9 | | | | | |
| 71 | April 11 | M _N | 15 | 27 | 56 | 2.2 | | -12 | | | | |
| | | M _Z | 15 | 27 | 55 | 2.8 | | | ±2 | | | |
| | | eF | 15 | 36 | ± | | | | | | | |
| | | eez | 23 | 25 | 25 | | | | | | | Destructive in Southern coast of Caspian Sea, Persia. |
| | | e _N | 23 | 25 | 37 | | | | | | | |
| | | e _E | 23 | 54 | 45 | | | | | | | |
| | | e _N | 23 | 54 | 24 | | | | | | | |
| | | ez | 23 | 55 | 45 | | | | | | | |
| 72 | April 14 | eF | 0 | 11 | ± | | | | | | | |
| | | eP _E | 10 | 50 | 18 | | | | | 282 | | In the Hyuga nada, east off Miyazaki Prefecture. |
| | | eP _N | 10 | 50 | 19 | | | | | | | |
| | | eP _Z | 10 | 50 | 21 | | | | | | | |
| | | S _E | 10 | 50 | 57 | | | | | | | |
| | | S _N | 10 | 50 | 59 | | | | | | | |
| | | S _Z | 10 | 50 | 56 | | | | | | | |
| | | M _E | 10 | 51 | 06 | 1.8 | -2 | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|----------------|----------|-----------------------------|------|-----|----|--------|----------------|----------------|----------------|----------|---------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| 73 | April 15 | M _N | 10 | 51 | 01 | 1.5 | | +2 | | | | |
| | | eF | 10 | 54 | ± | | | | | | | |
| | | iP | 11 | 15 | 56 | | +21.0 | +18.0 | -27.5 | 287 | | NW of Hida Province. Focal depth about 260 km. Abnormal felt area in Pacific side of NE Japan. |
| | | PM _E | 11 | 15 | 57 | 1.8 | -33 | | | | | |
| | | PM _N | 11 | 15 | 58 | 3.2 | | -22 | | | | |
| | | PM _Z | 11 | 15 | 58 | 1.8 | | | +32 | | | |
| | | iS | 11 | 16 | 35 | | | | | | | |
| | | M ¹ _E | 11 | 16 | 38 | 3.4 | -66 | | | | | |
| | | M ¹ _N | 11 | 16 | 38 | 3.9 | | -104 | | | | |
| | | M ¹ _Z | 11 | 16 | 38 | 2.5 | | | +32 | | | |
| | | M ² _E | 11 | 16 | 54 | 3.7 | -48 | | | | | |
| | | M ² _N | 11 | 16 | 48 | 3.1 | | -58 | | | | |
| 74 | April 16 | eF | 11 | 28 | ± | | | | | | | |
| | | eP _N | 1 | 27 | 37 | | | | | 55 | | In the Kii Channel. |
| | | S _{EN} | 1 | 27 | 44 | | | | | | | |
| | | M _E | 1 | 27 | 44 | | +1 | | | | | |
| | | M _N | 1 | 27 | 44 | 0.3 | | -3 | | | | |
| | | F | 1 | 28 | 04 | | | | | | | |
| 75 | April 16 | eP _N | 10 | 37 | 36 | | | | | 53 | | Basin of the Arita River, Wakayama Prefecture. |
| | | S _{EN} | 10 | 37 | 43 | | | | | | | |
| | | M _{EN} | 10 | 37 | 44 | 0.4 | -2 | ±3 | | | | |
| | | F | 10 | 38 | 28 | | | | | | | |
| 76 | April 16 | eP _{EN} | 11 | 34 | 10 | | | | | 54 | | Near Wakayama City? |
| | | S | 11 | 34 | 18 | | | | | | | |
| | | M _{EN} | 11 | 34 | 18 | 0.4 | -5 | -7 | | | | |
| | | M _Z | 11 | 34 | 18 | | | | ±2 | | | |
| 77 | April 16 | F | 11 | 35 | 02 | | | | | | | |
| | | iP | 22 | 44 | 02 | | -2.9 | +3.0 | +3.2 | 82 | | Near Mt. Oodai, Kii Peninsula. Felt in Kinki and Tyôbu district. |
| | | iS | 22 | 44 | 13 | | | | | | | |
| | | M _E | 22 | 44 | 16 | 0.8 | +20 | | | | | |
| M _N | 22 | 44 | 16 | 0.7 | | +38 | | | | | | |

| No. | Date | Phase | Time | | Period | Amplitude | | | Δ | Remarks | |
|-----|----------|-------|------|----|--------|-----------|----------------|----------------|------|---------|---|
| | | | G. | M. | | T. | A _E | A _N | | | A _Z |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 78 | April 17 | MZ | 22 | 44 | 15 | 1.1 | | | -8 | | |
| | | F | 22 | 50 | ± | | | | | | |
| | | ePE | 4 | 47 | 38 | | | | | 141 | Near Nagoya City. Felt in Tyūbu district. |
| | | PNZ | 4 | 47 | 38 | | | | | | |
| | | eSEN | 4 | 47 | 57 | | | | | | |
| | | ez | 4 | 48 | 08 | | | | | | |
| | | ME | 4 | 48 | 09 | 1.9 | +2 | | | | |
| | | MN | 4 | 48 | 12 | 1.1 | | -3 | | | |
| 79 | April 18 | MZ | 4 | 48 | 19 | 1.5 | | | ±1 | | |
| | | eF | 4 | 52 | ± | | | | | | |
| | | eEN | 16 | 32 | 45 | | | | | | Near Iwai, middle basin of the Tone River, Ibaraki Prefecture. Felt in Kwanto district. |
| | | SEN | 16 | 32 | 57 | | | | | | |
| | | ez | 16 | 33 | 01 | | | | | | |
| | | ME | 16 | 33 | 15 | 2.5 | ±1 | | | | |
| | | MN | 16 | 33 | 09 | 1.6 | | ±1 | | | |
| | | MZ | 16 | 33 | 28 | 1.5 | | | -1 | | |
| 80 | April 19 | eF | 16 | 36 | ± | | | | | | |
| | | ePEN | 2 | 35 | 24 | | | | | 41 | Near Yuasa, south of Wakayama City. |
| | | S | 2 | 35 | 29 | | | | | | |
| | | ME | 2 | 35 | 29 | | +2 | | | | |
| | | MN | 2 | 35 | 30 | 0.4 | | -3 | | | |
| 81 | April 19 | F | 2 | 35 | 57 | | | | | | |
| | | enZ | 15 | 36 | 31 | | | | | | Strong shocks were felt in Near Toripoli, Libia. |
| | | eE | 15 | 37 | 31 | | | | | | |
| | | SE | 15 | 47 | 11 | | | | | | |
| | | SN | 15 | 47 | 13 | | | | | | |
| | | ME | 16 | 25 | 53 | 16.4 | -25 | | | | |
| | | MN | 16 | 21 | 42 | 18.2 | | ±36 | | | |
| 82 | April 20 | MZ | 16 | 30 | 36 | 16.4 | | | -20 | | |
| | | eF | 16 | 54 | ± | | | | | | |
| | | P | 22 | 05 | 41 | | -1.9 | +2.0 | -1.6 | 2070 | The epicenter is at about |

| No. | Date | Phase | Time | | Period | Amplitude | | | Δ | Remarks | |
|-----|----------|-----------------------------|------|----|--------|-----------|----------------|----------------|------|---------|---|
| | | | G. | M. | | T. | A _E | A _N | | | A _Z |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 83 | April 20 | SE | 22 | 09 | 11 | | | | | | lat 24° 24' N. and long 120° 49' E., near the border of Taityū and Sintiku. The focus being very shallow. Shocks felt all over Formosa. Fault line of 60 Km. long found in the neighbourhood of the epicenter, running from NE to SW, 3300 persons killed and 18000 houses destroyed. |
| | | SN | 22 | 09 | 13 | | | | | | |
| | | SZ | 22 | 09 | 06 | | | | | | |
| | | M ¹ _N | 22 | 11 | 58 | 12.7 | | +443 | | | |
| | | M _E | 22 | 14 | 06 | 11.5 | | -314 | | | |
| | | M ² _N | 22 | 14 | 20 | 13.4 | | | -450 | | |
| | | M _Z | 22 | 14 | 21 | 11.3 | | | | +270 | |
| | | | | | | | | | | | The end part overlaped by the following earthquake. |
| | | eN | 22 | 36 | 35 | | | | | | An after shock of the previous earthquake. |
| | | eE | 22 | 36 | 42 | | | | | | |
| 84 | April 21 | eF | 23 | 16 | ± | | | | | | |
| | | ePE | 3 | 24 | 09 | | | | | | Southern foot of Mt. Haruna, Gunma Prefecture. Felt in Kwanto district. Focal depth about 120 Km. |
| 85 | April 21 | ePN | 3 | 24 | 12 | | | | | | |
| | | ePZ | 3 | 24 | 15 | | | | | | |
| | | S | 3 | 24 | 49 | | | | | | |
| | | ME | 3 | 25 | 22 | 1.6 | +1 | | | | |
| | | MN | 3 | 25 | 17 | 1.1 | | | -2 | | |
| | | MZ | 3 | 24 | 51 | 1.1 | | | | ±1 | |
| 86 | April 21 | eF | 3 | 30 | ± | | | | | | |
| | | eE | 14 | 29 | 05 | | | | | | Near Hamada, Simane Prefecture. |
| | | eN | 14 | 29 | 03 | | | | | | |
| | | SEN | 14 | 29 | 11 | | | | | | |
| | | ME | 14 | 29 | 25 | 1.2 | ±1 | | | | |
| 87 | April 22 | MN | 14 | 29 | 24 | 0.9 | | | ±1 | | |
| | | eF | 14 | 31 | ± | | | | | | |
| | | SEN | 9 | 13 | 45 | | | | | | In the Kii Channel. |
| | | ME | 9 | 13 | 45 | | ±1 | | | | |
| 88 | April 22 | MN | 9 | 13 | 47 | 0.4 | | | ±1 | | |
| | | eF | 9 | 14 | 09 | | | | | | |
| | | SEN | 16 | 36 | 24 | | | | | | Ditto. |
| 89 | April 22 | ME | 16 | 36 | 25 | | | | +1 | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|----------|------------------|------|----|----|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | S. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | M _N | 16 | 36 | 25 | 0.4 | | +2 | | | |
| | | F | 16 | 36 | 46 | | | | | | |
| 88 | April 23 | e _{EN} | 16 | 58 | 11 | | | | | | Burma? |
| | | e _F | 17 | 04 | ± | | | | | | |
| 89 | April 25 | e _{PN} | 19 | 56 | 29 | | | | 274 | | South off Osima, Izu Province. |
| | | S _E | 19 | 57 | 04 | | | | | | |
| | | S _N | 19 | 57 | 06 | | | | | | |
| | | M _E | 19 | 57 | 20 | 1.6 | -1 | | | | |
| | | M _N | 19 | 37 | 16 | 2.4 | | -1 | | | |
| | | F | 19 | 59 | 56 | | | | | | |
| 90 | April 28 | S _{EN} | 12 | 29 | 52 | | | | | | Near Wakayama City. |
| | | M _E | 12 | 29 | 53 | | +1 | | | | |
| | | M _N | 12 | 29 | 52 | 0.5 | | -3 | | | |
| | | F | 12 | 30 | 27 | | | | | | |
| 91 | April 28 | e _{PEN} | 13 | 34 | 05 | | | | 42 | | Ditto. |
| | | S _{EN} | 13 | 34 | 10 | | | | | | |
| | | M _N | 13 | 34 | 11 | 0.3 | | ±1 | | | |
| | | F | 13 | 34 | 46 | | | | | | |
| 92 | May 3 | P _{EN} | 15 | 11 | 53 | | -2.7 | -1.0 | -1.5 | 125 | Near Mineyama, NW of Kyôto Prefecture. |
| | | P _Z | 15 | 11 | 52 | | | | | | |
| | | S _{EN} | 15 | 12 | 10 | | | | | | |
| | | M _E | 15 | 12 | 12 | 1.0 | -1 | | | | |
| | | M _N | 15 | 12 | 10 | 0.4 | | +5 | | | |
| | | M _Z | 15 | 12 | 19 | 0.9 | | | +2 | | |
| | | F | 15 | 13 | 37 | | | | | | |
| 93 | May 3 | e _{PEN} | 20 | 43 | 58 | | | | 38 | | Near Wakayama City. |
| | | S | 20 | 44 | 03 | | | | | | |
| | | M _E | 20 | 44 | 05 | 0.4 | +2 | | | | |
| | | M _N | 20 | 44 | 03 | 0.5 | | -3 | | | |
| | | F | 20 | 44 | 33 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|-------|------------------|------|----|----|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | S. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 94 | May 4 | e _{PEN} | 23 | 06 | 08 | | | | | | An after shock of the Great Formosa earthquake. on April 20th, 1935. |
| | | e _N | 23 | 11 | 27 | | | | | | |
| | | e _Z | 23 | 11 | 35 | | | | | | |
| | | e _E | 23 | 12 | 21 | | | | | | |
| | | e _F | 23 | 36 | ± | | | | | | |
| 95 | May 5 | P | 10 | 57 | 31 | | | | | 55 | Upper basin of the Arita River, Wakayama Prefecture |
| | | S | 10 | 57 | 38 | | | | | | |
| | | M _E | 10 | 57 | 39 | 0.7 | +4 | | | | |
| | | M _N | 10 | 57 | 38 | 0.4 | | -9 | | | |
| | | M _Z | 10 | 57 | 38 | | | | | +2 | |
| | | F | 10 | 58 | 39 | | | | | | |
| 96 | May 5 | e _{EN} | 18 | 07 | 44 | | | | | | Near Wakayama City. |
| | | F | 18 | 07 | 58 | | | | | | |
| 97 | May 6 | e _{PEN} | 8 | 47 | 44 | | | | | 532 | Ditto? |
| | | S _{EN} | 8 | 47 | 52 | | | | | | |
| | | M _E | 8 | 47 | 52 | | ±1 | | | | |
| | | M _N | 8 | 47 | 52 | 0.4 | | -2 | | | |
| | | F | 8 | 48 | 19 | | | | | | |
| 98 | May 7 | e _{Pz} | 6 | 01 | 32 | | | | | | Felt at Davao, Mindanao, Philippine. |
| | | e _{PN} | 6 | 01 | 39 | | | | | | |
| | | e _{PE} | 6 | 02 | 01 | | | | | | |
| | | e _{SN} | 6 | 05 | 28 | | | | | | |
| | | e _{SE} | 6 | 06 | 20 | | | | | | |
| | | e _F | 6 | 23 | ± | | | | | | |
| 99 | May 9 | e _{PEN} | 9 | 18 | 04 | | | | | 332 | WNW off Wazima, Noto Peninsula. |
| | | S _{EN} | 9 | 18 | 49 | | | | | | |
| | | S _Z | 9 | 18 | 48 | | | | | | |
| | | M _{EN} | 9 | 18 | 50 | 2.6 | +3 | -3 | | | |
| | | M _Z | 9 | 18 | 49 | 2.3 | | | | +1 | |
| | | e _E | 9 | 19 | 17 | | | | | | |
| | | e _N | 9 | 19 | 26 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|--------|------------------|------|----|----|--------|----------------|----------------|----------------|------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 100 | May 10 | eF | 9 | 23 | ± | | | | | | |
| | | eE | 16 | 15 | 06 | | | | | | Near Tiba City. |
| | | eN | 16 | 15 | 10 | | | | | | |
| | | S ₂ N | 16 | 15 | 33 | | | | | | |
| | | M _N | 16 | 15 | 34 | 2.5 | | -1 | | | |
| 101 | May 11 | eF | 16 | 19 | ± | | | | | | |
| | | iP _{EZ} | 14 | 35 | 09 | | -0.9 | | +1.5 | 307 | Northeastern foot of Mt. Fuji. |
| | | P _N | 14 | 35 | 10 | | | +1.5 | | | |
| | | PM _Z | 14 | 35 | 10 | 1.0 | | | -2 | | |
| | | S _{EN} | 14 | 35 | 51 | | | | | | |
| | | M _E | 14 | 35 | 54 | 1.0 | +2 | | | | |
| 102 | May 13 | M _N | 14 | 35 | 52 | 1.9 | | +1 | | | |
| | | F | 14 | 39 | ± | | | | | | |
| | | eP _E | 20 | 04 | 16 | | | | | 4645 | Between Yunnan and Burma, according to Nanking's report. |
| | | eP _N | 20 | 04 | 03 | | | | | | |
| | | eS _E | 20 | 10 | 44 | | | | | | |
| | | eS _N | 20 | 10 | 21 | | | | | | |
| | | M _E | 20 | 15 | 00 | 9.5 | +37 | | | | |
| | | M _N | 20 | 12 | 34 | 13.8 | | | -71 | | |
| | | eZ | 20 | 12 | 27 | | | | | | |
| | | M _Z | 20 | 12 | 42 | 11.9 | | | | ±6 | |
| 103 | May 15 | eF | 20 | 37 | ± | | | | | | |
| | | S _{EN} | 23 | 41 | 14 | | | | | | Local shock. |
| | | M _E | 23 | 41 | 14 | | ±1 | | | | |
| | | M _N | 23 | 41 | 14 | 0.3 | | | -1 | | |
| 104 | May 16 | F | 23 | 41 | 25 | | | | | | |
| | | eEN | 2 | 24 | 41 | | | | | | Ditto. |
| | | S _{EN} | 2 | 24 | 47 | | | | | | |
| | | M _E | 2 | 24 | 47 | | -2 | | | | |
| | | M _N | 2 | 24 | 48 | 0.4 | | | ±1 | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|--------|----------------------------|------|----|----|--------|----------------|----------------|----------------|------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 105 | May 16 | P | 4 | 55 | 14 | | | | | 57 | In the Kii Channel. |
| | | S _E | 4 | 55 | 21 | 0.6 | -11 | | | | |
| | | S _N | 4 | 55 | 21 | 0.3 | | +5 | | | |
| | | S _Z | 4 | 55 | 21 | | | | | | |
| | | M _E | 4 | 55 | 21 | 0.6 | -11 | | | | |
| | | M _N | 4 | 55 | 23 | 0.4 | | -8 | | | |
| | | M _Z | 4 | 55 | 24 | | | | | ±1 | |
| 106 | May 20 | F | 4 | 56 | 10 | | | | | | |
| | | eP _{EN} | 5 | 27 | 57 | | | | | 4865 | Northern part of the Molucca passage. Felt in Sangile and Taloud Isl. |
| | | eP _Z | 5 | 27 | 56 | | | | | | |
| | | eS _E | 5 | 34 | 34 | | | | | | |
| | | eS _N | 5 | 34 | 30 | | | | | | |
| | | M _N | 5 | 42 | 18 | 16.4 | | | 14 | | |
| 107 | May 21 | eF | 6 | 06 | ± | | | | | | |
| | | P _{EN} | 6 | 59 | 27 | | | | | 4420 | New Guinea. |
| | | P _Z | 6 | 59 | 26 | | | | | | |
| | | S | 7 | 05 | 37 | | | | | | |
| | | S _{M_E} | 7 | 05 | 42 | 3.8 | +9 | | | | |
| | | S _{M_N} | 7 | 05 | 41 | 3.4 | | | -4 | | |
| 108 | May 21 | eF | 7 | 22 | ± | | | | | | |
| | | P _{EN} | 13 | 13 | 49 | | +0.9 | +1.0 | | 4400 | Ditto. |
| | | P _Z | 13 | 13 | 48 | | | | | | |
| | | S _{EN} | 13 | 19 | 59 | | | | | | |
| 109 | May 22 | eF | 13 | 30 | ± | | | | | | |
| | | eP _{EN} | 17 | 50 | 00 | | | | | 29 | Near Wakayama City. |
| | | S _{EN} | 17 | 50 | 04 | | | | | | |
| | | M _E | 17 | 50 | 05 | | -2 | | | | |
| | | M _N | 17 | 50 | 05 | 0.4 | | | -3 | | |
| 110 | May 22 | F | 17 | 50 | 46 | | | | | | |
| | | S _{EN} | 17 | 55 | 12 | | | | | | Ditto. |
| | | M _E | 17 | 55 | 12 | | -1 | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|----------------|--------|------------------|------|-----|----|--------|----------------|----------------|----------------|------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 111 | May 23 | M _N | 17 | 55 | 13 | 0.4 | | +2 | | | |
| | | F | 17 | 55 | 37 | | | | | | |
| | | eP _E | 2 | 11 | 41 | | | | | 779 | East off Kinkwazan, Miyagi Prefecture. Felt in eastern part of Oou district. |
| | | eP _N | 2 | 11 | 37 | | | | | | |
| | | ez | 2 | 12 | 06 | | | | | | |
| | | eS _E | 2 | 13 | 18 | | | | | | |
| | | eS _N | 2 | 13 | 31 | | | | | | |
| | | M _E | 2 | 14 | 03 | 2.9 | ±2 | | | | |
| M _N | 2 | 13 | 49 | 2.9 | | +1 | | | | | |
| eF | 2 | 20 | ± | | | | | | | | |
| 112 | May 23 | P _{EN} | 6 | 11 | 00 | | | | | 369 | Upper basin of the Oono River, Ooita Prefecture. Felt in Coast of the Bungo Channel. |
| | | P _Z | 6 | 11 | 01 | | | | | | |
| | | eE _Z | 6 | 11 | 23 | | | | | | |
| | | e _N | 6 | 11 | 24 | | | | | | |
| | | S _{EN} | 6 | 11 | 49 | | | | | | |
| | | S _Z | 6 | 11 | 51 | | | | | | |
| | | M _E | 6 | 11 | 55 | 1.1 | -11 | | | | |
| | | M _N | 6 | 11 | 51 | 1.1 | | -12 | | | |
| 113 | May 23 | M _Z | 6 | 12 | 00 | 1.9 | | +6 | | | |
| | | eF | 6 | 17 | ± | | | | | | |
| | | eP _{EN} | 15 | 30 | 53 | | | | | 30 | Near Isigaki, middle basin of the Arita River, Wakayama Prefecture. |
| | | S _{EN} | 15 | 30 | 57 | | | | | | |
| | | M _E | 15 | 30 | 59 | 0.4 | -2 | | | | |
| M _N | 15 | 30 | 59 | 0.3 | | +3 | | | | | |
| F | 15 | 31 | 34 | | | | | | | | |
| 114 | May 24 | iP _{EN} | 5 | 41 | 48 | | + | + | | 2590 | Fast off Mindanao, Philippine. |
| | | iP _Z | 5 | 41 | 49 | | | | | -1.5 | |
| | | S _{EN} | 5 | 45 | 58 | | | | | | |
| | | eS _Z | 5 | 46 | 04 | | | | | | |
| | | M _Z | 5 | 55 | 43 | 15.9 | | | | ±80 | |
| | | M _E | 6 | 06 | 30 | 14.5 | -108 | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|----------------|--------|------------------|------|----|----|--------|----------------|----------------|----------------|-----------------------------|----------------------------------|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 115 | May 25 | M _N | 6 | 04 | 52 | 13.5 | | +83 | | | |
| | | eF | 7 | 51 | ± | | | | | | |
| | | P | 0 | 13 | 11 | | | | | 2650 | Philippine. |
| | | S _E | 0 | 17 | 27 | | | | | | |
| S _N | 0 | 17 | 29 | | | | | | | | |
| eF | 1 | 01 | ± | | | | | | | | |
| 116 | May 26 | P _{EN} | 16 | 36 | 07 | | | | | ± 29 | Near Wakayama City. |
| | | S | 16 | 36 | 10 | | | | | | |
| | | M _{EN} | 16 | 36 | 11 | 0.6 | -8 | +4 | | | |
| | | F | 16 | 36 | 39 | | | | | | |
| 117 | May 26 | eP _{EN} | 22 | 09 | 01 | | | | | 2920 | Philippine. |
| | | eP _Z | 22 | 09 | 04 | | | | | | |
| | | S _E | 22 | 13 | 37 | | | | | | |
| | | S _N | 22 | 13 | 39 | | | | | | |
| | | eF | 23 | 26 | ± | | | | | | |
| 118 | May 27 | eP _{EN} | 11 | 23 | 01 | | | | | 28 | Near Simotu, S of Wakayama City. |
| | | S _{EN} | 11 | 23 | 04 | | | | | | |
| | | M _E | 11 | 23 | 05 | | +1 | | | | |
| | | M _N | 11 | 23 | 05 | 0.2 | | ±3 | | | |
| 119 | May 28 | F | 11 | 23 | 38 | | | | | | |
| | | P | 2 | 16 | 05 | | | | | 94 | Near Tuyama, Okayama Prefecture. |
| | | S | 2 | 16 | 18 | | | | | | |
| | | M _E | 2 | 16 | 20 | 0.6 | +7 | | | | |
| | | M _{NZ} | 2 | 16 | 20 | 0.4 | | +13 | +3 | | |
| F | 2 | 18 | 11 | | | | | | | | |
| 120 | May 28 | S _{EN} | 13 | 09 | 58 | | | | | | |
| | | M _N | 13 | 09 | 58 | 0.3 | | -2 | | | |
| | | F | 13 | 10 | 27 | | | | | | |
| 121 | May 30 | P _N | 21 | 42 | 38 | | | | 6480 | Destructive at Near Quetta, | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|------|--------|-----------------|------|----|----|--------|----------------|----------------|----------------|-----|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | iPEZ | 21 | 42 | 43 | | -1.8 | | -2.9 | | Baluchistan. |
| | | SE | 21 | 50 | 45 | | | | | | |
| | | SN | 21 | 50 | 43 | | | | | | |
| | | SZ | 21 | 50 | 44 | | | | | | |
| | | MN | 22 | 05 | 46 | 23.4 | | -1280 | | | |
| | | ME | 22 | 10 | 50 | 16.9 | -778 | | | | |
| | | MN | 22 | 10 | 33 | 15.4 | | -625 | | | |
| | | MZ | 22 | 10 | 32 | 17.3 | | | +560 | | |
| | | eF | 28 | 37 | ± | | | | | | |
| 122 | May 31 | P | 0 | 11 | 01 | | | | | | Near Tadono, middle basin of the Arita River, Wakayama Prefecture. |
| | | S | 0 | 11 | 03 | | | | | | |
| | | ME _N | 0 | 11 | 03 | 0.4 | +5 | -10 | | | |
| | | MZ | 0 | 11 | 03 | | | | ±1 | | |
| | | F | 0 | 11 | 50 | | | | | | |
| 123 | May 31 | SE _N | 6 | 20 | 36 | | | | | | Near Wakayama City. |
| | | ME | 6 | 20 | 37 | 0.5 | -1 | | | | |
| | | MN | 6 | 20 | 37 | | | | ±1 | | |
| | | F | 6 | 20 | 52 | | | | | | |
| 124 | May 31 | iP | 8 | 19 | 57 | | +0.9 | -5.0 | +5.9 | 434 | Middle part of Japan Sea, 38° 6' N, 134° 2' E. Focal depth about 450 Km. Abnormal felt area in Pacific Side of NE Japan. |
| | | SE | 8 | 20 | 55 | | | | | | |
| | | SNZ | 8 | 20 | 56 | | | | | | |
| | | ME | 8 | 21 | 02 | 4.9 | ±198 | | | | |
| | | MN | 8 | 21 | 03 | 4.5 | | +103 | | | |
| | | MZ | 8 | 21 | 02 | 3.7 | | | +29 | | |
| | | eF | 8 | 38 | 01 | | | | | | |
| 125 | May 31 | P | 23 | 30 | 22 | | | | | 62 | Near Takatuki, Osaka Prefecture. Felt in Kobe, Osaka and Kyōto City. |
| | | S | 23 | 30 | 30 | | | | | | |
| | | ME | 23 | 30 | 30 | 0.6 | +6 | | | | |
| | | MN | 23 | 30 | 31 | 0.4 | | +5 | | | |
| | | F | 23 | 31 | 14 | | | | | | |
| *126 | June 1 | P | 5 | 23 | 10 | | -1.8 | -1.0 | | 30 | Perceptible. Near Wakayama City. |
| | | S | 5 | 23 | 14 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|--------|-----------------|------|----|----|--------|----------------|----------------|----------------|-----|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | ME | 5 | 23 | 15 | 0.4 | ±5 | | | | |
| | | MN | 5 | 23 | 14 | 0.4 | | -13 | | | |
| | | MZ | 5 | 23 | 15 | | | | ±2 | | |
| | | F | 5 | 23 | 52 | | | | | | |
| 127 | June 1 | PE _N | 14 | 45 | 34 | | +0.9 | +1.0 | (+) | | East of Mindanao, Philippine. Felt at Davao. |
| | | Pz | 14 | 45 | 33 | | | | | | |
| | | eNZ | 14 | 46 | 28 | | | | | | |
| | | eEN | 14 | 50 | 12 | | | | | | |
| | | eF | 14 | 59 | ± | | | | | | |
| 128 | June 5 | iP | 7 | 04 | 46 | | +0.9 | -2.0 | -2.9 | 82 | West off Tanabe, Wakayama Prefecture. |
| | | iS | 7 | 04 | 57 | | | | | | |
| | | ME | 7 | 04 | 58 | 0.7 | ±11 | | | | |
| | | MN | 7 | 04 | 57 | 0.4 | | -21 | | | |
| | | MZ | 7 | 04 | 58 | | | | -2 | | |
| | | F | 7 | 07 | 31 | | | | | | |
| 129 | June 5 | P | 13 | 33 | 49 | | | | | 46 | Off the Hinomisaki, Wakayama Prefecture. |
| | | S | 13 | 38 | 55 | | | | | | |
| | | ME | 13 | 38 | 55 | 0.7 | +23 | | | | |
| | | MN | 13 | 38 | 56 | 0.5 | | -23 | | | |
| | | MZ | 13 | 38 | 56 | 0.8 | | | -4 | | |
| | | F | 13 | 42 | 14 | | | | | | |
| 130 | June 6 | PEZ | 12 | 59 | 49 | | +0.9 | | -1.5 | 336 | SSW off Hatidyō Isl., Deep focus earthquake. |
| | | PN | 12 | 59 | 50 | | | -0.5 | | | |
| | | SE _N | 13 | 00 | 35 | | | | | | |
| | | Sz | 13 | 00 | 36 | | | | | | |
| | | ME | 13 | 00 | 36 | 2.0 | -3 | | | | |
| | | MN | 13 | 00 | 36 | 2.5 | | ±4 | | | |
| | | MZ | 13 | 00 | 38 | 1.9 | | | +1 | | |
| | | F | 13 | 04 | ± | | | | | | |
| 131 | June 8 | ePE | 4 | 58 | 27 | | | | | 516 | SW foot of Mt. Tukuba, Ibaraki Prefecture. Felt in |
| | | ePN | 4 | 58 | 29 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|------------------|------|----|----|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | S | 4 | 59 | 37 | | | | | | Kwanto district. |
| | | M _E | 4 | 59 | 43 | 2.1 | -1 | | | | |
| | | M _N | 4 | 59 | 38 | 1.4 | | -1 | | | |
| | | eF | 4 | 03 | ± | | | | | | |
| 132 | June 9 | eP _{EN} | 6 | 39 | 13 | | | | | 2690 | South China Sea. |
| | | eP _Z | 6 | 39 | 14 | | | | | | |
| | | S _E | 6 | 43 | 33 | | | | | | |
| | | S _N | 6 | 43 | 32 | | | | | | |
| | | F | 7 | 08 | ± | | | | | | |
| 133 | June 10 | P _{EN} | 6 | 53 | 07 | | | | | 400 | WNW off Hatidyô Isl. |
| | | P _Z | 6 | 53 | 06 | | | | | | Felt in Hatidyô Isl. |
| | | S _{EN} | 6 | 54 | 00 | | | | | | |
| | | S _Z | 6 | 54 | 01 | | | | | | |
| | | M _E | 6 | 54 | 16 | 2.6 | -4 | | | | |
| | | M _N | 6 | 54 | 11 | 3.0 | | +3 | | | |
| | | M _Z | 6 | 54 | 02 | 1.8 | | | +1 | | |
| | | eF | 7 | 03 | ± | | | | | | |
| 134 | June 11 | P _{EN} | 10 | 30 | 05 | | | | | 28 | Near Wakayama City. |
| | | S | 10 | 30 | 09 | | | | | | |
| | | M _E | 10 | 30 | 09 | 0.4 | -6 | | | | |
| | | M _N | 10 | 30 | 10 | 0.3 | | -6 | | | |
| | | F | 10 | 31 | 17 | | | | | | |
| 135 | June 14 | P | 9 | 41 | 47 | | | | | 101 | Lower basin of the Heki River, Wakayama Prefecture. |
| | | S | 9 | 42 | 00 | | | | | | |
| | | M _E | 9 | 42 | 01 | 0.6 | -10 | | | | |
| | | M _N | 9 | 42 | 02 | 0.5 | | +5 | | | |
| | | M _Z | 9 | 42 | 02 | 0.8 | | | ±2 | | |
| | | F | 9 | 43 | 38 | | | | | | |
| 136 | June 14 | P _{EN} | 21 | 10 | 40 | | | | | 384 | South off Katuura, Pacific coast of Tiba Prefecture. |
| | | S _{EN} | 21 | 11 | 32 | | | | | | |
| | | M _E | 21 | 11 | 50 | 2.4 | -8 | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|------------------|------|----|----|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | M _N | 21 | 11 | 46 | 2.3 | | -7 | | | |
| | | eF | 21 | 20 | ± | | | | | | |
| 137 | June 18 | P _{EN} | 22 | 32 | 51 | | | | | 2610 | East off Samar Isl., Philippine. |
| | | P _Z | 22 | 32 | 52 | | | | | | |
| | | S _{EN} | 22 | 37 | 07 | | | | | | |
| | | eS _Z | 22 | 37 | 05 | | | | | | |
| | | M _E | 22 | 38 | 13 | 9.1 | -3 | | | | |
| | | M _N | 22 | 37 | 24 | 7.3 | | -9 | | | |
| | | M _Z | 22 | 37 | 32 | 6.9 | | | +2 | | |
| | | eF | 23 | 35 | ± | | | | | | |
| 138 | June 20 | eP _{EN} | 19 | 31 | 03 | | | | | | Near Mt. Tukuba, Moderate Shocks were felt in the epicentral region. |
| | | eP _Z | 19 | 31 | 05 | | | | | | |
| | | S _E | 19 | 31 | 55 | | | | | | |
| | | S _N | 19 | 31 | 56 | | | | | | |
| | | eS _Z | 19 | 31 | 55 | | | | | | |
| | | M _E | 19 | 32 | 19 | 2.0 | -5 | | | | |
| | | M _N | 19 | 32 | 12 | 2.0 | | +6 | | | |
| | | M _Z | 19 | 32 | 19 | 1.9 | | | ±2 | | |
| | | F | 19 | 37 | 34 | | | | | | |
| 139 | June 20 | P | 22 | 40 | 41 | | | | | 33 | Near Tadono, middle basin of the Arita River, Wakayama Prefecture. |
| | | S | 22 | 40 | 46 | | | | | | |
| | | M _E | 22 | 40 | 46 | 0.6 | +11 | | | | |
| | | M _N | 22 | 40 | 46 | 0.4 | | -23 | | | |
| | | M _Z | 22 | 40 | 46 | | | | -4 | | |
| | | F | 22 | 42 | 08 | | | | | | |
| 140 | June 20 | eP _{EN} | 22 | 52 | 33 | | | | | 27 | Near Wakayama City. |
| | | S _{EN} | 22 | 52 | 36 | | | | | | |
| | | M _E | 22 | 52 | 37 | 0.4 | ±1 | | | | |
| | | M _N | 22 | 52 | 37 | 0.3 | | -3 | | | |
| | | F | 22 | 53 | 17 | | | | | | |
| 141 | June 21 | eP _{EN} | 14 | 23 | 39 | | | | | 21 | Near Tadono, middle basin |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|----------------|---------|------------------|------|------|----|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 142 | June 22 | S | 14 | 13 | 42 | | | | | | of the Arita River, Wakayama Prefecture. |
| | | M _{EN} | 14 | 23 | 42 | 0.4 | -3 | -9 | | | |
| | | M _Z | 14 | 23 | 42 | | | | +1 | | |
| | | F | 14 | 24 | 25 | | | | | | |
| | | P | 10 | 54 | 19 | | | | | 40 | Near Hinomisaki, Wakayama Prefecture. |
| | | S | 10 | 54 | 25 | | | | | | |
| | | M _E | 10 | 54 | 25 | 0.3 | +5 | | | | |
| M _N | 10 | 54 | 26 | 0.4 | | +15 | | | | | |
| M _Z | 10 | 54 | 25 | 0.8 | | | +2 | | | | |
| F | 10 | 55 | 24 | | | | | | | | |
| 143 | June 22 | P | 15 | 56 | 31 | | -0.9 | -1.0 | -1.5 | 4520 | Felt in SW Celebes. |
| | | S _E | 16 | 02 | 48 | | | | | | |
| | | S _N | 16 | 02 | 45 | | | | | | |
| | | eF | 16 | 22 | ± | | | | | | |
| 144 | June 24 | iP _{EZ} | 23 | 33 | 01 | | -1.8 | | +4.4 | 6270 | Near New Hebrides IIs., South Pacific Ocean. |
| | | iP _N | 23 | 33 | 03 | | | -1.5 | | | |
| | | S _E | 23 | 40 | 54 | | | | | | |
| | | S _N | 23 | 40 | 52 | | | | | | |
| | | S _Z | 23 | 40 | 53 | | | | | | |
| | | SM _{PN} | 23 | 41 | 54 | 6.4 | | -8 | | | |
| | | SM _{PE} | 23 | 43 | 46 | 5.5 | -5 | | | | |
| | | eL _E | 23 | 45 | 30 | | | | | | |
| | | eL _N | 23 | 44 | 46 | | | | | | |
| | | M _E | 23 | 50 | 06 | 15.5 | -42 | | | | |
| | | M _N | 23 | 49 | 52 | 10.0 | | +8 | | | |
| M _Z | 23 | 54 | 24 | 17.7 | | | +30 | | | | |
| eF | 0 | 32 | ± | | | | | | | | |
| 145 | June 25 | iP _{EZ} | 12 | 37 | 35 | | -0.9 | | -1.5 | 2850 | SE off Yedorofu Isl., Kurile IIs. |
| | | iP _N | 12 | 37 | 36 | | | +1.0 | | | |
| | | S _E | 12 | 42 | 00 | | | | | | |
| | | S _N | 12 | 42 | 15 | | | | | | |
| | | M _E | 12 | 44 | 11 | 14.5 | ±33 | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|----------------|---------|-----------------|------|-----|----|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 146 | June 26 | M _N | 12 | 44 | 53 | 14.5 | | ±55 | | | |
| | | M _Z | 12 | 44 | 12 | 15.0 | | | ±33 | | |
| | | eF | 13 | 17 | ± | | | | | | |
| | | i | 16 | 55 | 28 | | -2.7 | -3.0 | -1.5 | | Kumano nada, SE off Kii Peninsula. |
| M _E | 16 | 55 | 28 | 1.5 | -3 | | | | | | |
| M _N | 16 | 55 | 28 | 1.1 | | -3 | | | | | |
| M _Z | 16 | 55 | 29 | 1.5 | | | +2 | | | | |
| F | 16 | 56 | 20 | | | | | | | | |
| 147 | June 26 | S | 23 | 43 | 41 | | | | | | Near Miyazu, NW of Kyōto Prefecture. |
| | | M _E | 23 | 43 | 42 | 0.5 | +2 | | | | |
| | | M _N | 23 | 43 | 41 | 1.1 | | +1 | | | |
| F | 23 | 44 | 34 | | | | | | | | |
| 148 | June 28 | P _{EN} | 18 | 49 | 29 | | | | | 462 | South off Katura, Pacific coast of Tiba Prefecture. |
| | | eP _Z | 18 | 49 | 31 | | | | | | |
| | | S _{EN} | 18 | 50 | 32 | | | | | | |
| | | M _E | 18 | 50 | 55 | 2.1 | +2 | | | | |
| | | M _N | 18 | 50 | 37 | 2.1 | | ±3 | | | |
| | | M _Z | 18 | 50 | 43 | 1.7 | | | -1 | | |
| F | 18 | 55 | ± | | | | | | | | |
| 149 | June 28 | P _{EN} | 18 | 59 | 03 | | | | | 464 | Ditto. |
| | | P _Z | 18 | 59 | 01 | | | | | | Felt in Kwanto district. |
| | | S _E | 19 | 00 | 06 | | | | | | |
| | | S _N | 19 | 00 | 05 | | | | | | |
| | | S _Z | 19 | 00 | 03 | | | | | | |
| | | M _E | 19 | 00 | 15 | 2.7 | -33 | | | | |
| | | M _N | 19 | 00 | 11 | 2.4 | | +40 | | | |
| | | M _Z | 19 | 00 | 15 | 2.3 | | | -19 | | |
| eF | 19 | 12 | ± | | | | | | | | |

From No. 25 to No. 68, 1935.

TOYOOKA JAPAN.

SEISMOLOGICAL BULLETIN

A Branch Station of the Kobe Meteorological Observatory of Japan.
 $\varphi = 35^{\circ} 32'$ $\lambda = 134^{\circ} 49'$ $h = 32.2$ m. Underground: Tertiary.

Instruments: Omori's Seismograph. Wiechert Seismograph.
 (Horizontal Pendulum) (Horizontal & Vertical)

April

| | T_o | ϵ | $\frac{r}{T_o^2}$ | V |
|-----|-------|------------|-------------------|----|
| AE: | 21.8 | 3 | 0.002 | 20 |
| AN: | 20.8 | 3 | 0.001 | 20 |

| | T_o | ϵ | $\frac{r}{T_o^2}$ | V |
|-----|-------|------------|-------------------|-----|
| AE: | 5.7 | 10 | 0.005 | 100 |
| AN: | 5.2 | 10 | 0.005 | 88 |
| AZ: | 3.8 | 4 | 0.002 | 57 |

May

| | T_o | ϵ | $\frac{r}{T_o^2}$ | V |
|-----|-------|------------|-------------------|----|
| AE: | 21.8 | 3 | 0.002 | 20 |
| AN: | 20.8 | 3 | 0.001 | 20 |

| | T_o | ϵ | $\frac{r}{T_o^2}$ | V |
|-----|-------|------------|-------------------|-----|
| AE: | 5.7 | 10 | 0.005 | 100 |
| AN: | 5.2 | 10 | 0.005 | 88 |
| AZ: | 3.8 | 4 | 0.002 | 57 |

June

| | T_o | ϵ | $\frac{r}{T_o^2}$ | V |
|-----|-------|------------|-------------------|----|
| AE: | 21.8 | 3 | 0.002 | 20 |
| AN: | 20.8 | 3 | 0.001 | 20 |

| | T_o | ϵ | $\frac{r}{T_o^2}$ | V |
|-----|-------|------------|-------------------|-----|
| AE: | 5.8 | 10 | 0.005 | 9.6 |
| AN: | 5.0 | 10 | 0.006 | 97 |
| AZ: | 3.4 | 4 | 0.004 | 64 |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-----------------|------|----|----|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| 25 | April 1 | P | h | m | s | s | μ | μ | μ | km. | Lower basin of the Hidaka River, Wakayama Prefecture. |
| | | | 0 | 27 | 39 | | +1.0 | -1.8 | | 152 | |
| | | SE _N | 0 | 27 | 59 | | | | | | |
| | | Sz | 0 | 28 | 00 | | | | | | |
| | | ME | 0 | 28 | 00 | | +27 | | | | |
| | | MNZ | 0 | 28 | 01 | | | +11 | +6 | | |
| F | 0 | 29 | 49 | | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|----------|-----------------|------|----|----|--------|----------------|----------------|----------------|-----------------------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| 26 | April 4 | P _E | h | m | s | s | μ | μ | μ | km. | Faint record. NE off Siويا Cape. Felt in Oou and Kwanto district. |
| | | | 13 | 23 | 14 | | | | | | |
| | | P _N | 13 | 23 | 19 | | | | | | |
| | | P _Z | 13 | 23 | 15 | | | | | | |
| | | eS _E | 13 | 24 | 24 | | | | | | |
| | | eS _N | 13 | 24 | 26 | | | | | | |
| | | M _E | 13 | 25 | 02 | | +3 | | | | |
| | | M _N | 13 | 25 | 01 | | | -7 | | | |
| | | M _Z | 13 | 25 | 03 | | | | | | |
| | | eF | 13 | 28 | ± | | | | | | |
| *27 | April 5 | P _{EN} | 10 | 02 | 35 | | -4.0 | -2.1 | | 22 | Perceptible. Near Minerama, NW of Kyōto Prefecture. |
| | | | 10 | 02 | 36 | | | | +6.1 | | |
| | | S | 10 | 02 | 38 | | | | | | |
| | | M _{EN} | 10 | 02 | 38 | | -60 | +76 | | | |
| | | M _Z | 10 | 02 | 39 | | | | | -33 | |
| | | F | 10 | 03 | 51 | | | | | | |
| 28 | April 9 | P _{EN} | 8 | 19 | 28 | | -2.0 | ? | | 306 | Middle basin of the Tenryū River. Moderate shocks were felt in Sizuoka Prefecture. |
| | | | 8 | 19 | 27 | | | | +1.8 | | |
| | | P̄ | 8 | 19 | 38 | | +30.0 | -10.2 | | -33.4 | |
| | | S _{EN} | 8 | 20 | 09 | | | | | | |
| | | Sz | 8 | 20 | 10 | | | | | | |
| | | M _{EN} | 8 | 20 | 14 | | +45 | -208 | | | |
| | | M _Z | 8 | 20 | 15 | | | | | +55 | |
| | | eF | 8 | 27 | ± | | | | | | |
| 29 | April 11 | P _{EN} | 15 | 26 | 18 | | | | | 532 | Near Hirakata, Pacific coast of Northern part of Ibaraki Prefecture. Moderate shocks were felt in eastern part of Kwanto district. |
| | | | 15 | 26 | 17 | | | | +2.6 | | |
| | | eS _E | 15 | 27 | 12 | | | | | | |
| | | eS _Z | 15 | 27 | 11 | | | | | | |
| | | eS _N | 15 | 27 | 30 | | | | | | |
| | | M _{EN} | 15 | 27 | 45 | | -5 | +15 | | | |
| | | M _Z | 15 | 27 | 53 | | | | -11 | | |
| | | eF | 15 | 32 | ± | | | | | | |
| 30 | April 11 | eL _E | 23 | 58 | 30 | | | | | Faint record. Persia. | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----------------------------|----------|-----------------------------|------|-----|----|--------|----------------|----------------|----------------|----------|---|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| 31 | April 15 | eF | 0 | 10 | ± | | | | | | | |
| | | P _{EN} | 11 | 15 | 51 | | +88.0 | +56.8 | | 257 | NW of Hida Province. Focal depth about 260Km. Abnormal felt area in Pacific Side of NE Japan. | |
| | | P _Z | 11 | 15 | 50 | | | | | | | |
| | | S | 11 | 16 | 25 | | | | | -172.0 | | |
| | | M _E | 11 | 16 | 56 | | +22 | | | | | |
| | | M ¹ _N | 11 | 16 | 56 | 2.2 | | +42 | | | | |
| | | eM _Z | 11 | 16 | 41 | | | | | +18 | | |
| M ² _N | 11 | 17 | 00 | 1.8 | | | | -45 | | | | |
| eF | 11 | 23 | ± | | | | | | | | | |
| 32 | April 16 | P | 22 | 44 | 13 | | | | | 152 | Near Mt. Oodai, Kii Peninsula. Felt in Kinki and Tyōbu district. | |
| | | S | 22 | 44 | 33 | | | | | | | |
| | | M _{EN} | 22 | 44 | 34 | | +12 | +20 | | | | |
| | | eF | 22 | 47 | ± | | | | | | | |
| 33 | April 17 | eP _E | 4 | 47 | 39 | | | | | 141 | Near Nagoya City. Felt in Tyōbu district. | |
| | | eP _Z | 4 | 47 | 38 | | | | | | | |
| | | i _E | 4 | 47 | 42 | | | | | | | |
| | | P _N | 4 | 47 | 43 | | | | | | | |
| | | i _Z | 4 | 47 | 41 | | | | | | | |
| | | S | 4 | 48 | 02 | | | | | | | |
| | | M _E | 4 | 48 | 03 | | -5 | | | | | |
| | | M _N | 4 | 48 | 09 | | | +7 | | | | |
| | | M _Z | 4 | 48 | 06 | | | | | -4 | | |
| | | F | 4 | 49 | 24 | | | | | | | |
| 34 | April 18 | eP _E | 16 | 31 | 57 | | | | | | Near Iwai, middle basin of the Tone River, Ibaraki Prefecture. Felt in Kwanto district. | |
| | | eP _N | 16 | 31 | 58 | | | | | | | |
| | | S _E | 16 | 32 | 44 | | | | | | | |
| | | S _N | 16 | 32 | 47 | | | | | | | |
| | | M _E | 16 | 32 | 57 | | | | | -3 | | |
| | | eF | 16 | 34 | ± | | | | | | | |
| 35 | April 19 | eP _E | 15 | 37 | 08 | | | | | | Record is Very faint. Strong shocks were felt in near Toripoli, Libia. | |
| | | eP _S | 15 | 37 | 25 | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----------------------------|----------|-----------------------------|------|------|-----|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 36 | April 20 | eS _E | 15 | 47 | 05 | | | | | | 1900 The epicenter is at about lat 24° 20' N and long 120° 49' E., Near the border of Taityū and Sintiku. The focus being very shallow. Shocks felt all over Formosa. Fault line of 60 Km. long found in the neighbourhood of the epicenter, running from NE to SW, 3300 persons killed and 18000 houses destroyed. |
| | | S _N | 15 | 49 | 04 | | | | | | |
| | | M _N | 16 | 24 | 20 | | | | | | |
| | | eF | 16 | 40 | ± | | | | | | |
| | | P | 22 | 05 | 51 | | | | | | |
| | | S _{EN} | 22 | 09 | 05 | | | | | | |
| | | eS _Z | 22 | 09 | 12 | | | | | | |
| | | i _E | 22 | 10 | 04 | | | | | | |
| | | i _N | 22 | 10 | 14 | | | | | | |
| | | i _Z | 22 | 11 | 14 | | | | | | |
| | | L _E | 22 | 10 | 48 | | | | | | |
| | | L _N | 22 | 10 | 45 | | | | | | |
| | | eL _Z | 22 | 11 | 45 | | | | | | |
| | | M ¹ _E | 22 | 12 | 55 | 14.0 | +12 | | | | |
| M ¹ _N | 22 | 13 | 44 | 13.0 | | +119 | | | | | |
| M ¹ _Z | 22 | 13 | 56 | 12.0 | | | -44 | | | | |
| M ² _E | 22 | 16 | 27 | 10.0 | -72 | | | | | | |
| M ² _N | 22 | 16 | 53 | 12.0 | | -68 | | | | | |
| M ² _Z | 22 | 16 | 24 | 7.5 | | | +35 | | | | |
| M ³ _Z | 22 | 20 | 31 | 8.4 | | | +35 | | | | |
| C _Z | 22 | 23 | 15 | | | | | | | | |
| eF | 22 | 57 | ± | | | | | | | | |
| *37 | May 3 | P | 15 | 11 | 34 | | +11.7 | +4.5 | -18.9 | 22 | Near Mineyama, NW of Kyōto Prefecture. Perceptible. |
| | | S | 15 | 11 | 37 | | | | | | |
| | | M _E | 15 | 11 | 37 | 0.4 | -74 | | | | |
| | | M _N | 15 | 11 | 37 | 0.7 | | +182 | | | |
| | | M _Z | 15 | 11 | 37 | | | | ±49 | | |
| 38 | May 4 | e _N | 23 | 09 | 33 | | | | | | An after shock of No. 36. |
| | | eS _E | 23 | 12 | 15 | | | | | | |
| | | S _N | 23 | 12 | 57 | | | | | | |
| | | eF | 23 | 24 | ± | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks | |
|-----|--------|-------|------------------|-------------|---------------------|---------------------|---------------------|--|---------|----|
| | | | | | A _E μ | A _N μ | A _Z μ | | | |
| 39 | May 5 | SE | 10 58 01 | | -3 | +5 | | Upper basin of the Arita River, Wakayama Prefecture. | | |
| | | SN | 10 58 02 | | | | | | | |
| | | ME | 10 58 03 | | | | | | | |
| | | MN | 10 58 02 | | | | | | | |
| | | F | 10 58 48 | | | | | | | |
| 40 | May 9 | PEN | 9 10 52 | | +11 | +4 | 304 | WNW off Wazima, Noto Peninsula. | | |
| | | SEN | 9 18 33 | | | | | | | |
| | | MEN | 9 18 34 | | | | | | | |
| | | F | 9 20 19 | | | | | | | |
| 41 | May 10 | eEN | 16 14 39 | | | | 480 | Near Tiba City. | | |
| | | SN | 16 15 44 | | | | | | | |
| | | MN | 16 15 50 | | | | | | | |
| | | F | 16 17 ± | | | | | | | |
| 42 | May 11 | PE | 14 35 07 | | | | | Small movement. North-eastern foot of Mt. Fuji. | | |
| | | PN | 14 35 08 | | | | | | | |
| | | eF | 14 37 ± | | | | | | | |
| 43 | May 13 | ePN | 20 00 57 | | | | | A distant earthquake. Record is Very faint. Between Yunnan and Burma, according to Nanking's report. | | |
| | | ePZ | 20 02 42 | | | | | | | |
| | | LN | 20 10 22 | | | | | | | |
| | | MN | 20 13 38 | | | | | | +18 | |
| | | MZ | 20 12 49 | | | | | | +11 | |
| | | eF | 20 30 ± | | | | | | | |
| 44 | May 14 | PEN | 2 41 46 | | | | | Near Miyazu, NW of Kyōto Prefecture. | | |
| | | S | 2 41 49 | | | | | | | |
| | | M | 2 41 49 | | | | | | ±3 | -5 |
| | | F | 2 42 06 | | | | | | | |
| 45 | May 14 | ePE | 23 43 01 | | | | | Near Sandwich IIs, South Atlantic Ocean. | | |
| | | PN | 23 43 00 | | | | | | | |
| | | eF | 23 49 ± | | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks | |
|-----|--------|-------------------|------------------|-------------|---------------------|---------------------|---------------------|---|--|-----|
| | | | | | A _E μ | A _N μ | A _Z μ | | | |
| 46 | May 23 | eE | 2 12 09 | 2.1 | +4 | | | ESE off Kinkwazan, Miyagi Prefecture. Felt in eastern part of Oou district. | | |
| | | eN | 2 12 04 | | | | | | | |
| | | eSE | 2 12 58 | | | | | | | |
| | | ME | 2 13 03 | | | | | | | |
| | | eF | 2 15 ± | | | | | | | |
| 47 | May 23 | P | 6 11 17 | 1.2 | +23 | | | Upper basin of the Oōno River, Oita Prefecture. Felt in Coast of Bungo Channel. | | |
| | | SE | 6 12 08 | | | | | | | |
| | | SN | 6 12 09 | | | | | | | |
| | | SZ | 6 12 11 | | | | | | | |
| | | ME | 6 12 13 | | | | | | | |
| | | MN | 6 12 12 | | | | | | 1.3 | +31 |
| | | MZ | 6 12 12 | | | | | -11 | | |
| | | eF | 6 14 13 | | | | | | | |
| | | | | | | | | | | |
| 48 | May 24 | PEZ | 5 42 00 | 13.0 | +11 | | | 2680 | East off Mindanao, Philippine. Surface wave is not distinct. | |
| | | PN | 5 41 59 | | | | | | | |
| | | SE | 5 46 16 | | | | | | | |
| | | SN | 5 46 22 | | | | | | | |
| | | eLE | 5 46 43 | | | | | | | |
| | | eLN | 5 46 35 | | | | | | | |
| | | eM ¹ N | 5 50 09 | | | | | | | +12 |
| | | eM ² N | 6 03 12 | | | | | | | +9 |
| | | eM ¹ E | 6 04 01 | | | | | | | -11 |
| | | eM ² E | 6 06 53 | | | | | | | -4 |
| | | eM ⁴ N | 6 05 05 | | | | | | | -13 |
| | | eM ³ E | 6 08 28 | 9.7 | +12 | | | | | |
| | | eM ⁴ E | 6 09 59 | 9.7 | -11 | | | | | |
| | | eF | 7 11 ± | | | | | | | |
| 49 | May 25 | PE | 0 12 27 | | | | | | An after shock of No. 48. | |
| | | PN | 0 12 26 | | | | | | | |
| | | PZ | 0 12 29 | | | | | | | |
| | | SE | 0 16 46 | | | | | | | |
| | | SN | 0 16 43 | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|--------|-----------------------------|------|----|----|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | eF | 0 | 33 | ± | | | | | | |
| 50 | May 26 | P _N | 22 | 09 | 11 | | | | | | Ditto. |
| | | P _Z | 22 | 09 | 16 | | | | | | |
| | | P _E | 22 | 09 | 25 | | | | | | |
| | | S _E | 22 | 13 | 38 | | | | | | |
| | | eF | 23 | 03 | ± | | | | | | |
| 51 | May 28 | P _{EN} | 2 | 16 | 04 | | | | | 76 | Near Tuyama, Okayama Prefecture. |
| | | cP _Z | 2 | 16 | 04 | | | | | | |
| | | S _{EN} | 2 | 16 | 14 | | | | | | |
| | | cS _Z | 2 | 16 | 14 | | | | | | |
| | | M _E | 2 | 16 | 21 | | +11 | | | | |
| | | M _{NZ} | 2 | 16 | 22 | | | +9 | +4 | | |
| | | F | 2 | 17 | 58 | | | | | | |
| 52 | May 30 | P _Z | 21 | 42 | 40 | | | | | 6420 | Destructive at Near Quetta, Baluchistan. |
| | | P _E | 21 | 42 | 42 | | | | | | |
| | | P _N | 21 | 42 | 45 | | | | | | |
| | | S _E | 21 | 50 | 43 | | | | | | |
| | | S _N | 21 | 50 | 41 | | | | | | |
| | | S _Z | 21 | 50 | 45 | | | | | | |
| | | L _E | 21 | 55 | 45 | | | | | | |
| | | M ¹ _E | 22 | 07 | 50 | 17.0 | -145 | | | | |
| | | M ¹ _N | 22 | 07 | 51 | 17.0 | | -118 | | | |
| | | M ² _E | 22 | 11 | 31 | 15.1 | +106 | | | | |
| | | M ² _N | 22 | 10 | 45 | 15.1 | | +118 | | | |
| | | M _Z | 22 | 11 | 01 | 16.3 | | | +91 | | |
| | | M ³ _N | 22 | 12 | 42 | 13.1 | | -96 | | | |
| | | i _E | 22 | 26 | 39 | | | | | | |
| | | eF | 23 | 01 | ± | | | | | | |
| 53 | May 31 | P _E | 8 | 19 | 48 | | +3.1 | | | 396 | Middle part of the Japan Sea. Focal depth about 450 Km. Abnormal felt area in Pacific side of NE Japan. |
| | | P _{NZ} | 8 | 19 | 47 | | | +2.7 | -7.5 | | |
| | | S _E | 8 | 20 | 40 | | | | | | |
| | | S _{NZ} | 8 | 20 | 42 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|--------|------------------|------|----|----|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | M _E | 8 | 20 | 47 | 5.3 | +484 | | | | |
| | | M _N | 8 | 20 | 48 | 3.3 | | +455 | | | |
| | | M _Z | 8 | 20 | 43 | 3.8 | | | +206 | | |
| | | eF | 8 | 33 | ± | | | | | | |
| 54 | May 31 | P _{EN} | 23 | 30 | 24 | | | | | 84 | Near Takatuki, Perceptible at Kobe, Osaka and Kyōto City. |
| | | eP _Z | 23 | 30 | 24 | | | | | | |
| | | S | 23 | 30 | 35 | | | | | | |
| | | M _E | 23 | 30 | 36 | | +6 | | | | |
| | | M _N | 23 | 30 | 37 | | | -6 | | | |
| | | M _Z | 23 | 30 | 35 | | | | | | |
| | | F | 23 | 31 | 43 | | | | | | |
| 55 | June 1 | P _{EN} | 0 | 00 | 49 | | | | | 24 | Near Miyazu, NW of Kyōto Prefecture. |
| | | S | 0 | 00 | 52 | | | | | | |
| | | M | 0 | 00 | 52 | | -3 | ±3 | ±3 | | |
| | | F | 0 | 01 | 12 | | | | | | |
| 56 | June 5 | P _E | 7 | 05 | 06 | | | | | 144 | West off Tanabe, Wakayama Prefecture. |
| | | P _N | 7 | 05 | 05 | | | | | | |
| | | S _E | 7 | 05 | 25 | | | | | | |
| | | S _N | 7 | 05 | 24 | | | | | | |
| | | M _E | 7 | 05 | 28 | | +5 | | | | |
| | | M _N | 7 | 05 | 27 | | | -6 | | | |
| | | F | 7 | 06 | 52 | | | | | | |
| 57 | June 5 | eP _{EN} | 13 | 39 | 11 | | | | | 153 | Off the Hinomisaki, Wakayama Prefecture. |
| | | S | 13 | 39 | 32 | | | | | | |
| | | M _E | 13 | 39 | 34 | | +5 | | | | |
| | | M _N | 13 | 39 | 35 | | | +5 | | | |
| | | eF | 13 | 40 | 37 | | | | | | |
| 58 | June 6 | P _{EN} | 13 | 00 | 06 | | | | | 335 | SSW off Hatidyo Isl. |
| | | S _{EN} | 13 | 00 | 51 | | | | | | |
| | | S _Z | 13 | 00 | 53 | | | | | | |
| | | M _E | 13 | 00 | 51 | | -2 | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|----------------|---------|-----------------------------|------------------|-------------|-------------------------|-------------------------|--|---|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 59 | June 8 | M _N | 13 00 53 | | | -6 | | 425 SW foot of Mt. Tukuba, Ibaraki Prefecture. Felt in Kwanto district. | |
| | | F | 13 01 58 | | | | | | |
| | | eP _E | 4 58 20 | | | | | | |
| | | P _N | 4 58 27 | | | | | | |
| | | P _Z | 4 58 29 | | | | | | |
| | | eS _E | 4 59 24 | | | | | | |
| | | S _N | 4 59 24 | | | | | | |
| | | M _E | 4 59 41 | -2 | | | | | |
| M _N | 4 59 43 | | 1.7 | -6 | | | | | |
| M _Z | 4 59 36 | | | | | | | | |
| F | 5 02 32 | | | | | | | | |
| 60 | June 10 | P | 6 53 13 | | | | 539 NNW off Hatidyô Isl. Small movement. | | |
| | | S _N | 6 54 25 | | | | | | |
| | | S _Z | 6 54 26 | | | | | | |
| | | M _Z | 6 54 33 | | | -2 | | | |
| | | eF | 6 58 ± | | | | | | |
| 61 | June 12 | P _{EN} | 1 16 42 | | | | 16 Local shock. | | |
| | | S _{EN} | 1 16 44 | | | | | | |
| | | M _{EN} | 1 16 46 | 0.4 | -14 | -5 | | | |
| | | F | 1 17 14 | | | | | | |
| 62 | June 14 | P _Z | 21 10 39 | | | | 534 South off Katuura, Tiba Prefecture. | | |
| | | S _{EZ} | 21 11 51 | | | | | | |
| | | S _N | 21 11 50 | | | | | | |
| | | M ¹ _E | 21 11 59 | | | -9 | | | |
| | | M ¹ _N | 21 12 07 | | | +21 | | | |
| | | M ² _E | 21 12 12 | | | -10 | | | |
| | | M ² _N | 21 12 19 | | | -22 | | | |
| | | F | 21 17 21 | | | | | | |
| 63 | June 18 | P _{EZ} | 22 33 06 | | | | 2760 East off Samar Isl, Philippine. | | |
| | | P _N | 22 33 05 | | | | | | |
| | | S _{EN} | 22 37 31 | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|----------|------------------|------------------|-------------|-------------------------|-------------------------|--|-----------------|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 64 | June 24 | eF | 23 06 ± | | | | 6420 Near New Hebrides IIs, South Pacific Ocean. | | |
| | | P _{EN} | 23 33 08 | -1.5 | +1.5 | | | | |
| | | P _Z | 23 33 07 | | | +4.7 | | | |
| | | ipP _Z | 23 33 55 | | | | | | |
| | | S _E | 23 41 08 | | | | | | |
| | | S _{NZ} | 22 41 07 | | | | | | |
| | | i _N | 23 42 10 | | | | | | |
| eF | 0 20 ± | | | | | | | | |
| 65 | June 25 | eP _E | 12 37 21 | | | | SE off Yetorofu Isl, Kurile IIs. | | |
| | | P _N | 12 37 20 | | | | | | |
| | | P _Z | 12 37 18 | | | | | | |
| | | eL _E | 12 41 21 | | | | | | |
| | | eL _N | 12 42 01 | | | | | | |
| | | M _N | 12 42 10 | | | | | | |
| eF | 13 09 ± | | | | | | | | |
| 66 | June 26 | P | 23 43 07 | | | | 22 Near Miyazu, NW of Kyôto Prefecture. | | |
| | | S _{EN} | 23 43 10 | | | | | | |
| | | eS _Z | 23 43 11 | | | | | | |
| | | M _E | 23 43 10 | 0.6 | -7 | | | | |
| | | M _N | 23 43 11 | 0.6 | | +6 | | | |
| | | M _Z | 23 43 11 | | | +4 | | | |
| F | 23 43 55 | | | | | | | | |
| 67 | June 28 | eP _E | 18 49 30 | | | | South off Katuura, Tiba Prefecture. | | |
| | | eP _N | 18 49 35 | | | | | | |
| | | S _N | 18 50 43 | | | | | | |
| | | M _N | 18 50 46 | | | -4 | | | |
| | | eF | 18 54 ± | | | | | | |
| 68 | June 28 | P _{EZ} | 18 59 02 | | | | 410 Ditto. Felt in Kwanto district. | | |
| | | P _N | 18 59 03 | | | | | | |
| | | i _E | 18 59 11 | | | | | | |
| | | i _Z | 18 59 17 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|------|-----------------------------|------|----|----|--------|-----------|-------|-------|----------|---------|
| | | | G. | M. | T. | | A_E | A_N | A_Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | SN | 18 | 59 | 58 | | | | | | |
| | | eSz | 18 | 59 | 57 | | | | | | |
| | | M _E | 19 | 00 | 26 | | +23 | | | | |
| | | M _N | 19 | 00 | 24 | | | -47 | | | |
| | | M _Z | 19 | 00 | 20 | | | | +16 | | |
| | | M ² _N | 19 | 00 | 32 | | | +55 | | | |
| | | eF | 19 | 11 | ± | | | | | | |

SEISMOLOGICAL BULLETIN

OF THE

IMPERIAL MARINE OBSERVATORY

AND

KOBE METEOROLOGICAL OBSERVATORY.

KOBE, JAPAN.

VOL. XI No. 3.

From July 1 1935, to Sept. 30 1935.

KOBE

—
Dec. 1936.

KÔBE JAPAN.

SEISMOLOGICAL BULLETIN

of the Imperial Marine Observatory and the Kobe Meteorological Observatory of Japan.
 $\varphi=34^{\circ} 41' 18''N$ $\lambda=135^{\circ} 10' 51''E$ $h=58.3$ m Underground : Diluvial Series.

Instruments : Omori's Seismograph.
 (Horizontal Pendulum)

Wiechert Seismograph.
 (Horizontal & Vertical)

July

| | T_o | ε | $\frac{r}{T_o^2}$ | V |
|-----|-------|---------------|-------------------|----|
| AE: | 19.7 | | 0.001 | 20 |
| AN: | 20.8 | | 0.001 | 20 |

| | T_o | ε | $\frac{r}{T_o^2}$ | V |
|-----|-------|---------------|-------------------|-----|
| AE: | 6.6 | 8 | 0.005 | 104 |
| AN: | 6.2 | 11 | 0.004 | 110 |
| AZ: | 4.2 | 5 | 0.004 | 81 |

Aug.

| | T_o | ε | $\frac{r}{T_o^2}$ | V |
|-----|-------|---------------|-------------------|----|
| AE: | 19.8 | | 0.001 | 20 |
| AN: | 20.1 | | 0.001 | 20 |

| | T_o | ε | $\frac{r}{T_o^2}$ | V |
|-----|-------|---------------|-------------------|-----|
| AE: | 6.7 | 18 | 0.004 | 109 |
| AN: | 6.8 | 16 | 0.005 | 92 |
| AZ: | 4.0 | 6 | 0.005 | 77 |

Sept.

| | T_o | ε | $\frac{r}{T_o^2}$ | V |
|-----|-------|---------------|-------------------|----|
| AE: | 19.6 | | 0.001 | 20 |
| AN: | 20.0 | | 0.001 | 20 |

| | T_o | ε | $\frac{r}{T_o^2}$ | V |
|-----|-------|---------------|-------------------|-----|
| AE: | 6.6 | 8 | 0.005 | 106 |
| AN: | 6.0 | 9 | 0.006 | 118 |
| AZ: | 3.9 | 7 | 0.006 | 81 |

CONTENTS

| | Page. |
|--|-------|
| Seismological Bulletin of Kobe | 87 |
| Seismological Bulletin of Sumoto | 116 |
| Seismological Bulletin of Toyooka | 142 |

| No. | Date | Phase | Time | | Period | Amplitude | | | Δ | Remarks |
|-----|--------|-------|------|---------|---------|-----------|-------|-------|----------|---------------------|
| | | | G. | M. T. | | AE | AN | AZ | | |
| 126 | July 1 | ePE | h | m s | s | μ | μ | μ | km. | Near Wakayama City. |
| | | | 4 | 03 34 | | | | | | |
| | | PN | 4 | 03 34 | | | | | | |
| | | SEN | 4 | 03 41 | | | | | | |
| | | iE | 4 | 03 43 | | | | | | |
| | | ME | 4 | 03 43 | | | | | | |
| MN | 4 | 03 44 | | ± 2 | | | | | | |
| MZ | 4 | 03 46 | 1.0 | | ± 1 | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|--------|-------------------|------|----|-------|--------|----------------|----------------|----------------|-----------------------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 127 | July 3 | F | 4 | 04 | 21 | | | | | | |
| | | ePz | 0 | 18 | 05 | | | | | 376? | Near Miyazaki City. |
| | | S | 0 | 18 | 55 | | | | | | |
| | | SM _P N | 0 | 19 | 00 | | | | | | |
| | | SM _P Z | 0 | 18 | 58 | 1.5 | | | ± 1 | | |
| | | SM _P E | 0 | 19 | 06 | | | | | | |
| | | M _Z | 0 | 19 | 10 | 2.2 | | | ± 1 | | |
| | | M _E | 0 | 20 | 24 | 3.0 | ± 1 | | | | |
| 128 | July 3 | eF | 0 | 21 | \pm | | | | | | |
| | | ez | 0 | 21 | 23 | 1.1 | | | ± 1 | | Ditto. |
| | | eN | 0 | 21 | 58 | | | | | | Very faint record. |
| | | eM _E | 0 | 22 | 54 | 2.4 | ± 1 | | | | |
| 129 | July 3 | eM _N | 0 | 22 | 54 | 3.4 | | ± 1 | | | |
| | | eF | 0 | 25 | \pm | | | | | | |
| | | eN | 16 | 33 | 55 | 6.0 | | | | | Near Erimo Cape, Hokkaido. |
| | | eN | 16 | 34 | 29 | 3.5 | | ± 1 | | | Each phases are not distinct. |
| | | eN | 16 | 36 | 07 | 3.9 | | ± 1 | | | |
| 130 | July 5 | M _P N | 16 | 37 | 24 | 5.7 | | ± 1 | | | |
| | | M _P E | 16 | 38 | 32 | 3.1 | ± 1 | | | | |
| | | eF | 16 | 43 | \pm | | | | | | |
| | | P _E N | 9 | 12 | 19 | | -2.0 | +2.8 | | 329 | SW off Hatidyo Isl. Deep focus earthquake. |
| | | iPz | 9 | 12 | 18 | 1.8 | | | +2.3 | | |
| 131 | July 5 | iS _E | 9 | 13 | 03 | | -8 | | | | |
| | | iS _N | 9 | 13 | 03 | 1.9? | | -12 | | | |
| | | eS _Z | 9 | 13 | 03 | | | | | | |
| | | ez | 9 | 13 | 50 | | | | | | |
| | | ez | 9 | 13 | 58 | 3.3 | | | ± 0.5 | | |
| | | M _E | 9 | 14 | 46 | 3.4 | -7 | | | | |
| | | M _N | 9 | 14 | 46 | 3.0 | | -4 | | | |
| | | eF | 9 | 22 | \pm | | | | | | |
| 131 | July 5 | P _E | 18 | 02 | 22 | | +1? | | 5880 | Turkestan, 39°N 69°E, | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----------------|--------|-----------------|--------|----|-------|--------|----------------|----------------|----------------|----------|---------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| | | P _N | 18 | 02 | 24 | | | | | | | |
| | | iPz | 18 | 02 | 23 | | | | | +1? | | according to Strasbourg's report. |
| | | eN | 18 | 04 | 33 | | | | | | | |
| | | eE | 18 | 04 | 56 | | | | | | | |
| | | S | 18 | 09 | 55 | | | | | | | |
| | | eL | 18 | 24 | 24 | | | | | | | |
| | | M _N | 18 | 25 | 25 | 19.3 | | | ± 1 | | | |
| | | M _E | 18 | 27 | 08 | 18.2 | ± 1 | | | | | |
| | | M _N | 18 | 27 | 20 | 15.6 | | ± 1 | | | | |
| | | Mz | 18 | 27 | 25 | 16.8 | | | ± 1 | | | |
| 132 | July 6 | eF | 18 | 45 | \pm | | | | | | | |
| | | ez | 23 | 43 | 08 | 0.9 | | | | | | East off Siويا Cape. Very faint record. |
| | | eS _E | 23 | 44 | 07 | 1.9 | ± 2 | | | | | |
| | | eS _N | 23 | 44 | 06 | 2.0 | | ± 1 | | | | |
| | | eS _Z | 23 | 44 | 01 | | | | | | | |
| | | M _E | 23 | 44 | 18 | 1.6 | -2 | | | | | |
| | | M _N | 23 | 44 | 18 | | | ± 1 | | | | |
| | | eMz | 23 | 44 | 18 | 1.8 | | | ± 1 | | | |
| | | eF | 23 | 52 | \pm | | | | | | | |
| | | 133 | July 7 | P | 13 | 28 | 11 | | | | | -1.6 |
| iP _N | 13 | | | 28 | 11 | 1.6 | | | | -35 | | |
| Pz | 13 | | | 28 | 10 | | | | | | -1.1 | |
| iE | 13 | | | 28 | 20 | 1.8 | | -6 | | | | |
| iz | 13 | | | 28 | 18 | 2.0 | | | | | | |
| ez | 13 | | | 29 | 39 | | | | | | | |
| S _N | 13 | | | 31 | 57 | | | | | | | |
| S _E | 13 | | | 32 | 16 | 11.0 | +6 | | | | | |
| Sz | 13 | | | 32 | 19 | | | | | | | |
| SM _N | 13 | | | 32 | 25 | 10.4 | | | | -5 | | |
| | | eL _N | 13 | 38 | \pm | | | | | | | |
| | | eM _E | 13 | 42 | 11 | 13.0 | ± 1 | | | | | |
| | | M _N | 13 | 41 | 04 | 14.5 | | ± 2 | | | | |
| | | Mz | 13 | 39 | 43 | 14.3 | | | ± 1 | | | |
| | | eF | 13 | 55 | \pm | | | | | | | |
| | | | | | | | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|---------|------------------|------------------|-------------|---------------------|---------------------|----------------------------|---|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 134 | July 8 | PEN | 22 34 33 | | | | 79 | In the Kii Channel. | |
| | | PZ | 22 34 32 | | | | | | |
| | | S | 22 34 43 | | +4 | | | | |
| | | MEN | 22 34 45 | 0.4 | -4 | +5 | | | |
| | | MZ | 22 34 44 | 0.3 | | ±1 | | | |
| | | F | 22 35 53 | | | | | | |
| 135 | July 11 | iPE | 8 25 31 | 4.2 | -20.5 | | 338 | The epicenter in SE of Sizuoka City, long 138°26'E lat 34°57'N. Focal depth shallow than 7 km. Shocks were felt in Tyubu, Kinki, and Kwanto districts, in the vicinities of Sizuoka and Simizu City, 9 persons were killed and 800 houses were destroyed. | |
| | | PNZ | 8 25 31 | | | +3.8 | +9.2 | | |
| | | iPEZ | 8 25 37 | | +41.0 | | | | |
| | | iE | 8 26 06 | | +162 | | | | |
| | | iN | 8 26 00 | | | -73 | | | |
| | | iSE | 8 26 17 | | | | | | |
| | | SN | 8 26 16 | | | | | | |
| | | SZ | 8 26 11 | | | | | | |
| | | M ¹ E | 8 26 27 | | -740 | | | | |
| | | M ¹ N | 8 26 21 | 3.2 | | -510 | | | |
| | | M ¹ Z | 8 26 24 | 3.9 | | | -420 | | |
| | | M ² E | 8 27 34 | 3.9 | -260 | | | | |
| | | M ² E | 8 27 35 | 3.9 | | -415 | | | |
| | | M ² Z | 8 27 32 | 2.9 | | | +235 | | |
| | | M ³ E | 8 28 17 | 9.2 | +450 | | | | |
| | | M ³ N | 8 28 14 | 3.4 | | +260 | | | |
| eE | 8 30 21 | 3.9 | -170 | | | | | | |
| CN | 8 40 16 | 6.6 | | +6 | | | | | |
| eF | 8 57 ± | | | | | | | | |
| 136 | July 12 | eE | 3 41 52 | | | | Near Urup Isl, Kurile IIs. | | |
| | | eE | 3 42 22 | | | | | | |
| | | eE | 3 44 16 | | | | | | |
| | | eN | 3 44 15 | | | | | | |
| | | S ² E | 3 45 43 | | | | | | |
| | | M _E | 3 45 54 | 4.0 | ±2 | | | | |
| | | M _N | 3 45 51 | 5.0 | | ±1 | | | |
| | | ez | 3 45 51 | | | | | | |
| | | eF | 3 53 ± | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|----------|------------------|------------------|-------------|---------------------|---------------------|--|--|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 137 | July 15 | eP | 14 23 54 | | | | 7820 | South off Fiji IIs. Record is deep focus type. | |
| | | eN | 14 24 52 | | | | | | |
| | | PRE | 14 26 01 | | | | | | |
| | | eSN | 14 32 27 | 37 | | | | | |
| | | SE | 14 33 06 | 5.7 | -2 | | | | |
| | | SN | 14 33 05 | | | | | | |
| | | eF | 14 42 ± | | | | | | |
| | | | | | | | | | |
| 138 | July 16 | PEN | 15 01 23 | | | | 377 | SW of Hagi, Yamaguti Prefecture. Moderate shocks were felt in the epicentral region. Felt in Tyugoku, Sikoku and Kyūsyū districts. | |
| | | PZ | 15 01 24 | | | | | | |
| | | iPEN | 15 01 30 | | -2.2 | -4.6 | | | |
| | | iPZ | 15 01 29 | | | -1.8 | | | |
| | | S | 15 02 14 | | | | | | |
| | | M ¹ E | 15 02 18 | 1.6 | -65 | | | | |
| | | M ¹ N | 15 02 17 | 3.3 | | -70 | | | |
| | | MZ | 15 02 18 | 1.9 | | -54 | | | |
| 139 | July 16 | M ² E | 15 04 14 | 3.1 | -17 | | | | |
| | | M ² N | 15 04 09 | 2.8 | | -14 | | | |
| | | eF | 15 12 ± | | | | | | |
| | | ePEN | 16 22 44 | | | 2040 | Near Sitan, Sintiku-syū, Formosa. Northeastern part of earthquake fault of great Formosa earthquake, on April 20, 1935. 44 persons were killed and 1500 houses were destroyed. | | |
| | | ePZ | 16 22 45 | | | | | | |
| | | iE | 16 24 28 | 3.9 | | | | | |
| | | eN | 16 24 43 | 4.7 | | | | | |
| | | ez | 16 25 17 | | | | | | |
| eSN | 16 26 12 | | | | | | | | |
| ez | 16 27 36 | | | | | | | | |
| eLN | 16 28 39 | | | | | | | | |
| 140 | July 16 | M _E | 16 30 28 | 15.9 | +9 | | | | |
| | | M ¹ N | 16 29 41 | 16.0 | | +16 | | | |
| | | M ² N | 16 31 13 | 12.4 | | -19 | | | |
| | | MZ | 16 31 38 | 12.8 | | -4 | | | |
| | | eF | 17 06 ± | | | | | | |
| | | | | | | | | | |
| 140 | July 16 | eE | 20 07 07 | | | | East off Philippine. Each phases are not distinct. | | |
| | | ePN | 20 07 05 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|------------------|------|----|-------|--------|----------------|----------------|----------------|----------|--|
| | | | g. | m. | s. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | ePz | 20 | 07 | 15 | | | | | | |
| | | ePRE | 20 | 09 | 05 | 4.5 | | | | | |
| | | ePRN | 20 | 09 | 22 | 3.7 | | ± 1 | | | |
| | | ePRZ | 20 | 09 | 04 | | | | | | |
| | | ez | 20 | 09 | 04 | | | | | | |
| | | SE | 20 | 12 | 30 | | -3 | | | | |
| | | SRN | 20 | 13 | 17 | 3.7 | | ± 2 | | | |
| | | ez | 20 | 12 | 39 | | | | | | |
| | | eE | 20 | 14 | 14 | 4.0 | ± 2 | | | | |
| | | iE | 20 | 17 | 37 | | -3 | | | | |
| | | eN | 20 | 19 | 29 | 3.9 | | ± 1 | | | |
| | | ez | 20 | 18 | 34 | 3.2 | | | ± 1 | | |
| | | eF | 20 | 26 | \pm | | | | | | |
| 141 | July 17 | ez | 11 | 05 | 54 | | | | | | |
| | | ePE | 11 | 06 | 08 | | | | | | |
| | | ePN | 11 | 06 | 07 | | | | | | |
| | | iPz | 11 | 06 | 05 | 4.4 | | | ± 2 | | |
| | | iN | 11 | 06 | 20 | 4.1 | | ± 2 | | | |
| | | eN | 11 | 08 | 09 | 4.1 | | ± 2 | | | |
| | | eF | 11 | 16 | \pm | | | | | | |
| | | | | | | | | | | | Near Sandwich IIs. South Atlantic Ocean. |
| 142 | July 17 | ePE | 17 | 56 | 54 | | | | | | |
| | | ePN | 17 | 56 | 53 | | | | | | |
| | | eNZ | 17 | 57 | 00 | | | | | | |
| | | iE | 17 | 57 | 16 | | | | | | |
| | | iN | 17 | 57 | 20 | | | | | | |
| | | iz | 17 | 57 | 19 | | | | | | |
| | | eSN | 17 | 57 | 47 | | | | | | |
| | | Sz | 17 | 57 | 47 | | | | | | |
| | | \bar{S}_{EN} | 17 | 57 | 54 | | | | | | |
| | | M ¹ E | 17 | 57 | 57 | 1.8 | -5 | | | | |
| | | M _N | 17 | 58 | 02 | 1.8 | | +4 | | | |
| | | M _Z | 17 | 58 | 02 | 1.7 | | | -3 | | |
| | | M ² E | 17 | 59 | 13 | 3.2 | ± 2 | | | | |
| | | eF | 18 | 05 | \pm | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|------------------|------|----|-------|--------|----------------|----------------|----------------|----------|----------------------------|
| | | | g. | m. | s. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 143 | July 19 | P | 0 | 51 | 10 | | -2.0 | -0.5 | +0.8 | 630 | |
| | | iEN | 0 | 51 | 18 | 20.0 | +13 | +6 | | | |
| | | iz | 0 | 51 | 18 | | | | -4 | | |
| | | SE | 0 | 52 | 19 | | +62 | | | | |
| | | SN | 0 | 52 | 21 | | | | | | |
| | | ez | 0 | 52 | 16 | | | | | | |
| | | \bar{S}_N | 0 | 52 | 31 | | | | | | |
| | | eLE | 0 | 52 | 40 | | | | | | |
| | | eLN | 0 | 52 | 39 | | | | | | |
| | | M ¹ N | 0 | 53 | 01 | 4.0 | | +290 | | | |
| | | M ¹ Z | 0 | 52 | 56 | 2.6 | | | -260 | | |
| | | M ¹ E | 0 | 53 | 41 | 2.9 | +317 | | | | |
| | | M ² Z | 0 | 53 | 52 | 3.9 | | | -160 | | |
| | | M ² E | 0 | 54 | 46 | 2.9 | +250 | | | | |
| | | eF | 1 | 56 | \pm | | | | | | |
| 144 | July 19 | eE | 2 | 52 | 22 | | | | | | An after shock of No. 143. |
| | | ez | 2 | 53 | 07 | | | | | | |
| | | SEZ | 2 | 53 | 39 | | | | | | |
| | | SN | 2 | 53 | 41 | | | | | | |
| | | M ¹ E | 2 | 53 | 49 | 1.8 | ± 2 | | | | |
| | | M ¹ N | 2 | 54 | 00 | 3.4 | | -4 | | | |
| | | M _Z | 2 | 53 | 49 | 2.1 | | | ± 1 | | |
| | | M ² E | 2 | 54 | 52 | | -5 | | | | |
| | | M ² N | 2 | 55 | 45 | 3.0 | | ± 2 | | | |
| | | eF | 3 | 02 | \pm | | | | | | |
| 145 | July 19 | eE | 3 | 32 | 21 | | | | | | Ditto. |
| | | eE | 3 | 33 | 23 | 1.7 | | | | | Faint record. |
| | | eN | 3 | 33 | 14 | | | | | | |
| | | ez | 3 | 33 | 01 | | | | | | |
| | | M _E | 3 | 34 | 24 | 2.6 | ± 1 | | | | |
| | | M ¹ N | 3 | 33 | 40 | 2.5 | | +3 | | | |
| | | M _Z | 3 | 33 | 39 | 2.1 | | | ± 1 | | |
| | | M ² N | 3 | 35 | 23 | 3.9 | | ± 2 | | | |
| | | eF | 3 | 42 | \pm | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|------|---------|---|------|----|----|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 146 | July 19 | ePN | 14 | 23 | 38 | | | | | 74 | Upper valley of the Arita River, Wakayama Prefecture. |
| | | iSEN | 14 | 23 | 48 | | | +8 | | | |
| | | Sz | 14 | 23 | 48 | | | | | | |
| | | ME | 14 | 23 | 49 | | -6 | | | | |
| | | MN | 14 | 23 | 46 | 0.6 | | +8 | | | |
| | | MZ | 14 | 23 | 48 | | | | -2 | | |
| | | F | 14 | 24 | 41 | | | | | | |
| *147 | July 23 | iP | 18 | 01 | 10 | | -34.6 | +41.8 | -61.6 | 120 | Weak shocks were felt at near Kobe City. SE of Tottori City, about 35°4N 134°1E. Felt in Tyugoku, Sikoku and Kinki districts. |
| | | PMEN | 18 | 01 | 11 | | +79 | +145 | | | |
| | | PMZ | 18 | 01 | 10 | | | | +96 | | |
| | | S | 18 | 01 | 26 | | +133 | | | | |
| | | ME | 18 | 01 | 29 | 0.8 | -169 | | | | |
| | | MN | 18 | 01 | 27 | 0.7 | | -136 | | | |
| | | MZ | 18 | 01 | 28 | 1.1 | | | +112 | | |
| *148 | July 23 | PEN | 18 | 02 | 48 | | -7.0 | +11.0 | | 110 | An after shock of No. 147. Perceptible. |
| | | iPZ | 18 | 02 | 48 | | | | -30.8 | | |
| | | SEN | 18 | 03 | 03 | | +53 | | | | |
| | | Sz | 18 | 03 | 04 | | | | | | |
| | | MEZ | 18 | 03 | 07 | 1.1 | +67 | | +56 | | |
| | | MN | 18 | 03 | 06 | | | -59 | | | |
| | | The end part overlapped by the following earthquake. Ditto. | | | | | | | | | |
| 149 | July 23 | P | 18 | 04 | 06 | | | | | 121 | Ditto. Perceptible. |
| | | SN | 18 | 04 | 22 | 0.6 | | | | | |
| | | MN | 18 | 04 | 24 | | | +14 | | | |
| *150 | July 23 | PEN | 18 | 04 | 18 | | | | | | Ditto. Perceptible. |
| | | Pz | 18 | 04 | 17 | | | | | | |
| | | SEN | 18 | 04 | 33 | | | | | | |
| | | Sz | 18 | 04 | 32 | | | | | | |
| | | ME | 18 | 04 | 36 | 0.8 | +24 | | +17 | | |
| | | MN | 18 | 04 | 36 | 0.5 | | -26 | | | |
| | | MZ | 18 | 04 | 35 | 0.9 | | | -20 | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-------|------|----|----|--------|----------------|----------------|----------------|----------|----------------------------|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 151 | July 23 | PEN | 18 | 06 | 45 | | | | | 111.0 | An after shock of No. 147. |
| | | Pz | 18 | 06 | 46 | | | | | | |
| | | SEN | 18 | 07 | 00 | | | | | | |
| | | iSz | 18 | 07 | 00 | | | | +6 | | |
| | | ME | 18 | 07 | 04 | 0.9 | +6 | | | | |
| | | MN | 18 | 07 | 03 | 0.6 | | +10 | | | |
| | | MZ | 18 | 07 | 01 | | | | +7 | | |
| | | F | 18 | 08 | 36 | | | | | | |
| 152 | July 23 | P | 18 | 19 | 01 | | | | | 112.0 | Ditto. |
| | | SEN | 18 | 19 | 17 | | | | | | |
| | | Sz | 18 | 19 | 16 | | | | | | |
| | | ME | 18 | 19 | 18 | 0.7 | +4 | | | | |
| | | MN | 18 | 19 | 18 | | | -4 | | | |
| | | MZ | 18 | 19 | 17 | 0.7 | | | +4 | | |
| | | F | 18 | 20 | 20 | | | | | | |
| 153 | July 23 | PEN | 18 | 20 | 28 | | | | | 117.0 | Ditto. |
| | | Pz | 18 | 20 | 27 | | | | | | |
| | | SEN | 18 | 20 | 44 | | | | | | |
| | | Sz | 18 | 20 | 42 | | | | | | |
| | | ME | 18 | 20 | 46 | 1.0? | +6 | | | | |
| | | MN | 18 | 20 | 46 | | | -6 | | | |
| | | MZ | 18 | 20 | 46 | 1.2? | | | +3 | | |
| 154 | July 23 | PEN | 19 | 36 | 55 | | | | | 119.0 | Ditto. |
| | | PMN | 19 | 36 | 56 | 0.8 | | -6 | | | |
| | | S | 19 | 37 | 11 | | | | | | |
| | | ME | 19 | 37 | 16 | 0.9 | +7 | | | | |
| | | MN | 19 | 37 | 14 | | | +6 | | | |
| 155 | July 23 | MZ | 19 | 37 | 12 | | | | +3 | | An after shock of No. 147. |
| | | F | 19 | 38 | 23 | | | | | | |
| | | PEN | 20 | 57 | 16 | | -0.8 | +1.0 | | 120.0 | |
| PMZ | 20 | 57 | 17 | | -2 | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|---------|-----------------|------------------|-------------|-------------------------|-------------------------|---|------------------------------------|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 156 | July 25 | PM _N | 20 57 16 | 0.7 | | +6 | | Near Miyosi, Hiroshima Prefecture. | |
| | | SE | 20 57 33 | | | | | | |
| | | S _N | 20 57 32 | | | | | | |
| | | M _E | 20 57 35 | 1.0 | -7 | | | | |
| | | M _N | 20 57 37 | 1.0 | | -4 | | | |
| | | F | 20 59 15 | | | | | | |
| | | iEN | 21 33 30 | | | | | | |
| | | S | 21 33 31 | | | | | | |
| 157 | July 25 | ME | 21 33 31 | 0.5 | +4 | | Upper Valley of the Hotu River, Kyôto Prefecture. | | |
| | | M _N | 21 33 34 | 0.9 | | +3 | | | |
| | | M _Z | 21 33 32 | 1.1 | | | | +5 | |
| | | F | 21 34 25 | | | | | | |
| | | PEN | 23 16 43 | | | | | | |
| | | P _Z | 23 16 44 | | | | | | |
| | | PMEN | 23 16 43 | | +5 | -5 | | | |
| | | PMZ | 23 16 44 | | | | | +5 | |
| 158 | July 26 | S | 23 16 48 | | | | Local shock. Felt at Kobe City. | | |
| | | ME | 23 16 48 | | +3 | | | | |
| | | M _N | 23 16 48 | 0.3? | | -4 | | | |
| | | M _Z | 23 16 48 | 0.5? | | | | -3 | |
| | | F | 23 17 15 | | | | | | |
| | | P | 4 03 53 | | -1.0? | +1.8 | | -1.4? | 12 |
| | | S | 4 03 54 | | | | | | |
| | | ME | 4 03 55 | | -25 | | | | |
| 159 | July 26 | M _N | 4 03 55 | 0.4 | | +11 | | | |
| | | M _Z | 4 03 55 | | | | +9 | | |
| | | F | 4 04 54 | | | | | | |
| | | PE | 8 06 53 | 1.4 | -2.0 | | 1700 | | |
| | | ePN | 8 06 53 | 1.0 | | | | | |
| | | P _Z | 8 06 53 | 1.2 | | | +1.2 | | |
| | | eN | 8 06 57 | | | | | | |
| | | iz | 8 06 56 | | | | | | |
| | | | | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|---------|-----------------------------|------------------|-------------|-------------------------|-------------------------|--|--|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 160 | July 26 | SE | 8 09 30 | | +3 | | | Probably between Chinghai and Szech wan, China, according to Nanking's report. | |
| | | S _N | 8 09 28 | | | -6 | | | |
| | | S _Z | 8 09 31 | | | | | | |
| | | M ¹ _E | 8 09 34 | 3.5 | +3 | | | | |
| | | M ¹ _N | 8 09 35 | 6.2 | | +12 | | | |
| | | M ¹ _Z | 8 09 41 | 4.6 | | | -4 | | |
| | | M ² _E | 8 10 51 | 2.9 | -6 | | | | |
| | | M ² _N | 8 10 38 | 4.0 | | +7 | | | |
| | | M ² _Z | 8 11 09 | | | | -4 | | |
| | | iScSN | 8 17 55 | | | +5 | | | |
| 161 | July 27 | eF | 8 22 ± | | | | | | |
| | | eE | 10 43 27 | | | | | | |
| | | eN | 10 43 40 | | | | | | |
| | | ez | 10 43 41 | | | | | | |
| | | eE | 10 45 01 | 1.1 | | | | | |
| | | eN | 10 45 42 | | | | | | |
| | | eLE | 10 47 26 | | | | | | |
| | | eLN | 10 46 55 | | | | | | |
| | | M _N | 10 47 58 | 22.5 | | +3 | | | |
| | | eLz | 10 49 49 | | | | | | |
| 162 | July 27 | ME | 10 52 25 | 11.3 | -3 | | | | |
| | | M _N | 10 51 44 | 13.0 | | +2 | | | |
| | | M _Z | 10 53 01 | 11.0 | | | +3 | | |
| | | eF | 11 08 ± | | | | | | |
| | | ez | 14 30 27 | | | | | | |
| | | iSEN | 14 30 27 | | +4 | +3 | | | |
| | | ME | 14 30 28 | 0.7 | -8 | | | | |
| | | M _N | 14 30 29 | 0.7 | | +5 | | | |
| | | eMz | 14 30 28 | | | | -2 | | |
| | | F | 14 31 15 | | | | | | |
| 162 | July 27 | ePE | 17 03 23 | | | | East off Nozima Cape, Tiba Prefecture. | | |
| | | ePN | 17 03 20 | | | | | | |
| | | ez | 17 03 27 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----|---------|-------|------|------|----|--------|----------------|----------------|----------------|-----|--------------------------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| 163 | July 27 | eN | 17 | 03 | 33 | | | +3 | | | | |
| | | eE | 17 | 04 | 46 | 3.6 | +5 | | | | | |
| | | eF | 17 | 09 | ± | | | | | | | |
| | | eEN | 19 | 26 | 48 | | | | | | | |
| | | eZ | 19 | 26 | 47 | | | | | | | |
| | | eF | 19 | 33 | ± | | | | | | | |
| 164 | July 29 | eP | 4 | 16 | 04 | | | | | | | |
| | | ePNZ | 4 | 19 | 44 | | | | | | | |
| | | eSz | 4 | 20 | 02 | | | | | | | |
| | | eF | 4 | 39 | ± | | | | | | | |
| 165 | July 29 | ePE | 7 | 49 | 21 | | | | | | | |
| | | ePNZ | 7 | 49 | 19 | | | | | | | |
| | | PE | 7 | 49 | 24 | | -13 | | | | | |
| | | PN | 7 | 49 | 24 | 5.2 | +15 | | | | | |
| | | PZ | 7 | 49 | 23 | 6.0 | | +13 | | | | |
| | | eE | 7 | 52 | 12 | | | | | | | |
| | | eN | 7 | 52 | 13 | | | | | | | |
| | | SNZ | 7 | 58 | 04 | | | | -10 | +3 | | |
| | | iSEN | 7 | 58 | 08 | | -19 | +45 | | | | |
| | | iE | 7 | 58 | 45 | 6.3 | ±25 | | | | | |
| | | iN | 7 | 58 | 46 | 6.3 | | +18 | | | | |
| | | eN | 8 | 00 | 25 | | | | | | | |
| | | eZ | 8 | 01 | 10 | | | | | | | |
| | | eE | 8 | 01 | 14 | | | | | | | |
| | | eN | 8 | 01 | 14 | 28.7 | | | | | | |
| | | eZ | 8 | 04 | 44 | | | | | | | |
| eLE | 8 | 05 | 40 | | | | | | | | | |
| eLN | 8 | 07 | 27 | | | | | | | | | |
| MN | 8 | 15 | 25 | 20.0 | | ±2 | | | | | | |
| eF | 8 | 43 | ± | | | | | | | | | |
| 166 | July 31 | ePE | 8 | 13 | 42 | | | | | 435 | Near Mt. Tukuba, Ibaraki | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----------------|--------|-------|------|------|-----|--------|----------------|----------------|----------------|------|---|-------------|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| 167 | Aug. 1 | ePNZ | 8 | 13 | 38 | | | | | | | Prefecture. |
| | | eE | 8 | 13 | 55 | | | | | | | |
| | | eN | 8 | 13 | 59 | | | | | | | |
| | | eZ | 8 | 13 | 58 | | | | | | | |
| | | eZ | 8 | 14 | 30 | | | | | | | |
| | | SE | 8 | 14 | 43 | | | | | | | |
| | | SN | 8 | 14 | 37 | | | | | | | |
| | | ME | 8 | 15 | 01 | 1.8 | ±8 | | | | | |
| | | MN | 7 | 15 | 04 | 1.8 | | +11 | | | | |
| | | MZ | 8 | 14 | 52 | 1.6 | | | ±5 | | | |
| eF | 8 | 24 | ± | | | | | | | | | |
| 168 | Aug. 3 | ePZ | 14 | 11 | 55 | | | | | 2795 | In the Philippine Deep. | |
| | | ePN | 14 | 12 | 06 | | | | | | | |
| | | eSE | 14 | 16 | 18 | | | | | | | |
| | | eSN | 14 | 16 | 20 | | | | | | | |
| | | eSz | 14 | 16 | 22 | | | | | | | |
| | | MN | 14 | 19 | 53 | 12.0 | ±3 | | | | | |
| | | Mz | 14 | 20 | 51 | 12.0 | | | ±1 | | | |
| eF | 14 | 52 | ± | | | | | | | | | |
| 168 | Aug. 3 | ePE | 1 | 18 | 34 | | | | | 5275 | Strong shocks were felt in North Sumatora. 4.°5N 96°E, according to Batavia's report. | |
| | | ePNZ | 1 | 18 | 33 | | | | | | | |
| | | PcPN | 1 | 20 | 05 | | | -3 | | | | |
| | | PRE | 1 | 20 | 29 | 3.4 | -8 | | | | | |
| | | PRN | 1 | 20 | 29 | 3.9 | | -4 | | | | |
| | | PRZ | 1 | 20 | 28 | | | | | | | |
| | | eSE | 1 | 25 | 32 | | | | | | | |
| | | eSNZ | 1 | 25 | 30 | | | | | | | |
| | | eSRE | 1 | 28 | 57 | | | | | | | |
| | | iSRN | 1 | 29 | 12 | | | | | | | |
| | | eSRZ | 1 | 29 | 11 | | | | | | | |
| | | eLE | 1 | 30 | 59 | 43.0 | | | | | | |
| eLN | 1 | 31 | 00 | 43.0 | | | | | | | | |
| eLZ | 1 | 33 | 56 | 32.0 | | | | | | | | |
| MP _E | 1 | 38 | 35 | 18.0 | ±22 | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-----------------------------|------|----|----|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | M ¹ _N | 1 | 38 | 37 | 19.0 | | -30 | | | |
| | | M ² _E | 1 | 40 | 53 | 14.0 | +40 | | | | |
| | | M ¹ _Z | 1 | 41 | 18 | 12.0 | | | ±8 | | |
| | | M ³ _E | 1 | 44 | 35 | 16.0 | +53 | | | | |
| | | M ² _E | 1 | 44 | 26 | 14.0 | | -33 | | | |
| | | M ² _Z | 1 | 44 | 31 | 14.0 | | | ±11 | | |
| | | eF | 3 | 16 | ± | | | | | | |
| 169 | Aug. 3 | eP _E | 11 | 50 | 53 | | | | | | East off Philippine. |
| | | eP _N | 11 | 50 | 47 | | | | | | |
| | | eP _Z | 11 | 51 | 02 | | | | | | |
| | | eS _E | 11 | 54 | 59 | | | | | | |
| | | eS _N | 11 | 55 | 14 | | | | | | |
| | | eS _Z | 11 | 55 | 36 | | | | | | |
| | | eF | 12 | 08 | ± | | | | | | |
| 170 | Aug. 8 | S _N | 7 | 24 | 37 | | | +2 | | | Lower basin of the Hidaka River, Wakayama Prefecture. |
| | | iS _{EN} | 7 | 24 | 37 | | +6 | -10 | | | |
| | | M _{EN} | 7 | 24 | 38 | 0.7 | -6 | -8 | | | |
| | | F | 7 | 25 | 22 | | | | | | |
| 171 | Aug. 16 | P _{EN} | 19 | 54 | 19 | | -4 | +3 | | 77 | Middle basin of the Hidaka River, Wakayama Prefecture. |
| | | P _Z | 19 | 54 | 17 | | | | +3 | | |
| | | iP _{EN} | 19 | 54 | 19 | | +11 | -19 | | | |
| | | iS _{EN} | 19 | 54 | 29 | | +11 | +10 | | | |
| | | M _E | 19 | 54 | 30 | 1.0 | -20 | | | | |
| | | M _N | 19 | 54 | 30 | 0.9 | | ±15 | | | |
| | | eF | 20 | 00 | ± | | | | | | |
| 172 | Aug. 17 | eP _{EN} | 1 | 55 | 23 | | | | | 7230 | East off New Caledonia, 20°S 171°5E, (J. S. A.). |
| | | P _Z | 1 | 55 | 21 | | | | | | |
| | | iP _{EN} | 1 | 55 | 33 | 3.6 | -9 | +14 | | | |
| | | iP _Z | 1 | 55 | 32 | 3.8 | | | +12 | | |
| | | eS _E | 2 | 04 | 19 | | | | | | |
| | | eS _N | 2 | 04 | 08 | | | | | | |
| | | eS _Z | 2 | 04 | 02 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-----------------------------|------|----|----|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | i _E | 2 | 05 | 30 | 3.6 | +35 | | | | |
| | | i _N | 2 | 05 | 29 | 2.8 | | +16 | | | |
| | | i _Z | 2 | 05 | 30 | 3.1 | | | +6 | | |
| | | i _E | 2 | 05 | 52 | 3.9 | +15 | | | | |
| | | i _N | 2 | 05 | 48 | 3.4 | | +13 | | | |
| | | e _N | 2 | 08 | 10 | | | | | | |
| | | e _Z | 2 | 08 | 56 | 34.0 | | | | | |
| | | eL _E | 2 | 12 | 22 | | | | | | |
| | | eL _N | 1 | 12 | 26 | | | | | | |
| | | eL _Z | 2 | 12 | 13 | | | | | | |
| | | e _Z | 2 | 16 | 18 | 34.0 | | | | | |
| | | M _E | 2 | 20 | 26 | 16.0 | ±3 | | | | |
| | | M ¹ _N | 2 | 21 | 10 | 18.0 | | ±6 | | | |
| | | M _Z | 2 | 21 | 31 | 20.0 | | | ±2 | | |
| | | i _Z | 2 | 24 | 04 | | | | | | P'P' Wave? |
| | | M ² _N | 2 | 26 | 40 | 16.0 | | ±2 | | | |
| | | eF | 2 | 48 | ± | | | | | | |
| 173 | Aug. 17 | eP _E | 7 | 24 | 22 | | | | | | East off Sioya cape, Hukushima Prefecture. |
| | | P _N | 7 | 24 | 22 | | | | | | Felt in the Coast near the epicenter. |
| | | e _Z | 7 | 24 | 32 | | | | | | |
| | | e _E | 7 | 24 | 57 | | | | | | |
| | | e _N | 7 | 25 | 09 | | | | | | |
| | | eS _E | 7 | 25 | 32 | | | | | | |
| | | eS _N | 7 | 25 | 33 | | | | | | |
| | | eS _Z | 7 | 25 | 36 | | | | | | |
| | | eM _E | 7 | 25 | 19 | | ±7 | | | | |
| | | eM _N | 7 | 29 | 15 | | | -7 | | | |
| | | eM _Z | 7 | 26 | 18 | | | | +5 | | |
| | | eF | 7 | 35 | ± | | | | | | |
| 174 | Aug. 17 | e _E | 23 | 26 | 21 | | | | | | Very faint record. In the Hyûga Nada, SE of Kyûsyû. |
| | | e _N | 23 | 26 | 15 | | | | | | |
| | | e _Z | 23 | 26 | 24 | | | | | | |
| | | e _E | 23 | 28 | 56 | 3.0 | ±1 | | | | |
| | | eF | 23 | 34 | ± | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|------------------|---------|------------------|------|------|----|--------|-----------|----|--|--|---------|
| | | | G. | M. | S. | | AE | AN | Az | | |
| 175 | Aug. 19 | SEN | 6 | 42 | 06 | | +2 | +2 | | Local shock. | |
| | | Sz | 6 | 42 | 05 | | | +2 | | | |
| | | MN | 6 | 42 | 07 | 0.3 | | +5 | | | |
| | | MZ | 6 | 42 | 06 | 0.3 | | | +3 | | |
| | | F | 6 | 42 | 15 | | | | | | |
| 176 | Aug. 23 | ePE | 14 | 06 | 38 | | | | 5750 | NE off Cocos Isl, SW off Sumatora. Felt in southwestern part of Sumatora. | |
| | | ePN | 14 | 06 | 39 | | | | | | |
| | | ePz | 14 | 06 | 37 | | | | | | |
| | | PE | 14 | 06 | 43 | | -4 | | | | |
| | | PNZ | 14 | 06 | 42 | | | -5 | -4 | | |
| | | eSE | 14 | 14 | 02 | | | | | | |
| | | eSN | 14 | 14 | 07 | | | | | | |
| | | Sz | 14 | 14 | 16 | | | | | | |
| | | eEN | 14 | 18 | 06 | | | | | | |
| | | ez | 14 | 18 | 14 | | | | | | |
| | | eLE | 14 | 25 | 01 | | | | | | |
| | | eLN | 14 | 24 | 17 | | | | | | |
| | | eLz | 14 | 24 | 36 | | | | | | |
| | | M ¹ N | 14 | 28 | 38 | 18.5 | | +2 | | | |
| | | Mz | 14 | 31 | 09 | 16.5 | | | +2 | | |
| ME | 14 | 31 | 38 | 16.0 | +2 | | | | | | |
| M ² N | 14 | 32 | 12 | 16.0 | | +2 | | | | | |
| eF | 14 | 52 | ± | | | | | | | | |
| 177 | Aug. 25 | eE | 8 | 18 | 30 | | | | Near Sizuoka City. | | |
| | | eN | 8 | 18 | 36 | | | | | | |
| | | ez | 8 | 18 | 35 | | | | | | |
| 178 | Aug. 30 | eN | 5 | 29 | 16 | | | | Near Miyake Isl. South off Izu Peninsula. | | |
| | | ez | 5 | 39 | 17 | | | | | | |
| | | eF | 5 | 35 | ± | | | | | | |
| 179 | Aug. 31 | PEN | 13 | 10 | 24 | | | | Lower basin of the Huzi River, Sizuoka Prefecture. | | |
| | | ePz | 13 | 10 | 22 | | | | | | |
| | | iE | 13 | 10 | 28 | | -2 | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-------|------|-----|----|--------|-----------|----|----|---|---------|
| | | | G. | M. | S. | | AE | AN | Az | | |
| | | INZ | 13 | 10 | 26 | | | -1 | -1 | | |
| | | eE | 13 | 10 | 52 | | | | | | |
| | | eN | 13 | 10 | 55 | | | | | | |
| | | SN | 13 | 11 | 01 | | +3 | | | | |
| | | iSz | 13 | 11 | 01 | | | +2 | | | |
| | | ME | 13 | 11 | 05 | 1.5 | +10 | | | | |
| | | MN | 13 | 11 | 07 | 2.3 | | +6 | | | |
| | | Mz | 13 | 11 | 07 | 2.5 | | | +3 | | |
| | | eE | 13 | 12 | 00 | 3.0 | +3 | | | | |
| | | eF | 13 | 20 | ± | | | | | | |
| 180 | Aug. 31 | ePE | 17 | 43 | 11 | | | | | SE off Yetorohu Isl. Kurile IIs. | |
| | | ePN | 17 | 43 | 21 | | | | | | |
| | | ePz | 17 | 43 | 27 | | | | | | |
| | | eN | 17 | 46 | 30 | | | | | | |
| | | ME | 17 | 50 | 04 | 16.0 | +4 | | | | |
| | | MN | 17 | 50 | 04 | 18.0 | | +2 | | | |
| 181 | Aug. 31 | Mz | 17 | 50 | 38 | 14.5 | | | +1 | | |
| | | eF | 18 | 02 | ± | | | | | | |
| | | ez | 22 | 22 | 09 | | | | | Near Wakayama City. | |
| | | eSE | 22 | 22 | 14 | | | | | | |
| iSN | 22 | 22 | 15 | | | +1 | | | | | |
| ME | 22 | 22 | 16 | 0.7 | +1 | | | | | | |
| | | MN | 22 | 22 | 16 | 0.6 | | | -2 | | |
| | | Mz | 22 | 22 | 15 | 1.0 | | | +1 | | |
| | | eF | 22 | 22 | 33 | | | | | | |
| 182 | Sept. 1 | e | 3 | 09 | 24 | | | | | Near Miyake Isl. South off Izu Peninsula. | |
| | | eME | 3 | 10 | 54 | 2.6 | +1 | | | | |
| | | eF | 3 | 13 | ± | | | | | | |
| 183 | Sept. 1 | eE | 14 | 46 | 52 | | | | | In the Kii Channel. | |
| | | ME | 14 | 46 | 56 | 0.8 | +2 | | | | |
| | | eF | 14 | 47 | 10 | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|------------|-----------------------------|------------------|-------------|-------------------------|-------------------------|---|-----------------------------|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 184 | Sept. 2 | eEN | 7 23 13 | | | | | Eastern part of New Guinea. | |
| | | ez | 7 23 12 | | | -1 | | | |
| | | eE | 7 29 24 | 2.6 | -3 | | | | |
| | | eN | 7 29 26 | 3.1 | +1 | | | | |
| | | ez | 7 29 23 | 3.1 | | +2 | | | |
| | | eE | 7 30 25 | 3.1 | ± 2 | | | | |
| | | eN | 7 30 33 | 3.5 | | ± 2 | | | |
| | | ez | 7 30 15 | 2.2 | | ± 1 | | | |
| eF | 7 36 \pm | | | | | | | | |
| 185 | Sept. 2 | ePE | 16 35 29 | | | | Southeastern part of Gihu Prefecture. | | |
| | | ePN | 16 35 30 | | | | | | |
| | | Pz | 16 35 27 | | | | | | |
| | | eSEN | 16 35 44 | | | | | | |
| | | eSz | 16 35 43 | | | +1 | | | |
| | | eME | 16 36 05 | 1.7 | ± 3 | | | | |
| | | eF | 16 39 \pm | | | | | | |
| 186 | Sept. 3 | eP | 14 36 54 | | | | Near Miyake Isl. South off Izu Peninsula. | | |
| | | eS _{PEZ} | 14 37 29 | | | | | | |
| | | S _P | 14 37 30 | | | | | | |
| | | eME | 14 37 45 | 1.6 | -2 | | | | |
| | | eE | 14 38 50 | 3.2 | ± 2 | | | | |
| | | eF | 14 43 \pm | | | | | | |
| 187 | Sept. 4 | PEN | 1 41 49 | | | | 1980 Small damage at Kasyôtô. SE off Taito, Formosa. 22° 4N 121°6E. Felt in all part Formosa. | | |
| | | Pz | 1 41 48 | | | | | | |
| | | SE | 1 45 10 | | +12 | | | | |
| | | SNZ | 1 45 13 | | | +7 | | -3 | |
| | | iE | 1 45 27 | 11.3 | -75 | | | | |
| | | M ¹ _N | 1 47 45 | 27.0 | | +25 | | | |
| | | ME | 1 49 29 | 13.0 | +25 | | | | |
| | | Mz | 1 49 32 | 16.0 | | | | ± 4 | |
| | | M ² _N | 1 51 23 | 13.0 | | | | ± 17 | |
| eF | 2 48 \pm | | | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|------------|-----------------------------|------------------|-------------|-------------------------|-------------------------|--|-----------------|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 188 | Sept. 4 | ePEN | 3 32 06 | | | | 1930 An aftershock of previous earthquake. | | |
| | | ePz | 3 32 14 | | | | | | |
| | | eSE | 3 35 24 | | | | | | |
| | | eSN | 3 35 23 | | | | | | |
| | | ME | 3 40 30 | 15.0 | ± 2 | | | | |
| | | Mz | 3 40 25 | 16.0 | | ± 2 | | | |
| | | M ¹ _N | 3 46 44 | 14.5 | | ± 3 | | | |
| | | M ² _N | 3 46 35 | 18.5 | | ± 2 | | | |
| eF | 3 59 \pm | | | | | | | | |
| 189 | Sept. 6 | ePEN | 21 35 00 | | | | 1919 Local shock. | | |
| | | SE | 21 35 03 | | +2 | | | | |
| | | SN | 21 35 02 | | | +2 | | | |
| | | ME | 21 35 03 | 0.3 | ± 4 | | | | |
| | | MN | 21 35 03 | 0.4 | | ± 2 | | | |
| | | F | 21 35 17 | | | | | | |
| 190 | Sept. 9 | ez | 5 15 00 | | | | Near Amakusa Isl. Felt in Kyûsyû. | | |
| | | SE | 5 15 56 | | +5 | | | | |
| | | SN | 5 15 57 | | | -5 | | | |
| | | Sz | 5 15 59 | | | | | | |
| | | ME | 5 16 11 | 3.2 | ± 10 | | | | |
| | | Mz | 5 16 12 | 1.6 | | ± 5 | | | |
| | | eE | 5 17 29 | 3.1 | ± 12 | | | | |
| | | eN | 5 17 29 | 2.9 | | ± 6 | | | |
| ez | 5 17 29 | 3.2 | | | ± 3 | | | | |
| eF | 5 23 \pm | | | | | | | | |
| 191 | Sept. 9 | e _z | 6 17 21 | | | | Felt at Palau. SE off Yap Isl. 8°N 141°E. West Caroline IIs. | | |
| | | P _z | 6 17 27 | | | | | | |
| | | iE | 6 18 42 | | | | | | |
| | | iN | 6 18 47 | | | | | | |
| | | iz | 6 19 01 | | | | | | |
| | | iz | 6 19 28 | | | | | | |
| | | iEN | 6 19 45 | | | | | | |
| | | In Next | earthquake | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-------|----------|-------|-------|------|----|----------|----------------|----------------|----------------|---------------------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 192 | Sept. 9 | PE | 6 | 23 | 29 | | | | | 3255 | Near Yap Isl. West Caloline Ils. Felt at Palau. |
| | | ePN | 6 | 23 | 36 | | | | | | |
| | | Pz | 6 | 23 | 35 | | | | | | |
| | | iN | 6 | 24 | 40 | | | | | | |
| | | iE | 6 | 25 | 19 | | | 0.01 | | | |
| | | SE | 6 | 28 | 29 | | | 0.01 | | | |
| | | SN | 6 | 28 | 27 | | | 0.01 | | | |
| | | eSz | 6 | 29 | 01 | | | 0.01 | | | |
| | | eL | 6 | 29 | 32 | | | | | | |
| | | ME | 6 | 30 | 09 | 24.0 | | ± 30 | | | |
| | | MN | 6 | 32 | 27 | 16.0 | | ± 20 | | | |
| | | Mz | 6 | 31 | 52 | 20.0 | | | ± 5 | | |
| | | iScSE | 6 | 34 | 42 | | | +35 | | | |
| MScSE | 6 | 34 | 47 | 9.0 | | ± 25 | | | | | |
| eF | 7 | 43 | \pm | | | | | | | | |
| 193 | Sept. 11 | eSE | 1 | 48 | 03 | | | | | Near Wakayama City. | |
| | | eSN | 1 | 48 | 02 | | | | | | |
| | | ez | 1 | 48 | 01 | | | | | | |
| | | ME | 1 | 48 | 07 | 0.7 | | +1 | | | |
| | | eF | 1 | 48 | 29 | | | | | | |
| 194 | Sept. 11 | P | 14 | 06 | 58 | | +2 | +2 | -5 | 1330 | About SE 60 km. off the coast of Kuro. Moderate shocks were felt in eastern part of Hokkaido. 42°7'N 145°1'E. |
| | | iE | 14 | 07 | 08 | 2.7 | +38 | | | | |
| | | iz | 14 | 07 | 07 | 2.6 | | | +15 | | |
| | | iN | 14 | 07 | 15 | 2.3 | | +15 | | | |
| | | iE | 14 | 07 | 31 | 3.5 | | -60 | | | |
| | | iN | 14 | 07 | 35 | 2.6 | | -40 | | | |
| | | iz | 14 | 07 | 33 | 2.9 | | | +30 | | |
| | | SE | 14 | 09 | 19 | | | +50 | | | |
| | | SNZ | 14 | 09 | 17 | | | | -53 | +25 | |
| | | iz | 14 | 09 | 34 | 4.6 | | | | ± 25 | |
| | | LE | 14 | 10 | 24 | | | | | | |
| LN | 14 | 10 | 37 | | | | | | | | |
| Lz | 14 | 10 | 13 | | | | | | | | |
| MPN | 14 | 11 | 13 | 18.5 | | -160 | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|----------|------------------|----------|----|-------|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | Mz | 14 | 11 | 15 | 22.0 | | ± 35 | | | |
| | | M ¹ E | 14 | 11 | 43 | 18.0 | | ± 110 | | | |
| | | M ² N | 14 | 12 | 23 | 13.5 | | | +90 | | |
| | | M ² E | 14 | 12 | 57 | 13.0 | | -130 | | | |
| | | eN | 14 | 19 | 41 | | | | | | |
| | | eF | 15 | 55 | \pm | | | | | | |
| | | 195 | Sept. 12 | eN | 13 | 31 | 45 | | | | |
| ez | 13 | | | 32 | 11 | | | | | | |
| eN | 13 | | | 32 | 48 | 8.5 | | | | | |
| eF | 13 | | | 34 | \pm | | | | | | |
| 196 | Sept. 14 | iP | 8 | 29 | 20 | | +4 | -3 | +5 | | SE off Hatidyo Isl. Record is deep focus type. P phase is remarkable. |
| | | iEN | 8 | 29 | 32 | 1.3 | -14 | +5 | | | |
| | | iz | 8 | 29 | 32 | 1.7 | | | ± 2 | | |
| | | eSE | 8 | 30 | 08 | | | | | | |
| | | eSN | 8 | 30 | 12 | | | | | | |
| | | eSz | 8 | 30 | 18 | | | | | | |
| | | ME | 8 | 30 | 42 | 2.9 | | -9 | | | |
| 197 | Sept. 14 | ePE | 14 | 21 | 27 | | | | | | In the Kasima-nada. |
| | | eE | 14 | 21 | 46 | | | | | | |
| | | eN | 14 | 22 | 03 | | | | | | |
| | | eSE | 14 | 22 | 17 | | | | | | |
| | | eSN | 14 | 22 | 20 | | | | | | |
| 198 | Sept. 15 | M ¹ E | 14 | 22 | 45 | 2.6 | +11 | | | | South far off Ponape Isl. Caloline IIs. |
| | | MN | 14 | 22 | 39 | 3.1 | | ± 13 | | | |
| | | M ² E | 14 | 23 | 34 | 3.0 | +18 | | | | |
| | | M ² N | 14 | 24 | 26 | 2.8 | | | +14 | | |
| | | eF | 14 | 34 | \pm | | | | | | |
| | | eE | 11 | 22 | 15 | | | | | | |
| | | eN | 11 | 23 | 52 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----|----------|------------------|------|----|-------|--------|----------------|----------------|----------------|----------|---------|--|
| | | | G | M | T | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| | | ez | 11 | 24 | 20 | | | | | | | |
| | | ez | 11 | 24 | 43 | | | | | | | |
| | | eSE | 11 | 29 | 37 | | | | | | | |
| | | eSN | 11 | 29 | 28 | | | | | | | |
| | | eSZ | 11 | 29 | 30 | | | | | | | |
| | | eLN | 11 | 31 | 57 | | | | | | | |
| | | eLE | 11 | 33 | 47 | | | | | | | |
| | | M ¹ | 11 | 37 | 25 | 22.0 | | ± 2 | | | | |
| | | M ¹ Z | 11 | 37 | 16 | 24.0 | | | ± 2 | | | |
| | | M _E | 11 | 39 | 25 | 19.5 | ± 2 | | | | | |
| | | M ² N | 11 | 39 | 25 | 21.0 | | ± 3 | | | | |
| | | M ² Z | 11 | 39 | 25 | 20.0 | | | ± 2 | | | |
| | | M ³ N | 11 | 45 | 38 | 19.0 | | ± 1 | | | | |
| | | M ³ Z | 11 | 45 | 40 | 17.0 | | | ± 1 | | | |
| | | eF | 11 | 58 | \pm | | | | | | | |
| 199 | Sept. 16 | eE | 14 | 51 | 04 | | | | | | | |
| | | eSE | 14 | 51 | 41 | | | | | | | |
| | | eSN | 14 | 51 | 44 | | | | | | | |
| | | M _E | 14 | 52 | 51 | 13.0 | ± 4 | | | | | |
| | | M _N | 14 | 53 | 42 | 11.0 | | $+ 4$ | | | | |
| | | M _Z | 14 | 53 | 26 | 12.0 | | | ± 2 | | | |
| | | eF | 15 | 03 | \pm | | | | | | | |
| 200 | Sept. 16 | eP | 20 | 53 | 00 | | | | | 610? | | |
| | | iE | 20 | 53 | 08 | | $+ 4$ | | | | | |
| | | iE | 20 | 53 | 20 | | $+ 5$ | | | | | |
| | | iN | 20 | 53 | 18 | 1.3 | | ± 5 | | | | |
| | | iz | 20 | 53 | 18 | 1.0 | | | $- 6$ | | | |
| | | iSE | 20 | 54 | 08 | | | $- 12$ | | | | |
| | | iSN | 20 | 54 | 10 | | | $+ 5$ | | | | |
| | | eSZ | 20 | 54 | 09 | | | | | | | |
| | | M _E | 20 | 54 | 16 | 2.6 | $+ 11$ | | | | | |
| | | M _N | 20 | 54 | 21 | 2.6 | | $- 25$ | | | | |
| | | M _Z | 20 | 54 | 20 | 2.4 | | | $- 18$ | | | |
| | | eF | 21 | 01 | \pm | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----|----------|------------------------------|------|----|-------|--------|----------------|----------------|----------------|----------|---------|--|
| | | | G | M | T | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| 201 | Sept. 17 | ePN | 17 | 57 | 15 | | | | | | | |
| | | iPZ | 17 | 57 | 15 | | | | $- 1$ | | | |
| | | PM _Z | 17 | 57 | 16 | 0.3 | | | $+ 2$ | | | |
| | | S _{EN} | 17 | 57 | 25 | | $+ 1$ | $- 1$ | | | | |
| | | M _E | 17 | 57 | 26 | | $- 1$ | | | | | |
| | | eF | 17 | 57 | 41 | | | | | | | |
| 202 | Sept. 18 | ePEN | 8 | 26 | 14 | | $- 3$ | | | 1110 | | |
| | | ePZ | 8 | 26 | 13 | | | | $+ 2$ | | | |
| | | iP _E | 8 | 26 | 17 | 3.0 | $- 22$ | | | | | |
| | | iP _N | 8 | 26 | 17 | 3.1 | | $- 7$ | | | | |
| | | iP _Z | 8 | 26 | 17 | 4.4 | | | $+ 15$ | | | |
| | | S _{NZ} | 8 | 28 | 13 | | | $- 13$ | $+ 7$ | | | |
| | | S _E | 8 | 28 | 20 | | $+ 31$ | | | | | |
| | | M ¹ _E | 8 | 29 | 17 | 5.7 | $+ 55$ | | | | | |
| | | M ¹ _N | 8 | 29 | 29 | 5.9 | | $- 60$ | | | | |
| | | M ¹ _Z | 8 | 29 | 05 | 5.5 | | | ± 12 | | | |
| | | M ² _E | 8 | 31 | 16 | 3.9 | $- 33$ | | | | | |
| | | M ² _N | 8 | 30 | 58 | 4.1 | | $- 27$ | | | | |
| | | M ² _Z | 8 | 30 | 54 | 3.5 | | | $- 10$ | | | |
| | | eF | 8 | 47 | \pm | | | | | | | |
| 203 | Sept. 18 | ePEN | 8 | 52 | 24 | | | | | 1160 | | |
| | | ePZ | 8 | 52 | 25 | | | | $- 1$ | | | |
| | | iP _E | 8 | 52 | 30 | 2.5 | $- 8$ | | | | | |
| | | iP _N | 8 | 52 | 31 | | | $+ 6$ | | | | |
| | | iP _Z | 8 | 52 | 29 | 2.3 | | | $+ 10$ | | | |
| | | eS ² _E | 8 | 54 | 13 | | | | | | | |
| | | eS _N | 8 | 54 | 28 | | | | | | | |
| | | eS _Z | 8 | 54 | 25 | | | | | | | |
| | | M _E | 8 | 55 | 18 | 4.7 | $+ 8$ | | | | | |
| | | M _N | 8 | 55 | 43 | 3.8 | | $- 8$ | | | | |
| | | eM _Z | 8 | 55 | 18 | 5.8 | | | $- 5$ | | | |
| | | eF | 9 | 08 | \pm | | | | | | | |
| 204 | Sept. 18 | ePZ | 20 | 11 | 38 | | | | | 810 | | |

| No. | Date | Phase | Time | | Period | Amplitude | | | Δ | Remarks |
|-----|----------|------------------|------|-------|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. T. | | A _E | A _N | A _Z | | |
| | | | h | m s | s | μ | μ | μ | km. | |
| | | ePE | 20 | 11 48 | | | | | | Prefecture. |
| | | ePN | 20 | 11 50 | | | | | | Felt in northern part of Oou and SE coast of Hokkaido. |
| | | eN | 20 | 12 01 | | | | | | |
| | | eSE | 20 | 13 06 | | | | | | |
| | | eSN | 20 | 13 07 | | | | | | |
| | | eSZ | 20 | 13 05 | | | | | | |
| | | M _E | 20 | 15 48 | 2.6 | +3 | | | | |
| | | M _N | 20 | 14 13 | 3.1 | | +2 | | | |
| | | M _Z | 20 | 13 34 | 2.1 | | | +2 | | |
| | | eF | 20 | 21 ± | | | | | | |
| 205 | Sept. 19 | ePN | 2 | 35 58 | | | | | | Near Solomon Isl. Melanesia. |
| | | ePZ | 2 | 35 56 | | | | | | |
| | | ePE | 2 | 36 06 | | | | | | |
| | | ez | 2 | 40 57 | | | | | | |
| | | eE | 2 | 44 50 | | | | | | |
| | | M _E | 2 | 50 01 | 21.0 | +2 | | | | |
| | | M _N | 2 | 50 01 | 19.0 | | +1 | | | |
| | | M _Z | 2 | 48 02 | 21.0 | | | +2 | | |
| | | eF | 3 | 03 ± | | | | | | |
| 206 | Sept. 20 | ePEZ | 1 | 53 59 | | | | | 4280 | About central part of Dutch New Guinea. |
| | | ePN | 1 | 53 58 | | | | | | |
| | | iP | 1 | 54 07 | | -5 | +9 | +10 | | |
| | | i | 1 | 54 27 | | +20 | -40 | -25 | | Record is remarkable. |
| | | PR _{1E} | 1 | 55 20 | 4.3 | -45 | | | | |
| | | PR _{2E} | 1 | 55 47 | 4.2 | +48 | | | | |
| | | PR _{2N} | 1 | 55 53 | 3.9 | | +55 | | | |
| | | iE | 1 | 57 11 | 4.7 | -70 | | | | |
| | | iN | 1 | 57 01 | 4.7 | | -72 | | | |
| | | iz | 1 | 57 01 | 4.4 | | | -28 | | |
| | | SE | 2 | 00 09 | | -57 | | | | |
| | | SN | 2 | 00 01 | | | -30 | | | |
| | | eSZ | 2 | 00 14 | | | | | | |
| | | iE | 2 | 00 15 | 19.0 | +100 | | | | |
| | | iN | 2 | 00 18 | 16.0 | | -120 | | | |

| No. | Date | Phase | Time | | Period | Amplitude | | | Δ | Remarks |
|-----|----------|-----------------------------|------|-------|--------|----------------|----------------|----------------|----------|-----------------------------------|
| | | | G. | M. T. | | A _E | A _N | A _Z | | |
| | | | h | m s | s | μ | μ | μ | km. | |
| | | L _{QE} | 2 | 03 06 | 33.0 | -430 | | | | |
| | | L _{QN} | 2 | 03 06 | 37.0 | | +60 | | | |
| | | L _Z | 2 | 03 16 | | | | | | |
| | | iZ | 2 | 05 16 | 27.0 | | | -30 | | |
| | | M ¹ _E | 2 | 07 35 | 17.0 | -90 | | | | |
| | | M ¹ _N | 2 | 08 13 | 21.0 | | +110 | | | |
| | | M ¹ _Z | 2 | 08 07 | 20.0 | | | +30 | | |
| | | M ² _E | 2 | 11 12 | 17.0 | -65 | | | | |
| | | M ² _N | 2 | 12 13 | 18.0 | | +70 | | | |
| | | M ² _Z | 2 | 12 18 | 17.0 | | | +30 | | |
| | | M ³ _E | 2 | 15 58 | 17.0 | -80 | | | | |
| | | eF | 5 | 02 ± | | | | | | |
| 207 | Sept. 20 | eP _{EN} | 5 | 30 27 | | | | | 4295 | An aftershock of No. 206. |
| | | eP _Z | 5 | 30 29 | | | +2 | | | |
| | | P | 5 | 30 33 | | +3 | -9 | -9 | | |
| | | ez | 5 | 32 07 | 10.9 | | | | | |
| | | SE | 5 | 36 33 | | | | | | |
| | | SN | 5 | 36 31 | | | | | | |
| | | iN | 5 | 36 35 | | | | -28 | | |
| | | L _{QE} | 5 | 39 21 | 25.0 | -60 | | | | |
| | | eL _N | 5 | 39 36 | | | | | | |
| | | eL _Z | 5 | 39 39 | | | | | | |
| | | iE | 5 | 41 47 | 13.0 | +40 | | | | |
| | | M ¹ _Z | 5 | 42 03 | 24.0 | | | +7 | | |
| | | M ¹ _N | 5 | 44 31 | 17.0 | | +20 | | | |
| | | M ² _N | 5 | 49 10 | 15.0 | | +15 | | | |
| | | eF | 6 | 50 ± | | | | | | |
| 208 | Sept. 21 | ez | 12 | 03 48 | | | | | | Off the Tanegasima, Ryūkyū Isl. |
| | | eN | 12 | 04 17 | | | | | | |
| | | ez | 12 | 04 18 | | | | | | |
| 209 | Sept. 22 | P _{EN} | 4 | 27 49 | | -1 | +2 | | 143 | Southern part of the Kii Channel. |
| | | P _Z | 4 | 27 47 | | | | +1 | | |
| | | iz | 4 | 27 49 | 0.6 | | | +3 | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|----------|-------------------|------------------|-------------|----------------|----------------|----------------|--|---------|
| | | | | | A _E | A _N | A _Z | | |
| | | iE | 4 27 54 | | +5 | | | | |
| | | iZ | 4 27 53 | | | | -4 | | |
| | | eE | 4 28 03 | | -8 | | | | |
| | | eN | 4 28 04 | | | +5 | | | |
| | | iS | 4 28 07 | | -20 | -28 | +5 | | |
| | | M ¹ E | 4 28 14 | 0.6 | -24 | | | | |
| | | M _N | 4 28 15 | 0.6 | | ±33 | | | |
| | | M _Z | 4 28 16 | 1.0 | | | ±9 | | |
| | | M ² E | 4 28 21 | 0.6 | +18 | | | | |
| | | eE | 4 29 06 | 1.9 | +8 | | | | |
| | | eN | 4 29 02 | 2.2 | | ±5 | | | |
| | | eZ | 4 29 03 | 2.2 | | | ±3 | | |
| | | eF | 4 40 ± | | | | | | |
| 210 | Sept. 22 | P _{EN} | 14 40 53 | | +1 | -1 | | 249? Near Kumagai, Saitama Prefecture, Focal depth about 100 km. | |
| | | P _Z | 14 40 51 | | | | -2 | | |
| | | S _E | 14 41 26 | | +2 | | | | |
| | | S _N | 14 41 30 | | | -3 | | | |
| | | S _Z | 14 41 25 | | | | +1 | | |
| | | M _E | 14 42 07 | 2.1 | ±4 | | | | |
| | | M _N | 14 41 59 | | | -4 | | | |
| | | M _Z | 14 41 55 | | | | +2 | | |
| | | eF | 14 51 ± | | | | | | |
| 211 | Sept. 23 | eP _N | 9 25 43 | | | -4 | | 4195 Near New Guinea. | |
| | | eP _Z | 9 25 40 | | | | +2 | | |
| | | eE | 9 26 07 | | | | | | |
| | | eP _{R1N} | 9 27 27 | 5.3 | | -9 | | | |
| | | eP _{R1Z} | 9 27 28 | | | | | | |
| | | eP _{R2E} | 9 27 44 | | | | | | |
| | | eP _{R2N} | 9 27 46 | 5.6 | | -9 | | | |
| | | eP _{R2Z} | 9 27 48 | | | | | | |
| | | eS _E | 9 31 48 | | | | | | |
| | | eS _N | 9 31 41 | | | | | | |
| | | eS _Z | 9 31 42 | | | | | | |
| | | eL _{QE} | 9 34 41 | 27.0 | -22 | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|----------|-----------------------------|------------------|-------------|----------------|----------------|----------------|---|---------|
| | | | | | A _E | A _N | A _Z | | |
| | | eN | 9 34 57 | | | | | | |
| | | eL _Z | 9 35 17 | | | | | | |
| | | M ¹ _N | 9 40 57 | 19.0 | | ±4 | | | |
| | | M ¹ _Z | 9 41 02 | 21.0 | | | ±2 | | |
| | | M ² _N | 9 46 12 | 14.0 | | ±3 | | | |
| | | M _{2Z} | 9 45 46 | 16.0 | | | ±2 | | |
| | | eF | 10 01 ± | | | | | | |
| 212 | Sept. 24 | eP _E | 16 38 50 | | | | | 406 SW off Hatidyô Isl. Disturbed by microseisms. | |
| | | eP _N | 16 38 54 | | | | | | |
| | | eZ | 16 39 07 | | | | | | |
| | | eN | 16 39 13 | | | | | | |
| | | S _E | 16 39 45 | | +10 | | | | |
| | | eS _N | 16 39 52 | | | | | | |
| | | eS _Z | 16 39 48 | | | | | | |
| | | M _E | 16 41 21 | | -30 | | | | |
| | | M _N | 16 41 09 | 9.9 | | ±12 | | | |
| | | eF | 16 54 ± | | | | | | |
| 213 | Sept. 24 | eP _{EN} | 16 55 07 | | | | | 424 Near Hatidyô Isl. Disturbed by microseisms. | |
| | | eZ | 16 55 28 | | | | -3 | | |
| | | S _{EN} | 16 56 04 | | -10 | -7 | | | |
| | | eS _Z | 16 56 02 | | | | | | |
| | | iE | 16 56 11 | 3.5 | +33 | | | | |
| | | iN | 16 56 11 | 2.4 | | +25 | | | |
| | | iN | 16 56 23 | 4.0 | | +53 | | | |
| | | M _E | 16 57 27 | 8.9 | ±40 | | | | |
| | | M _N | 16 57 15 | 9.1 | | +26 | | | |
| | | eM _Z | 16 57 08 | | | | ±7 | | |
| | | eF | 17 10 ± | | | | | | |
| 214 | Sept. 25 | eP _E | 10 26 49 | | | | | 3810 New Guinea. | |
| | | eP _N | 10 26 54 | | | | | | |
| | | eP _Z | 10 26 50 | | | | | | |
| | | iZ | 10 27 00 | | | | +3 | | |
| | | eS _E | 10 32 24 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----|----------|------------------|----------|----|----|--------|----------------|----------------|----------------|------|---|----|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | | |
| | | | h | m | s. | s | μ | μ | μ | km. | | |
| | | eSN | 10 | 32 | 21 | | | | | | | |
| | | eSZ | 10 | 32 | 57 | | | | | | | |
| | | eLE | 10 | 35 | 35 | | | | | | | |
| | | MN | 10 | 38 | 43 | 19.0 | | ±2 | | | | |
| | | MZ | 10 | 38 | 21 | | | | -3 | | | |
| | | eF | 10 | 48 | ± | | | | | | | |
| | | 215 | Sept. 27 | P | 22 | 35 | 01 | | +1 | +2 | -1 | 96 |
| | | S | 22 | 35 | 14 | | +2 | -4 | | | | |
| | | M _E | 22 | 35 | 18 | 0.7 | -8 | | | | | |
| | | M _N | 22 | 35 | 17 | 0.7 | | +11 | | | | |
| | | M _Z | 22 | 35 | 18 | 0.9 | | | -6 | | | |
| | | eF | 22 | 46 | ± | | | | | | | |
| 216 | Sept. 29 | P _{EN} | 8 | 23 | 39 | | +1 | -1 | | 333 | Near Miyake Isl. South off Izu Peninsula. | |
| | | iP _Z | 8 | 23 | 39 | | | | +2 | | | |
| | | S _{EZ} | 8 | 24 | 24 | | -3 | | +3 | | | |
| | | iS _N | 8 | 24 | 24 | | | | -4 | | | |
| | | SM _{EN} | 8 | 24 | 24 | 2.2 | +8 | -6 | | | | |
| 217 | Sept. 29 | P _{EZ} | 10 | 29 | 41 | | +1 | | +2 | | SW of Tottori City. P phase is remarkable. | |
| | | iP _N | 10 | 29 | 41 | | | | -3 | | | |
| | | PM _N | 10 | 29 | 41 | 0.8 | | ±3 | | | | |
| | | PM _Z | 10 | 29 | 41 | 0.6 | | | +2 | | | |
| | | S _E | 10 | 29 | 56 | | -1 | | | | | |
| | | iS _N | 10 | 29 | 56 | | | | -2 | | | |
| | | S _Z | 10 | 29 | 55 | | | | +1 | | | |
| 218 | Sept. 30 | M _E | 10 | 30 | 00 | 0.8 | +4 | | | | | |
| | | eF | 10 | 32 | ± | | | | | | | |
| | | eP _N | 0 | 07 | 59 | | | | | 650? | Near Tiba City. | |
| | | eP _Z | 0 | 07 | 55 | | | | | | Weak shocks were felt in Kwantô district. | |
| | | eP _E | 0 | 08 | 06 | | | | | | | |
| | | eN | 0 | 08 | 16 | | | | -3 | | | |
| | | eZ | 0 | 08 | 13 | | | | +1 | | | |
| | | eE | 0 | 08 | 27 | | +6 | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----|----------|-----------------------------|------|----|----|--------|----------------|----------------|----------------|-----|---|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | | |
| | | | h | m | s. | s | μ | μ | μ | km. | | |
| | | eZ | 0 | 08 | 26 | | | | | -3 | | |
| | | eE | 0 | 08 | 38 | | | -10 | | | | |
| | | eN | 0 | 08 | 40 | | | | +5 | | | |
| | | eE | 0 | 09 | 03 | | | +11 | | | | |
| | | iS _E | 0 | 09 | 12 | | | -26 | | | | |
| | | eS _N | 0 | 09 | 07 | | | | | -4 | | |
| | | eS _Z | 0 | 09 | 06 | | | | | +6 | | |
| | | M _N | 0 | 09 | 30 | 2.6 | | | ±33 | | | |
| | | M _Z | 0 | 09 | 28 | 1.9 | | | | -26 | | |
| | | M ¹ _E | 0 | 09 | 40 | 3.4 | | +32 | | | | |
| | | M ² _E | 0 | 10 | 31 | 3.0 | | -33 | | | | |
| eF | 0 | 21 | ± | | | | | | | | | |
| 219 | Sept. 30 | eZ | 13 | 38 | 26 | | | | | | Near Kuzôkuri-hama, Tiba Prefecture. | |
| | | eN | 13 | 38 | 37 | | | | | | Faint record. | |
| | | eE | 13 | 38 | 54 | | | | | | | |
| | | eZ | 13 | 39 | 10 | | | | | | | |
| | | eF | 13 | 44 | ± | | | | | | | |

SUMOTO JAPAN.

SEISMOLOGICAL BULLETIN

A Branch Station of the Kobe Meteorological Observatory of Japan.
 $\varphi=34^{\circ} 21'$ $\lambda=134^{\circ} 53'$ $h=109.0$ m. Underground: Cretaceous.

Instrument: Omori's Seismograph. Wiechert Seismograph.
 (Horizontal Pendulum.) (Horizontal & Vertical)

July

| | T_0 | ε | $\frac{r}{T_0^2}$ | V |
|-----|-------|---------------|-------------------|----|
| AE: | 18.2 | 2.1 | 0.0003 | 20 |
| AN: | 17.9 | 2.1 | 0.0002 | 20 |

| | T_0 | ε | $\frac{r}{T_0^2}$ | V |
|-----|-------|---------------|-------------------|-----|
| AE: | 4.8 | Aperiodic | 0.002 | 101 |
| AN: | 4.6 | " | 0.003 | 102 |
| Az: | 4.2 | " | 0.002 | 65 |

Aug.

| | T_0 | ε | $\frac{r}{T_0^2}$ | V |
|-----|-------|---------------|-------------------|----|
| AE: | 17.6 | 2.4 | 0.0004 | 20 |
| AN: | 17.5 | 2.4 | 0.0003 | 20 |

| | T_0 | ε | $\frac{r}{T_0^2}$ | V |
|-----|-------|---------------|-------------------|-----|
| AE: | 4.8 | Aperiodic | 0.003 | 106 |
| AN: | 4.7 | " | 0.003 | 101 |
| Az: | 4.1 | " | 0.002 | 64 |

Sept.

| | T_0 | ε | $\frac{r}{T_0^2}$ | V |
|-----|-------|---------------|-------------------|----|
| AE: | 18.1 | 2.0 | 0.0003 | 20 |
| AN: | 19.5 | 2.3 | 0.0003 | 20 |

| | T_0 | ε | $\frac{r}{T_0^2}$ | V |
|-----|-------|---------------|-------------------|-----|
| AE: | 4.8 | Aperiodic | 0.003 | 107 |
| AN: | 4.8 | " | 0.002 | 87 |
| Az: | 4.2 | " | 0.002 | 63 |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|--------|-------|------------------|-------------|-------------|-------------|-------------|-----------------|---------------------|
| | | | | | AE μ | AN μ | Az μ | | |
| 150 | July 1 | PEN | 4 03 25 | 0.4 | ± 1 | -3 | | 45 | Near Wakayama City. |
| | | SEN | 4 03 31 | | | | | | |
| | | MEN | 4 03 33 | | | | | | |
| | | F | 4 04 14 | | | | | | |
| 151 | July 3 | ePN | 0 18 09 | | | | | | Near Miyazaki City. |
| | | eSE | 0 18 37 | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks | | |
|-----|---------|-------|------------------|-------------|-------------|-------------|-------------|-----------------|--|------|---------|
| | | | | | AE μ | AN μ | Az μ | | | | |
| | | eSN | 0 18 38 | | | | | | | | |
| | | ez | 0 18 47 | | | | | | | | |
| | | ME | 0 18 49 | | | | | | | | |
| | | MN | 0 18 52 | | | | | | | | |
| | | F | 0 21 22 | | | | | | | | |
| 152 | July 3 | ePEN | 0 20 22 | | | | | | Ditto. | | |
| | | ez | 0 21 07 | | | | | | | | |
| | | eSEN | 0 21 09 | | | | | | | | |
| | | ME | 0 21 24 | | | | | | | 2.0 | ± 1 |
| | | MN | 0 21 17 | | | | | | | 2.0 | ± 1 |
| 153 | July 5 | iPE | 9 12 18 | | | | | 344 | SW off Hatidyô Isl. | | |
| | | ePN | 9 12 17 | | | | | | | | |
| | | iPz | 9 12 17 | | | | | | | | +1.5 |
| | | SEN | 9 13 04 | | | | | | | | |
| | | ME | 9 13 07 | | | | | | | 2.3 | +2 |
| | | MN | 9 13 04 | | | | | | | 2.1 | ± 7 |
| | | F | 9 19 38 | | | | | | | | |
| 154 | July 7 | P | 13 28 06 | | | | | 2360 | Northwestern part of Luzon, Philippine. | | |
| | | SE | 13 32 00 | | | | | | | | |
| | | SN | 13 31 59 | | | | | | | | |
| | | ME | 13 39 15 | | | | | | | 14.1 | +8 |
| | | MN | 13 40 49 | | | | | | | 14.1 | +9 |
| | | MZ | 13 39 21 | | | | | | | 13.5 | -7 |
| | | eF | 14 00 ± | | | | | | | | |
| 155 | July 8 | PEN | 22 34 26 | | | | | 39 | In the Kii Channel. | | |
| | | S | 22 34 31 | | | | | | | | |
| | | ME | 22 34 32 | | | | | | | 0.4 | -3 |
| | | MN | 22 34 32 | | | | | | | 0.6 | +5 |
| | | F | 22 35 35 | | | | | | | | |
| 156 | July 11 | iPEN | 8 25 35 | | -4.0 | -2.0 | | 327 | The epicenter in SE of | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-----------------|------|----|----|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | iPz | 8 | 25 | 37 | | | | +3.1 | | Sizuoka City, 138°26'E 34°57'N. Focal depth shallow than 7 km. Shocks were felt in Tyūbu, Kinki and Kwantō districts, in the vicinities of Sizuoka and Simizu City, 9 persons were killed and 800 houses were destroyed. |
| | | SE _N | 8 | 26 | 19 | | | | | | |
| | | Sz | 8 | 26 | 20 | | | | | | |
| | | ME | 8 | 26 | 45 | 2.6 | -241 | | | | |
| | | M _N | 8 | 26 | 43 | 2.1 | | -299 | | | |
| | | Mz | 8 | 26 | 47 | 2.9 | | | +97 | | |
| | | eF | 8 | 53 | ± | | | | | | |
| 157 | July 12 | P _{EN} | 11 | 19 | 49 | | | | | 28 | Basin of the Arita River, Wakayama Prefecture. |
| | | SE _N | 11 | 19 | 53 | | | | | | |
| | | ME | 11 | 19 | 53 | | ±1 | | | | |
| | | M _N | 11 | 19 | 53 | 0.5 | | ±2 | | | |
| | | F | 11 | 20 | 27 | | | | | | |
| 158 | July 15 | P _{EN} | 7 | 20 | 19 | | | | | 31 | Near Simotu, S of Wakayama City. |
| | | SE _N | 7 | 20 | 23 | | | | | | |
| | | ME _N | 7 | 20 | 23 | 0.4 | ±2 | -3 | | | |
| | | F | 7 | 21 | 04 | | | | | | |
| 159 | July 15 | eE | 14 | 23 | 13 | | | | | | South off Fiji IIs. South Pacific Ocean. |
| | | eN | 14 | 23 | 16 | | | | | | |
| | | eZ | 14 | 23 | 26 | | | | | | |
| | | i | 14 | 23 | 54 | | | | | | |
| | | iE | 14 | 23 | 56 | 2.2 | -2 | | | | |
| | | iN | 14 | 23 | 56 | 1.8 | | -2 | | | |
| | | iZ | 14 | 23 | 55 | 2.0 | | | +2 | | |
| | | eF | 14 | 27 | ± | | | | | | |
| 160 | July 16 | P | 15 | 01 | 19 | | | | | 309 | SW off Hagi, Yamaguti Prefecture. Moderate shocks were felt in the epicentral region. |
| | | SE _N | 15 | 02 | 03 | | | | | | |
| | | Sz | 15 | 02 | 09 | | | | | | |
| | | ME | 15 | 02 | 10 | 1.0 | -26 | | | | |
| | | M _N | 15 | 02 | 15 | 1.3 | | -35 | | | |
| | | Mz | 15 | 02 | 11 | 1.9 | | | -13 | | |
| | | eF | 15 | 13 | ± | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----|---------|-----------------|------|----|----|--------|----------------|----------------|----------------|----------|---|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| 161 | July 16 | P | 16 | 22 | 40 | | | | -2.0 | -1.0 | -1.5 | 1930 Near Sitan, Sintiku, Formosa. Northeastern part of earthquake fault of great Formosa earthquake, on April 20, 1935. 44 persons were killed and 1500 houses were destroyed. |
| | | SE | 16 | 25 | 52 | | | | | | | |
| | | SN | 16 | 25 | 53 | | | | | | | |
| | | Sz | 16 | 26 | 07 | | | | | | | |
| | | LE | 16 | 28 | 54 | | | | | | | |
| | | L _N | 16 | 28 | 40 | | | | | | | |
| | | Lz | 16 | 28 | 57 | | | | | | | |
| | | ME | 16 | 31 | 06 | 11.6 | +81 | | | | | |
| | | M _N | 16 | 31 | 03 | 10.5 | | -81 | | | | |
| | | Mz | 16 | 31 | 06 | 11.0 | | | | -73 | | |
| | | eF | 17 | 10 | ± | | | | | | | |
| 162 | July 17 | eE | 11 | 06 | 06 | | | | | | 296 South Atrantic Ocean. | |
| | | eN | 11 | 06 | 07 | | | | | | | |
| | | eZ | 11 | 06 | 05 | | | | | | | |
| | | ME | 11 | 06 | 10 | 1.5 | -1 | | | | | |
| | | M _N | 11 | 06 | 07 | | | +1 | | | | |
| | | Mz | 11 | 06 | 07 | 1.4 | | | | +3 | | |
| | | F | 11 | 09 | ± | | | | | | | |
| 163 | July 17 | P _{EN} | 17 | 57 | 16 | | | | | | 296 Southwestern foot of Mt. Tukuba, Kwantō district. | |
| | | eZ | 17 | 57 | 22 | | | | | | | |
| | | eSE | 17 | 57 | 54 | | | | | | | |
| | | SN | 17 | 57 | 58 | | | | | | | |
| | | Sz | 17 | 58 | 00 | | | | | | | |
| | | ME | 17 | 58 | 11 | 2.0 | ±2 | | | | | |
| | | M _N | 17 | 58 | 08 | 2.0 | | +2 | | | | |
| | | Mz | 17 | 58 | 22 | 2.0 | | | | ±1 | | |
| | | eF | 18 | 02 | ± | | | | | | | |
| 164 | July 19 | P | 0 | 51 | 14 | | | | | | 658 About 50km. off SE of Onahama, Hukusima Prefecture. Moderate shocks were felt in eastern part of Kwantō district. | |
| | | SE | 0 | 52 | 42 | | | | | | | |
| | | SN | 0 | 52 | 41 | | | | | | | |
| | | Sz | 0 | 52 | 43 | | | | | | | |
| | | ME | 0 | 53 | 00 | 3.1 | +148 | | | | | |
| | | M _N | 0 | 53 | 04 | 2.3 | | | | -146 | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----|---------|-----------------|------|----|----|--------|----------------|----------------|----------------|----------|---|---------------------|
| | | | G. | M. | S. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| 165 | July 19 | MZ | 0 | 53 | 07 | 3.7 | | | -49 | | | |
| | | eF | 1 | 30 | ± | | | | | | | |
| | | ePEN | 2 | 53 | 22 | | | | | | An aftershock of No. 164. | |
| | | eZ | 2 | 53 | 25 | | | | | | | |
| | | SE | 2 | 53 | 57 | | | | | | | |
| | | SN | 2 | 53 | 58 | | | | | | | |
| | | ME | 2 | 53 | 08 | 1.8 | ±1 | | 0.11 | | | |
| | | MN | 2 | 54 | 19 | 2.4 | | ±2 | 0.01 | | | |
| 166 | July 19 | eF | 2 | 59 | ± | | | | 0.11 | | | |
| | | ePE | 3 | 33 | 12 | | | | | | Ditto. | |
| | | ePN | 3 | 33 | 14 | | | | | | | |
| | | eZ | 3 | 33 | 25 | | | | | | | |
| | | SE | 3 | 33 | 49 | | | | | | | |
| | | SN | 3 | 33 | 46 | | | | 0.1 | | | |
| | | ME | 3 | 33 | 56 | 2.5 | ±1 | | | | | |
| | | MN | 3 | 33 | 50 | 2.7 | | ±2 | 0.1 | | | |
| 167 | July 19 | eF | 3 | 38 | ± | | | | | | | |
| | | P | 14 | 23 | 35 | | | | | 68 | Upper valley of the Arita River, Wakayama Prefecture. | |
| | | S | 14 | 23 | 44 | | | | | | | |
| | | ME _N | 14 | 23 | 44 | 0.5 | -7 | -7 | | | | |
| | | MZ | 14 | 23 | 44 | | | | | +1 | | |
| 168 | July 21 | F | 14 | 24 | 51 | | | | | | | |
| | | ePEN | 12 | 15 | 56 | | | | | | 25 | Near Wakayama City. |
| | | SEN | 12 | 15 | 59 | | | | | | | |
| | | ME | 12 | 15 | 59 | | | | | +2 | | |
| | | MN | 12 | 16 | 00 | 0.4 | | -4 | | | | |
| 169 | July 21 | F | 12 | 16 | 29 | | | | | | | |
| | | SEN | 19 | 19 | 57 | | | | | | | |
| | | ME | 19 | 19 | 58 | | | | | ±1 | | |
| | | MN | 19 | 19 | 58 | 0.3 | | -3 | | | | |
| | | F | 19 | 20 | 18 | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | | |
|--|---------|-----------------|------|----|----|--------|----------------|----------------|----------------|----------|---------|-----|---|
| | | | G. | M. | S. | | A _E | A _N | A _Z | | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | | |
| 170 | July 23 | iP | 18 | 01 | 12 | | | | -8.9 | +6.9 | -4.6 | 120 | SE of Tottori City. Moderate shocks were felt in the epicentral region. |
| | | S | 18 | 01 | 28 | | | | | | | | Felt at Sumoto. |
| | | ME | 18 | 01 | 29 | 0.8 | +81 | | | | | | |
| | | MN | 18 | 01 | 30 | 0.8 | | +111 | | | | | |
| | | MZ | 18 | 01 | 30 | 0.4 | | | | | -49 | | |
| The end part overlapped by the following earthquake. | | | | | | | | | | | | | |
| 171 | July 23 | P | 18 | 02 | 49 | | | | | | | 120 | An aftershock of No. 170. |
| | | S | 18 | 03 | 05 | | | | | | | | |
| | | ME | 18 | 03 | 07 | 0.6 | +32 | | | | | | |
| | | MN | 18 | 03 | 08 | 0.7 | | +34 | | | | | |
| | | MZ | 18 | 03 | 06 | 1.3 | | | | | -20 | | |
| 172 | July 23 | PEN | 18 | 04 | 03 | | | | | | | 130 | Ditto. |
| | | SEN | 18 | 04 | 21 | | | | | | | | |
| | | ME _N | 18 | 04 | 21 | 0.4 | +8 | +10 | | | | | |
| 173 | July 23 | P | 18 | 04 | 22 | | | | | | | | Ditto. |
| | | S | 18 | 04 | 34 | | | | | | | | |
| | | ME | 18 | 04 | 39 | 0.6 | +20 | | | | | | |
| | | MN | 18 | 04 | 39 | 0.6 | | +17 | | | | | |
| | | MZ | 18 | 04 | 40 | 0.9 | | | | | | | |
| 174 | July 23 | PEN | 18 | 06 | 47 | | | | | | | 117 | Ditto. |
| | | SEN | 18 | 07 | 03 | | | | | | | | |
| | | ME | 18 | 07 | 04 | 0.7 | +6 | | | | | | |
| | | MN | 18 | 07 | 04 | 0.5 | | +5 | | | | | |
| 175 | July 23 | PEN | 18 | 19 | 01 | | | | | | | 140 | An aftershock of No. 170. |
| | | SEN | 18 | 19 | 20 | | | | | | | | |
| | | ME | 18 | 19 | 21 | 0.5 | +2 | | | | | | |
| | | MN | 18 | 19 | 22 | 0.4 | | +4 | | | | | |
| 176 | July 23 | F | 18 | 20 | 13 | | | | | | | | |
| | | P | 18 | 20 | 29 | | | | | | | 121 | Ditto. |
| | | S | 18 | 20 | 45 | | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|------------------|------|----|----|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | M _{EN} | 18 | 20 | 46 | 0.5 | +5 | +8 | | | |
| | | M _Z | 18 | 20 | 48 | 0.7 | | | ± 2 | | |
| | | F | 18 | 21 | 50 | | | | | | |
| 177 | July 23 | P | 16 | 36 | 56 | | | | | 126 | Ditto. |
| | | S | 16 | 37 | 13 | | | | | | |
| | | M _{EN} | 16 | 37 | 14 | 0.5 | ± 6 | +9 | | | |
| | | M | 16 | 37 | 15 | 0.7 | | | +2 | | |
| | | F | 19 | 38 | 39 | | | | | | |
| 178 | July 23 | SEN | 20 | 53 | 36 | | | | | | Off the Wakasa Bay, Hukui Prefecture. |
| | | F | 20 | 54 | 21 | | | | | | |
| 179 | July 23 | P | 20 | 57 | 19 | | | | | 119 | An aftershock of No. 170. |
| | | S | 20 | 57 | 35 | | | | | | |
| | | M _E | 20 | 57 | 36 | 0.5 | +5 | | | | |
| | | M _N | 20 | 57 | 36 | 0.8 | | +7 | | | |
| | | M _Z | 20 | 57 | 37 | 0.7 | | | ± 2 | | |
| | | F | 20 | 58 | 46 | | | | | | |
| 180 | July 24 | P _{EN} | 17 | 32 | 33 | | | | | 158 | Southern part in the Kii Channel. |
| | | S | 17 | 32 | 54 | | | | | | |
| | | M _E | 17 | 32 | 54 | 0.4 | +2 | | | | |
| | | M _N | 17 | 32 | 55 | 0.4 | | +3 | | | |
| | | F | 17 | 33 | 51 | | | | | | |
| 181 | July 24 | eP _N | 22 | 57 | 58 | | | | | 57 | Basin of the Arata River, Wakayama Prefecture. |
| | | SEN | 22 | 58 | 06 | | | | | | |
| | | M _N | 22 | 58 | 07 | 0.4 | | -2 | | | |
| | | F | 22 | 59 | 05 | | | | | | |
| 182 | July 25 | eP _{EN} | 19 | 46 | 10 | | | | | | Northern part of Hiroshima Prefecture. |
| | | S | 19 | 46 | 21 | | | | | | |
| | | M _E | 19 | 46 | 21 | 0.3 | ± 1 | | | | |
| | | M _N | 19 | 46 | 22 | 0.3 | | ± 1 | | | |
| | | F | 19 | 47 | 00 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|------------------|------|----|-------|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 183 | July 25 | eP | 21 | 33 | 03 | | | | | | Near Miyosi, Hiroshima Prefecture. |
| | | S | 21 | 33 | 24 | | | | | | |
| | | M _E | 21 | 33 | 27 | 0.6 | +1 | | | | |
| | | M _N | 21 | 33 | 32 | 0.6 | | ± 2 | | | |
| | | F | 21 | 34 | 28 | | | | | | |
| 184 | July 25 | eP _{EN} | 23 | 16 | 42 | | | | | 164 | Upper valley of the Hotu River, Kyôto Prefecture. |
| | | eS _{EN} | 23 | 17 | 04 | | | | | | |
| | | M _N | 23 | 17 | 08 | | | ± 1 | | | |
| | | F | 23 | 17 | 49 | | | | | | |
| 185 | July 26 | eP _{EN} | 4 | 03 | 59 | | | | | 50 | Near Kôbe. |
| | | S | 4 | 04 | 05 | | | | | | |
| | | M _{EN} | 4 | 04 | 05 | 0.4 | +2 | -2 | | | |
| | | F | 4 | 05 | 11 | | | | | | |
| 186 | July 26 | P | 8 | 06 | 56 | | +0.5? | 1.0 | | +1540 | SE off Kita-Siretoko Cape, Okhotsk Sea. Focal depth about 400km. The felt area in Hokkaido, and Aomori Prefecture are abnormal. |
| | | S _E | 8 | 09 | 37 | | | | | | |
| | | S _N | 8 | 09 | 35 | | | | | | |
| | | eS _Z | 8 | 09 | 38 | | | | | | |
| | | M _E | 8 | 09 | 50 | 3.3 | - | | | | |
| | | M _N | 8 | 09 | 40 | 3.3 | | +5 | | | |
| | | M _Z | 8 | 10 | 15 | 3.2 | | | ± 1 | | |
| | | F | 8 | 23 | \pm | | | | | | |
| 187 | July 26 | eP _E | 10 | 38 | 19 | | | | | | Probably between Chinghai and Szechwan, China, according to Nanking's report. |
| | | eP _N | 10 | 38 | 29 | | | | | | |
| | | eN | 10 | 47 | 20 | | | | | | |
| | | eZ | 10 | 47 | 27 | | | | | | |
| | | eE | 10 | 48 | 05 | | | | | | |
| | | L _E | 10 | 49 | 47 | | | | | | |
| | | L _N | 10 | 49 | 51 | | | | | | |
| | | M _E | 10 | 50 | 25 | 11.3 | -7 | | | | |
| | | M _N | 10 | 51 | 25 | 13.1 | | +19 | | | |
| | | F | 11 | 12 | \pm | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|---------|------------------|------------------|-------------|-------------------------|-------------------------|-------------------------|--|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 188 | July 26 | P | 18 32 52 | | | | | Lower basin of the Arita River, Wakayama Prefecture. | |
| | | S | 18 32 55 | | | | | | |
| | | M _E | 18 32 55 | 0.4 | +8 | | | | |
| | | M _N | 18 32 56 | 0.3 | | -12 | | | |
| | | M _Z | 18 32 56 | 0.6 | | | -3 | | |
| | | F | 18 34 14 | | | | | | |
| 189 | July 27 | eP _{EN} | 14 30 22 | | | | 43 | Near Nara. | |
| | | S _{EN} | 14 30 27 | | | | | | |
| | | M _{EN} | 14 30 28 | 0.5 | ± 2 | -3 | | | |
| | | F | 14 31 11 | | | | | | |
| 190 | July 27 | eP _E | 17 03 21 | | | | | East off Nozima Cape. Tiba Prefecture. | |
| | | eP _N | 17 03 23 | | | | | | |
| | | e _N | 17 05 40 | | | | | | |
| | | e _E | 17 06 11 | | | | | | |
| | | F | 17 12 \pm | | | | | | |
| 191 | July 27 | eP _E | 19 26 39 | | | | | Ditto. | |
| | | eP _N | 19 26 43 | | | | | | |
| | | e _N | 19 28 05 | | | | | | |
| | | F | 19 33 \pm | | | | | | |
| 192 | July 29 | P _{EZ} | 4 16 46 | | | | 1920 | Marianne IIs. Micronesia. North Pacific Ocean. | |
| | | eP _N | 4 16 48 | | | | | | |
| | | S _E | 4 20 02 | | | | | | |
| | | S _N | 4 20 03 | | | | | | |
| | | M _E | 4 20 04 | 4.4 | +3 | | | | |
| | | M _N | 4 20 05 | 3.1 | | +2 | | | |
| | | e _{EN} | 4 28 03 | | | | | | |
| | | F | 4 32 \pm | | | | | | |
| 193 | July 29 | eP _E | 7 49 23 | | +1.0 | +1.0 | -1.5 | South off Fiji IIs. South Pacific Ocean. | |
| | | eP _N | 7 49 26 | | | | | | |
| | | P _Z | 7 49 22 | | | | | | |
| | | e _E | 7 52 03 | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|---------|------------------|------------------|-------------|-------------------------|-------------------------|-------------------------|--|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| | | e _{NZ} | 7 52 04 | | | | | | |
| | | eS _{EN} | 7 58 02 | | | | | | |
| | | eS _Z | 7 58 05 | | | | | | |
| | | S _{ME} | 7 58 11 | 6.7 | -18 | | | | |
| | | S _{MN} | 7 58 11 | 5.8 | | +15 | | | |
| | | S _{MZ} | 7 58 12 | 8.9 | | | -5 | | |
| | | i _Z | 8 17 14 | | | | | | |
| | | F | 8 30 \pm | | | | | | |
| 194 | July 31 | P _{EN} | 8 13 47 | | | | 445 | Near Mt. Tukuba, Ibaraki Prefecture. | |
| | | S _E | 8 14 46 | | | | | | |
| | | S _N | 8 14 48 | | | | | | |
| | | M _E | 8 15 01 | 1.9 | +5 | | | | |
| | | M _N | 8 14 59 | 1.5 | | +4 | | | |
| 195 | Aug. 1 | P _{EN} | 14 11 50 | | | | (+) | 2705 In the Philippine Deep. | |
| | | S _E | 14 16 09 | | | | | | |
| | | S _N | 14 16 12 | | | | | | |
| | | M _E | 14 16 12 | 4.1 | ± 3 | | | | |
| 196 | Aug. 3 | M _N | 14 16 13 | 4.1 | | -3 | | 5154 Strong shocks were felt in northern part of Sumatora, Epicenter 4°5N 96°E, according to Batavia's report. | |
| | | F | 15 04 \pm | | | | | | |
| | | P _{EZ} | 1 18 31 | | | | | | |
| | | P _N | 1 18 36 | | | | | | |
| | | S _{EN} | 1 25 19 | | | | | | |
| | | eS _Z | 1 25 28 | | | | | | |
| | | L _E | 1 28 57 | | | | | | |
| | | L _N | 1 29 02 | | | | | | |
| | | L _Z | 1 29 01 | | | | | | |
| | | M _N | 1 38 03 | 18.4 | | -386 | | | |
| | | M _E | 1 42 12 | 19.0 | -343 | | | | |
| | | M _Z | 1 42 17 | 14.9 | | +167 | | | |
| | | F | 2 36 \pm | | | | | | |
| 197 | Aug. 3 | P _{EN} | 11 50 40 | | | | + -1.0 | 3125 East off Philippine. | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-------|------|----|----|--------|-----------|-------|-------|----------|---|
| | | | G. | M. | T. | | AE | AN | Az | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 198 | Aug. 5 | Pz | 11 | 50 | 41 | | | | | | |
| | | SE | 11 | 55 | 35 | | | | | | |
| | | SN | 11 | 55 | 32 | | | | | | |
| | | F | 12 | 29 | ± | | | | | | |
| | | ePEN | 9 | 02 | 17 | | | | | 80 | In the Kii Channel. |
| 199 | Aug. 8 | SEN | 9 | 02 | 28 | | | | | | |
| | | ME | 9 | 02 | 29 | 0.4 | +2 | | | | |
| | | MN | 9 | 02 | 28 | 0.4 | | +3 | | | |
| | | F | 9 | 03 | 12 | | | | | | |
| | | P | 7 | 24 | 19 | | | | | 64 | Lower basin of the Hidaka River, Wakayama Prefecture. |
| 200 | Aug. 8 | S | 7 | 24 | 28 | | | | | | |
| | | MEZ | 7 | 24 | 28 | 0.6 | +9 | -2 | | | |
| | | MN | 7 | 24 | 28 | 0.5 | | +13 | | | |
| | | F | 7 | 25 | 56 | | | | | | |
| | | SEN | 17 | 51 | 43 | | | | | | Upper basin of the Hidaka River, Wakayama Prefecture. |
| 201 | Aug. 11 | MN | 17 | 51 | 44 | 0.5 | | ±1 | | | |
| | | F | 17 | 52 | 00 | | | | | | |
| | | P | 0 | 53 | 18 | | | | | | Near Wakayama City. |
| | | S | 0 | 53 | 21 | | | | | | |
| | | ME | 0 | 53 | 22 | 0.3 | -5 | | | | |
| 202 | Aug. 12 | MN | 0 | 53 | 22 | 0.4 | | -8 | | | |
| | | MZ | 0 | 53 | 22 | | | ±1 | | | |
| | | F | 0 | 54 | 14 | | | | | | |
| | | ePEN | 4 | 24 | 22 | | | | | 85? | Near the Mouth of Arita River, Wakayama Prefecture. |
| | | S | 4 | 24 | 33 | | | | | | |
| 203 | Aug. 12 | ME | 4 | 24 | 35 | 0.4 | -4 | | | | |
| | | MN | 4 | 24 | 34 | 0.8 | | -3 | | | |
| | | MZ | 4 | 24 | 39 | 2.1 | | | +2 | | |
| | | F | 4 | 25 | 11 | | | | | | |
| | | ePEN | 4 | 25 | 19 | | | | | 88? | Ditto. |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|------|---------|-------|------|----|----|--------|-----------|-------|-------|----------|--|
| | | | G. | M. | T. | | AE | AN | Az | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 204 | Aug. 12 | eEN | 4 | 25 | 26 | | | | | | |
| | | S | 4 | 25 | 31 | | | | | | |
| | | MEEN | 4 | 25 | 32 | 0.5 | -4 | ±3 | | | |
| | | F | 4 | 26 | 19 | | | | | | |
| | | eP?N | 11 | 17 | 18 | | | | | | Near Wakayama City. |
| 205 | Aug. 15 | SEN | 11 | 17 | 27 | | | | | | |
| | | ME | 11 | 17 | 27 | | +1 | | | | |
| | | MN | 11 | 17 | 27 | 0.4 | | ±1 | | | |
| | | F | 11 | 18 | 02 | | | | | | |
| | | SEN | 2 | 29 | 28 | | | | | | Near Gobô, Mouth of the Hidaka River, Wakayama Prefecture. |
| 206 | Aug. 15 | ME | 2 | 29 | 29 | | ±1 | | | | |
| | | MN | 2 | 29 | 29 | 0.4 | | -2 | | | |
| | | F | 2 | 30 | 52 | | | | | | |
| | | ePEN | 14 | 18 | 12 | | | | | | 54 Near Hinomisaki, Wakayama Prefecture. |
| | | S | 14 | 18 | 20 | | | | | | |
| *207 | Aug. 16 | MEEN | 14 | 18 | 21 | 0.4 | -4 | ±6 | | | |
| | | MZ | 14 | 18 | 21 | | | | ±1 | | |
| | | F | 14 | 19 | 26 | | | | | | |
| | | iP | 19 | 54 | 11 | | +0.9 | -1.0 | -0.8 | 52 | Perceptible. |
| | | S | 19 | 54 | 18 | | | | | | Middle basin of the Hidaka River, Wakayama Prefecture. |
| 208 | Aug. 17 | ME | 19 | 54 | 19 | 0.6 | -24 | | | | |
| | | MN | 19 | 54 | 18 | 0.6 | | ±23 | | | |
| | | MZ | 19 | 54 | 19 | 0.8 | | | ±6 | | |
| | | F | 19 | 57 | 44 | | | | | | |
| | | PEZ | 1 | 55 | 20 | | | | | 7440 | East off New Caledonia, 20°S 171°5E. (J. S. A.) |
| | | PN | 1 | 55 | 23 | | | | | | |
| | | eN | 2 | 02 | 18 | | | | | | |
| | | ee | 2 | 02 | 59 | | | | | | |
| | | SE | 2 | 04 | 13 | | | | | | |
| | | SN | 2 | 04 | 15 | | | | | | |
| | | LE | 2 | 09 | 04 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|------------------|------|----|----|--------|----------------|----------------|----------------|------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | L _N | 2 | 08 | 51 | | | | | | |
| | | M _E | 2 | 20 | 12 | 15.5 | ±21 | | | | |
| | | M _N | 2 | 20 | 55 | 14.5 | | ±23 | | | |
| | | M _Z | 2 | 20 | 01 | 19.3 | | | ±33 | | |
| | | eF | 2 | 58 | ± | | | | | | |
| 209 | Aug. 17 | eP | 7 | 23 | 45 | | | | | 666 | Time is uncertain. East off Sioya Cape, Hukusima Prefecture. |
| | | S | 7 | 25 | 15 | | | | | | |
| | | M _E | 7 | 25 | 27 | 2.1 | +2 | | | | |
| | | M _N | 7 | 25 | 49 | 2.1 | | +2 | | | Felt in southern part of Oou and Kwantô districts. |
| | | M _Z | 7 | 25 | 31 | 2.3 | | | -1 | | |
| | | F | 7 | 33 | ± | | | | | | |
| 210 | Aug. 17 | eP _{EN} | 22 | 51 | 18 | | | | | 61 | In the Kii Channel. |
| | | S | 22 | 51 | 26 | | | | | | |
| | | M _E | 22 | 51 | 27 | 0.6 | +2 | | | | |
| | | M _N | 22 | 51 | 27 | 0.4 | | ±2 | | | |
| | | F | 22 | 52 | 01 | | | | | | |
| 211 | Aug. 17 | eP | 23 | 25 | 56 | | | | | | Time is uncertain. In the Hyûga-nada, SE off Kyû-syû. |
| | | S | 23 | 26 | 27 | | | | | | |
| | | e _{EN} | 23 | 27 | 57 | | | | | | |
| | | eF | 23 | 31 | ± | | | | | | |
| 212 | Aug. 19 | eP _{EN} | 12 | 40 | 37 | | | | | 35 | Local shock. |
| | | S _{EN} | 12 | 40 | 42 | | | | | | |
| | | M _N | 12 | 40 | 43 | 0.4 | | -2 | | | |
| | | F | 12 | 41 | 24 | | | | | | |
| 213 | Aug. 21 | P _{EN} | 11 | 56 | 28 | | | | | 40 | Basin of the Hidaka River, Wakayama Prefecture. |
| | | S | 11 | 56 | 33 | | | | | | |
| | | M _E | 11 | 56 | 33 | | ±1 | | | | |
| | | M _N | 11 | 56 | 34 | 0.4 | | -2 | | | |
| | | F | 11 | 57 | 15 | | | | | | |
| 214 | Aug. 23 | P _{EN} | 14 | 06 | 33 | | | | | 5850 | NE off Cocos IIs. |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|------------------|------|----|----|--------|----------------|----------------|----------------|-----|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | P _Z | 14 | 06 | 34 | | | | | | Felt in SW of Sumatora. |
| | | S _E | 14 | 14 | 02 | | | | | | |
| | | S _N | 14 | 13 | 59 | | | | | | |
| | | eL _N | 14 | 18 | 17 | | | | | | |
| | | M _E | 14 | 30 | 54 | 18.1 | ±7 | | | | |
| | | M _N | 14 | 28 | 40 | 18.1 | | ±6 | | | |
| | | eF | 14 | 54 | ± | | | | | | |
| 215 | Aug. 29 | eP | 5 | 00 | 08 | | | | | 295 | Near Miyake Isl, south off Izu Peninsula. |
| | | S _E | 5 | 00 | 47 | | | | | | |
| | | eS _Z | 5 | 00 | 47 | | | | | | |
| | | S _N | 5 | 00 | 50 | | | | | | |
| | | M _E | 5 | 01 | 04 | 2.5 | -1 | | | | |
| | | M _N | 5 | 00 | 53 | 2.5 | | +2 | | | |
| | | F | 5 | 08 | ± | | | | | | |
| 216 | Aug. 30 | e _{EN} | 5 | 28 | 40 | | | | | | Near Miyake Isl, south off Izu Peninsula. |
| | | eS _{EN} | 5 | 29 | 26 | | | | | | |
| | | F | 5 | 35 | ± | | | | | | |
| 217 | Aug. 30 | P _{EN} | 15 | 38 | 22 | | | | | 62 | In the Kii Channel. |
| | | S _{EN} | 15 | 38 | 31 | | | | | | |
| | | M _E | 15 | 38 | 31 | 0.5 | +1 | | | | |
| | | M _N | 15 | 38 | 31 | 0.4 | | -4 | | | |
| | | F | 15 | 39 | 12 | | | | | | |
| 218 | Aug. 31 | P _{EN} | 0 | 16 | 06 | | | | | 62 | Local shock? |
| | | S _{EN} | 0 | 16 | 14 | | | | | | |
| | | M _E | 0 | 16 | 14 | 0.5 | -3 | | | | |
| | | M _N | 0 | 16 | 15 | | | +4 | | | |
| | | F | 0 | 17 | 00 | | | | | | |
| 219 | Aug. 31 | P _{EN} | 13 | 10 | 19 | | | | | 393 | Lower basin of the Huzi River, Sizuoka Prefecture. |
| | | e _Z | 13 | 10 | 34 | | | | | | |
| | | S _{EN} | 13 | 11 | 12 | | | | | | |
| | | M _E | 13 | 11 | 15 | 1.9 | ±2 | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|------------------|------|----|----|--------|-----------|------|------|------|--|
| | | | G. | M. | T. | | AE | AN | Az | | |
| | | | h | m | s | s | μ | μ | μ | km | |
| | | M _N | 13 | 11 | 18 | 1.7 | | ±2 | | | |
| | | M _Z | 13 | 11 | 16 | 1.5 | | | ±1 | | |
| | | F | 13 | 15 | ± | | | | | | |
| 220 | Aug. 31 | eF _{EN} | 17 | 43 | 45 | | | | 1.81 | 1920 | SE off Yetorohu Isl. Kurile |
| | | eS _N | 17 | 47 | 01 | | | | 1.81 | | Ils. |
| | | L _E | 17 | 48 | 57 | | | | | | |
| | | eL _N | 17 | 48 | 01 | | | | | | |
| | | M _E | 17 | 50 | 10 | 15.0 | ±17 | | | | |
| | | M _N | 17 | 50 | 27 | 15.6 | | ±14 | | | |
| | | F | 18 | 17 | ± | | | | | | |
| 221 | Aug. 31 | eP _{EN} | 22 | 22 | 01 | | | | | | Near Wakayama City. |
| | | S _{EN} | 22 | 22 | 05 | | | | | | |
| | | M _E | 22 | 22 | 06 | | ±1 | | | | |
| | | M _N | 22 | 22 | 06 | 0.5 | | ±2 | | | |
| | | F | 22 | 22 | 48 | | | | | | |
| 222 | Sept. 1 | eP _{EN} | 3 | 09 | 07 | | | | | ±336 | Near Miyake Isl., south off Izu Peninsula. |
| | | eS _E | 3 | 09 | 52 | | | | | | |
| | | M _E | 3 | 10 | 19 | 1.7 | -1 | | | | |
| | | M _N | 3 | 10 | 09 | 1.1 | | +1 | | | |
| | | F | 3 | 11 | 51 | | | | | | |
| 223 | Sept. 1 | S _{EN} | 14 | 46 | 55 | | | | | | In the Kii Channel. |
| | | M _E | 14 | 46 | 56 | | -2 | | | | |
| | | M _N | 14 | 46 | 56 | 0.5 | | +2 | | | |
| | | F | 14 | 47 | 28 | | | | | | |
| 224 | Sept. 2 | P _{EN} | 5 | 31 | 27 | | | | | | Ditto. |
| | | S _{EN} | 5 | 31 | 33 | | | | | | |
| | | M _E | 5 | 31 | 33 | | +2 | | | | |
| | | M _N | 5 | 31 | 33 | 0.4 | | -3 | | | |
| | | F | 5 | 32 | 14 | | | | | | |
| 225 | Sept. 2 | i | 7 | 23 | 10 | | -0.9 | -1.0 | +1.6 | | Eastern part of New Guinea. |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|------------------|------|----|----|--------|-----------|------|----|------|---|
| | | | G. | M. | T. | | AE | AN | Az | | |
| | | | h | m | s | s | μ | μ | μ | km | |
| | | i _E | 7 | 29 | 18 | | | | | | |
| | | i _{NZ} | 7 | 29 | 19 | | | | | | |
| | | F | 7 | 36 | ± | | | | | | |
| 226 | Sept. 2 | eP _N | 16 | 35 | 30 | | | | | 190 | Southeastern part of Gihu Prefecture. |
| | | eP _E | 16 | 35 | 37 | | | | | | |
| | | e _Z | 16 | 35 | 43 | | | | | | |
| | | eS _{EN} | 16 | 35 | 59 | | | | | | |
| | | M _E | 16 | 36 | 12 | 1.1 | ±1 | | | | |
| | | M _N | 16 | 36 | 09 | 1.1 | | ±1 | | | |
| | | F | 16 | 38 | 25 | | | | | | |
| 227 | Sept. 3 | P _E | 14 | 36 | 56 | | | | | 277 | Near Miyake Isl., south off Izu Peninsula. |
| | | P _N | 14 | 36 | 55 | | | | | | |
| | | eP _Z | 14 | 36 | 54 | | | | | | |
| | | S _E | 14 | 37 | 32 | | | | | | |
| | | S _N | 14 | 37 | 33 | | | | | | |
| | | M _E | 14 | 37 | 47 | 0.9 | ±1 | | | | |
| | | M _N | 14 | 37 | 46 | 1.9 | | ±1 | | | |
| | | F | 14 | 44 | ± | | | | | | |
| 228 | Sept. 4 | P _{EN} | 1 | 41 | 42 | | +0.9 | - | | 1990 | Small damage at Kasyôtô, SE off Taitô. 22°4N 121°6E. Felt in all part of Formosa. |
| | | P _Z | 1 | 41 | 44 | | | | | -3.2 | |
| | | S _{EZ} | 1 | 45 | 05 | | | | | | |
| | | S _N | 1 | 45 | 02 | | | | | | |
| | | eL _E | 1 | 49 | 14 | | | | | | |
| | | eL _N | 1 | 48 | 51 | | | | | | |
| | | M _E | 1 | 51 | 27 | 11.3 | +91 | | | | |
| | | M _N | 1 | 51 | 22 | 11.3 | | -105 | | | |
| | | M _Z | 1 | 51 | 24 | 11.3 | | | | +90 | |
| | | eF | 2 | 50 | ± | | | | | | |
| 229 | Sept. 4 | P _{EZ} | 3 | 32 | 01 | | | | | 2000 | An aftershock of No. 228. |
| | | F _N | 3 | 32 | 05 | | | | | | |
| | | eS _E | 3 | 35 | 24 | | | | | | |
| | | S _N | 3 | 35 | 27 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-------|------|----|-------|--------|-----------|---------|---------|----------|--|
| | | | G. | M. | T. | | AE | AN | Az | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | ME | 3 | 41 | 01 | 14.8 | ± 19 | | | | |
| | | MN | 3 | 42 | 53 | 11.3 | | ± 8 | | | |
| | | MZ | 3 | 41 | 04 | 14.5 | | | ± 8 | | |
| | | eF | 4 | 11 | \pm | | | | | | |
| 230 | Sept. 5 | ePN | 2 | 07 | 42 | | | | | | Near Miyake Isl. South off Izu Peninsula. |
| | | eE | 2 | 07 | 47 | | | | | | |
| | | eSE | 2 | 08 | 01 | | | | | | |
| | | eSN | 2 | 08 | 02 | | | | | | |
| | | ME | 2 | 08 | 15 | 0.9 | ± 1 | | | | |
| | | MN | 2 | 08 | 02 | 1.9 | | ± 1 | | | |
| | | eF | 2 | 10 | \pm | | | | | | |
| 231 | Sept. 6 | PEN | 3 | 00 | 10 | | | | | 43 | Near Gobô, mouth of the Hidaka River, Wakayama Prefecture. |
| | | SEN | 3 | 00 | 16 | | | | | | |
| | | ME | 3 | 00 | 16 | 0.5 | -2 | | | | |
| | | MN | 3 | 00 | 16 | 0.4 | | +3 | | | |
| | | F | 3 | 00 | 53 | | | | | | |
| 232 | Sept. 7 | ePEN | 0 | 19 | 39 | | | | | 38 | Local shock. |
| | | SEN | 0 | 19 | 44 | | | | | | |
| | | ME | 0 | 19 | 44 | | ± 1 | | | | |
| | | MN | 0 | 19 | 44 | 0.3 | | -2 | | | |
| | | F | 0 | 20 | 03 | | | | | | |
| 233 | Sept. 7 | PE | 17 | 57 | 55 | | | | | | Near Naze, Ryûkyû IIs. |
| | | PN | 17 | 57 | 56 | | | | | | |
| | | PZ | 17 | 57 | 57 | | | | | | |
| | | eSez | 18 | 00 | 07 | | | | | | |
| | | eSN | 18 | 00 | 03 | | | | | | |
| | | ME | 18 | 00 | 17 | 2.6 | +1 | | | | |
| | | MN | 18 | 00 | 13 | 3.4 | | +2 | | | |
| | | MZ | 18 | 00 | 37 | 2.8 | | | +1 | | |
| | | eF | 18 | 06 | \pm | | | | | | |
| 234 | Sept. 9 | PEN | 5 | 14 | 28 | | | | | 552 | Near Amakusa Isl. |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|----------|-------|------|----|-------|--------|-----------|---------|-------|----------|--|
| | | | G. | M. | T. | | AE | AN | Az | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | SE | 5 | 15 | 42 | | | | | | Felt in Kyûsyû. |
| | | SN | 5 | 15 | 43 | | | | | | |
| | | ME | 5 | 15 | 51 | 2.9 | -15 | | | | |
| | | MN | 5 | 15 | 55 | 2.5 | | -14 | | | |
| | | eF | 5 | 26 | \pm | | | | | | |
| 235 | Sept. 9 | ePE | 6 | 17 | 29 | | | | | | SE off Yap Isl, West Colo-line IIs. 8°N 141°E. |
| | | ePN | 6 | 17 | 29 | | | | | | Felt at Palau. |
| | | | | | | | | | | | in next earthquake. |
| 236 | Sept. 9 | PEN | 6 | 23 | 32 | | | | | 3100 | Ditto. |
| | | SE | 6 | 28 | 31 | | | | | | |
| | | SN | 6 | 28 | 22 | | | | | | |
| | | ME | 6 | 29 | 52 | 21.0 | ± 193 | | | | |
| | | MN | 6 | 32 | 12 | 15.2 | | +120 | | | |
| | | eF | 7 | 43 | \pm | | | | | | |
| 237 | Sept. 9 | ePN | 15 | 01 | 12 | | | | | | Near Gobô, mouth of the Hidaka River, Wakayama Prefecture. |
| | | SEN | 15 | 01 | 17 | | | | | | |
| | | ME | 15 | 01 | 18 | | -1 | ± 1 | | | |
| | | eN | 15 | 01 | 23 | | | | | | |
| | | F | 15 | 01 | 45 | | | | | | |
| 238 | Sept. 10 | SN | 1 | 23 | 14 | | | | | | Near Wakayama City. |
| | | MN | 1 | 23 | 14 | 0.5 | | +1 | | | |
| | | F | 1 | 23 | 29 | | | | | | |
| 239 | Sept. 10 | ePEN | 14 | 23 | 19 | | | | | 198 | In the Iyo-nada, Inland Sea. |
| | | eSEN | 14 | 23 | 46 | | | | | | |
| | | ME | 14 | 23 | 47 | | +1 | | | | |
| | | MN | 14 | 23 | 48 | 0.5 | | +2 | | | |
| | | F | 14 | 24 | 44 | | | | | | |
| 240 | Sept. 10 | eE | 14 | 53 | 22 | | | | | | Local shock? |
| | | eN | 14 | 53 | 24 | | | | | | |
| | | eZ | 14 | 53 | 27 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|----------|-----------------|------|----|----|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 241 | Sept. 10 | eF | 14 | 56 | ± | | | | | | |
| | | eEN | 23 | 03 | 10 | | | | | | Ditto. |
| | | eF | 23 | 05 | + | | | | | | |
| 242 | Sept. 11 | eP | 1 | 47 | 49 | | | | | 38 | Near Wakayama City. |
| | | S | 1 | 47 | 54 | | | | | | |
| | | ME | 1 | 47 | 57 | 0.4 | +4 | | | | |
| | | MN | 1 | 47 | 56 | 0.6 | | -4 | | | |
| | | MZ | 1 | 47 | 55 | | | | | ±1 | |
| | | F | 1 | 48 | 53 | | | | | | |
| 243 | Sept. 11 | P | 14 | 04 | 04 | | +0.9 | +1.0 | +1.6 | 1460 | About SE 60 km. off the coast of Kuro. 42°7N 145°E. Moderate shocks were felt in eastern part of Hokkaidō. Felt in Hokkaidō and NE Japan. |
| | | SE | 14 | 09 | 36 | | | | | | |
| | | SN | 14 | 09 | 31 | | | | | | |
| | | SZ | 14 | 09 | 42 | | | | | | |
| | | LE | 14 | 10 | 33 | | | | | | |
| | | LN | 14 | 10 | 56 | | | | | | |
| | | LZ | 14 | 10 | 59 | | | | | | |
| | | ME | 14 | 11 | 58 | 25.1 | ±1750 | | | | |
| | | MN | 14 | 11 | 26 | 17.5 | | +733 | | | |
| | | MZ | 14 | 11 | 57 | 20.9 | | | | -667 | |
| 244 | Sept. 12 | ePEN | 13 | 30 | 55 | | | | | 1329 | Near Miyake Isl. south off Izu Peninsula. |
| | | ePZ | 13 | 30 | 52 | | | | | | |
| | | SEZ | 13 | 31 | 38 | | | | | | |
| | | SN | 13 | 31 | 39 | | | | | | |
| | | ME | 13 | 31 | 55 | 2.3 | +1 | | | | |
| | | MN | 13 | 31 | 44 | 1.3 | | ±2 | | | |
| 245 | Sept. 14 | iP | 8 | 29 | 20 | | +3.7 | -2.1 | -3.2 | 480 | SE off Hatidyō Isl. |
| | | PM _E | 8 | 29 | 21 | 1.5 | -8 | | | | |
| | | PM _N | 8 | 29 | 21 | 0.9 | | ±3 | | | |
| | | PM _Z | 8 | 29 | 21 | 1.5 | | | | ±5 | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----|----------|-------|------|----|----|--------|----------------|----------------|----------------|----------|---------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| 246 | Sept. 14 | SE | 8 | 30 | 24 | | | | | | | |
| | | SN | 8 | 30 | 25 | | | | | | | |
| | | ME | 8 | 30 | 25 | 1.9 | +8 | | | | | |
| | | MN | 8 | 30 | 33 | 1.9 | | ±2 | | | | |
| | | MZ | 8 | 30 | 28 | 2.0 | | | | +1 | | |
| | | eF | 8 | 37 | ± | | | | | | | |
| 247 | Sept. 15 | ePE | 14 | 21 | 37 | | | | | | | |
| | | ePNZ | 14 | 21 | 44 | | | | | | | |
| | | eSE | 14 | 22 | 37 | | | | | | | |
| | | eSN | 14 | 22 | 32 | | | | | | | |
| | | eSZ | 14 | 22 | 36 | | | | | | | |
| | | ME | 14 | 23 | 00 | 2.0 | -7 | | | | | |
| | | MN | 14 | 22 | 50 | 2.2 | | +8 | | | | |
| 248 | Sept. 16 | MZ | 14 | 22 | 41 | 3.2 | | | | -2 | | |
| | | F | 14 | 32 | ± | | | | | | | |
| | | ePE | 11 | 23 | 03 | | | | | | 5420 | South far off Ponape Isl. Cololine IIs. |
| | | ePN | 11 | 22 | 53 | | | | | | | |
| | | ePZ | 11 | 23 | 18 | | | | | | | |
| | | eSE | 11 | 30 | 05 | | | | | | | |
| | | eSN | 11 | 29 | 00 | | | | | | | |
| 249 | Sept. 16 | ME | 11 | 39 | 12 | 18.8 | ±7 | | | | | |
| | | MN | 11 | 38 | 57 | 17.3 | | ±7 | | | | |
| | | MZ | 11 | 38 | 54 | 18.8 | | | | ±17 | | |
| | | F | 12 | 00 | ± | | | | | | | |
| | | ePE | 14 | 50 | 31 | | | | | | 1375 | SE far off Katu-ura, Tiba Prefecture. |
| | | ePN | 14 | 50 | 30 | | | | | | | |
| | | ez | 14 | 50 | 49 | | | | | | | |
| 250 | Sept. 16 | eSE | 14 | 52 | 56 | | | | | | | |
| | | eSN | 14 | 52 | 54 | | | | | | | |
| | | eSZ | 14 | 52 | 52 | | | | | | | |
| | | ME | 14 | 54 | 09 | 9.1 | -1 | | | | | |
| | | MN | 14 | 54 | 59 | 7.3 | | +2 | | | | |
| | | MZ | 14 | 53 | 11 | 12.6 | | | | | -6 | |

| No. | Date | Phase | Time | | Period | Amplitude | | | Δ | Remarks |
|-----|----------|------------------|------|-------|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. T. | | A _E | A _N | A _Z | | |
| | | | h | m s | s | μ | μ | μ | km. | |
| 249 | Sept. 16 | eF | 15 | 04 | ± | | | | | |
| | | eP | 20 | 53 | 08 | | | | 562 | Near Sahara, Tiba Prefecture. Felt in Kwantô district. |
| | | S _E | 20 | 54 | 24 | | | | | |
| | | S _N | 20 | 54 | 22 | | | | | |
| | | eS _Z | 20 | 54 | 25 | | | | | |
| | | M _E | 20 | 54 | 37 | 3.1 | -9 | | | |
| | | M _N | 20 | 54 | 33 | 3.5 | | +9 | | |
| | | M _Z | 20 | 54 | 36 | 3.6 | | | +5 | |
| eF | 21 | 04 | ± | | | | | | | |
| 250 | Sept. 17 | P | 17 | 57 | 18 | | | | 63 | In the Kii Channel. |
| | | S | 17 | 57 | 27 | | | | | |
| | | M _{EN} | 17 | 57 | 27 | 0.4 | +4 | -7 | | |
| | | M _Z | 17 | 57 | 27 | | | | ±1 | |
| | | F | 17 | 58 | 17 | | | | | |
| 251 | Sept. 18 | P _{EN} | 8 | 26 | 16 | | | | 1440 | About SW 20 km., off Urakawa. Moderate shocks were felt in southern part of Hokkaidô. Felt in NE Japan and Ho- kkaidô. |
| | | P _Z | 8 | 26 | 19 | | | | | |
| | | S _{EZ} | 8 | 28 | 49 | | | | | |
| | | S _N | 8 | 28 | 48 | | | | | |
| | | M _E | 8 | 29 | 33 | 4.6 | -18 | | | |
| | | M _N | 8 | 29 | 14 | 5.0 | | -23 | | |
| | | M _Z | 8 | 29 | 17 | 5.7 | | | ±6 | |
| eF | 8 | 48 | ± | | | | | | | |
| 252 | Sept. 18 | P _{EN} | 8 | 52 | 34 | | | | 1400 | An aftershock of No. 251. |
| | | P _Z | 8 | 52 | 33 | | | | | |
| | | eS _{EN} | 8 | 54 | 59 | | | | | |
| | | eS _Z | 8 | 55 | 04 | | | | | |
| | | M _E | 8 | 56 | 13 | 3.2 | -4 | | | |
| | | M _N | 8 | 55 | 53 | 4.7 | | | ±3 | |
| | | M _Z | 8 | 55 | 06 | 3.4 | | | ±1 | |
| eF | 9 | 05 | ± | | | | | | | |
| 253 | Sept. 18 | eP _E | 20 | 11 | 56 | | | | 759 | East off Siriya Cape, Aomo- |

| No. | Date | Phase | Time | | Period | Amplitude | | | Δ | Remarks | | |
|-----|----------|-----------------|------|-------|--------|----------------|----------------|----------------|----------|---------|---|--|
| | | | G. | M. T. | | A _E | A _N | A _Z | | | | |
| | | | h | m s | s | μ | μ | μ | km. | | | |
| 254 | Sept. 19 | eP _N | 20 | 11 | 53 | | | | | | ri Prefecture. Felt in northern part of Oou and southern part of Hokka- idô. | |
| | | eP _Z | 20 | 12 | 01 | | | | | | | |
| | | eS _E | 20 | 13 | 38 | | | | | | | |
| | | eS _N | 20 | 13 | 35 | | | | | | | |
| | | M _E | 20 | 15 | 13 | 3.4 | -1 | | | | | |
| | | M _N | 20 | 14 | 26 | 4.8 | | +2 | | | | |
| | | M _Z | 20 | 14 | 26 | 4.4 | | | ±1 | | | |
| | | eF | 20 | 23 | ± | | | | | | | |
| 255 | Sept. 19 | eN | 2 | 37 | 45 | | | | | | Near Solomon Is.? | |
| | | eE | 2 | 40 | 40 | | | | | | | |
| | | eL _E | 2 | 43 | 55 | | | | | | | |
| | | L _N | 2 | 44 | 05 | | | | | | | |
| | | eZ | 2 | 47 | 22 | | | | | | | |
| eF | 3 | 09 | ± | | | | | | | | | |
| 256 | Sept. 20 | eE | 20 | 38 | 20 | | | | | | Near Miyake Isl. south off Izu Peninsula. | |
| | | eN | 20 | 38 | 23 | | | | | | | |
| | | eZ | 20 | 38 | 49 | | | | | | | |
| | | eS _E | 20 | 38 | 51 | | | | | | | |
| | | eS _N | 20 | 38 | 50 | | | | | | | |
| | | M _E | 20 | 38 | 54 | 0.5 | ±1 | | | | | |
| | | M _N | 20 | 38 | 55 | | | +1 | | | | |
| eE | 20 | 39 | 00 | | | | | | | | | |
| eF | 20 | 41 | ± | | | | | | | | | |
| 256 | Sept. 20 | P _{EZ} | 1 | 54 | 01 | | | | 4000 | +0.9 | -2.4 | About central part of Dutch New Guinea. |
| | | P _N | 1 | 54 | 00 | | | | | | -1.0 | |
| | | i _N | 1 | 56 | 40 | | | | | | | |
| | | i _Z | 1 | 56 | 31 | | | | | | | |
| | | eE | 1 | 58 | 28 | | | | | | | |
| | | eN | 1 | 58 | 29 | | | | | | | |
| | | eZ | 1 | 58 | 32 | | | | | | | |
| | | S _{EN} | 1 | 59 | 44 | | | | | | | |
| | | M _E | 2 | 03 | 27 | 38.9 | -19000 | | | | | |
| | | M _N | 2 | 03 | 26 | 23.6 | | | -880 | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude μ | | | Δ km. | Remarks |
|-----|----------|-----------------------------|------------------|-------------|----------------|----------------|----------------|----------|-----------------------------------|
| | | | | | A _E | A _N | A _Z | | |
| 257 | Sept. 20 | M ² _N | 2 07 47 | 17.8 | | +1357 | | 4000 | An aftershock of No. 256. |
| | | M _Z | 2 07 53 | 19.4 | | | +1333 | | |
| | | M ² _E | 2 10 00 | 18.2 | -663 | | | | |
| | | eF | 5 10 ± | | | | | | |
| | | P _E | 5 30 28 | | | | | | |
| | | P _N | 5 30 29 | | | | | | |
| | | P _Z | 5 30 26 | | | | | | |
| | | e _N | 5 34 30 | | | | | | |
| | | e _Z | 5 34 53 | | | | | | |
| | | S _E | 5 36 28 | | | | | | |
| 258 | Sept. 21 | M _E | 5 36 50 | 19.1 | +286 | | | 77 | Southern part of the Kii Channel. |
| | | M _N | 5 50 02 | 14.9 | | +120 | | | |
| | | M _Z | 5 52 53 | 18.8 | | | -400 | | |
| | | eF | 6 57 ± | | | | | | |
| | | e _{EN} | 12 03 38 | | | | | | |
| | | e _{SEN} | 12 04 03 | | | | | | |
| | | e _Z | 12 04 06 | | | | | | |
| | | M _E | 12 04 25 | 1.9 | ±1 | | | | |
| | | M _N | 12 04 18 | 1.9 | | -2 | | | |
| | | F | 12 04 ± | | | | | | |
| 259 | Sept. 22 | P _E | 4 27 42 | | | | | 320 | Near Kumagai, Saitama Prefecture. |
| | | P _{NZ} | 4 27 41 | | | | | | |
| | | S _E | 4 27 53 | | | | | | |
| | | S _{NZ} | 4 27 52 | | | | | | |
| | | M _E | 4 27 56 | 1.7 | -20 | | | | |
| | | M _N | 4 27 56 | 1.9 | | ±41 | | | |
| | | M _Z | 4 27 57 | 1.9 | | | +13 | | |
| | | F | 4 32 20 | | | | | | |
| 260 | Sept. 22 | e _P | 14 40 59 | | | | | 320 | Near Kumagai, Saitama Prefecture. |
| | | S _{EN} | 14 41 42 | | | | | | |
| | | S _Z | 14 41 43 | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude μ | | | Δ km. | Remarks |
|-----------------|----------|------------------|------------------|-----------------|----------------|----------------|----------------|----------|--|
| | | | | | A _E | A _N | A _Z | | |
| 261 | Sept. 23 | M _{EZ} | 14 41 44 | 1.5 | +3 | | -1 | 4195 | Near New Guinea. |
| | | M _N | 14 41 58 | 1.7 | | +3 | | | |
| | | eF | 14 46 ± | | | | | | |
| | | e _{PEZ} | 9 25 38 | | | | | | |
| | | e _{PN} | 9 25 39 | | | | | | |
| | | S _E | 9 31 39 | | | | | | |
| | | S _N | 9 31 35 | | | | | | |
| | | L _E | 9 34 24 | | | | | | |
| | | L _N | 9 34 35 | | | | | | |
| | | M _E | 9 34 52 | 27.3 | -300 | | | | |
| 262 | Sept. 24 | M _N | 9 37 02 | 14.5 | | -30 | | 43 | Near Gobō, mouth of the Hidaka River, Wakayama Prefecture. |
| | | M _Z | 9 37 28 | 18.2 | | | -50 | | |
| | | eF | 10 23 ± | | | | | | |
| | | P _{EN} | 10 53 52 | | | | | | |
| | | S | 10 53 57 | | | | | | |
| | | M _E | 10 53 57 | 0.4 | ±2 | | | | |
| | | M _N | 10 53 57 | 0.5 | | ±5 | | | |
| | | M _Z | 10 53 57 | | | | ±1 | | |
| | | F | 10 54 45 | | | | | | |
| | | 263 | Sept. 24 | P _{EZ} | 16 39 13 | | | | |
| P _N | 16 39 14 | | | | | | | | |
| S _N | 16 39 58 | | | | | | | | |
| S _{MN} | 16 39 59 | | | 2.1 | | +12 | | | |
| e _{SE} | 16 40 00 | | | | | | | | |
| S _Z | 16 40 01 | | | | | | ±0 | | |
| M _E | 16 40 10 | | | 2.7 | ±9 | | | | |
| M _N | 16 40 02 | | | 2.2 | | | ±2 | | |
| eL _N | 16 40 58 | | | | | | | | |
| eL _E | 16 41 49 | | | | | | | | |
| 264 | Sept. 24 | eF | 16 51 ± | | | | | Ditto. | |
| | | e _{PEN} | 16 55 25 | | | | | | |
| | | e _{PZ} | 16 55 29 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----------------|----------|-------------------|------|----|----|--------|----------------|----------------|----------------|----------|--|-------------|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | | |
| | | | h | m | s | s | μ | μ | μ | km. | | |
| 265 | Sept. 25 | SEN | 16 | 56 | 06 | | | | | | | |
| | | eSZ | 16 | 56 | 08 | | | | | | | |
| | | M _E | 16 | 56 | 17 | 1.9 | -15 | | | | | |
| | | M _N | 16 | 56 | 15 | 3.0 | | -18 | | | | |
| | | M _Z | 16 | 56 | 17 | 2.3 | | | +4 | | | |
| | | eL _N | 16 | 57 | 29 | | | | | | | |
| | | eL _E | 16 | 58 | 29 | | | | | | | |
| | | eF | 17 | 07 | ± | | | | | | | |
| | | P _{EZ} | 10 | 26 | 58 | | | | | | 4085 | New Guinea, |
| | | P _N | 10 | 26 | 59 | | | | | | | |
| eS _E | 10 | 32 | 49 | | | | | | | | | |
| eS _N | 10 | 32 | 53 | | | | | | | | | |
| eL _Z | 10 | 36 | 05 | | | | | | | | | |
| eF | 10 | 55 | ± | | | | | | | | | |
| 266 | Sept. 27 | eP _E | 22 | 35 | 07 | | | | | 139 | Western foot of Mt. Ibuki, Siga Prefecture. | |
| | | eP _{NZ} | 22 | 35 | 06 | | | | | | | |
| | | SEN | 22 | 35 | 25 | | | | | | | |
| | | M _E | 22 | 35 | 41 | 1.9 | -3 | | | | | |
| | | M _N | 22 | 35 | 38 | 1.4 | | +5 | | | | |
| | | M _Z | 22 | 35 | 40 | 0.8 | | | +1 | | | |
| | | F | 22 | 35 | 40 | | | | | | | |
| 267 | Sept. 28 | [eP _{EN} | 21 | 55 | 58 | | | | | 57 | Near Tadono, Middle basin of the Arita River, Wakaya- ma Prefecture. | |
| | | SEN | 21 | 56 | 05 | | | | | | | |
| | | M _E | 21 | 56 | 07 | | ±1 | | | | | |
| | | M _N | 21 | 56 | 07 | 0.3 | | ±2 | | | | |
| | | F | 21 | 56 | 19 | | | | | | | |
| 268 | Sept. 29 | SEN | 6 | 51 | 05 | | | | | | Near Wakayama City. | |
| | | M _{EN} | 6 | 51 | 06 | 0.3 | -2 | -3 | | | | |
| | | F | 6 | 51 | 42 | | | | | | | |
| 269 | Sept. 29 | P _{EN} | 8 | 23 | 39 | | | | | 345 | Near Miyake Isl. south off Izu Peninsula. | |
| | | P _Z | 8 | 23 | 40 | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----------------|----------|------------------|------|-----|-----|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 270 | Sept. 29 | SEN | 8 | 24 | 25 | | | | | | |
| | | S _Z | 8 | 24 | 27 | | | | | | |
| | | M _E | 8 | 24 | 29 | 3.5 | -2 | | | | |
| | | M _N | 8 | 24 | 27 | 2.3 | | ±2 | | | |
| | | M _Z | 8 | 24 | 30 | | | | ±1 | | |
| | | F | 8 | 26 | 56 | | | | | | |
| | | eP _{EN} | 10 | 29 | 47 | | | | | | |
| S | 10 | 29 | 58 | | | | | | | | |
| M _{EN} | 10 | 29 | 59 | 0.4 | +4 | +3 | | | | | |
| M _Z | 10 | 29 | 59 | | | | | ±1 | | | |
| F | 10 | 30 | 56 | | | | | | | | |
| 271 | Sept. 29 | eP _{EN} | 14 | 06 | 12 | | | | | 53 | Near Wakayama City. |
| | | SEN | 14 | 06 | 19 | | | | | | |
| | | M _E | 14 | 06 | 20 | 0.5 | +1 | | | | |
| | | M _N | 14 | 06 | 21 | 0.4 | | +2 | | | |
| F | 14 | 06 | 53 | | | | | | | | |
| 272 | Sept. 30 | eP _{EN} | 0 | 08 | 05 | | | | | 591 | Near Tiba City. Weak shocks were felt in Kwantô district. |
| | | eP _Z | 0 | 08 | 08 | | | | | | |
| | | S _E | 0 | 09 | 27 | | | | | | |
| | | S _N | 0 | 09 | 26 | | | | | | |
| | | S _Z | 0 | 09 | 25 | | | | | | |
| | | M _N | 0 | 09 | 44 | 2.6 | | +17 | | | |
| | | M _Z | 0 | 09 | 43 | 3.0 | | | ±6 | | |
| M _E | 0 | 09 | 59 | 2.4 | -15 | | | | | | |
| eF | 0 | 20 | ± | | | | | | | | |
| 273 | Sept. 30 | P _{EN} | 5 | 45 | 44 | | | | | 32 | Near Mouth of the Arita River, Wakayama Prefecture. |
| | | SEN | 5 | 45 | 48 | | | | | | |
| | | M _E | 5 | 45 | 48 | 0.2 | +3 | | | | |
| | | M _N | 5 | 45 | 49 | 0.2 | | +6 | | | |
| | | F | 5 | 46 | 32 | | | | | | |
| 274 | Sept. 30 | e _{EN} | 13 | 38 | 41 | | | | | | Near Kuzôkuiri-hama, Tiba Prefecture. |
| | | e _F | 13 | 43 | ± | | | | | | |

From No. 69 to No. 126, 1935.

TOYOOKA JAPAN.

SEISMOLOGICAL BULLETIN

A Branch Station of the Kobe Meteorological Observatory of Japan.
 $\varphi=35^{\circ} 32'$ $\lambda=134^{\circ} 49'$ $h=32.2$ m. Underground: Tertiary.

Instruments: Omori's Seismograph. (Horizontal Pendulum)
 Wiechert Seismograph. (Horizontal & Vertical)

July

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|-----|-------|------------|-------------------|----|
| AE: | 20.7 | 3.0 | 0.002 | 20 |
| AN: | 20.0 | 3.0 | 0.001 | 20 |

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|-----|-------|------------|-------------------|----|
| AE: | 5.8 | Aperiodic | 0.006 | 99 |
| AN: | 5.3 | " | 0.006 | 91 |
| AZ: | 3.4 | 7 | 0.004 | 63 |

Aug.

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|-----|-------|------------|-------------------|----|
| AE: | 21.0 | 3.0 | 0.001 | 20 |
| AN: | 20.2 | 3.0 | 0.001 | 20 |

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|-----|-------|------------|-------------------|----|
| AE: | 5.9 | Aperiodic | 0.006 | 95 |
| AN: | 5.1 | " | 0.006 | 94 |
| AZ: | 3.6 | 4 | 0.004 | 58 |

Sept.

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|-----|-------|------------|-------------------|----|
| AE: | 21.0 | 3.0 | 0.001 | 20 |
| AN: | 20.2 | 3.0 | 0.001 | 20 |

| | T_0 | ϵ | $\frac{r}{T_0^2}$ | V |
|-----|-------|------------|-------------------|----|
| AE: | 5.9 | Aperiodic | 0.006 | 95 |
| AN: | 5.1 | " | 0.006 | 94 |
| AZ: | 3.6 | 4 | 0.003 | 68 |

| No. | Date | Phase | Time | | Period | Amplitude | | | Δ | Remarks | |
|-----|---------|-------|------|----|--------|-----------|-------|-------|----------|---------|---------------------|
| | | | g. | m. | | s. | AE | AN | | | Az |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 69 | July 3 | ePE | 0 | 18 | 40 | | | | | | Near Miyazaki City. |
| | | ePN | 0 | 18 | 43 | | | | | | |
| | | SN | 0 | 18 | 53 | | | | | | |
| | | eF | 0 | 22 | \pm | | | | | | |
| 70 | July 13 | ePE | 0 | 21 | 35 | | | | | | Ditto. |
| | | ePN | 0 | 21 | 33 | | | | | | |

| No. | Date | Phase | Time | | Period | Amplitude | | | Δ | Remarks | |
|-----|---------|-------|------|----|--------|-----------|---------|-------|----------|---------|--|
| | | | g. | m. | | s. | AE | AN | | | Az |
| | | | h | m | s | s | μ | μ | μ | km. | |
| 71 | July 5 | eF | 0 | 23 | \pm | | | | | | Turkestan. |
| | | PE | 18 | 02 | 19 | | | | | 5920 | |
| | | PN | 18 | 02 | 21 | | | | | | |
| | | SE | 18 | 09 | 51 | | | | | | |
| 72 | July 7 | eF | 18 | 45 | \pm | | | | | | Northwestern part of Luzon, Philippine. |
| | | PEN | 13 | 28 | 16 | | | | | 2425 | |
| | | PZ | 13 | 28 | 15 | | | | | | |
| | | SE | 13 | 32 | 15 | | | | | | |
| | | eSN | 13 | 32 | 16 | | | | | | |
| | | ME | 13 | 40 | 47 | 15.0 | ± 2 | | | | |
| *73 | July 11 | eF | 13 | 50 | \pm | | | | | | Perceptible. The epicenter in SE of Sizuoka City. $138^{\circ}26'E$ $34^{\circ}57'N$. Shocks were felt in Tyûbu, Kinki and Kwantô districts, in the vicinties of Sizuoka and Simizu City, 9 persons were killed and 800 houses were destroyed. |
| | | PEZ | 8 | 25 | 35 | | | | | 350 | |
| | | PN | 8 | 25 | 36 | | | | | | |
| | | iPE | 8 | 25 | 43 | | -61 | | | | |
| | | iPN | 8 | 25 | 44 | | | -30 | | | |
| | | S | 8 | 26 | 22 | | | | | | |
| | | ME | 8 | 26 | 41 | 2.8 | +342 | | | | |
| | | eMN | 8 | 26 | 38 | | | | | -800 | |
| 74 | July 16 | MZ | 8 | 26 | 34 | 3.0 | | | | +336 | |
| | | eF | 8 | 46 | \pm | | | | | | |
| | | PEN | 15 | 01 | 21 | | | | | 332 | |
| | | PZ | 15 | 01 | 19 | | | | | | |
| 75 | July 16 | S | 15 | 02 | 06 | | | | | | SW off Hagi, Yamaguti Prefecture. Moderate shocks were felt in the epicentral region. Felt in Tyûgoku, Sikoku and Kyûsyû. |
| | | ME | 15 | 02 | 16 | 1.0 | -34 | | | | |
| | | MN | 15 | 02 | 16 | 1.2 | | +58 | | | |
| | | MZ | 15 | 02 | 17 | 1.2 | | | | +32 | |
| | | eF | 15 | 03 | \pm | | | | | | |
| | | PEZ | 16 | 22 | 50 | | | | | 1990 | |
| 76 | July 16 | ePN | 16 | 22 | 50 | | | | | | Near Sitan, Sintiku-shû, Formosa. Northeastern part of earthquake fault of great Formosa earthquake, on April 20, 1935. 44 persons were killed and 1500 houses were destroyed. |
| | | SE | 16 | 26 | 12 | | | | | | |
| | | eSZ | 16 | 26 | 39 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-----------------------------|------|----|----|--------|----------------|----------------|----------------|----------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | L _E | 16 | 28 | 38 | | | | | | |
| | | eL _N | 16 | 28 | 20 | | | | | | |
| | | M _E | 16 | 30 | 42 | 13.0 | +12 | | | | |
| | | M ¹ _N | 16 | 30 | 44 | 11.2 | | -18 | | | |
| | | M _Z | 16 | 30 | 39 | 10.5 | | | +25 | | |
| | | M ² _N | 16 | 32 | 12 | 13.0 | | +11 | | | |
| | | eF | 16 | 57 | ± | | | | | | |
| 76 | July 17 | P _E | 17 | 57 | 00 | | | | | 417 | Southwestern foot of Mt. Tukuba, Kwantô district. |
| | | P _N | 17 | 56 | 59 | | | | | | |
| | | S _E | 17 | 57 | 57 | | | | | | |
| | | S _N | 17 | 57 | 56 | | | | | | |
| | | M _{EN} | 17 | 58 | 01 | | +3 | +7 | | | |
| | | F | 17 | 59 | 46 | | | | | | |
| 77 | July 19 | eP | 0 | 51 | 11 | | -1.0 | | +1.6 | 563 | About 50 km. off SE of Onahama, Hukushima Prefecture. Moderate shocks were felt in eastern part of Kwantô district. |
| | | PEZ | 0 | 51 | 11 | | +2.0 | | -3.1 | | |
| | | P _N | 0 | 51 | 12 | | | -1.1 | | | |
| | | eS _{EN} | 0 | 52 | 22 | | | | | | |
| | | iS _E | 0 | 52 | 28 | | | | | | |
| | | i _N | 0 | 52 | 27 | | | | | | |
| | | S _E | 0 | 52 | 27 | | | | | | |
| | | S _Z | 0 | 52 | 43 | | | | | | |
| | | M _E | 0 | 53 | 10 | 2.6 | +221 | | | | |
| | | M _N | 0 | 53 | 04 | 2.8 | | -290 | | | |
| | | M _Z | 0 | 53 | 01 | 2.0 | | | -12.5 | | |
| | | eF | 1 | 21 | ± | | | | | | |
| 78 | July 19 | eP _E | 2 | 52 | 37 | | | | | | An aftershock of No. 77. |
| | | eP _N | 2 | 52 | 39 | | | | | | |
| | | eF | 2 | 57 | ± | | | | | | |
| 79 | July 19 | eP _E | 3 | 32 | 05 | | | | | | Ditto. |
| | | eP _N | 3 | 32 | 07 | | | | | | |
| | | eF | 3 | 34 | ± | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-----------------|--------------------|----|----|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| *80 | July 23 | P | 18 | 01 | 02 | | +19.4 | +2.2 | +159. | 67 | Weak shocks were felt at Toyooka. About 20 km. SW of Tottori City. Moderate shocks were felt in the epicentral region. |
| | | S | 18 | 01 | 11 | | | | | | |
| | | M _E | 18 | 01 | 18 | 1.4 | +172 | | | | |
| | | M _N | 18 | 01 | 20 | | | -500 | | | |
| | | M _Z | 18 | 01 | 18 | | | | +99 | | |
| | | | in next earthquake | | | | | | | | |
| *81 | July 23 | P | 18 | 02 | 40 | | +14.1 | +11.0 | -14.3 | 70 | Perceptible. |
| | | S _E | 18 | 02 | 49 | | | | | | An aftershock of No. 81. |
| | | S _{NZ} | 18 | 02 | 50 | | | | | | |
| | | M _E | 18 | 02 | 59 | | +62 | | | | |
| | | M _N | 18 | 02 | 57 | | | -286 | | | |
| | | M _Z | 18 | 02 | 53 | | | | -44 | | |
| | | | in next earthquake | | | | | | | | |
| *82 | July 23 | eP _N | 18 | 04 | 08 | | | | | | Ditto. |
| | | S _E | 18 | 04 | 17 | | | | | | |
| | | S _N | 18 | 04 | 19 | | | | | | |
| | | eS _Z | 18 | 04 | 21 | | | | | | |
| | | M _E | 18 | 04 | 32 | | +24 | | | | |
| | | M _N | 18 | 04 | 28 | | | -49 | | | |
| | | M _Z | 18 | 04 | 22 | | | | +19 | | |
| | | | in next earthquake | | | | | | | | |
| 83 | July 23 | P _{EN} | 18 | 06 | 38 | | | | | 61 | Ditto. |
| | | eP _Z | 18 | 06 | 40 | | | | | | |
| | | S _{EN} | 18 | 06 | 46 | | | | | | |
| | | S _Z | 18 | 06 | 47 | | | | | | |
| | | M _{EN} | 18 | 06 | 51 | | +6 | +8 | | | |
| | | M _Z | 18 | 06 | 56 | | | | +5 | | |
| | | eF | 18 | 09 | ± | | | | | | |
| 84 | July 23 | P _{EN} | 18 | 18 | 53 | | | | | 67 | Ditto. |
| | | eP _Z | 18 | 18 | 53 | | | | | | |
| | | S | 18 | 19 | 02 | | | | | | |
| | | M _E | 18 | 19 | 07 | | +3 | | | | |

| No. | Date | Phase | Time | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-------|------|-------|--------|-----------|-----|----|---|---|
| | | | G. | M. T. | | AE | AN | Az | | |
| 85 | July 23 | MN | 18 | 19 03 | 0.014 | +8 | | | 0.8° | July 23 08° |
| | | F | 18 | 20 06 | | | | | | |
| | | PEN | 18 | 20 19 | | | | | | |
| | | PZ | 18 | 20 20 | | | | | | |
| | | S | 18 | 20 28 | | | | | | |
| | | MEN | 18 | 20 29 | | +5 | -18 | | | |
| | | MZ | 18 | 20 32 | | | | | | |
| 86 | July 23 | F | 18 | 22 08 | 0.062 | | | | Ditto. | Ditto. |
| | | PEN | 19 | 36 48 | | | | | | |
| | | PZ | 19 | 36 49 | | | | | | |
| | | S | 19 | 36 56 | | | | | | |
| | | ME | 19 | 37 00 | | +3 | | | | |
| | | MN | 19 | 36 57 | | | -13 | | | |
| | | F | 19 | 37 51 | | | | | | |
| 87 | July 23 | SEN | 20 | 53 17 | 0.010 | | | | Off the Wakasa Bay. Hukui Prefecture. | Off the Wakasa Bay. Hukui Prefecture. |
| | | MEN | 20 | 53 17 | | | | | | |
| | | F | 20 | 53 48 | | | | | | |
| 88 | July 23 | PEN | 20 | 57 08 | 0.010 | | | | An aftershock of No. 80. | An aftershock of No. 80. |
| | | S | 20 | 57 17 | | | | | | |
| | | MEN | 20 | 57 20 | | +7 | +18 | | | |
| | | MZ | 20 | 57 51 | | | +5 | | | |
| | | F | 20 | 59 48 | | | | | | |
| 89 | July 25 | PEN | 21 | 33 01 | 0.167 | | | | Near Miyosi, Hirosima Prefecture. | Near Miyosi, Hirosima Prefecture. |
| | | eSE | 21 | 33 23 | | | | | | |
| | | SN | 21 | 33 24 | | | | | | |
| | | SZ | 21 | 33 23 | | | | | | |
| | | MEN | 21 | 33 24 | | +6 | -9 | | | |
| | | F | 21 | 33 57 | | | | | | |
| 90 | July 26 | PE | 8 | 06 50 | 1430 | | | | SE off Kita-Siretoko Cape. Okhotsk Sea. Focal depth about 400 km. | SE off Kita-Siretoko Cape. Okhotsk Sea. Focal depth about 400 km. |
| | | ePN | 8 | 06 47 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-------|------|-------|------|--------|-----------|----|---|---|---------|
| | | | G. | M. | T. | | AE | AN | Az | | |
| 91 | July 26 | PZ | 8 | 06 46 | 14.6 | | | | Faint record. Probably between Cheinghai and Szechwan, China. | Faint record. Probably between Cheinghai and Szechwan, China. | |
| | | SEN | 8 | 09 20 | | | | | | | |
| | | eF | 8 | 28 ± | | | | | | | |
| 92 | July 29 | eLE | 10 | 49 05 | 14.6 | | | | 7250 South off Fiji IIs. South Pacific Ocean. | 7250 South off Fiji IIs. South Pacific Ocean. | |
| | | eLN | 10 | 48 01 | | | | | | | |
| | | eF | 11 | 03 ± | | | | | | | |
| 93 | July 31 | PE | 7 | 49 32 | 14.6 | | | | Near Mt. Tukuba, Ibaraki Prefecture. P phase is not distinct. | Near Mt. Tukuba, Ibaraki Prefecture. P phase is not distinct. | |
| | | PN | 7 | 49 30 | | | | | | | |
| | | PZ | 7 | 49 28 | | | | | | | |
| | | SEN | 7 | 58 13 | | | | | | | |
| | | eSZ | 7 | 58 15 | | | | | | | |
| | | eLE | 7 | 59 52 | | | | | | | |
| | | eLN | 8 | 02 04 | | | | | | | |
| 94 | Aug. 1 | MN | 8 | 03 33 | 14.6 | | | | In the Philippin Deep. | In the Philippin Deep. | |
| | | eF | 8 | 46 ± | | | | | | | |
| | | ePE | 8 | 13 35 | | | | | | | |
| | | ePN | 8 | 13 45 | | | | | | | |
| | | ePZ | 8 | 13 39 | | | | | | | |
| | | SN | 8 | 14 37 | | | | | | | |
| | | Sz. | 8 | 14 36 | | | | | | | |
| 95 | Aug. 3 | eSE | 8 | 14 46 | 14.6 | +4 | | | 5320 Strong shocks were felt in | 5320 Strong shocks were felt in | |
| | | ME | 8 | 14 55 | | | | | | | |
| | | MN | 8 | 14 48 | | | | | | | |
| | | MZ | 8 | 14 49 | | | | | | | |
| | | eF | 8 | 17 ± | | | | | | | |
| | | ePE | 14 | 12 09 | | | | | | | |
| | | PN | 14 | 12 04 | | | | | | | |
| 96 | Aug. 3 | SE | 14 | 16 20 | 14.6 | | | | Strong shocks were felt in | Strong shocks were felt in | |
| | | SN | 14 | 16 27 | | | | | | | |
| | | eF | 14 | 52 ± | | | | | | | |
| | | PE | 1 | 18 40 | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-----------------------------|------|----|----|--------|----------------|----------------|----------------|------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | P _N | 1 | 18 | 44 | | | | | | northern part of Sumatora, Epicenter 4°5'N 96°E, according to Batavia's report. |
| | | P _Z | 1 | 18 | 38 | | | | | | |
| | | eS _E | 1 | 25 | 39 | | | | | | |
| | | S _R E | 1 | 29 | 16 | | | | | | |
| | | S _R N | 1 | 29 | 15 | | | | | | |
| | | L _E | 1 | 31 | 41 | | | | | | |
| | | L _N | 1 | 31 | 50 | | | | | | |
| | | eL _Z | 1 | 36 | 16 | | | | | | |
| | | M ¹ _E | 1 | 36 | 58 | 21.2 | +23 | | | | |
| | | M ¹ _N | 1 | 37 | 33 | 19.2 | | -33 | | | |
| | | M ² _N | 1 | 40 | 58 | 12.8 | | -53 | | | |
| | | M ² _E | 1 | 42 | 17 | 12.8 | -33 | | | | |
| | | M _Z | 1 | 42 | 14 | 12.5 | | | +24 | | |
| | | M ³ _N | 1 | 42 | 07 | 12.0 | | -39 | | | |
| | | M ⁴ _N | 1 | 43 | 10 | 12.8 | | +37 | | | |
| | | eF | 2 | 18 | ± | | | | | | |
| 96 | Aug. 3 | P _Z | 2 | 12 | 01 | | | | | | In previous earthquake. Horizontal is not distinct. |
| | | eF | 2 | 26 | ± | | | | | | |
| 97 | Aug. 17 | P _E N | 1 | 55 | 30 | | | | | 7660 | East off New Caledonia, 20°S 171°E. (J. S. A.) |
| | | P _Z | 1 | 55 | 27 | | | | | | |
| | | i _Z | 1 | 55 | 39 | | | | | | |
| | | S _E | 2 | 04 | 31 | | | | | | |
| | | S _N | 2 | 04 | 33 | | | | | | |
| | | i _E | 2 | 05 | 35 | | | | | | |
| | | eL _E | 2 | 13 | 48 | | | | | | |
| | | eM _E | 2 | 17 | 10 | | | | | | |
| | | eF | 3 | 05 | ± | | | | | | |
| 98 | Aug. 17 | eP _E | 23 | 26 | 05 | | | | | | In the Hyûga-nada. SE off Kyûsyû. |
| | | eP _N | 23 | 25 | 57 | | | | | | |
| | | S _E | 23 | 26 | 40 | | | | | | |
| | | S _N | 23 | 26 | 36 | | | | | | |
| | | M _E | 23 | 26 | 47 | | -3 | | | | |
| | | M _N | 23 | 26 | 44 | | | +2 | | | |
| | | | | | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|---------|-----------------------------|------|----|----|--------|----------------|----------------|----------------|------|---|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | F | 23 | 28 | 13 | | | | | | |
| 99 | Aug. 23 | P | 0 | 54 | 34 | | +5.3 | +2.1 | -5.2 | | Near Mineyama, NW of Kyôto Prefecture. |
| | | S | 0 | 54 | 37 | | | | | | |
| | | M | 0 | 54 | 38 | | +5 | +11 | | | |
| | | F | 0 | 55 | 20 | | | | | | |
| 100 | Aug. 23 | e _N | 14 | 18 | 15 | | | | | | NE off Cocos Isl. SW off Sumatora. Felt in southwestern part of Sumatora. By Omori's seismograph. |
| | | eL _N | 14 | 28 | 28 | | | | | | |
| | | M ¹ _N | 14 | 30 | 38 | 15.3 | | +10 | | | |
| | | M ² _N | 14 | 34 | 06 | 18.0 | | -8 | | | |
| | | eF | 14 | 59 | ± | | | | | | |
| 101 | Aug. 25 | eL _E | 5 | 41 | 53 | | | | | | Very faint record. SW off Spitsbergen (Strasbourg) |
| | | eF _E | 5 | 56 | ± | | | | | | |
| 102 | Aug. 31 | P _E | 13 | 10 | 31 | | | | | 263 | Lower basin of the Huji River, Sizuoka Prefecture. |
| | | eP _N | 13 | 10 | 34 | | | | | | |
| | | S _E N | 13 | 11 | 07 | | | | | | |
| | | M _E N | 13 | 11 | 11 | | +7 | +6 | | | |
| | | F | 13 | 12 | 20 | | | | | | |
| 103 | Aug. 31 | P _E Z | 17 | 43 | 16 | | | | | 1800 | SE off Yetorohu Isl., Kurile IIs. |
| | | P _N | 17 | 43 | 15 | | | | | | |
| | | S _E | 17 | 46 | 21 | | | | | | |
| | | eL _E | 17 | 48 | 29 | | | | | | |
| | | M _E | 17 | 50 | 13 | 15.9 | | -3 | | | |
| | | eF | 18 | 02 | ± | | | | | | |
| 104 | Sept. 2 | P _E | 16 | 35 | 29 | | | | | | Southeastern part of Gihu Prefecture. |
| | | eP _N | 16 | 35 | 36 | | | | | | |
| | | i _E | 16 | 35 | 48 | | | | | | |
| | | eS _E | 16 | 36 | 11 | | | | | | |
| | | S _N | 16 | 36 | 02 | | | | | | |
| | | F | 16 | 37 | 02 | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks | |
|-----|----------|-----------------------------|------|----|----|--------|----------------|----------------|----------------|------|---|--|
| | | | g. | m. | s. | | A _E | A _N | A _Z | | | |
| 105 | Sept. 4 | P _{EZ} | 1 | 41 | 52 | 11.4 | +20 | +16 | -18 | 2010 | Small damage at Kashōtō, SE off Taitō, Formosa. 121° 6E 22°4N. Felt in all part of Formosa. | |
| | | P _Z | 1 | 41 | 56 | | | | | | | |
| | | S _{EZ} | 1 | 45 | 19 | | | | | | | |
| | | S _N | 1 | 45 | 18 | | | | | | | |
| | | M ¹ _E | 1 | 51 | 08 | | | | | | | |
| | | M ¹ _Z | 1 | 51 | 57 | | | | | | | |
| | | M ² _E | 1 | 53 | 48 | | | | | | | |
| | | M _N | 1 | 53 | 18 | | | | | | | |
| 106 | Sept. 4 | eP _E | 3 | 32 | 16 | 1.9 | +9 | +7 | -7 | 532 | An aftershock of No. 105. | |
| | | eF | 4 | 06 | ± | | | | | | | |
| 107 | Sept. 9 | P _{EN} | 5 | 14 | 55 | 1.9 | +9 | +7 | -7 | 532 | Near Amakusa Isl, Kyūsyū. Felt in all part of Kyūshū. | |
| | | P _Z | 5 | 14 | 53 | | | | | | | |
| | | S _E | 5 | 16 | 06 | | | | | | | |
| | | S _Z | 5 | 16 | 02 | | | | | | | |
| | | M _E | 5 | 16 | 16 | | | | | | | |
| | | M _N | 5 | 16 | 16 | | | | | | | |
| | | M _Z | 5 | 16 | 17 | | | | | | | |
| 108 | Sept. 9 | P _E | 6 | 23 | 46 | 1.9 | +9 | +7 | -7 | 4175 | Near Yap Isl. West Caroline IIs. Felt at Palau. | |
| | | P _N | 6 | 23 | 40 | | | | | | | |
| | | S _E | 6 | 28 | 41 | | | | | | | |
| | | S _N | 6 | 28 | 37 | | | | | | | |
| | | eL | 7 | 40 | ± | | | | | | | |
| 109 | Sept. 11 | eP | 14 | 06 | 53 | 225 | +168 | +1.1 | +1.0 | -2.9 | 1190 | About SE 60 km. off the coast of Kusiro. Moderate shocks were felt in eastern part of Hokkaidō. Felt in NE Japan and Hokkaidō. |
| | | iP | 14 | 06 | 55 | | | | | | | |
| | | S _{EN} | 14 | 09 | 00 | | | | | | | |
| | | S _Z | 14 | 09 | 03 | | | | | | | |
| | | L _E | 14 | 01 | 03 | | | | | | | |
| | | eL _N | 14 | 10 | 02 | | | | | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|----------|-----------------------------|------|----|----|--------|----------------|----------------|----------------|------|---|
| | | | g. | m. | s. | | A _E | A _N | A _Z | | |
| 110 | Sept. 14 | M _N | 14 | 12 | 28 | 15.0 | +80 | +48 | -9 | 556 | SE off Hatidyō Isl. |
| | | eM _Z | 14 | 11 | 54 | | | | | | |
| | | eF | 16 | 22 | ± | | | | | | |
| 111 | Sept. 14 | P | 8 | 29 | 31 | 15.0 | +80 | +48 | -9 | 556 | In the Kasima-nada. |
| | | F | 8 | 35 | 02 | | | | | | |
| 112 | Sept. 15 | P _E | 14 | 21 | 06 | 15.3 | -8 | -8 | -9 | 556 | South far off Ponape Isl, Caroline IIs. By Omori's Seismograph. |
| | | P _N | 14 | 21 | 05 | | | | | | |
| | | P _Z | 14 | 21 | 04 | | | | | | |
| | | S _{EZ} | 14 | 22 | 19 | | | | | | |
| | | S _N | 14 | 22 | 21 | | | | | | |
| | | M _E | 14 | 22 | 49 | | | | | | |
| | | M _Z | 14 | 22 | 59 | | | | | | |
| 113 | Sept. 16 | eF | 14 | 26 | ± | 15.3 | -8 | -8 | -6 | 517 | Near Sahara, Tiba prefecture. Felt in Kwantō district. |
| | | eP _N | 11 | 21 | 06 | | | | | | |
| | | e _N | 11 | 31 | 05 | | | | | | |
| | | eL _N | 11 | 37 | 35 | | | | | | |
| | | M ¹ _N | 11 | 40 | 13 | | | | | | |
| 114 | Sept. 18 | M ² _N | 11 | 42 | 58 | 2.1 | -14 | -36 | -20 | 1350 | About SW 20 km. off Ura- |
| | | M ³ _N | 11 | 51 | 45 | | | | | | |
| | | eF | 12 | 20 | ± | | | | | | |
| | | P _E | 20 | 53 | 02 | | | | | | |
| | | P _N | 20 | 53 | 03 | | | | | | |
| | | P _Z | 20 | 53 | 00 | | | | | | |
| | | S _{EN} | 20 | 54 | 12 | | | | | | |
| 115 | Sept. 20 | S _Z | 20 | 54 | 15 | 2.1 | -14 | -36 | -20 | 1350 | About SW 20 km. off Ura- |
| | | M _E | 20 | 54 | 35 | | | | | | |
| | | M _N | 20 | 54 | 23 | | | | | | |
| | | M _Z | 20 | 54 | 24 | | | | | | |
| 116 | Sept. 20 | eF | 20 | 59 | 32 | 2.1 | -14 | -36 | -20 | 1350 | About SW 20 km. off Ura- |
| | | eP _E | 8 | 26 | 08 | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----------------------------|----------|-----------------------------|------------------|-------------|-------------------------|-------------------------|--|---|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 115 | Sept. 18 | ePz | 8 26 07 | | | | | kawa, Hokkaidô. Moderate shocks were felt in southern part of Hokkaidô. | |
| | | P _{EN} | 8 26 09 | | | | | | |
| | | Pz | 8 26 08 | | | | | | |
| | | eS _E | 8 28 44 | | | | | | |
| | | eS _N | 8 28 31 | | | | | | |
| | | Sz | 8 28 14 | | | | | | |
| | | eF | 8 38 ± | | | | | | |
| 116 | Sept. 18 | P _{EN} | 8 52 22 | | | | An aftershock of No. 114. | | |
| | | Pz | 8 52 20 | | | | | | |
| | | F | 8 59 21 | | | | | | |
| | Sept. 20 | P _{NZ} | 1 54 13 | | | | 4420 About central part of Dutch New Guinea. | | |
| | | P _E | 1 54 17 | | | | | | |
| | | i _{EN} | 1 56 26 | | | | | | |
| | | S | 2 00 25 | | | | | | |
| | | L _E | 2 03 25 | | | | | | |
| | | L _N | 2 03 45 | | | | | | |
| | | Lz | 2 03 31 | | | | | | |
| | | i _E | 2 04 16 | 36.4 | +446 | | | | |
| | | M ¹ _E | 2 07 21 | 15.0 | +88 | | | | |
| | | M ¹ _Z | 2 06 48 | 21.5 | | -91 | | | |
| | | M ¹ _N | 2 08 02 | 19.5 | | -110 | | | |
| | | M ² _Z | 11 08 47 | 18.5 | | +102 | | | |
| | | M ² _E | 2 09 59 | 18.8 | -77 | | | | |
| | | M ³ _E | 2 14 02 | 15.0 | +51 | | | | |
| M ² _N | 2 13 35 | 15.5 | | +90 | | | | | |
| M ³ _N | 2 14 24 | 15.5 | | -82 | | | | | |
| M ² _Z | 2 13 37 | 17.0 | | +91 | | | | | |
| M ⁴ _E | 2 16 19 | 15.0 | +64 | | | | | | |
| M ⁴ _Z | 2 15 18 | 15.4 | | +91 | | | | | |
| eF | 4 13 ± | | | | | | | | |
| 117 | Sept. 20 | P | 5 30 40 | | | | 4380 An aftershock of previous earthquake. | | |
| | | iz | 5 31 18 | | | | | | |
| | | S _E | 5 36 40 | | | | | | |
| | | S _N | 5 36 42 | | | | | | |

| No. | Date | Phase | Time G. M. T. | Period s | Amplitude | | | Δ km. | Remarks |
|-----|----------|-----------------|------------------|-------------|-------------------------|-------------------------|---|-----------------|---------|
| | | | | | A _E μ | A _N μ | A _Z μ | | |
| 118 | Sept. 22 | Sz | 5 36 47 | | | | 215 Southern part of the Kii Channel. | | |
| | | L _E | 5 39 46 | | | | | | |
| | | L _N | 5 39 51 | | | | | | |
| | | Lz | 5 41 59 | | | | | | |
| | | Mz | 5 44 25 | | | | | | |
| | | eF | 6 26 ± | | | | | | |
| | | eP _E | 4 28 03 | | | | | | |
| 119 | Sept. 22 | P _{NZ} | 4 28 00 | | | | 335 Near Kumagai, Saitama Prefecture. Focal depth about 100 km. | | |
| | | S | 4 28 29 | | | | | | |
| | | M _{EN} | 4 28 43 | 1.0 | +12 | +8 | | | |
| | | Mz | 4 28 33 | 1.0 | | +5 | | | |
| | | F | 4 30 17 | | | | | | |
| 120 | Sept. 23 | P | 14 40 52 | | | | 4480 Near New Guinea. | | |
| | | eS _E | 14 41 35 | | | | | | |
| | | S _N | 14 41 37 | | | | | | |
| | | F | 14 43 52 | | | | | | |
| 121 | Sept. 24 | P _{EN} | 9 25 51 | | | | 422 SW off Hatidyô Isl. | | |
| | | Pz | 9 25 48 | | | | | | |
| | | eS _E | 9 32 05 | | | | | | |
| | | L _E | 9 34 58 | | | | | | |
| | | eF | 10 00 ± | | | | | | |
| 122 | Sept. 24 | Pz | 16 39 21 | | | | 410 Ditto. | | |
| | | P _E | 16 39 26 | | | | | | |
| | | P _N | 16 39 25 | | | | | | |
| | | S _N | 16 40 22 | | | | | | |
| | | Sz | 16 40 23 | | | | | | |
| | | eM _E | 16 40 46 | +11 | | | | | |
| | | eM _N | 16 40 47 | | -14 | | | | |
| | | Mz | 16 40 48 | | | +7 | | | |

| No. | Date | Phase | Time | | | Period | Amplitude | | | Δ | Remarks |
|-----|----------|------------------|------|----|----|--------|----------------|----------------|----------------|----------|--|
| | | | G. | M. | T. | | A _E | A _N | A _Z | | |
| | | | h | m | s | s | μ | μ | μ | km. | |
| | | P _N | 16 | 55 | 36 | | | | | | |
| | | P _Z | 16 | 55 | 33 | | | | | | |
| | | S _N | 16 | 56 | 32 | | | | | | |
| | | S _Z | 16 | 56 | 38 | | | | | | |
| | | M _E | 16 | 57 | 04 | | +11 | | | | |
| | | M _N | 16 | 57 | 03 | | | -18 | | | |
| | | M _Z | 16 | 57 | 02 | | | | -12 | | |
| | | eF | 17 | 04 | ± | | | | | | |
| 123 | Sept. 27 | P | 22 | 35 | 02 | | + | - | - | 111 | Western foot of Mt. Ibuki, Siga Prefecture. |
| | | S | 22 | 35 | 17 | | | | | | |
| | | M | 22 | 35 | 19 | | -26 | +21 | +23 | | |
| | | F | 22 | 36 | 49 | | | | | | |
| 124 | Sept. 29 | eP _{EN} | 10 | 29 | 33 | | | | | 54 | SW of Tottori City. |
| | | S _{EN} | 10 | 29 | 40 | | | | | | |
| | | M _{EN} | 10 | 30 | 41 | | +4 | -9 | | | |
| | | F | 10 | 30 | 28 | | | | | | |
| 125 | Sept. 30 | P _E | 0 | 08 | 20 | | | | | 389 | Near Tiba City. Weak shocks were felt in Kwantô district. |
| | | eP _N | 0 | 08 | 23 | | | | | | |
| | | eP _Z | 0 | 08 | 21 | | | | | | |
| | | iz | 0 | 08 | 25 | | | | | | |
| | | eS _E | 0 | 09 | 24 | | | | | | |
| | | S _N | 0 | 09 | 12 | | | | | | |
| | | S _Z | 0 | 09 | 21 | | | | | | |
| | | M _E | 0 | 09 | 36 | 1.9 | +38 | | | | |
| | | M _N | 0 | 09 | 31 | 2.3 | | -71 | | | |
| | | M _Z | 0 | 09 | 37 | 2.1 | | | -36 | | |
| | | eF | 0 | 15 | ± | | | | | | |
| 126 | Sept. 30 | eP _N | 13 | 38 | 50 | | | | | | Near Kuzûkuri-hama, Tiba Prefecture. |
| | | eF | 13 | 54 | ± | | | | | | |