

List III. (1926)

No.	Station	Date	Time of occurrence			Duration		Maximum motion		Direction of initial motion	Epicentre		Depth km	Intensity
						P. el. tr.	Total	2A			λ (E)	φ (N)		
								N.S.	E.W.					
1	Tôkyô	Jan. 10	h	m	s	s	m	mm	mm				I	
	Tukuba		18	3	2.6	18.2	15	0.330	0.433				II	
	Utunomiya		18	2	49.9	7.8	1.5	0.130					I	
	Tyôsi		18	2	35.8	28.5	31	+0.510*	+0.176*				III	
			18	2	48.7	5.8		0.830	2.223					
2	Tôkyô	Jan. 10	18	35	45.0	19.0	15	0.125	0.100				I	
	Tukuba		18	35	32.5	8.0	4						I	
	Utunomiya		18	35	13.2	15.0	17	-0.176*	0.060				II	
	Tyôsi		18	35	30.1	7.1		0.400	0.200					
3	Tôkyô	Jan. 12	2	59	13.5	11.3	3	0.067	0.033	S76°E	139°56'0	34°58'6	35	I
	Kamakura					7.9		0.120	0.096					0
	Tukuba		2	59	19.2	14.4	1							III
	Mera		2	59	6	5.2								0
	Tyôsi		2	59	23.0	15.0								
4	Tôkyô	Jan. 13	6	59	17.9	5.6	3	0.072	0.018				I	
	Kamakura					5.7	2	0.012	0.008				0	
5	Tôkyô	Jan. 14	13	8	12.3	7.3	3	0.063	0.038		140° 8'0	35°57'8	40	I
	Kamakura					12.3	1	0.008	0.006					0
	Tukuba		13	8	8.5	5.0	1.5	0.080						III
	Tyôsi	13	8	16.5	10.0				0					
6	Tôkyô	Jan. 17	7	58	30.3	5.5	1.5	0.018	0.017				I	
	Kamakura					6.4	1	0.016	0.006				0	
7	Tôkyô	Jan. 21	15	7	21.9	7.8	3	0.079	0.079	S32°E	139°43'0	36°14'7	50	I
	Kamakura					13.8	2	0.024	0.019					
	Tukuba		15	7	16.0	6.5	2	0.028						II
	Utunomiya		15	7	12.7	7.9	2	0.003	0.042					0
8	Tôkyô	Jan. 28	1	36	0.2	17.1	5	0.030	0.030				I	
	Kiyosumi					12.2	4	0.032	0.046				I	
	Utunomiya		1	36	1.2	14.2	4	0.008	0.020				0	
	Tyôsi		1	35	43.2	7.7		0.144	0.182				1	
9	Tôkyô	Jan. 30	17	23	6.9	5.8	2	0.019	0.004		139°41'8	35°30'6	38	1
	Kamakura					5.9	1	0.006	0.020					
	Kiyosumi					8.7	1	0.002	0.002					0
10	Tôkyô	Jan. 31	8	15	44.3	5.8	1.5	0.018	0.008				I	
	Kamakura					5.3	1	0.020	0.012					
11	Tôkyô	Feb. 4	21	15	2.9	5.2	1.5	0.100	0.079	S72°E, u	139°33'2	35°52'3	25	1
	Kamakura					8.5	2	0.016	0.012					0
	Kiyosumi					12.5	1	0.002	0.002					0
	Tukuba		21	15	3.5	9.6	1							
12	Tôkyô	Feb. 7	12	47	21.8	11.5	2	0.142	0.096	S8°E	139°52'3	36°23'3		1
	Kamakura					17.0	3	0.028	0.022					0
	Kiyosumi					17.1	3	0.006	0.006					0

(to be continued.)

List III. (continued.)

No.	Station	Date	Time of occurrence			Duration		Maximum motion		Direction of initial motion	Epicentre		Depth	Intensity
						Prel. tr.	Total	2A			λ (φ)	φ (N)		
								N.S.	E.W.					
	Tukuba		h	m	s	s	m	mm				km	III	
	Utunomiya		12	47	6.0	9.8	3	0.096					I	
			12	47	23.8	9.2	1	0.114	+0.100*					
13	Tôkyô	Feb. 8	14	47	19.4	8.9	6	0.056	0.025		140°24'6"	35°28'8"	20	I
	Kamakura					10.7	3	0.012	0.011					0
	Kiyosumi					6.7	2	0.108	0.116					I
	Tukuba		14	46	19.5	12.5	1	0.007						I
	Tyôsi		14	47	19.4	7.1								0
14	Tôkyô	Feb. 9	23	12	4.9	8.4	1.5	0.029	0.019	S45°E	140°11'3"	35°29'6"	50	I
	Kiyosumi					7.7		0.002	0.004					0
	Tukuba		23	14	2.8	9.0	1							0
	Tyôsi		23	14	5.4	10.4								0
15	Tôkyô	Feb. 10	2	12	19.6	5.3	1.5	0.043	0.038		140°0'0"	35°26'2"		I
	Kamakura					6.2	1.5	0.010	0.020					0
	Kiyosumi					5.0	1	0.012	0.010					0
	Tukuba		2	12	23.0	9.0	1							0
	Tyôsi		2	12	38.3	21.0								0
16	Tôkyô	Feb. 10	2	13	47.9	5.1	1	0.018	0.016					I
	Kamakura					6.2	1	0.006	0.006					0
	Tukuba		2	13	43.5	9.0	1							0
17	Tôkyô	Feb. 13	23	58	34.3	8.5	6	0.283	0.325	S12°W,u	140°8'5"	36°7'8"	30	II
	Kamakura					14.0				N26°E				0
	Kiyosumi					13.5	1	0.002	0.002					0
	Tukuba		23	58	34.0	5.3	3.5							III
	Utunomiya		23	58	27.5	8.3	24	0.368	0.330					II
	Tyôsi		23	58	37.7	10.5		0.038	0.052					0
18	Tôkyô	Feb. 21	5	35	5.9	9.0	2	0.035	0.040					I
	Kiyosumi					9.4	1	0.004	0.004					0
	Tyôsi		5	36	38.6	4.1								0
19	Tôkyô	Feb. 22	10	20	2.2	9.0	10	0.387	0.225		140°22'6"	35°24'1"	15	II
	Kamakura					10.4	6	0.232	0.252					0
	Kiyosumi					5.5	6	0.512	0.660					III
	Tukuba		10	20	6.2	13.0	2	0.020						I
	Utunomiya		10	20	13.0	17.6	5	-0.040*	-0.040*					0
	Tyôsi		10	20	6.4	8.1		0.104	0.094					0
20	Tôkyô	Feb. 28	5	34	5.4	7.0	2	0.129	0.057	N57°E,u	139°37'2"	35°45'7"	56	I
	Kamakura					8.9								0
	Kiyosumi					11.8	1.5	0.014	0.008					0
	Tukuba		5	33	59.3	6.0	1							0
21	Tôkyô	March 9	3	43	45.1	7.2	2	0.019	0.014		140°5'2"	35°36'2"	50	I
	Kamakura					9.5	2	0.006	0.012					0
	Kiyosumi					8.8	1	0.008	0.004					0
	Tyôsi		3	43	45.3	11.5								0

(to be continued.)

List III. (continued.)

No.	Station	Date	Time of occurrence	Duration		Maximum motion		Direction of initial motion	Epicentre		Depth	Intensity	
				Prel. tr.	Total	2A			λ (E)	φ (N)			
						N.S.	E.W.						
22	Tôkyô	March 13	h m s	s	m	mm	mm		140° 14' 1	35° 8' 9	65	I	
	Kamakura		12 57 58.0	11.5	1.5	0.056	0.020						
	Kiyosumi			10.7	2	0.026	0.025						
	Tukuba		12 57 1.0	7.8	1.5	0.020	0.024						
	Tyôsi		12 57 58.4	16.8	1								0
23	Tôkyô	March 20	20 0 26.1	10.4	4	0.203	0.125		140° 3' 3	35° 45' 3	67	II	
	Kamakura			15.5	3	0.060	0.070						
	Tukuba		20 0 15.0	6.7	2.5	0.026							0
	Utunomiya		20 0 26.4	1.4	5.5	+0.316*	-0.320*						III
	Tyôsi		20 0 27.4	18.6									0
24	Tôkyô	March 22	15 21 47.7	8.4	3	0.200	0.188		140° 17' 8	35° 50' 6	50	I	
	Kamakura			4.5	1	0.004	0.002						
	Tukuba		15 21 49.0	8.4	1.5	0.016							0
	Tyôsi		15 21 48.2	11.5									
25	Tôkyô	March 23	20 0 57.0	8.8	6	0.050	0.052		139° 33' 2	35° 13' 3	20	I	
	Tukuba		20 0 53.0	7.0	4	0.045							
	Utunomiya		20 0 41.6	13.9	4	0.102	0.082						II
	Tyôsi		20 0 57.0	9.0		0.014	0.013						I
26	Tôkyô	April 11	15 26 4.8	8.3	2.5	0.111	0.096		139° 57' 1	35° 34' 6	70	III	
	Kamakura			3.6	5	0.501	0.722						
	Kiyosumi			8.1	3	0.006	0.018						
	Tukuba		15 26 13.8	14.4	1								0
27	Tôkyô	April 13	2 8 35.8	8.2	6	0.175	0.063		140° 10' 4	35° 38' 8	63	III	
	Kamakura			14.6	1	0.003	0.002						
	Kiyosumi			13.8	2	0.014	0.012						
	Utunomiya		2 8 6.8	7.2	2	+0.168*	+0.080*						I
28	Tôkyô	April 18	15 54 32.8	5.5	10	0.480	0.570	S55°W,d S, u	139° 30' 8	35° 32' 5	25	II	
	Kamakura			5.0	10	0.360	0.990						
	Kiyosumi			10.0	30	0.270	0.580						
	Tukuba		15 54 36.1	10.0	7	0.120							II
	Utunomiya		15 54 7.3	13.0	9	+0.284*	0.476*						I
Tyôsi	15 54 48.1	14.3		0.218	0.264	I							
29	Tôkyô	April 27	23 17 23.9	8.6	5	0.212	0.386	N27°W S57°W,u	140° 10' 4	35° 38' 8	63	III	
	Kamakura			9.7	5	0.200	0.110						
	Kiyosumi			10.0	4	0.050	0.104						
	Tukuba		23 17 24.6	7.2	3	0.030							0
	Utunomiya		23 17 20.8	11.2		+0.030*	-0.094*						I
Tyôsi	23 17 28.8	12.5		0.088	0.086	0							
30	Tôkyô	May 1	2 36 17.8	8.6	6	0.650	0.460	N60°W,u S51°W,u	140° 10' 4	35° 38' 8	63	III	
	Kamakura			10.9	6	0.166	0.172						
	Kiyosumi			9.8	3	0.170	0.175						
	Tukuba		2 36 15.2	9.3	4	0.238							I
	Utunomiya		2 36 20.0	10.1	5.5	+0.124*	+0.122*						I
Tyôsi	2 36 22.6	11.4		0.088	0.084	0							

(to be continued.)

List III. (continued.)

No.	Station	Date	Time of occurrence	Duration		Maximum motion 2A		Direction of initial motion	Epicentre		Depth km	Intensity
				Prel. tr.	Total	mm	mm		λ (E)	φ (N)		
31	Tôkyô	May 12	6 41 6.8	5.9	2.5	0.124	0.096		139° 47' 6"	35° 22' 0"	10	I
	Kamakura		3.3	2	0.004		0					
	Kiyosumi		7.2	1.5	0.008	0.008						
32	Tôkyô	May 17	4 29 44.6	7.3	6	0.067	0.048		139° 23' 4"	36° 0' 0"	10	I
	Kiyosumi		15.3	1	0.002	0.004	0					
	Tukuba		4 29 47.4	10.4	2	0.012						0
	Utunomiya		4 29 8.6	11.1	2		-0.030*					0
	Tyôsi		4 29 56.0	17.6								0
33	Tôkyô	May 19	1 59 51.2	7.9	4	0.285	0.275	S16° W	139° 56' 5"	36° 10' 1"		III
	Kamakura		14.9	3	0.010							
	Kiyosumi		15.0	4	0.034	0.052						
	Tukuba		1 59 55.7	6.0	7							III
	Utunomiya		1 59 44.3	6.9	7.5	+0.600*	-0.502*					III
Tyôsi	1 59 51.2	12.0		0.046	0.056	0						
34	Tôkyô	May 20	20 48 15.1	7.2	5	0.180	0.180		139° 48' 2"	36° 0' 7"	48	II
	Kamakura		10.0									
	Kiyosumi		13.2	5	0.018	0.044						
	Tukuba		20 48 15.5	6.2	2.5	0.075						II
	Utunomiya		20 47 56.1	9.0	3	+0.200*	+0.184*					II
Tyôsi	20 48 16.3	13.4				I						
35	Tôkyô	May 21	4 11 17.8	6.4	2	0.025	0.028		139° 42' 0"	35° 36' 1"	49	I
	Kamakura		7.4	1	0.040		0					
	Kiyosumi		10.0	1	0.002	0.002	0					
36	Tôkyô	May 23	23 34 36.6	8.4	2.5	0.058	0.052		140° 4' 0"	36° 7' 8"	42	I
	Kamakura		13.5	2	0.006	0.008	0					
	Kiyosumi		13.8	1	0.004	0.002	0					
	Tukuba		23 34 11.6	4.8	1.5							II
	Utunomiya		23 34 13.5	8.6	3.5	+0.048*	+0.082*					I
Tyôsi	23 34 46.4	11.6				0						
37	Tôkyô	June 9	10 27 14.5	4.1	2	0.066	0.060		139° 34' 7"	35° 36' 4"		I
	Kamakura			3	0.062	0.026	0					
	Kiyosumi		9.7	1	0.004	0.004	0					
Tukuba	10 28 15.0	10.8	1			0						
38	Tôkyô	June 14	9 16 13.2	7.4	3	0.046	0.060					I
	Tyôsi		9 16 5.8	7.3			0					
39	Tôkyô	June 22	16 13 50.3	8.1	6	0.125	0.056		140° 6' 7"	35° 59' 0"	50	I
	Kamakura		13.8	3	0.028	0.026	0					
	Kiyosumi		12.4	3	0.010	0.012	0					
	Tukuba		16 14 46.6	6.5	2	0.043						III
	Utunomiya		16 13 49.4	7.0	4	+0.092*	+0.104*					I
Tyôsi	16 13 55.0	10.8				0						
40	Tôkyô	June 27	7 39 56.3	9.1	10	0.330	0.600		140° 10' 9"	35° 16' 8"	35	I
	Kamakura		8.9	2	0.024	0.026						

(to be continued.)

List III. (continued.)

No.	Station	Date	Time of occurrence		Duration		Maximum motion		Direction of initial motion	Epicentre		Depth km	Intensity	
					Prel. tr.	Total	2A			λ (E)	φ (N)			
							N.S.	E.W.						
	Kiyosumi		h	m	s	s	m	mm	mm					
	Tukuba		7	39	59.5	12.5	7	0.055					I	
	Utunomiya		7	39	18.8	19.0	8	-0.158*	+0.204*				0	
41	Tôkyô	June 28	18	50	52.0	12.4	5	0.090	0.120		139°49'6"	34°59'5"	77	I
	Kamakura					10.2	5	0.236	0.235					I
	Kiyosumi					9.6	3	0.082	0.088					0
	Tukuba		18	50	55.0	15.6	2.5	0.016						0
	Utunomiya		18	50	49.3	14.3	3	0.026	0.034					I
	Tyôsi		18	50	55.4	17.3		0.024	0.032					I
42	Tôkyô	July 11	8	1	39.9	15.0	20	2.150	1.950	N85°E	140°58'1"	35°55'7"		II
	Kamakura					17.5	30	0.990						0
	Kiyosumi					14.8	18	0.566	0.396	N30°E				0
	Tukuba		8	1	40.5	8.0	22	0.433						III
	Utunomiya		8	1	41.9	15.1	14	+0.976*	-1.584*					I
	Mito		8	1	33	10.8	16.5	+2.250*	+1.800*					II
	Tyôsi		8	1	17.5	5.4								III
43	Tôkyô	July 12	19	7	10.7	7.5	3	0.075	0.044					I
	Kamakura					7.2	4	0.300	0.266					
	Kiyosumi					15.4	3	0.014	0.016					
	Tukuba		19	7	28.0	15.2	2.5	0.009						0
	Tyôsi		19	7	28.8	11.6								0
44	Tôkyô	July 12	23	5	53.5	5.1	1	0.018	0.024		139°58'2"	35°37'9"	36	I
	Kamakura					7.3	1.5	0.008	0.010					0
	Kiyosumi					8.7	1	0.004	0.006					0
45	Tôkyô	July 14	4	7	35.2	15.4	4	0.100	0.120		138°51'7"	35°53'0"		I
	Kamakura					15.2	2.5	0.024	0.070					0
	Kiyosumi					20.3	1.5	0.010	0.008					0
	Tukuba		4	7	33.9	18.0	3	0.009						0
	Utunomiya		4	7	35.2	23.0	3.5	-0.040*	+0.044*					I
	Mito		4	7	43	20.0	1	+0.020*						0
	Tyôsi		4	7	37.8	21.6								0
46	Tôkyô	July 26	9	31	12.6	11.6	5	0.058	0.035		140°43'2"	35°51'2"	32	I
	Tukuba		9	31	3.6	10.0	2.5	0.005						I
	Mito		9	31	1	8.9	2	+0.150*						I
	Tyôsi		9	30	55.5	5.0		0.031	0.027					I
47	Tôkyô	July 28	8	16	13.5	9.8	2	0.011	0.015		140°28'6"	35°55'0"	42	I
	Kiyosumi					12.0	1	0.004	0.004					0
	Tukuba		8	16	8.4	7.5	1							0
	Tyôsi		8	16	9.8	7.2								0
48	Tôkyô	July 3'	0	41	51.3	7.7	7	0.183	0.083		139°34'2"	36°3'2"	46	I
	Kamakura					7.4	4	0.092	0.098	N33°W,d				I
	Kiyosumi					14.4	2	0.006	0.008					0
	Tukuba		0	41	53.0	8.4	2	0.004						0
	Mito		0	42	3	12.2	1							0

(to be continued.)

List III. (continued.)

No.	Station	Date	Time of occurrence	Duration		Maximum motion		Direction of initial motion	Epicentre		Depth	Intensity
				Prel. tr.	Total	2A			λ (E)	φ (N)		
						N.S.	E.W.					
49	Tôkyô	Aug. 3	h m s	''	'''	mm	mm	S16°E N35°E,d S26°E	139°47'2	35°31'4	59 km	IV
	Kamakura		18 26 23.9	7.6	30	15.800	23.500					
	Kiyosumi			7.8	30							
	Tukuba		18 26 25.5	9.7	30							
	Utunomiya		18 26 38.8	9.6	25	-1.680*	-1.680*					
	Mito		18 26 31	12.0	15		-2.200*					
Tyôsi	18 26 31.9	13.4	15									
50	Tôkyô	Aug. 6	13 12 25.7	6.2	1.5	0.044	0.080	N79°E				I
	Kamakura			7.8	2.5		0.014					
51	Tôkyô	Aug. 7	10 23 42.1	5.4	3	0.220	0.300		140°5'6	35°42'0	25	I
	Kamakura			9.3	2	0.032	0.038					
	Kiyosumi			8.6	1.5	0.016	0.016					
52	Tôkyô	Aug. 7	15 15 7.2	16.2	60	1.260	0.880	S52°E	140°14'1	34°42'8		II
	Kamakura			12.9	9		3.200					
	Kiyosumi			9.1	20	2.009	1.552					
	Tukuba		15 15 12.0	16.2	17	0.116						
	Utunomiya		15 15 18.1	31.4	9.5	-0.464*	+0.546*					
	Mito		15 15 16	31.0	20	-0.450*	-0.500*					
Tyôsi	15 15 6.5	17			1.760							
53	Tôkyô	Aug. 13	13 29 0.5	14.0	6	0.085	0.063	N79°W,d				I
	Kamakura			10.7	4	0.124	0.114					
	Kiyosumi			15.2	3	0.014	0.008					
	Tukuba		13 29 13.5	19.0	2.5							
	Utunomiya		13 29 10.1	18.8	2.5	0.020*	+0.052*					
Tyôsi	13 29 15.2	19.7										
54	Tôkyô	Aug. 14	1 11 57.9	10.2	5	0.067	0.063					I
	Kiyosumi			10.7	1.5	0.010	0.012					
Tukuba	1 12 6.6	7.0	2	0.005							0	
55	Tôkyô	Sept. 7	22 38 7.0	8.4	2	0.080	0.050		139°45'3	35°41'1	75	I
	Kamakura			10.0	2.5	0.058	0.056					
	Kiyosumi			11.5	1	0.012	0.016					
	Tyôsi		22 38 9.4	11.0								
56	Tôkyô	Sept. 17	5 49 16.1	11.0	5	0.080	0.136		139°54'5	36°17'4		I
	Kiyosumi			17.0	2	0.010	0.012					
	Tukuba		5 49 16.8	8.8	2	0.080						
	Utunomiya		5 49 10.8	6.7	3	+0.082*	-0.182*					
	Tyôsi		5 49 29.4	7.7								
57	Tôkyô	Oct. 3	4 3 28.5	15.2	15	0.490	0.190		141°4'5	35°20'2		I
	Kamakura			17.8	8	0.210	0.246					
	Kiyosumi			11.4	10	0.234	0.250					
	Tukuba		4 3 19.2	16.8	10	0.056						
	Utunomiya		4 3 27.3	16.1	8	+0.180*	-0.380*					
Tyôsi	4 3 10.8	7.2										

(to be continued.)

List III. (continued.)

No.	Station	Date	Time of occurrence	Duration		Maximum motion		Direction of initial motion	Epicentre		Depth km	Intensity
				Prel. tr.	Total	2A			λ (E)	ϕ (N)		
						N.S.	E.W.					
58	Tôkyô	Oct. 27	h m s	s	m	mm	mm		139°53'2	36°9'8	45	I
	Kamakura		22 33 50.3	8.6	5	0.025	0.033					
	Misaki			14.5	1.5	0.006	0.004					
	Tukuba		22 33 48.5	5.0	1.5	0.015	0.002					
	Utunomiya		22 33 49.9	8.0	1.5	+0.030*	0.036					
59	Tôkyô	Oct. 28	19 45 34.7	15.1	10	0.107	0.094	N27°E	141°0'2	36°0'0		I
	Kamakura			20.0	4	0.048	0.034					
	Misaki			19.8	4	0.083	0.144					
	Kiyosumi			15.0	3	0.054	0.042					
	Tukuba		19 45 32.0	9.7	3	0.038						
	Utunomiya		19 45 30.5	12.5	4	-0.036*	+0.074*					
Tyôsi	19 45 25.5	4.3		0.400	0.528	S45°W,u				II		
60	Tôkyô	Nov. 2	8 31 15.9	8.8	3	0.063	0.046		139°33'2	36°14'2	30	I
	Kamakura			13.1	2	0.008	0.024					
	Misaki			15.0	1.5	0.005	0.006					
	Kiyosumi			16.5	1	0.006	0.010					
	Utunomiya		8 31 8.1	6.8	2	-0.100*	-0.142*					
	Tyôsi		8 31 18.0	11.5								
61	Tôkyô	Nov. 6	4 5 33.6	18.8	10	0.076	0.083					I
	Misaki			21.7	5	0.026	0.017					
	Kiyosumi			22.7	5	0.038	0.048					
	Utunomiya		4 5 3.4	4.4	8	0.112	+0.210*					
	Tyôsi		4 5 29.4	11.5		0.152	0.210					
62	Tôkyô	Nov. 16	7 47 10.3	8.9	2.5	0.024	0.012		139°21'1	35°15'4	20	I
	Kamakura			3.3	3	0.254	0.088					
	Misaki			5.0	1.5	0.008	0.009					
	Kiyosumi			10.2	1	0.002	0.002					
63	Tôkyô	Nov. 20	5 57 31.2	7.0	2.5	0.052	0.050		139°25'8	35°34'2	44	I
	Kamakura			6.5	1.5	0.010	0.017					
	Misaki			8.2	1.5	0.036	0.025					
	Kiyosumi			11.3	1	0.006	0.006					
64	Tôkyô	Nov. 20	6 1 36.7	6.4	1	0.055	0.066		140°4'2	35°46'2		I
	Kamakura			8.5	1	0.012	0.010					
	Misaki			9.7	1	0.024	0.022					
	Kiyosumi			7.8	1	0.004	0.002					
65	Tôkyô	Nov. 20	6 51 57.0	5.0	1.5	0.170	0.135		139°33'7	35°54'2	10	II
	Kamakura			8.9	2	0.024	0.020					
	Misaki			11.4	2	0.048	0.027					
	Kiyosumi			13.4	1	0.010	0.008					
	Tukuba		6 52 5.0	7.0	1							
66	Tôkyô	Nov. 21	21 42 40.2	8.9	3	0.054	0.041		140°6'3	35°13'8	32	I
	Kamakura			7.9	3	0.190	0.104					
	Kiyosumi			4.5	2	0.070	0.068					
	Tukuba		21 41 42.0	12.0	1.5							

(to be continued.)

List III. (continued.)

No.	Station	Date	Time of occurrence		Duration		Maximum motion		Direction of initial motion	Epicentre		Depth	Intensity	
					Prel. tr.	Total	2A			λ (E)	φ (N)			
							N.S.	E.W.						
	Tyôsi		h	m	s	^a	m	mm	mm			km	0	
67	Tôkyô	Dec. 6	21	41	43.3	9.3							I	
	Misaki		6	12	54.0	20.0	10	0.156	0.072				I	
	Kiyosumi					26.7	6	0.068	0.086					
	Tukuba		6	12	47.4	10.8	3.5	0.060	0.086				II	
	Utunomiya		6	12	1.8	15.6	5	+0.120*	0.061				I	
	Tyôsi		6	12	43.6	15.2		0.160	0.234				0	
68	Tôkyô	Dec. 13	7	1	26.3	13.4	20	1.080	1.690	N56° E	140° 40' 7"	35° 56' 6"	87	III
	Kamakura					15.4	9	0.336	0.386					
	Misaki					16.4	8	0.550	0.641					
	Kiyosumi					14.0	13	0.274	0.324					
	Tukuba		7	1	23.7	9.6	16	0.600						III
	Utunomiya		7	0	55.6	3.3	8	-0.478*	+0.464*	S31° E				II
	Tyôsi		7	1	23.9	10.0		1.100	1.280					




Fig. 3. Distribution of the earthquakes that originated within a distance of 160 kms. from Tôkyô and felt there in 1926. (Figures attached to each epicentre indicate the earthquake number in List III.)