

List VI. (1929)

No.	Station	Date	Time of occurrence	Duration		Maximum motion		Direction of initial motion	Epicentre		Depth	Intensity
				Prel. tr.	Total	2A			λ (E)	φ (N)		
						N.S.	E.W.					
1	Tôkyô	Jan. 5	5 45 35.1	15.6	5	0.133	0.247		139° 35' 5"	35° 15' 8"	km	I
	Misaki			14.0	3	0.047	0.069					
	Kiyosumi			11.8	1.5	0.010	0.008					
	Tôgane			16.7	4		0.040					
	Titibu			17.8	2	0.007						
2	Tôkyô	Jan. 9	3 8 38.6	16.9	9	0.135	0.125		141° 5' 6"	36° 16' 4"		I
	Kamakura			27.3	8	0.026	0.034					
	Misaki			27.7	5	0.148	0.108					
	Kiyosumi			19.2	7	0.024	0.038					
	Titibu				8	0.032	0.026					
	Tôgane			13.1	8	0.104	0.130					
	Tukuba			10.0	3	0.108						
3	Tôkyô	Jan. 11	10 44 42.8	9.4	5	0.088	0.092	N74°E	139° 9' 9"	35° 20' 4"	10	I
	Kamakura			5.4	4	0.080	0.290					
	Misaki			6.9	3	0.120	0.310					
	Kiyosumi			12.7	4	0.012	0.006					
	Titibu			9.5	5	0.060	0.046					
	Tôgane			14.6	4	0.013	0.012					
4	Tôkyô	Jan. 21	11 22 15.5	9.6	10	0.430	0.412	N65°W	139° 10' 3"	35° 28' 2"	50	II
	Kamakura			7.6	6	0.500	1.050					
	Misaki			8.9	4	0.317	0.475					
	Kiyosumi			13.4	6	0.024	0.012					
	Titibu			9.6	5	0.088	0.080					
	Tôgane			14.2	6	0.036	0.100					
	Mitaka			8.0	6	0.592	0.615					
	Tukuba			14.4	5	0.038						
5	Tôkyô	Jan. 31	21 56 44.3	8.6	1.5	0.020	0.070	S7°W	139° 28' 6"	35° 13' 9"	15	I
	Kamakura			3.1	2.5	0.280	0.672					
	Misaki			3.5	3	0.277	0.250					
	Kiyosumi			9.4	2	0.010	0.008					
	Titibu				1.5	0.006	0.004					
	Tôgane			12.1	2.5	0.027	0.008					
Tukuba	14.0	1										
6	Tôkyô	Feb. 4	4 8 33.4	9.4	6	0.068	0.076		140° 6' 6"	35° 32' 6"	74	I
	Kamakura			10.6	4	0.032	0.034					
	Misaki			10.9	2.5	0.043	0.042					
	Kiyosumi			9.9	2	0.012	0.020					
	Titibu			14.2	2.5	0.008	0.010					
	Tôgane			9.0	2.5	0.078	0.072					
	Mitake			10.4	3							
7	Tôkyô	Feb. 5	9 16 31.8	9.4	4	0.038	0.042	N38°W	139° 56' 1"	35° 6' 5"	20	I
	Kamakura			6.3	3	0.128	0.092					
	Misaki			5.2	2.5	0.052	0.030					
	Kiyosumi			4.5	2	0.044	0.032					
	Titibu				2	0.004	0.002					
	Tôgane			9.0	2	0.028	0.040					

(to be continued.)

List VI. (continued.)

No.	Station	Date	Time of occurrence	Duration		Maximum motion		Direction of initial motion	Epicentre		Depth km	Intensity
				Prel. tr.	Total	2A			λ (E)	φ (N)		
						N.S.	E.W.					
	Mitaka		h m s 9 16 32.4	s 9.7	m 3.5	mm	mm					
8	Tôkyô	Feb. 17	19 24 44.0	13.1	3	0.020	0.025		140°40'0	36°25'0		I
	Kamakura			19.0	2	0.006	0.008					0
	Misaki			22.9	2	0.007	0.009					0
	Kiyosumi			20.2	2	0.006	0.004					0
	Titibu			17.9	2	0.008	0.006					0
	Tôgane			11.4	3	0.010	0.014					0
9	Tôkyô	Feb. 26	3 6 55.9	7.2	1	0.068	0.036		139°32.6	35°26.3		I
	Misaki			6.5	1.5	0.003	0.003					0
	Kiyosumi			13.4	1.5	0.006	0.004					0
	Titibu			10.6	1	0.002	0.004					0
	Tôgane			13.0	2	0.002	0.002					0
10	Tôkyô	March 20	22 8 36.0	9.6	4	0.036	0.040		139°50'0	35°4'5	28	I
	Misaki			4.9	2.5	0.039	0.042					I
	Kiyosumi			5.6	2	0.024	0.016	N63°E				
	Tôgane			9.9	2	0.014	0.024					
11	Tôkyô	March 22	20 1 46.3	12.1	3	0.048	0.036		139°52'6	34°56'8	63	I
	Kamakura				2	0.012	0.016					0
	Misaki			8.4	2	0.013	0.013					0
	Kiyosumi			8.5	1.5	0.004	0.004					0
	Titibu			16.4	1.5	0.004	0.004					0
	Tôgane			11.9	2	0.012	0.008					0
12	Tôkyô	March 26	12 36 16.8	8.4	3	0.052	0.044		139°49'6	35°30'6		I
	Misaki			9.1	2	0.043	0.039					I
	Titibu			12.7	1	0.006	0.014					0
13	Tôkyô	March 28	1 32 34.9	13.7	12	0.890	1.080		140°34'6	35°13'7		I
	Kamakura			12.2								
	Misaki			11.2								
	Kiyosumi		1 32 26.1	5.9		0.490	0.420					
	Titibu			23.8	10	0.115	0.070					
	Tôgane			6.2	12	1.600	0.700					
14	Tôkyô	March 28	6 39 34.8	9.4	6	0.160	0.076		140°21'0	35°21'0		I
	Kiyosumi			6.0								
	Titibu			18.3	4	0.032	0.054					
	Tôgane			5.8								
15	Tôkyô	April 14	21 14 38.9	9.0	3	0.160	0.224	N32°E	139°53'0	36°4'2	10	II
	Kamakura			13.4	3	0.022						
	Misaki			16.0	4	0.025	0.028					I
	Kiyosumi			15.6	2.5	0.020	0.014	N20°W				
	Titibu			9.0	3	0.058	0.056	N68°E				
	Tôgane			13.4	3	0.090	0.046					
	Mitaka		21 14 39.1	9.7	6	0.140	0.096					I
	Tukuba		21 15 35.0	7.0								II

(to be continued.)

List VI. (continued.)

No.	Station	Date	Time of occurrence	Duration		Maximum motion		Direction of initial motion	Epicentre		Depth	Intensity
				Prel. tr.	Total	2A			λ (E)	φ (N)		
						N.S.	E.W.					
16	Tôkyô	April 16	h m s	s	m	mm	mm	N49°E	140°55'7"	36°21'3"	km	II
	Kamakura		9 53 21.9	13.5	20	1.225	1.300					
	Misaki			18.4	13	1.250	1.534					
	Kiyosumi			19.1	11		0.662					
	Tôgane			20.1	17	1.046	1.030					
	Tukuba		9 53 20.3	13.1	18	1.852	1.752					
17	Tôkyô	April 23	23 16 7.4	7.5	11	0.800	0.840	S23°W	139°53'0"	36°4'2"	43	III
	Kamakura			12.0	11	0.270	0.660	N30°E				
	Misaki			13.4	9	0.228	0.222	N27°E				
	Kiyosumi			13.4	15	0.350	0.330	N13°W				
	Titibu			9.2	8	0.364	0.212	N84°E				
	Mitaka		23 16 10.0	8.7	13	1.220	1.190					
	Tukuba		23 16 6.7	5.3	7	0.460						
	Kumagai		23 16 9.2	7.9	10	-2.733*	-1.100*	S40°W,d				
	Maebasi		23 16 12.7	11.6	8	+0.230*	+0.145*	S59°E				
	Mito		23 16 9	9.4	8	-1.375*	-0.575*					
	Yokohama			10.4	14			S14°W,u				
18	Tôkyô	April 30	3 54 7.6	10.8	4	0.018	0.018	S71°W	140°20'2"	35°9'5"		I
	Kamakura			13.0	2	0.016	0.020					
	Misaki			9.4	2	0.017	0.015					
	Kiyosumi			3.5	1.5	0.244	0.196					
	Titibu				1	0.002	0.002					
	Tôgane			6.9	4	0.044	0.018					
	Tukuba		3 53 4.5	14.4	1		0.010					
19	Tôkyô	May 3	22 40 15.1	9.0	2	0.053	0.054		139°22'0"	36°0'3"	54	I
	Kamakura			10.0	1	0.004	0.006					
	Misaki			12.9	3	0.006	0.008					
	Kiyosumi			15.0	1	0.004	0.004					
	Titibu			7.3	1	0.012	0.012					
	Tôgane			13.6	2	0.012	0.012					
	Tukuba		22 40 11.0	8.5	1.5		0.007					
20	Tôkyô	May 16	7 20 38.6	10.3	4	0.190	0.213	N21°E S11°W N82°W	140°15'3"	35°47'3"		I
	Kamakura			10.6	6	0.040	0.030					
	Misaki			12.4	5	0.046	0.053					
	Kiyosumi			11.6	4	0.056	0.046					
	Titibu			15.1	4	0.020	0.016					
	Tukuba		7 19 47.4	8.3	1.5	0.084	0.144					
21	Tôkyô	May 16	16 23 3.8	7.0	2	0.060	0.044		139°10'6"	35°56'9"	15	I
	Kamakura			12.0	2	0.008	0.008					
	Misaki			13.1	2.5	0.010	0.008					
	Kiyosumi			11.6	1.5	0.004	0.005					
	Titibu			12.7	1.5	0.004	0.004					
	Mitaka		16 22 59.0	8.7	1	0.010	0.020					
22	Tôkyô	June 4	12 39 43.1	15.2	3.5	0.090	0.233		139°8'5"	35°14'9"	130	I

(to be continued.)

List VI. (continued.)

No.	Station	Date	Time of occurrence	Duration		Maximum motion		Direction of initial motion	Epicentre		Depth	Intensity
				Prel. tr.	Total	2A			λ (E)	φ (N)		
						N.S.	E.W.					
			h m s	s	m	mm	mm				km	
	Kamakura			14.0	4	0.094	0.110					
	Misaki			14.1	4	0.066	0.067					
	Kiyosumi		12 39 45.4	15.8	3	0.012	0.018					
	Titibu			16.1	3	0.034	0.030	S25°E				
	Tôgane			17.2	4	0.028	0.052					
	Mitaka		12 39 44.1	14.4	4	0.212	0.126					I
23	Tôkyô	June 8	11 54 51.5	8.5	4	0.062	0.094		139°12'5	35°18'4	22	I
	Kamakura			8.5	5	0.040	0.044					
	Misaki			8.1	4	0.053	0.089					I
	Kiyosumi		11 54 47.0	4.2	2	0.040	0.250	S45°E				II
	Titibu			17.5	3	0.012	0.008					
	Tôgane			5.8	3	0.013	0.011					
	Mitaka		11 54 55.3	11.4	6	0.068	0.072					I
	Tukuba		11 54 58.6	11.6	1		0.005					0
	Tyôsi		11 54 56.0	7.1								
24	Tôkyô	June 8	18 24 26.2	4.7	1.5	0.124	0.074	N14°W	139°50'0	35°32'8	26	I
	Misaki			7.1	2	0.006	0.003					0
	Kiyosumi			7.6	1	0.008	0.008	S56°E				
	Titibu			10.7	1	0.004	0.004					
	Tôgane			6.9	2	0.012	0.010					
	Mitaka			5.0	1.5	0.042	0.080					
	Tukuba		18 24 32.8	9.2	1		0.004					0
25	Tôkyô	June 14	5 24 44.3	21.5	12	0.120	0.336					II
	Kamakura			31.0	13	0.184	0.280					
	Misaki			29.1	11	0.217	0.205					I
	Kiyosumi			28.0	12	0.174	0.176					0
	Titibu			25.1	7	0.270	0.178					I
	Tukuba		5 23 35.4	16.8	8		0.104					0
26	Tôkyô	June 24	11 5 0.6	18.2	18	0.186	0.106					I
	Kamakura				9	0.424	0.244					
	Misaki			23.4	12	0.308	0.660					II
	Kiyosumi			26.7	13	0.274	0.344					0
	Titibu			23.8	9	0.323	0.178					I
	Tôgane			17.9	17	0.336	0.220					II
27	Tôkyô	June 27	1 49 33.8	20.5	60	1.625	1.490					II
	Kamakura			23.8	15	1.676	2.010					
	Misaki			24.2	20	1.340						II
	Kiyosumi			17.4	23	2.170	1.332					II
	Titibu			23.3	11	0.555	0.329					I
	Tôgane			13.8	22			S38°W				III
	Tukuba		1 49 27.0	15.8	35		0.347					II
28	Tôkyô	July 7	3 10 49.5	6.7	2	0.074	0.040		139°50'7	35°32'9	51	I
	Kamakura			7.9	1	0.024	0.020					
	Misaki			8.4	2	0.029	0.014					0
	Tôgane			8.6	2	0.009	0.004					

(to be continued.)

List VI. (continued.)

No.	Station	Date	Time of occurrence	Duration		Maximum motion		Direction of initial motion	Epicentre		Depth km	Intensity	
				Prel. tr.	Total	2A			λ (E)	φ (N)			
						N.S.	E.W.						
29	Tôkyô	July 9	h m s	s	m	mm	mm		140° 2'5	35° 47'8		I	
	Kamakura		0 34 53.7	9.8	2	0.076	0.076						
	Misaki			12.0	2	0.020	0.016						
	Tôgane			13.4	2	0.015	0.012						
	Tukuba		0 35 6.0	8.8	2	0.008	0.006						
30	Tôkyô	July 15	16 25 25.6	5.9	5	0.112	0.132		139° 59'2	35° 35'1	40	I	
	Kamakura			7.9	5	0.030	0.020						
	Misaki			8.5	3	0.026	0.021						
	Kiyosumi			7.9	3	6.040	0.028						
	Titibu			12.5	3	0.010	0.012						
	Tôgane			6.9	3	0.021	0.080						
31	Tôkyô	July 17	19 49 33.1	8.2	20	1.470	1.400	S1°W,u	139° 39'6	36° 7'7	48	III	
	Kamakura			13.2	10	0.350	0.300						
	Misaki			14.0	10	0.308	0.263						N29°W
	Kiyosumi			14.8	12	0.092	0.088						N20°W
	Titibu			8.9	10	0.320	0.236						N72°E
	Tôgane			12.5	20	0.150	0.136						S20°E
	Mitaka		19 49 33.9	9.0	15								
	Tukuba		19 49 28.0	5.8	6								
32	Tôkyô	July 27	7 48 25.8	7.0	30	40.700	22.000	N57°E,u	139° 17'8	35° 34'8	10	IV	
	Kamakura			6.0	20								S53°E,u
	Kiyosumi		7 48 29.2	8.9									N75°W
	Titibu			7.5									S6°E
	Tôgane			13.3									S78°W
	Mitaka		7 48 22.6	6.4									S64°E
	Tukuba		7 48 32.0	13.0									
	Yokohama		7 48 25.2	5.8	7								S82°E,u
33	Tôkyô	July 29	2 33 20.0	8.7	12	0.164	0.108	E, u	139° 8'0	35° 30'0	15	II	
	Kamakura			6.8	6	1.064	0.601						
	Kiyosumi			16.0	7	0.066	0.044						
	Titibu			7.1	5	0.092	0.136						S1°E
	Tôgane			14.4	9	0.066	0.078						
	Mitaka		2 33 19.5	6.8	12	0.690	0.920						
	Tukuba		2 33 59.0	16.8	1.5								
	Yokohama			7.8									
34	Tôkyô	Aug. 8	13 49 7.6	15.0	6	0.098	0.084	S32°W				I	
	Kamakura			14.4	6	0.046	0.054						
	Misaki			17.0	6	0.023	0.036						
	Kiyosumi			17.2	3	0.004	0.008						
	Titibu			9.0	3	0.130	0.136						
	Tôgane			20.4	6	0.022	0.023						
	Tukuba		13 49 45.0	18.4	2								
35	Tôkyô	Aug. 16	22 21 50.3	13.7	10	0.363	0.225		139° 55'5	36° 23'3	95	I	
	Kamakura			17.8	6	0.500	0.900						
	Misaki			20.2	6	0.233	0.267						
	Kiyosumi			19.0	10	0.080							

(to be continued.)

List VI. (continued.)

No.	Station	Date	Time of occurrence		Duration		Maximum motion		Direction of initial motion	Epicentre		Depth	Intensity	
					Prel. tr.	Total	2A			λ (E)	φ (N)			
							N.S.	E.W.						
			h	m	s	s	m	mm	mm			km		
	Titibu					15.1	8	0.070	0.054	N64°E				
	Tôgane					16.4	6	0.155	0.250					
	Mitaka		2	2	21	51	9	0.430	0.130				I	
	Tukuba		2	2	21	44	5						II	
36	Tôkyô	Sept. 3	0	39	44	7	8.8	4	0.060	0.068	139°40'4"	36°12'3"	43	I
	Kamakura					14.4	4	0.056	0.036	S				
	Misaki					14.6	2	0.015	0.017	N65°W			0	
	Kiyosumi					15.2	2	0.003	0.005				0	
	Titibu					9.0	2	0.020	0.024					
	Tôgane					12.5	3	0.020	0.012					
	Tukuba		0	39	39	3	6.0	1.5	0.013				0	
37	Tôkyô	Sept. 20	3	10	21	4	10.8	6	0.108	0.104	138°54'6"	35°39'9"	42	I
	Kamakura					9.9	3	0.050	0.140					
	Misaki					10.6	4	0.063	0.065	N66°W			I	
	Titibu					7.1	3	0.032	0.052					
	Mitaka		3	10	17	9	8.4		0.200	0.168				0
	Tukuba		3	10	29	0	15.8	1						
	Tyôsi		3	10	37	1	19.6							
38	Tôkyô	Sept. 27	0	17	30	7	7.5	2	0.176	0.168	139°36'3"	35°22'2"	44	I
	Kamakura					5.6	3	0.070	0.106	N50°E				
	Misaki					6.3	3	0.017	0.035				I	
	Kiyosumi					8.5	1.5	0.010	0.012					
	Titibu					11.5	2	0.014	0.008	S41°E				
	Tôgane					10.5	2.5	0.016	0.016					
	Mitaka		0	17	30	2	7.3		0.336	0.340				II
	Tukuba		0	17	35	0	10.8	1	0.008	0.005				
	Tyôsi		0	17	46	2	8.5							
39	Tôkyô	Sept. 29	2	10	47	7	8.1	3	0.077	0.054	140°3'1"	35°44'0"	63	I
	Kamakura					10.9	3	0.040	0.032	N27°E				
	Misaki					11.3	3	0.039	0.032	N58°E			I	
	Tôgane					8.5	4	0.066	0.030					
	Titibu					15.7	3	0.020	0.016					
	Tukuba		2	10	46	9	8.4	1.5	0.008					
	Tyôsi		2	10	49	1	10.9							
40	Tôkyô	Sept. 30	4	41	39	9	9.8	5	0.068	0.080	140°19'1"	35°14'8"	24	I
	Kamakura					9.6	4	0.126	0.080					
	Misaki					9.0	3	0.138	0.096	N26°E			I	
	Kiyosumi					5.1	3	0.340	0.475				II	
	Titibu					16.6	5	0.016	0.015					
	Tôgane					6.4	3	0.210	0.306	S36°W			II	
	Tukuba		4	41	39	3	11.0		0.020	0.018				0
	Tyôsi		4	41	39	8	7.7							
41	Tôkyô	Oct. 20	20	31	41	0	10.0	4	0.140	0.080	140°4'9"	35°34'8"		I
	Kamakura					9.9	4	0.060	0.085					
	Misaki					10.3	4	0.068	0.066	N26°E			I	
	Kiyosumi					9.3	2	0.012	0.036					

(to be continued.)

List VI. (continued.)

No.	Station	Date	Time of occurrence	Duration		Maximum motion		Direction of initial motion	Epicentre		Depth	Intensity
				Prel. tr.	Total	2A			λ (E)	φ (N)		
						N.S.	E.W.					
	Titibu		h m s	s	m	mm	mm				km	
	Tôgane			14.3	2.5	0.020	0.020					
	Tukuba		20 31 35.3	9.6		0.026	0.034					I
	Tyôsi		20 31 41.0	10.8		0.019						
42	Tôkyô	Oct. 24	2 48 35.1	11.5	8	0.070	0.050		140°34'5	35°31'7	65	I
	Kamakura			13.4	7	0.136	0.100					
	Misaki			13.0	7	0.043	0.057					0
	Kiyosumi			10.0	5	0.054	0.056					0
	Titibu			17.6	5	0.020	0.026					II
	Tôgane			8.0	5	0.470	0.428					0
	Tukuba		2 48 30.0	10.0	3	0.011						
	Tyôsi		2 48 27.4	3.9								
43	Tôkyô	Oct. 31	22 3 28.5	8.6	2.5	0.064	0.064		139°54'7	35°31'3	70	I
	Kamakura			8.1	3	0.076	0.064					
	Misaki			9.8	2	0.064	0.059					I
	Kiyosumi			9.7	2.5	0.016	0.044					
	Titibu			14.0	3	0.016	0.020					
	Tôgane			9.5	2.5	0.020	0.032					0
	Tukuba		22 3 22.0	9.2		0.008	0.005					
	Tyôsi		22 3 30.4	12.0								
44	Tôkyô	Nov. 3	0 12 6.1	8.6	2.5	0.068	0.038		140°10'4	36°4'6		I
	Misaki			15.8	2	0.008	0.008					0
	Kiyosumi			13.6	2	0.008	0.008					
	Titibu			13.8	2	0.010	0.012					
	Tôgane			10.7	2	0.016	0.010					
	Tukuba		0 11 55.6	5.5	1.5	0.091	0.058					II
45	Tôkyô	Nov. 4	20 43 36.4	9.7	1.5	0.020	0.025		139°33'4	35°52'2		I
	Misaki			13.1	1	0.002	0.003					0
	Titibu			10.5	1	0.009	0.012					
46	Tôkyô	Nov. 20	1 31 42.7	9.1	7	0.735	1.270		140°2'8	35°35'1	72	II
	Kamakura			10.4	4	0.306	0.360	N79°E				
	Misaki			11.2	6	0.158	0.184	N5°E				II
	Kiyosumi			9.9	4	0.055	0.170	N31°E				II
	Titibu			13.8	4	0.090	0.151	S79°E				
	Tôgane			9.1	5	0.326	0.140					II
	Mitaka		1 31 32.7	10.1								II
	Tukuba		1 31 34.2	10.0	3.5	0.090						II
47	Tôkyô	Nov. 26	22 9 9.2	8.2	3.5	0.310	0.170		139°54'0	36°0'8		II
	Misaki			13.5	4	0.063	0.050					I
	Kiyosumi			16.6	4	0.090	0.074					0
	Tôgane			10.5	5	0.060	0.030					
	Tukuba		22 9 0.0	6.0	4							III
48	Tôkyô	Dec. 4	5 4 54.1	5.4	2	0.106	0.070		139°53'2	35°36'7		I
	Misaki			7.8	3	0.021	0.042					I
	Kiyosumi			7.7	1	0.010	0.010					0

(to be continued.)

List VI. (continued.)

No.	Station	Date	Time of occurrence	Duration		Maximum motion 2A		Direction of initial motion	Epicentre		Depth km	Intensity
				Prel. tr.	Total	mm	mm		λ (E)	φ (N)		
	Titibu		h m s	s	m	mm	mm					
	Tôgane			10.8	2	0.030	0.016					
	Tukuba		5 5 0.4	6.5	2	0.032	0.036				0	
49	Tôkyô	Dec. 6	13 15 51.7	8.7	1	0.006	0.005					
	Misaki			15.4	11	0.181	0.115	141° 4' 3"	35° 41' 3"			I
	Titibu			11.2	3	0.165	0.190					I
	Tôgane			23.2	6	0.110	0.080					II
	Tukuba		13 14 49.6	8.9	15	0.416	0.462					I
	Tyôsi		13 15 39.5	12.8	7	0.035	0.046					III
50	Tôkyô	Dec. 26	23 21 20.6	5.1				139° 51' 5"	35° 36' 6"			II
	Kamakura			4.7	3	0.224	0.146					
	Misaki			6.7	3	0.152	0.136					I
	Kiyosumi			8.6	3	0.074	0.127					I
	Titibu			7.9	2	0.040	0.038					I
	Tôgane			10.2	2	0.052	0.036					0
	Tukuba		23 21 48.5	7.0	3	0.080	0.104					I
				8.6	1.5	0.005						




Fig. 6. Distribution of the earthquakes that originated within a distance of 160 kms. from Tôkyô and felt there in 1929. (Figures attached to each epicentre indicate the earthquake number in List VI.)