

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF December 31 1942
January 1943Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.International
Seismological
Centre

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
Dec. 1942											
31	iP?	02	07	51				-10	15:00 $\frac{1}{2}$	-26.7	
31	iP e	12	14	38.5 18 51	1.5			+8		-28+	
31	e	19	25	05					15:01	-29	
Jan. 1943											
1	iP	03	36	57.5			+	-18	15:00	+30	
1	iP i	18	27	34.7 29 36	1.0	+		+10	15:00 $\frac{1}{2}$	+28.2	
1	eP i i	22	25	25 35 26 31	1.0	100	60	75		+27.7	
3	iP	03	06	34.5	1.2			-10	15:00 $\frac{1}{2}$	+23.7	
3	iP iS	20	41	03.5 20		20			15:00	+21.0	Very small regional shock. $\Delta = 80$ mi
4	eP e	11	00	09 03 03				+		+18.3	
4	eP iS	11	31	03 43		25				+18.2	Small regional shock. $\Delta = 220$ mi.
4	iP iS	19	30	26.1 28.0		+12	+5	-5 +30	15:00 $\frac{1}{2}$	+17.0	Blast? $\Delta = 9$ mi
4	iP i? iS	23	25	39.2 45.2 51.7		+175?	-80 290	-		+16.3	Light local shock. $\Delta = 60$ mi ESE
5	iP iS	00	22	32.4 33.6		+10	-9			+16.2	Probably a blast. $\Delta = 6$ mi
5	iP iS	03	20	45.3 49.8		+8	-4			+15.7	Very small local shock. $\Delta = 33$ mi
5	iP iS	05	22	37.5 42.0		+9	-5			+15.3	Very small local shock. $\Delta = 33$ mi.
6	iP iS	22	20	30.3 35.4				-10	15:00	+08.5	Small local shock. $\Delta = 25$ mi
7	iP i	03	40	48.3 53	1.0	-		-14 30		+07.6	

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF January 1943

2.

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at (end or
beginning) of record. Δt is time correction referred to R. M.International
Seismological
Centre

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
8	iP epP iS	20	09	59	1.0	+20	-	+48	15:13	+01	Estimated depth of focus 110 mi $\Delta = 5250$ mi
			10	41							
			19	32							
9	iP eS	18	44	58.7	1.3	-		-21	15:00 $\frac{1}{2}$	-2.5	$\Delta = 750$ mi
			47	01							
10	e?	09	55	00					-05		
10	iP	20	18	38				+6	15:00 $\frac{1}{2}$	-6.8	
11	eP	00	53	01	1.5				-7.5		
13	e e	02	12	39					15:00 $\frac{1}{2}$	-15.8	
			13	21	1.7			20			
14	eP iP eS iS	02	00	07					15:00 $\frac{1}{2}$	-20.0	$\Delta = 260$ mi
				10							
				43							
				45.5	0.8			22			
14	e e	20	39	27					15:00 $\frac{1}{2}$	-23	$\Delta = 160$ mi
				58							
16	iP iP iS	09	08	06				+	15:00 $\frac{1}{2}$		
				07		+22		-	-28.3		$\Delta = 60$ mi Eastward
				18.3		80	65	40			
17	iP	05	16	38	1.2	-?		-12	15:00	+28.7	
18	iP	01	52	00.3		-14	+	+10	15:00 $\frac{1}{2}$	+25.8	
18	i i i	11	29	26	1.1				+24.5		
				32							
				40							
18	i	13	00	00				+	+24.4		
19	iP	20	17	31.2				+12	16:43	+21.3	
19	eP	21	35	34					+21.3		
20	iP i	03	40	41.3		+		+23	+21.3		
			42	54							
23	iP eS	05	53	52					15:00	+11.2	$\Delta = 100$ mi.
			54	12				20			
23	i e	06	38	22					+11.1		$\Delta = 105$ mi
				43		50					

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF

January

February

19 43
International
Seismological
CentreBureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
24	iP e e eS	20	49	05	1.5			+10	15:00	+7.7	U.S.C. & G.S. epicenter 15° N Lat, 91° W Long $\Delta = 2600$ mi.
			50	39							
			51	18							
			54	42	4.0						
25	iP	14	18	40				+21		+6.3	
25	iP	18	40	07				-10	15:00	+6.1	
25	i	23	57	00.5				-25		+6.0	
27	i	01	58	49					15:00	+4.8	
27	iP i eS e	02	52	50.2	1.5			-20		+4.7	U.S.C. & G.S. epicenter 52° N Lat, 180° W Long O = 2h 45m 2s $\Delta = 41^\circ$ (2830 mi)
			53	39				125			
			58	55							
		03	02	55							
27	iP	03	04	46				-5		+4.6	Probably an aftershock
27	e	03	15	15						+4.6	
27	e e	03	20	47						+4.6	
			28	55							
30	eP iP i i	05	42	43.5	1.3	-	+	+66	15:00 $\frac{1}{2}$	-0.5	U.S.C. & G.S. epicenter 2.0° S Lat, 80.0 W Long O = 5h 33m 0s $\Delta = 4000$ mi (58°)
				44.7							
			43	05							
				31							
31	e	08	35	47					15:14	-2	
Feb. 1	iP	20	18	12				+	15:00 $\frac{1}{2}$	-5.7	
3	iP iS	08	27	49		+10 60	+12 60	-	15:01 $\frac{1}{2}$	-9.8	Small local shock $\Delta = 38$ mi NE
				56.5							
3	e i	22	39	14					17:00 $\frac{1}{2}$	-11.3	
				18							
6	iP iP eS iS	08	48	04.5					15:00 $\frac{1}{2}$		$\Delta = 170$ mi
				08				+	-17		
				36							
				43							
6	e iP eS iS	08?	52	55					-17		$\Delta = 170$ mi
			53	02				+			
				30							
				37	0.6			50			

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF February

1943

International
Seismological
CentreBureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt			Remarks
		h	m	s		E	N	Z				
6	e? i	09	45	00 07					-17.1			
8	i	06	06	46				+10	15:00 $\frac{1}{2}$	-20.6		
8	iP	13	54	51	0.8	+7	-6	+28	-21.2			
11	iP i e	15	38 39 40	36 20 57	1.5 3.0	+28		+25 25	15:09 $\frac{1}{2}$	+29.2		
13	iP iS iS	06	23	02.6 15.1 15.9		+26 100		+20	15:00	+24.4		Small regional shock. $\Delta = 60$ mi
13	e iP e iS	10	19	40 44 55 57					+24			Small regional shock. $\Delta = 65$ mi.
							125					
13	e? iP i iS	12	59	44 46.5 47 59.0		+25	-8	- +40 Blur	+23.6			Small regional shock. $\Delta = 60$ mi
16	iP eS	07	39 49	50 00	1.5	+24	-15	-60	15:00	+16.4		$\Delta = 4770$ mi.
16	iP i iZ iZ e	14	50 51 51 54	49.5 03 16 29 05	1.5			+9 75 62	+15.6			$\Delta = 1170$ mi ?
16	e iP iP i	17	03	32 33 35.5 04 15	1.5	+20		-6 +55	15:00 +15.5			
16	iP i	18	22 23	31.3 10				+10	+15.3			
17	e	02	33	33					+14.5			
18	iP	05	38	38.5	1.1			-	15:00	+11.7		
18	i? i?	22	26	09 30					15:00	+9.7		

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF February

1943

5.

International
Seismological
CentreBureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
19	i? e?	03	21	27 50					+9.0	
19	iP	08	39	02	1.9			-	+8.5	
20	iP iS	11	43 44	57 06.5		? -60	+40	+10	15:00 +4+	Small local shock $\Delta = 47$ mi S?
21	iP iP i iS	06	20	01.0 01.5 11 21		+35	? +	+	14:34 +0.5	Small regional shock. $\Delta = 100$ mi W
22	iP i iZ eS e G e M	09	26 27 47 31 34.3 35.0 36.4 40	49.3 07 47 48	1.4 3.0 3.0 30 4 13	- - 280 300	+ 	+20 -50 -60	15:00 $\frac{1}{2}$ -3.7	Destructive in Southern Mexico. U.S.C. & G.S. epicenter 17.6° N Lat, 101.3° W Long. O = 9h 20m 8s $\Delta = 2000$ mi (29°)
23	iP iS	00	16	07 19		-10	? +	+ +	15:00 $\frac{1}{2}$ -5.5	Very small regional shock. $\Delta = 60$ mi E
24	e e	04	40 43	06 22	3.5 9				15:00 $\frac{1}{2}$ -8.4	
24	iP? i iE iZ iE eS?	09	11	04.5 05 16 26 36 38		+25	-5	- -20	-8.8	$\Delta = 175$ mi E
24	e	19	52	32					15:00 $\frac{1}{2}$ -9.5	
25	iP	04	04	45.3	1.2	-	+?	-15	-10	
25	iP iP	05	17	51 52.5		+10 +	+10	+14 +28	-10.1	
25	iP iP	22	18	27 28.5	0.7			+8 +20	15:00 $\frac{1}{2}$ -11.4	
28	eP ePP i iS e	13	08 11 12 18 20	06 19 18 26 03				15	15:01 -20.1	

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF ~~February~~ 1943
MarchBureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.International
Seismological
Centre

6.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
28	iP e iS iS	13	24	22 25 34 36				+20		-20.1	
March 1	iP iS	19	02	42.5 43		+50?	-12	+15	15:00 $\frac{1}{2}$	-24.5	Local shock or blast 2 to 2 $\frac{1}{2}$ mi WNW
1	iP iS	20	14	31 31.5		+45	-10	+20	-25		
1	iP iS	20	24	40 40.5		+12	+12	+2	-25		Local shock or blast 2 $\frac{1}{2}$ mi
1	iP iS	20	32	19 19.6		+35	-8	+10	-25		Local shock or blast 2 $\frac{1}{2}$ to 3 mi WNW
3	iP iS	20	36	52 52.4		+120?	-25	+50	15:00	+28.3	Local shock or blast 1 to 2 mi W
3	iP iS	21	01	34 34.4		+100?	-20	+35	+28.3		Local shock or blast 1 to 2 mi W
4	iP e	06	27	02 27 50				-10	+27		
4	iP i eZ e e	06	43 44	45 03 46 45 53 47 01	1.2	+5	+10	+32	+26.8		
4	e	10	25	37							
4	i	10	47	22					+26.2		
4	i iP iS	16	01	02.0 02.5 13.5		-10 +30	-? -15	-22 100	15:00 +25.5		$\Delta = 55$ to 60 mi ESE?
4	iP	17	05	00 12		-26 60	+4	+10 60	+25.3		$\Delta = 60$ mi E
4	iP	20	02	00.5	1.0			-10	+25.0		
5	eP iP e	00	40 43	37 40 27				- -25	+24.4		U.S.C. & G.S. epicenter 5.8° N Lat, 82.8° W Long. 0 = oh 31m 47s $\Delta = 50^\circ$ (3450 mi)

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF March 19 43

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.International
Seismological
Centre

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
5	iP	04	29	59				-8	+24		
7	iP	03	10	15	1.8	+40	-40	+15 75	15:00	+18.3	U.S.C. & G.S. epicenter 57 N Lat, 164 E Long, O = 3h 01m 5s $\Delta = 49^\circ$ (3380 mi)
	iP			18							
	iPP		12	15							
	eS		17	08							
	eSS		20	08							
9	ePKP	10	07	56					15:00	+12.2	U.S.C. & G.S. epicenter 56 S Lat, 22 W Long. O = 9h 48m 37s $\Delta = 130^\circ$ (8950 mi)
9	iP	20	30	18		-	-	-35	14:01		Dilatation from the SW
	iE			24					+11.3		
	iZ			53							
	iZ		31	32							
11	e	01	12	05					14:02	+8.5	
	i			26							
11	iP	01	13	37.8	0.6	?	-50	-50	+8.5		Regional shock $\Delta = 220$ mi? S Felt in Colusa, Glenn, Lake and Medocino Count.
	iS?		14	00							
	i			06		1300		1120			
	eS?		14	17.5	1.0			900			
11	eP	09	47	15	2.5						
	e		50	35					+7.6		
12	iP	16	36	33.5	1.0			+10	15:00	+4.0	
12	e	23	38	57					+3.2		
	eP		39	02							
	i		43	41							
14	iP	03	20	33.9		+75	-28	+50	15:07	-0.0	Light local shock $\Delta = 55$ mi WNW
	iS			45			225				
14	i	05	43	42					-0.2		
14	eP	12	10	40					-1.0		
14	eP	12	54	12					-1.0		
14	e?	17	23	53					15:00 $\frac{1}{2}$	-1.5	U.S.C. & G.S. epicenter 22 S Lat, 170 E Long; O = 17h 11m 0s $\Delta = 89^\circ$ (6140 mi)
	iP			56.5	3.0			+15			
	e		34	44							

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF March

1943

International
Seismological
CentreBureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
14	iP i e i i	18	49	46	1.4	+	-	-15	-1.7	U.S.C. & G.S. epicenter 21 S Lat, 71 W Long. O = 18h 37m 8s $\Delta = 78.5^\circ$ (5420 mi)
			50	59						
			51	27						
		19	00	17						
				38						
14	e e	19	48	20					-1.8	
				38						
15	iP i	01	03	48				+10	-2.3	
		01	35	32				+		
15	iP i e	02	37	24		-?		-20	-2.3	U.S.C. & G.S. epicenter 21 S Lat, 169 E Long; O = 2h 24m 6s $\Delta = 88^\circ$ (6080 mi)
				29						
			47	49						
15	iP iP eSKS eSKKS	05	00	50.4	1.5			-6	-2.4	U.S.C. & G.S. epicenter 10 N Lat, 142 E Long; O = 4h 47m 9s $\Delta = 90^\circ$ (6200 mi)
			01	09				60		
			11	17						
				36						
15	iP iS	18	41	42		-		+	15:00 $\frac{1}{2}$	Probably a blast $\Delta = 3$ mi
				42.6						
15	iP e	19	45	42.3		+?	-10	+10	-2.5	
			46	08						
15	iP ipP ePP e iS eSKS eSS	23	10	24.7	1.0	+16	+12	+55	-2.5	Depth of focus 185 mi $\Delta = 5175$ mi (75°) U.S.C. & G.S. epicenter 14 S Lat, 174 W Long; O = 22h 59m 2s
			11	33.5	2.5		-12	-50		
			13	07						
			14	09						
			19	35		-25	-10			
			20	04						
			21	33						
15	e e	23	37	53					-2.5	May be waves from pre- ceding shock.
			41	04						
16	iP	04	34	11		+		+45	-2.6	
16	iP iP	23	15	44	0.9	+		+10	15:00 $\frac{1}{2}$	-4.6
				47		+	-	+38		
17	e iP i	23	09	49	1.5	-	+	+	15:00 $\frac{1}{2}$	-7.2
				54						
				59						
19	i i e	13	47	56					15:00 $\frac{1}{2}$	-12.5
			48	10						
				19						

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF March

19 43

9.

International
Seismological
CentreBureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
19	eP	17	32	12				-	-12.8	15:00 $\frac{1}{2}$	
19	eP	22	09	23					-13.3		Small regional shock
	e			45							$\Delta = 200$ mi
	eS		10	00							
20	eP	05	02	54					-14		
21	eP	20	48	44	2				15:00 $\frac{1}{2}$	-18.2	U.S.C. & G.S. epicenter
	e		52	40							6 S Lat, 146 E Long;
	e		53	57							0 = 20h 35m 4s
	e		59	20							$\Delta = 95^\circ$ (6550 mi)
	Coda	21	49		15						
22	iP	02	04	39.5	1.0			+	-18.5		
22	eP	08	37	54				+	-19.1		$\Delta = 86^\circ$
	o		41	50							
	eS		48	29							
22	e	23	30	15					15:00 $\frac{1}{2}$	-20.8	
23	iP	20	09	42	1.0			-2	15:00 $\frac{1}{2}$	-23.3	
	iP			42.3		+10	-5	+20			
	i		10	23							
24	e	09	02	49					-25.4		
24	iP	10	23	07.8				-10	-25.6		
	iP			10.4	1.0			50			
	e		24	45							
24	eP	11	40	55					-25.8		
	iP		41	10							
			50	52							
25	eP	11	44	33					15:00 $\frac{1}{2}$	-29.1	Small regional shock.
	eS			52							$\Delta = 95$ mi
25	e	18	46	18					15:00 $\frac{1}{2}$	+30	
26	eP	02	51	15		+20	-		+29		$\Delta = 160$ mi
	eS			45							
26	i	04	53	36.7				+10	+28.7		
	iP			38.7				+15			

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF March


 19 43
 International
 Seismological
 Centre
Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
26	eP	17	50	20					15:00	
	iP			22		+15	+6	+25	+26.9	Focal depth 50 mi
	ipP			46.5			+	+110		$\Delta = 81^\circ$ WSW
	i		51	12						
	iS	18	00	18						
	isS		01	03						
27	eP	05	07	38.5		-6	-	+10		Small regional shock
	eS		08	13		+20	-10		+25.5	$\Delta = 190$ mi
27	iP	08	01	32.5				+	+25.2	$\Delta = 70$ mi
	iS			46			50			
27	iP	18	23	59	1.0			-10	15:00 +24	
28	iP	00	34	40				+15	+23.2	
29	iP	05	33	58.5	1.3			+15	15:00 +19.5	
	iP		34	06.5						
	i			23						
29	i	11	46	24						
	i			43	0.7				+18.8	
	i			45						
	e		47	29			50	60		
30	eP	00	01	37					15:00	
	e			42					+17.5	$\Delta = 210$ mi
	i			46						
	i			56						
	i		02	10						
	eS			15	0.7			50		
30	iP	20	28	36		+	-12	-6	15:00 +15.3	$\Delta = 160$ mi S
	i			37						
	iS			56	0.7			15		
	i		29	00						
30	iP	21	08	02.0		-25	+10	+15	+15.2	Regional shock
	i			15		550	400	400		$\Delta = 170$ mi ESE
	iS			33.2	0.7	1090	600	940		Reported felt from Reno
	i			39						to Sacramento
31	iP	00	58	03				+20	+14.7	
	i			31	0.7			10		
31	e	07	06	55						
	i		07	00					+14	
	i			37						
	e		08	30	1.5					

Bureau of Reclamation and
Coast and Geodetic Survey

 R. M. is hour and minute of flasher mark at beginning) of record.
 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
31	1P 1S	08	56	48 57 00		+10	?	+15 50	+13.5	$\Delta = 60$ mi W
31	1P 1S	09	07	27.5 51.5	0.3	+20		+10	+13.5	$\Delta = 120?$ mi W
31	1P 1S	21	18	46.5 54.5			40		15:00 +11.5	$\Delta = 40$ mi

In regard to the March 30th earthquake, 21h 08m G.C.T., the epicenter of this shock was located by virtue of data from Shasta Dam and Lake Mead stations in the general neighborhood of Truckee, California, although the location is fairly indefinite without benefit of control from Grand Coulee Dam and other stations. At the Grand Coulee Dam station, ground unrest due to impact caused by the Columbia River flowing over the dam is rather heavy and probably the beginning of the P-wave is masked out. The following is quoted from a preliminary copy which is to go into the abstracts prepared in San Francisco by the Seismological Field Survey of the Coast and Geodetic Survey:

"The earthquake was felt over a land area of about 10,500 square miles in northern California and western Nevada. The limits of the felt area extended from Fernley, Nevada, southwesterly to Markleeville, California, thence to Sacramento, then northwesterly to Colusa, and northeasterly to Las Plumas, Sierra City, Loyalton.

Intensity V was reported from Stewart, Nevada and Truckee, California. Fall of knickknacks was reported from Stewart, Nevada; felt by all from Truckee, California. No damage of any kind was reported from any locality."

In regard to the March 11th shock, questionnaires have been received by the Seismological Field Survey. March 11, 01h 13m G.C.T. The following are taken from questionnaires received by the Seismological Field Survey:

Ukiah, Calif. Motion slow; felt by few. "Felt stronger north of here. Felt at P. G. & E. Power Plant, Potter Valley. Centered probably 40 miles N to NE of here. Not strong enough to do any damage anywhere.

Stonyford, Colusa County, Calif. Motion abrupt; direction NW-SE; frightened no one; rattled windows, doors, dishes; creaked walls and frame; damage none.

Potter Valley, Calif. Felt by several.

Pillsbury and Van Arsdale Reservoirs. Motion rapid; felt by several.

Comptche, Medocino County. Motion rapid; felt by many; direction EW; rattled windows, doors, dishes; creaked walls and frame.

SHASTA DAM SEISMOLOGICAL STATION

INSTRUMENTAL REPORT - - - APRIL, MAY AND JUNE, 1943

The Shasta Dam station continued in routine operation through the period of the report.

The following shocks were felt in central California and questionnaires were collected by the Seismological Field Survey, 214 Old Mint Building, San Francisco, and abstracted as follows:

April 15 - 15h 23m G.C.T.: The earthquake was felt over an area of approximately 2,000 square miles, in west-central California. Limits of the felt area extended from Concord on the north, due east to Stockton, then due south to Vernalis, south-westerly to Palo Alto, thence westerly to Moss Beach on the Pacific Coast and then north to San Francisco to Concord. Maximum intensity of V was reported from Tracy, where a heavy floor lamp was shaken. Intensity of IV was reported from other localities in the felt area, where either rattling of windows, doors, and dishes was heard or the shock reported as being felt by many.

It seems probable that the main shock occurred at 15h 31m.

April 26 - 11h 54m G.C.T.: The earthquake was felt over a land area of approximately 1,545 square miles in west-central California. The limits of the felt area extended from Rio Vista on the north, southeasterly to Holt; southwesterly to Glenwood; westerly to El Granada on the Pacific Coast and then to San Francisco to Rio Vista. Maximum intensity of V was reported from Dublin (10 miles northwest of Livermore), Livermore, Moraga, Niles. Dublin is the only place reporting the overturning of small objects. Other localities in the felt area reported the rattling of windows, doors and dishes, and of the shock being felt by many or all.

Both of the above shocks were followed by a number of aftershocks.

May 31 - 20h 18m G.C.T.: This shock was felt in east-central California over an area of approximately 5,500 square miles. The limits of the felt area extended from Benton on the north, south-easterly to Deep Springs, thence due south to Olancho, thence northwesterly through Dunlap to Yosemite National Park and then east through June Lake to Benton. This shock appeared to be centered just north of Bishop and intensity V was reported at Bishop, Owens River Gorge, Tungsten City (15 miles north of Bishop), and Olancho. At Bishop, plaster was cracked in the school building, and the school was evacuated. A strong-motion record was obtained of this shock from the accelerograph located at Bishop.

The Mt. Lassen region was active during the period. The following shocks from this region may be of local interest:

- May 2 - 16h 35m 22s G.C.T. Probable epicenter, Mt. Lassen Peak.
- May 3 - 18h 45m 49s G.C.T. From Mt. Lassen or the Hat Creek region north of the Mt. Lassen Volcanic National Park. This should have been felt locally.
- June 26 - 16h 43m 33s to June 27, 02h 01m 49s G.C.T. A swarm of 15 recorded shocks from immediate vicinity of Mt. Lassen Peak.

Other shocks:

- June 2 - 15h 54m G.C.T.: 180 miles due west off Cape Medecino. This probably was too far at sea to have been felt on land.
- June 25 - 17h 00m 16s G.C.T. From the records at Shasta Dam alone, this shock was located in the general region of southern Humboldt County about 75 miles SW of the station. It should have been felt in the epicentral area.

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
April 1	eP i	04	13	11 21	1.0			+15	15:00 +10.6	
1	eP	14	37	17				-5	+9.1	
1	eP iP i iS	21	07	15 15.7 41.7 45.5	0.4	- +24	+ +	+ -25	15:00 +8.0	$\Delta = 160$ mi E.
2	e	11	31	57					+5 $\frac{1}{2}$	
3	iP i iS?	18	37	00 00.4 02.7		-40	+10	-20	15:01	Light local shock or blast
						disappears			+1	$\Delta = 2$ or 14 mi WNW
4	iP	05	54	09	0.9	+10		+25	-0.2	
4	i i	15	51 54	40 40				-10	15:00 $\frac{1}{2}$ -1.2	
4	eP iS	18	50 51	56 05			30		-1.5	Very small local shock. $\Delta = 45$ mi.
4	i	22	30	59	0.9				-1.9	
5	eP iP	01	44	10.5 25.5				+10	-2.1	
5	i e	03	19	15 46					-2.3	
5	eP	08	29	11	1.5				-2.8	
5	iP e e	20	58	21 27 44	1.5			+15	15:00 $\frac{1}{2}$ -3.9	
6	eP iP eS G M Coda	16	19	49 51 30 42.4 52 52	1.0; 4.0 50 16 13, 16	+ -30	+20	+ +90	15:00 $\frac{1}{2}$ -5.5	$\Delta = 5750$ mi SE
6	e	20	31	59					-6	
6	iP iS	22	30	45.4 55		+10	-25	- 100	-6	Small local shock $\Delta = 48$ mi SSE

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF April

19 43

2.

International
Seismological
CentreBureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
6	iP iS	22	42	39.5 49				40	-6	Small local shock $\Delta = 48$ mi
7	eP e eS iS	00	16	03 27 17 07 18					-6.2	Small regional shock. $\Delta = 370$ mi
7	e	06	26	07					-6.8	
7	eP	08	59	00	0.9			-10	-7	
7	eP iP	13	19	33.5 39.5					-7.4	
7	eP	18	13	21					15:00 $\frac{1}{2}$ -7.8	
7	iP e	22	46	06 56 34	1.5	-		+20	-8.0	
7	iP eS	23	30	30.5 40 56	1.1			-10	-8.1	Small regional shock. $\Delta = 120$ mi.
8	iP e eS	00	58	34 44 45.5		-40	+15	?	-8.2	Small local shock $\Delta = 50$ mi
8	eP eS	01	01	12 13 to 14		Blur			-8.2	Out of focus. Probably a blast 5 to 10 miles distant.
8	iP iS	18	10	13 48.3				40	15:00 $\frac{1}{2}$ -9.5	$\Delta = 190$ mi.
8	iP iS	22	34	48.5 49		-25	-	-	-10	Small local shock or blast. $\Delta = 2\frac{1}{2}$ mi W.
8	iP	23	14	11				+	-10	
9	iP mP i iPP? ePP eS iS i ePS eSS	09	00	46 49 01 14 43 42 31 35 08 37 51	3.5	-10 390	-	-20 300	-11.0	Probable depth of focus 140 mi. $\Delta = 80^\circ$ SW
						-90	+60	40		

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF April, 1943

3.

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.International
Seismological
Centre

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
9	e	23	40	55					15:00 $\frac{1}{2}$	-12.5
10	eP iP iS i	03	04	26 27 58 05 23	1.0 1.7	+	-	-15 120	-12.9	Regional shock $\Delta = 170$ mi SE
10	eP eS	08	21	17 48				20	-13.5	$\Delta = 165$ mi.
11	iP iS	06	03	48.5 04 11		+20	+15	+15 25	15:12	-16.1 $\Delta = 110$ mi SW
11	eP iP	14	57	21 28				+ +	-17.2	
12	eP e	04	27	04 30 38					15:00 $\frac{1}{2}$ -19	
12	eP	09	13	48					-19.5	
12	iP iP iZ eS iS	19	54	44 53.5 55 23 20 02 28 40	1.2 1.7	- +		+6 +25	15:00 $\frac{1}{2}$	-20.8 $\Delta = 54\frac{1}{2}^\circ$ (3750 mi)
12	i	20	34	18				+	-21	
12	e	21	36	58						
13	eP iP eS	04	45	51.5 52.5 46 20				+	-22.0	$\Delta = 150$ mi
13	eP	06	48	44					-22.2	
13	eP iP iE iZ	09	09	04.5 05.5 14 19	1.5		-	-20 25 20	-22.5	
13	eP e	12	43	12 46 42					-23	
14	i	06	28	58				+	15:01	-24.6
14	iP e	11	21	01.5 25				+	-25.1	

Bureau of Reclamation and
Coast and Geodetic Survey

 R. M. is hour and minute of flasher mark at end (or
beginning) of record.

 Δt is time correction referred to R. M.

 International
Seismological
Centre

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
14	iP iS	19	30	32.3 33.0		+40 Disappears	? 	+? 	15:00 $\frac{1}{2}$ -26	Light local shock or blast. $\Delta = 3\frac{1}{2}$ mi.
15	eP iZ e	10	54 55 56	43 03 00					-27.6	
15	e e	11	47 48	22 23	2.0				-27.7	
15	eP eS	12	29	05 56				10	-27.8	$\Delta = 290$ mi.
15	eP e e e iZ	15	23 24	53.4 21.4 30 34 53				48	15:00 $\frac{1}{2}$ -28.1	Foreshock of Livermore earthquake swarm. $\Delta = 215$ mi.
15	eP? iP i i iS i	15	31 32	49 51.5 01 12 30.5 34.5	0.8 1.2		-15 160	-15 175	-28.1	May be wave from preced- ing shock. Main shock of Livermore earthquake swarm. Felt in Central California. $\Delta = 215$ mi S.
15	eP eS eS	15	38	07 47.5 50.1				50	-28.1	Aftershock of Livermore earthquake. $\Delta = 220$ mi.
15	eP iP eS i	17	29 30 33	53 59 37 24				60	-28.2	Aftershock. $\Delta = 220+$ mi.
15	e	17	48 49	51 31					-28.2	Faint waves of after- shock. $\Delta = 215$ mi.
15	eP iP e i iS Coda	18	00	08.8 11.3 20 37 51.3 07.5	0.8 2.0 4.0		-15 75	-14 52	-28.2	Aftershock. $\Delta = 220$ mi. S.
15	i	21	27	12					-28.5	
15	eP i i	22	08 09	32 11 35					-28.6	Probably an aftershock. $\Delta = 215$ mi.

Bureau of Reclamation and
Coast and Geodetic Survey

 R. M. is hour and minute of flasher mark at end (or
beginning) of record.

 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
16	e	00	45	25	1.1				-28.9		
16	e	10	45	37					-29.7		
16	e	16	53	14					15:00	+30	
17	iP	00	48	10.7	1.4			+7	+29.4		
17	iP iP iS iS	01	48	49.3 50 08.3 09.2				+	+29.3		Small regional shock. $\Delta = 95$ mi.
17	iPZ iPE e	02	51	41 42 17	1.0			+8	+29.3		
18	iP iS i	07	38	54 14.5 28.5		40	+20	+14 50 50	15:21	+27.5	Small regional shock. $\Delta = 105$ mi. S.
18	iP eS iS	07	48	39 08 13		+	+15	-5? 50 50	+27.5		Small regional shock. $\Delta = 150$ mi.
20	iP	04	18	51				-10	+24.7	15:00	
20	iP iS	23	52	40 40.4				+ 60	15:00	+23.2	Blast or local dis- turbance 2 mi.
21	e i i	17	12	57 11 38	1.3 2.0				15:20	+21.6	$\Delta = 220$ mi.
21	e i i	23	29	02 18 40					+21		
21	iP e eS Coda	23	40	35.5 50 41 11 16 46	1.5 4.0	+	-15	-12 75 55 60	15:20	+21	Livermore? $\Delta = 220$ mi E of S
21	i eP e iS	23	58	47 48 26 30	0.9			-10 50	+21		$\Delta = 230$ mi.
22	iP	14	06	38.5	1.2			-10	+20.0		

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
22	e e	17	21	52 56				110	15:00 +19.8	Probably an artificial disturbance lasting 95 sec.
23	iP	18	19	51.7	1.2			-6	15:08 $\frac{1}{2}$ +17.9	
24	iP mP iS	06	30	56.5		- 40 50	+ 25 40	- 30 32	+17.2	$\Delta = 43$ mi NW?
25	iP	05	13	06.5	1.0	-		-20	15:00 +16.5	Regional shock. Felt near Livermore
26	eP iP i i eS	11	54	50 52 11 23 27					15:00 +14.1	$\Delta = 200$ mi S
						100		75		
26	e e	12	02	59 38					+14.1	Small aftershock. $\Delta = 210$ mi.
26	iP iP e e	12	32	07 15 35 42	2.0 1.0	-		-20	+14	Aftershock
26	e e	18	24	47 26					15:00 +13	Small aftershock
26	e	23	33	07					+12.3	Small aftershock?
27	e e	00	40	55 31					+12.1	Small aftershock
27	i	04	59	46				-	+11.7	
28	eP	00	34	15					15:00 +9.8	
28	eP e i	03	18 19	55 17 24.5					+9.5	
28-29	iP i eS eS	23	54 56 04	58.2 53 34 45			+		15:00 +7.7	$\Delta = 74^\circ$

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF April, May 1943 7.

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.International
Seismological
Centre

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
29	iP e eS	15	35	17.6 42 24 43 44	01.			-10	15:00	+6.6	$\Delta = 61^\circ$
29	iP	20	01	13.6				-	+6.2		
30	eP eP	06	55	31 46					+5.3		
May 1	eP e e	02	52	24 53 02 11					15:00	+3.7	
1	iP	12	19	26.0				-	+3.0		
1	iP iP	17	09	45.5 58.5					15:01	+2.5	
1	iP	21	08	55.7				+	+2.2		
2	eP iP i iS iS	05	23	41.5 23 44.0 24 13.5 17.5 20					+1.6		$\Delta = 200$ mi.
2	e e	06	37	10 24					+1.4		
2	iP iS	16	35	37 47.5		-80	+25 350	+45	15:00 $\frac{1}{2}$	+0.6	Light local shock 53 mi. ESE in region of Lassen Peak
2	iP e e eS eG	17	27	02.5 28 08 30 00 34 17 43.9	2.0 3.2 40	-	+	+25	+0.5		U.S.C. & G.S. epicenter 6.4 N Lat., 80.1 W Long O = 17h 18.2m $\Delta = 51^\circ$ SE
2	eP	18	31	19					+0.4		
3	eP iP e i e e	02	12	44 47 16 14 17 13 23 08 26 48					-0.2		

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
3	iP iS	08	52	22 31				40	-0.7	$\Delta = 45$ mi.	
3	iP iP	10	23	40.5 26 23				-	-0.9		May be 2 earthquakes
3	eP	12	53	22					-1.0		
3	iP	16	50	12.5	1.5			-10	15:00 $\frac{1}{2}$	-1.5	
3	iP i iS	18	46	02.6 11.1 12.2		+40 2500	-720	+335 550	-1.8		Moderate local shock, $\Delta = 48$ mi., E., in Hat Creek or Mt. Lassen region.
3	iP iS iS	18	49	01 10 11					-1.8		$\Delta = 45$ to 50 mi.
4	iP i e e	18	29	24.8 54 31 03 39 10	0.9	-15	+25	+50	15:00 $\frac{1}{2}$	-4.0	
5	iP iS	21	32	08.6 12					15:00 $\frac{1}{2}$	-5.3	$\Delta = 18$ mi. May be 2 local disturbances
6	eP eP	10	18	33 48					-6.4		
6	iP iS i	17	59	02.3 02.8 05		+90	-50	+110 320	15:01	-7.2	Blast or local shock 2 $\frac{1}{2}$ mi. NW to NNW
7	iP i	20	34	03 10	1.8			+20	15:01	-10.0	
8	e i	12	30	38 31 08					-12.1		
9	iP	23	14	52				-10	15:00 $\frac{1}{2}$	-16.7	
10	iP	00	08	32				-10	-16.8		
10	e	05	52	34					-17.5		
10	e	10	15	38					-18.0		
12	iP i	08	34	48.4 35 49				-10	15:01	-25.2	

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF May


 1943 9.
 International
 Seismological
 Centre
Bureau of Reclamation and
Coast and Geodetic Survey

R. M. is hour and minute of flasher mark at beginning) of record.

 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
12	iP	08	45	27.8				-20	-25.2	
12	i? i	23	03	50 29					15:01	-27.2
13	iP M iS	03	07	59 08 23.5		-12 75 75	+25 125 70	+ 85 40	-27.6	Small regional shock $\Delta = 125$ mi. WNW
13	eP	23	22	23					15:00	+30.4
14	iP iS	13	12	58 13 11		80	80		+29.1	$\Delta = 65$ mi.
15	iP i ipP	02	29	44 51.5 30 22				-10	15:00	+2.8
May 15 records missing										
17	iP iS	22	11	01.5 10.5		75	50		15:00	+23 Small local shock $\Delta = 45$ mi.
18	e e	06	17	46 21 36					+22.5	
20	eP eS iS	22	19	45.5 54.5 55		45			15:00	+17.5 Very small local shock $\Delta = 45-50$ mi.
21	iP	23	31	50				-	+15	
22	eP i e	09	14	32.0 42.5 24 58					+14.1	
23	iP i i eS	11	39	34.3 41 51 53		+3 125	? 100	- 75	15:15	+12.0 Small regional shock $\Delta = 95$ mi. E?
24	e	18	38	14					15:00	+09
25	e	00	09	50					+08.5	
25	iP i eS	11	50	44.3 48.5 51 05.5		+20 80	+4	+20	+07.5	$\Delta = 105$ mi. W

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
25	iP iS	18	00	45.0 45.6		+262 600+	-40 650	+80 350+	15:00	+07.0	Local shock or heavy blast. $\Delta = 3$ mi. WNW
25	iP i i i i e eG Coda	23	21 24 25 31 34.1 39.2 24	24.0 56 27 44 28 30 18	1.5 2.6 30 16.5	+	-	+30 90	+6.5		Distant earthquake U.S.C. & G.S. epicenter $7\frac{1}{2}^{\circ}$ N Lat., $126\frac{1}{2}^{\circ}$ E Long. O = 23h 7.6m; Off Mindanao. $\Delta = 102^{\circ}$
26	eP iP e e	10	37 41 47	08 15.5 55 55	1.7	+	+	-	+05.5		U.S.C. & G.S. epicenter $17\frac{1}{2}^{\circ}$ N Lat., $106\frac{1}{2}^{\circ}$ W Long. O = 10h 31.4m $\Delta = 27^{\circ}$
27	iP	05	35	44	0.8			-20	15:00	+3.9	
28	eP eS	10	48 49	39.5 17					15:00 $\frac{1}{2}$	+1.1	$\Delta = 200$ mi.
28	iP e	20	12 14	44.5 57	1.0	+	+	+10 -70	15:01 +0.2		
29	iP i iS	09	21	4.8 15 16.8				- 80 30	-0.9		$\Delta = 60$ mi.
30	eP iP e eS iS	01	05	00 04.5 23 35 51	1.0			25	15:05	-2.5	$\Delta = 190$ mi.
30	e? e e	07	52 53	59 15 51					-3.3		
31	eP iP iS iS iS	20	18 19	03 13 08 11 21	1.0	180		110	15:00 $\frac{1}{2}$ -6.8		Felt in Bishop, Calif. $\Delta = 380$ mi.
31	eP i i	22	18 19	55.5 03.5 43					-7.0		

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF June



11.

International
Seismological
CentreBureau of Reclamation and
Coast and Geodetic Survey

R. M. is hour and minute of flasher mark at end (or beginning) of record.

 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
June										
1	iP iS	00	05	11 20		75		30	-7	Small local shock $\Delta = 45$ mi.
1	e	04	20	21					-7.4	
1	iP iS	09	06	43 51.5				50	-7.8	$\Delta = 43$ mi.
1	iP iS	09	17	30 55.5				- 20	-7.8	Very small regional shock $\Delta = 135$ mi.
1	iP	22	09	07				+10	15:00 $\frac{1}{2}$	-8.6
2	e	05	31	31					-9	
2	iP iP iS	15	54	02.7 03.6 35.7	0.6	+25 275	? - 200	+20 180	15:00 $\frac{1}{2}$	-9.8 Regional shock off Cape Medecino $\Delta = 180$ mi. due West
3	iP ipP i	12	24	39.8 47 14	0.7	-	-	-20	-11.2	Focal depth may be (600 km) 370 mi. $\Delta = 84^\circ$
3	eP iP	20	05	16.5 29				- -45	15:00 $\frac{1}{2}$	-12
3	eP iP i	20	59	36 42 11					-12.1	
4	i	00	05	14.5				-45	-12.5	
4	eP? eP iS	00	47	20 21.5 22						Blast 2 $\frac{1}{2}$ or 10 mi. away
4	eP iP mP iS	02	19	58 59.2 20 21.7	1.0	-25	-20	-5 -30 480	-12.8	Regional shock $\Delta = 120$ mi SW
4	iP iS	05	10	37 11 57.5					-13	$\Delta = 100$ mi.
4	iP	09	51	03.7					-13.8	
4	iP	10	50	21.5				+	-14	
4	iP eS	11	53	26.4 45.4				+	-14.1	$\Delta = 95$ mi.

Bureau of Reclamation and
 Coast and Geodetic Survey

 R. M. is hour and minute of flasher mark at
 beginning) of record.

 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
5	iP i e	20	39	37.4 40 34.4 49 39	1.0 2.0			-10 -10	15:08 -18.4	
6	iP i i	07	03	54 04 01.8 15.4		+135 500+	+25 400	+90	-19.7	Light local shock $\Delta = 40$ mi. W by SW Δ may be 105 mi.
7	eP iP e	23	39	07.5 16 41 04	1.1			-10	-24.4 15:00 $\frac{1}{2}$	
8	e i e e	01	26	20 29 30 25 33 26					-24.5	
8	e iP	18	47	25 28.5					15:00 $\frac{1}{2}$ -26	
8	eP e i	21	01	39 03 34 49					-26.2	U.S.C. & G.S. epicenter 19° N Lat., 116° E Long., O = 20h 42.2m $\Delta = 100^\circ$
9	e iPP eSK e Coda	03	25	10 16 32 10 04 10.6 04 40	45 16				-26.8	U.S.C. & G.S. epicenter 90° N Lat., 120° E Long., O = 03h 6.7m $\Delta = 107^\circ$
9	iP e eS	04	15	07.7 17 13 24 26	1.5	-15	-10	-50	-26.8	
9	iP	18	47	39.4				-10	15:00 -28	
10	iP iS	22	25	33.4 34.2		+100	-12 300	+30 300	+30	Local shock or blast 4 mi. West
11	i	01h to 03h								Several disturbances; some resembling blasts at 2 or 3 mi.
12	iP	16	18	12.4				-	15:07 +27.4	
13	e	04	30	10					+26.5	

Bureau of Reclamation and
 Coast and Geodetic Survey

 R. M. is hour and minute of flasher mark at end (or
 beginning) of record.

 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
13	iP iP i eS	05	22	36.5 03.1 27.5 31 28	1.5		+	- -220	+26.5	U.S.C. & G.S. epicenter 43° N Lat., 142° E. Long. O = 5h 11m 44s On Island of Hokkaido, Japan. $\Delta = 67^\circ$
13	e e	05	50	51 51 36					+26.5	
13	iP iP iPP iS isS	06	09	08.4 15.4 45.4 18 05 19 04	1.6			+ +	+26.4	$\Delta = 71^\circ$ Depth of focus = 95 mi.
13	eP iP	08	26	58 27 01.3					+26.3	
13	iP iP iPP e e iS isS e	08	47	53.7 06.5 30 55 49 08 56 50 57 48 58 33	1.5			+ -60	+26.2	$\Delta = 71^\circ$ Depth of focus 100 mi.
13	eP iP	09	02	16.7 32.0				-15	+26.2	
13	eP	16	33						+25.7	15:00
13	eP iP eS	17	50	09.5 13.5 59 07					+25.6	$\Delta = 67^\circ$ Aftershock of Japanese earthquake
13	iP i iS	21	36	49.3 57.3 59.5		+	+	50	+25.3	$\Delta = 50$ mi. SW?
14	eP e e	03	20	01 21 14 25 03					+25	
14	eP iP eS	16	33	19 29 42 16					15:00 +23.9	Aftershock of Japanese earthquake
14	e eP e e	17	26	47 53 30 59 31 49					+23.8	

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF June

 19 43 14.
International
Seismological
Centre
Bureau of Reclamation and
Coast and Geodetic Survey

R. M. is hour and minute of flasher mark at beginning) of record.

 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
14	eP iP e	17	42	40 50 44 30					+23.8	
14	iP i	20	20	21 29 51.5				+10	+23.6	
15	eP iP i	00	06	00 01.8 06 46				-30	+23.3	
15	eP iP ipP iS ePS esS	11	21	39 44.5 22 22.5 30 48 31 04 31					+22.6	$\Delta = 71^\circ$. Depth of focus 100 mi.
15	eP e e e e G Coda	18	28	47 30 09 37 25 39 07 41 45 40.7 19 00	30 08				+22.1	U.S.C. & G.S. epicenter $14\frac{1}{2}^\circ$ N Lat., 93° W Long.; O = 18h 21.7m $\Delta = 40^\circ$
15	iP e	19	52	18.4 53 58					+22.1	
15	e	20	32	44					+22.1	
15	iP e	23	46	08.5 48					+22.0	
17	iP eS iS	01	21	04.5 29.5 31.5		+	30	-	15:00 +20.5	$\Delta = 130$ mi.
18	iP	09	19	53.0				-	+18.5	
18	iP	16	37	13.2					+18.2	
18	e iP	19	35	03 07					+18	
19	e	09	18	28					+17	
19	iP iP iS	18	51	45.6 46.3 54.6		-16	?	+	15:01 +16.1	Small local shock $\Delta = 45$ mi. E

Bureau of Reclamation and
 Coast and Geodetic Survey

R. M. is hour and minute of flasher mark at (beginning) of record.

 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
20	eP e	15	46	04.5 58.5					15:00 +14.5	
21	eP	10	22	57					+12.5	10 hrs. of record lost
21	iP iS	22	34	16 16.6		+80 130	-10		+11.5	Blast 3 mi. N of West
22	eP eS	08	41	00 25.5					+10.5	Very small regional shock $\Delta = 130$ miles
22	eP iP iP iS iS	08	42	37.5 40.3 41.8 59.5 01.5				- 40 30	+10.5	Small regional shock $\Delta = 130$ mi.
22	e eP iP iS	15	32	34 38 42 35		40			15:00 +9.9	$\Delta = 350$ mi.
22	eP e	20	02	19 04 30					+9.4	
23	iP eS	08	04	46.5 05 07.5		+10 30			+8.1	Small regional shock. $\Delta = 110$ mi.
23	iP	17	30	24.5		-	+	+15	15:00 +7.2	
24	iP iP eS	12	27	24.3 30.8 37 11	1.0	+	-	-20	+5.3	
24	iP iS	16	01	12.2 12.8		+130 310	-30 250	+45 260	15:00 +5.0	Local shock or blast $\Delta = 3$ mi N of West
24	eP iP iP eS	20	34	00 03.0 45 44 00	1.5			- -	+4.5	
25	iP	04	28	51.5				-10	+3.9	
25	iP i i i iS	17	00	37.8 40.3 43.5 49.5 54.3	1.0	+175 980	+70 560	+130 650	15:00 +2.8	Moderate regional shock. $\Delta = 75$ to 80 miles WSW. Epicenter probably in Southern Humboldt County.

Bureau of Reclamation and
 Coast and Geodetic Survey

R. M. is hour and minute of flasher mark at beginning) of record.

 Δt is time correction referred to R. M.


Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
25	iP i eS	17	05	54 59.4 06 09.8		+6	+	+	+2.8	Small aftershock
25	eP e eS	17	18	34.8 46.3 52.3					+2.8	Very small aftershock.
25	eP eS	18	45	05 20					+2.7	Very small aftershock
25	iP i iP iS	19	24	33.6 43.6 26 28.6 33 43.6				+	+2.6	
25	iP i i iZS e iS eS	22	04	54.7 56.9 05 00.0 06.0 07 09.5 11.0 15.5		+25	+15	+25	+2.5	Light aftershock $\Delta = 80$ mi. SW to WSW
								65 75 85 120		
						190				
26	eP eS eS	01	46	24 39 41					+2.2	Very small aftershock
26	iP iS	07	57	49.7 53.0		+20 40	-	-	+1.7	Very small local shock or blast 16 mi. E
26	iP iS	16	43	47 56					15:01 +1.0	Very small foreshock of Mt. Lassen swarm. $\Delta = 45$ mi.
26	iP eS	16	45	10.5 20		-			+1.0	Very small foreshock of Mt. Lassen swarm. $\Delta = 45$ mi.
26	iP iS	17	26	49 58		-			+1.0	Very small foreshock of Mt. Lassen swarm. $\Delta = 45$ mi.
26	iP iS	18	10	46.6 56		-45 120	+10	+25 60	+01.1	Small local shock 47 mi. S of East. Epicenter on or near Mt. Lassen. Unless otherwise design- ated, this and the next 15 shocks have nearly the same source.

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
26	iP iS	18	14	13.8 22.5		-25 50	+5	+15 40	+01.0	
26	iP iS	18	55	55.1 04.5			+	+10 10	+1.0	Very small swarm type
26	iP iS	18	56	52.0 01.0		-10	+	+5 10	+1.0	Very small swarm type
26	iP eS	20	30	38.4 04.4		+10	?	+ 10	+1.0	$\Delta = 130$ mi W.
26	e	20	45	25.0					+1.0	Faint trace from distant shock.
26	eP e	21	39	20 29.5					+1.0	Very small swarm type
26	iP iS	21	58	44 53				+	+1.0	Very small swarm type
26	iP iS	22	35	41.5 50.5		-40 75	+12 60	+15 30	+1.0	Small shock of Mt. Lassen swarm. $\Delta = 45$ mi. ESE
26	iP iS	22	37	04.3 13.3		-100 125	+20 150	+30 80	+1.0	Small shock of Mt. Lassen swarm. $\Delta = 45$ mi. ESE
26	iP iS	23	39	06 15		-			+1.0	Very small swarm type
27	iP eS	00	33	45.0 54.0		-25 50	+10 30	+12	+1.0	Small shock of Mt. Lassen swarm $\Delta = 45$ mi. ESE
27	iP eS	01	26	50 27 00		-			+0.8	Very small swarm type
27	iP iS	01	35	16.2 25.7		-75 130	+22 100	+40 50	+0.8	Small shock of Mt. Lassen swarm. $\Delta = 48$ mi. ESE
27	iP iS	02	02	02.5 12		-15	+5	+5	+0.7	Very small swarm type
27	iP iS	09	47	43.9 46.3		70	75	40	+0.3	Small local shock or blast. $\Delta = 12$ mi.

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF June

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
27	iP eS eS	15	21	05 20.5 21.5				+5 40	15:00 $\frac{1}{2}$	0.0	$\Delta = 75$ mi.
28	iP iP	01	15	04 27.2	1.2			+15	-0.8		Preliminary waves of distant shock
28	eP i	02	54 55	39.1 07.1	1.3				-0.9		
28	iP i iS	11	43	08.7 13.9 14.7		+16 400+	+30	+45	-1.6		Light local shock $\Delta = 30$ mi. SSW
28	iP eS	15	12	56.8 18 59			-10		15:00 $\frac{1}{2}$	-1.9	
28	iP iS	19	17	58.5 18 15			-20? 100		-2.1		
29	iP	04	43	25			+		-3		
29	eP i i i	04	55	18 37 51 56 02					-3		
29	eN	09	23	17					-3.4		E & Z defective faint trace of distant shock.
30	eP	11	02	49					-5.7	15:00 $\frac{1}{2}$	
30	iP iP i i	11	06 07 12	31.3 28 32 21	1.5			- +30	-5.7		
30	e e	19	10	04 21					-6.4		
30	e iP e	20	24 30	15 16.3 30				-20	-6.5		U.S.C. & G.S. epicenter 14 $\frac{1}{2}$ ° S Lat., 74° W Long. O = 20h 13.0m $\Delta = 71$ °
30	iP iS	22	24	13.3 14.0		+70	-10 225	+30 110	-6.6		Sharp local shock or blas $\Delta = 4$ mi. W.

SHASTA DAM SEISMOLOGICAL STATION

(MINERAL SEISMOLOGICAL STATION)

INSTRUMENTAL REPORT - - - JULY, AUGUST, AND SEPTEMBER, 1943.

The Shasta Dam station continued in routine operation through the period of the report.

The old portable chronometer was replaced with a Mercer land type chronometer on September 21. Several weeks thereafter the contacts thereof gave somewhat erratic performance until proper adjustment had been made. However, otherwise smooth performance of the instruments made accurate time control possible. Initial ground motion response of the seismometers was tested September 21-25.

The Wood-Anderson seismograph at Mineral was inspected and adjusted on September 19-20. The Mineral station is located at the National Park Service headquarters about 1 mile west of Mineral and 47 miles S 60° E from the Shasta Dam station. The approximate geographic coordinates are 40° 21'N, 121° 37'W. This station is operated jointly by the National Park Service and the University of California. Mr. Harry B. Robinson, Jr. Park Naturalist is in charge. The records retro-active to August 29, are now being forwarded to the Boulder City office for review from whence they are forwarded to Berkeley where they are kept on file. Data from the Mineral records appearing in these reports are of local and certain regional shocks only with particular emphasis on shocks local to the Shasta Dam area.

The following shocks may be of local interest:

- July 22 - 00:10:52 G.C.T. : 61 or 110 miles west of south. This shock should have been felt in the epicentral area.
- July 29 - 19:23:12 G.C.T. : Heavy blast 7½ miles SW. This explosion was accidental.
- August 9 - 05:30:09 G.C.T. : Felt in Western Nevada and mid-Eastern California. Tentative epicenter mid way between Bishop, California and Tonopah Junction, Nevada.

Bureau of Reclamation and
Coast and Geodetic Survey

 R. M. is hour and minute of flasher mark at end (or
beginning) of record.

 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
July 1	1P e	04	51	06 59 28	1.2			+25	-7.1	
1	eP 1P	05	58	44 45.1				-	-7.3	
2	1P 1 e	14	00	12.5 46.5 02 03					15:00 $\frac{1}{2}$	-9.5
3	1P e	19	39	33.5 41 23		+			15:08	-10.5
4	1P 1S	20	03	15.2 34.6		-10 58	?	-	15:00 $\frac{1}{2}$	-12.4 $\Delta = 100$ mi. W
4	eP 1	22	29	12.5 33 27.5					-12.5	
5	1 1	16	31	45 32 53					15:00 $\frac{1}{2}$	-13.3
5	eP e	21	19	14 29 16					-13.6	U.S.C. & G.S. epicenter 17 $\frac{1}{2}$ ° S Lat., 73° W Long. 0 = 21h 07.6m $\Delta = 75^\circ$
6	1P 1P 1 1S	08	11	59.1 00.2 09.3 10.6		-10 50		-	-14.3	$\Delta = 55$ mi. W
6	1P 1S	09	51	31 52 11	0.9	+		-6	-14.4	$\Delta = 220$ mi.
6	1P 1S	22	15	04.6 05		-90	+125	+60 275	15:00 $\frac{1}{2}$	-15.3 Blast 2 mi NW
7	1P eS	12	58	17.7 13 08 44					-16.3	$\Delta = 84^\circ$
7	eP	13	40	04					-16.3	
8	1P 1S	22	59	03 03.6		+35 125			15:00 $\frac{1}{2}$	-19 Blast? $\Delta = 3$ mi W?
9	eP eS	07	32	22 33 11					-19.6	$\Delta = 300$ mi.

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
9	1P 1P e	23	35	02.2 03.2 19		+8 +35	- -20		15:00 $\frac{1}{2}$ -21.0	$\Delta = 70^\circ$
10	i	00	10	42					-21	
10	e	03	15	37					-21.2	
11	eP 1P 1pP eS eSS e	02	23	06 09.2 53 33 41 34 45 48.6	15	+	-		15:21 -23.8	Estimated focal depth 125 mi. $\Delta = 92^\circ$
11	1P 1S	03	33	23.9 28.6		-35 80	-20		-23.9	$\Delta = 23$ mi.
12	1S 1P	16	56	48 48.6		+50	+7	+15	15:00 +31.2	Blast 3 mi W
12	i	22	18	43.5					+30.5	
12	1P 1S	22	34	08.4 09		+140	-15	+30 500	+30.5	Heavy blast 3 mi W
13	1P 1S	23	15	46 46.7		+			+27.6	Blast 3 $\frac{1}{2}$ mi.
14	1P 1S	07	27	21 42.7		+		+	+26.7	Very small local to regional shock. $\Delta = 110$ mi.
14	e e e	10	46	26 47 41 48 36	1.0 6.0				+26.4	
14	e? e	19	54	49 57 55					15:00 +25.5	
15	1P	07	40	54.5				+	+24.5	
15	1P e	20 21	51 01	02.7 33				-20	15:00 +23.2	
16	1P eP 1P	01	30	58.8 12.3 15.3				-	+22.8	
16	1P	08	20	25.5				+	+22	

Bureau of Reclamation and
 Coast and Geodetic Survey

 R. M. is hour and minute of flasher mark at
 beginning) of record.

 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
17	1P 1PN es	06	41	20.4 22 41.7		+25 120	? +25 40	+15	15:00	+19.3	$\Delta = 110$ mi W
18	1P 1P 1 1	08	08	14.5 24 19 48	0.7 1.2 1.3			+10 30	15:06 +16.5		
18	1P 1S	23	22	59 59.4		+35 300	-38 250	+25 150	15:00 +15		Sharp blast 2 mi NW
19	1P 1S	15	50	45 45.8		+40	-10	+ 110	+13.6		Blast 4 mi W
20	1	01	25	44				-	15:00	+12.8	
20	1P 1 1S	11	06	18.7 23.3 25.3		+67 350+	-60 850+	-50	+11.8		Light to moderate local shock 30 to 33 mi SE
20	1P es	11	45	57.7 46 28.7				+ +11.7			Very small regional shock $\Delta = 180$ mi.
20	1P 1P 1S	20	06	55.5 56 07 04.3		-10 40	? +	- +	15:00 +11.0		
21	eP 1P	04	25	33.5 39.1	1.1				+10.3		
21	1P	22	52	36.5				-4	15:00	+8.5	
21	1P 1S	23	15	52.8 53.2		+40 300	-28	+25 150	+8.5		Sharp blast 2 mi NW
22	1P M 1 1S 1S Coda	00	11	10.2 21.4 31.6 32.7 15	0.4 0.8 1.2 1.8	-12 400 900 1240	-50	-50 130	+8.4		Moderate local or regional shock. $\Delta = 61$ or 110 mi W of South
22	1P	02	18	54				-7	+8.3		
22	1P 1P 1S 1S	10	37	27.7 28.8 45.5 47.5		+		-	+7.5		Very small regional shock $\Delta = 90$ mi.

Bureau of Reclamation and
 Coast and Geodetic Survey

R. M. is hour and minute of flasher mark at beginning) of record.

 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
22	1P 1S	22	32	46 46.4		+125	-45	+90 275	15:00	+6.5	Blast 2 mi WNW
23	eP 1P 1PZ 1PZ 1Z 1 1	15	07	31 11 59.7 12 02.7 12 24.2 13 36.5 47 20 34	3 2 3			+ +55 75	15:00	+5.0	U.S.C. & G.S. epicenter 10 $\frac{1}{2}$ ° S Lat., 117 $\frac{1}{2}$ ° E Lon $\Delta = 112^\circ$
23	1P 1S	23	11	19.6 20		+40 155	-20	+ +	+4		Blast 2 mi WNW
25	1	01	34	55				-	15:01	+1	
25	1	07	41	37					0		
26	eP	20	03	14					15:01	-4	
27	1P 1S M	11	14	41 52		-15 +20 75	+5 +15	+ 20	-6		Small local shock $\Delta = 55$ mi SSE
28	1P 1S	01	48	48 48.5		+20 200	-15	+ +	15:00 $\frac{1}{2}$	-7.6	Blast 2 $\frac{1}{2}$ mi NW
28	1P 1P	04	10	12.5 20.5	1.8	- 30	+ +	-10	-8		
29	1P 1 e 1S? e e M Coda	03	11	20 47 14 34 18 43 23.1 28.4 30 04.3	0.8 4 7 15 30 15 13 $\frac{1}{2}$	? 100		+10 210	-10.2		Distant earthquake U.S.C. & G.S. epicenter 16.9° N Lat., 67.0° W Lon O = 3:02:14 $\Delta = 51^\circ$
29	1P 1S 1	19	23	14.1 15.6 16.5	04	+32 200	+20? 160	+10 115	15:04	-11.5	Heavy blast 7.5 mi SW
29	1? 1	19	23	40.4? 41.9		- 45	+138	-500	-11.5		Sharp impulse from beneath. May be part of blast.
29	1P 1S	19	44	44.8 45 03		+8 75		+ +	-11.6		$\Delta = 90$ mi.

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
29	1P 1 1S	20	20	05.6 14.9 26	0.4	+12 140		+6 70	-11.6		$\Delta = 110$ mi W
30	1P e	01	11 15	36.3 12.8				+	-12.2		U.S.C. & G.S. epicenter 18.9° N; 67.0° W; O = 1:02:32 $\Delta = 52^\circ$
30	eP 1 1	03	38	27.7 32.6 33		?			-12.3		Blast or local dis- turbance probably 2 mi.
30	1 1	05	03	01 14.5			-		-12.5		Very small disturbance or local shock $\Delta = 17$ mi?
30	1P 1S	10	14 14	44 02				-	-13		Very small regional shock $\Delta = 90$ mi.
30	1P 1S	23	10	13.4 13.8		+25 350	-18	+10 275	15:00 $\frac{1}{2}$	-14.1	Blast 2 mi NW
31	1P	17	39	09				+?	15:00 $\frac{1}{2}$	-15.9	
31	1P 1S	23	12	10 10.5		+24	-25	+10 150	-16.4		Blast 2 $\frac{1}{2}$ mi NW
August 1	1P	06	57	27				-?	-17		
1	1P	14	27	32	1.0			+10	-17.4		
1	1P 1Z 1Z 1S eS	16	31 32 41 42	06.8 02.5 18.5 28.5 28.5	1.3	+	+	+40	15:00 $\frac{1}{2}$	-17.5	
2	1P 1S	05	39	46 57					-18.2		Very small local shock $\Delta = 55$ mi.
2	1 1	05	45 46	36 05					-18.2		
2	1P	08	49	43.6					-18.4		
2	eP 1P eS	13	33	40 44.3 52.8					-18.7		$\Delta = 65$ mi.

Bureau of Reclamation and
 Coast and Geodetic Survey

R. M. is hour and minute of flasher mark at beginning) of record.

 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
3	eP 1P • •	16	21	14.4 18 27 29.5					15:00 $\frac{1}{2}$ -21.0	Seismic origin doubtful
3	1P 13N	18	01	40.8 41.3?		+* *	-170	+64 *	-21.0	Local shock or heavy blast 2 $\frac{1}{2}$ mi N of W * trace disappears
3	1P 13	18	13	00.1 00.8		+175	-30	+65 500+	-21.1	Sharp blast 3 $\frac{1}{2}$ mi N of W
3	1P M 13 M	21	20	15.2 22.6	0.2	-10	-10	+10 90 +90 200	-21.4	Light local shock Δ = 37 mi NE
4	1P 13	03	00	28.6 29		+15	-15	+10 125	-21.8	Blast 2 mi NW
4	1P eS	09	34	17 27		+50			-22.3	Seismic origin doubtful
4	1P 13	23	13	03.6 04		+40	-30	+15 200	-23.5 15:00 $\frac{1}{2}$	Blast 2 mi NW
5	1P 13	06	02	38 03 00		+	?	+?	-24	Very small regional shock 110 mi W
5	1P 13	08	21	29 38					-24.3	Very small local shock Δ = 45 mi.
5	1P	17	25	43					15:00 $\frac{1}{2}$ -25.0	
6	eP 13	02	50	16 21.5		60			-25.3	Δ = 28 mi.
6	1P 13	08	28	36 44		- 70	?	+?	-26.3	Δ = 40 mi E
6	1P	12	14	43				+	-26.5	
7	1P 13	03	01	02 02.5		+10 140	-10	+	15:00 $\frac{1}{2}$ -28	Blast 2 $\frac{1}{2}$ mi NW
7	e	11	11	54					-29	
8	1P 1P	00	47	47.5 57				+ +?	15:04 +30	

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
8	1P 1S	03	06	21 21.5		+30	-26	+15 250	+29.8		Blast 2½ mi NW
8	1P 1 1S	03	29	29.3 42 43	0.2 0.4	+50 200	-15	+25	+29.8		$\Delta = 70$ mi WNW
9	1P 1P 1 1 eS 1S 1 Coda	05	31	12.1 23.8 32.5 45 04.5 21.6 37	0.8 1.5 4.0	-20 1560	+15 880	+25 1440 1440	15:00 +27.2		Regional shock. Reported felt in Bishop and upper Owens Valley Region. $\Delta = 300$ mi SE Tentative epicenter about 18 mi N of Bishop 20 to 30 mi NE
10	1P	04	00	21.5		-5			15:00	+25.1	
10	e 1P 1P eS 1S	12	25	02 10 20 48 52				140	+24.4		Probable aftershock of Owens Valley earthquake
10	eP 1P 1 eS	13	35	47 53 20 35				50	+24.3		Probable aftershock of Owens Valley earthquake
10	e	14	06	06					+24.2		
10	1P 1S	15	22	17 29 28	1.7	+		-24	15:05	+24.2	U.S.C. & G.S. epicenter 54° N Lat., 161° E Long $\Delta = 52^\circ$
10	1Z 1P 1 1S	15	45	29 31.4 46 14 52 46	0.9	+	-	+10	+24.2		Compression from NE $\Delta = 52^\circ$
10	1P	15	53	14				+10			
10	1P 1 1	18	08	59.2 59.7 09 06.4		+10 100 -33	-10 +70	+ 60 -290	+24.0		Blast 2½ mi NW followed by sharp downward im- pulse toward NNW. Ori- gin of latter unknown
10	e eP eS	23	36	45 49 37 30					+23.4		Probably a small after- shock of Owens Valley earthquake.
11	1P	05	32	38				-	+22.8		

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
11	1P 13	16	14	34 15 00					15:00 +22	Very small regional shock $\Delta = 140$ mi.
12	1P	05	02	03	1.4			+20	+21	
13	1P 13	02	44 45	59 09		- 40	?		15:00 +19	$\Delta = 50$ mi E
14	1P 13	03	11	06 06.4		-10 80	?		15:00 +17.0	Small blast 2 mi W?
14	1P 13	07	36	00.7 07.2		-		+	+16.7	Very small local shock $\Delta = 33$ mi.
14	1P	08	20	43	1.8			+15	+16.7	
14	1P 13	23	18	11.5 12		+ 60	-		15:04 +15.5	Blast 2 1/2 mi NW
15	1P 1	00	22	16.4 29				+15	+15.4	
15	1P 1	02	42	01 15		-		+10	+15.2	
15	eP	13	10	58					+14.5	
15	1P 1 13	18	21	47 47.5 53.8		-10 60	-10	+	15:00 +14.0	Small local shock 34 mi NE
16	1P M 13	21	48	01.2 35.5	0.3 0.5	+25 420 650	? 125 250	+15 150	15:00 +12.2	Regional shock off Pt. Mendocino. $\Delta = 185$ mi W
17	1P	01	16	11.5				+	+12.0	
17	1 1	09	16 17	48 14				+	+11.3	Seismic origin doubtful
17	e	09	22	03	1.8				+11.3	Seismic origin doubtful
17	1P?	15	37	36				+	+11.0	
18	1P	16	39	42.5	0.9	+6		-15	+8.9	
18	1P 13	22	19 20	48.5 09		+6		-15	+8.4	Very small regional shock $\Delta = 105$ mi.
19	1P	05	18	30.3	1.0			+7	+7.8	

Bureau of Reclamation and
Coast and Geodetic Survey

 R. M. is hour and minute of flasher mark at end (or
beginning) of record.

 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
19	1P 1P	10	51	03.4 11				+6	+7.4		
20	1P	01	05	02.7				+	+6.3		
20	1P eS	01	35 46	47.3 36	1.4 2.4			-7	+6.3		$\Delta = 89^\circ$
20	1P	03	10	34.8	0.9			-10	+6.2		
20	1P eS	18	53	37 48					15:00	+4.9	$\Delta = 55$ mi.
21	1P 1S	06	21	01.4 12		+3 50		- 40	+4		$\Delta = 53$ mi.
21	1P 1S	06	57	12 22.6		- 40			+4		Very small local shock $\Delta = 53$ mi.
21	1P e 1S	08	13	14 34		+12 80	?	+10 50	+3.8		Small regional shock 100 mi W
21	e 1P eS	09	21	22 23 30 12		+		+? -10	+3.7		$\Delta = 65^\circ$
21	1P 1S	21	11	05 13		+			15:03	+2.8	$\Delta = 40$ mi.
22	eP 1	01	35 36	50 05					+2.4		
22	1P	11	10	50		+			+1.5		
23	1P 1S	03	00	04.6 05.0		+15 120	-12	+8 150	15:00	+0.2	Blast 2 mi NW

Bureau of Reclamation and
Coast and Geodetic Survey

 R. M. is hour and minute of flasher mark at end (or
beginning) of record.
 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
August 24	iP iS	03	01	34 34.5		+10	-10	+75	15:00 $\frac{1}{2}$ -1.8	Blast 2+ mi. NW
27	iP	00	53	47.6				+10	-7.2	
27	e	04	16	49					-7.4	
27	eP iP iP	10	28	18.5 21.9 21				+8?	-7.9	$\Delta = 1060$ mi.
27	iP	11	28	07		+		+10	-8	
28	e7 eS	10	21 24	28 37				15	-9.5	$\Delta = 1100$? mi.
28	iP iS	23	08	12.6 13.0		+48 300+	-38	+25 300	15:01 -10.5	sharp blast 2 mi. NW
29	ePZ ePEN i iS iS Coda	03	47	08.5 14 34 11 14 59	1.0 2+ 3				-11	Moderate regional shock $\Delta = 680$ mi.
29	e	04	01	56	1.2				-11	
30	iP iS	09	37	23 25.6		+15 80	-	-	15:00 $\frac{1}{2}$ -13	Small local shock 13 mi. ESE
30	iP iS	22	20 21	53.6 03		+5		+50	-13.8	Very small local shock $\Delta = 47$ mi.
30	e	23	41	38	1.2				-14	
31	i	06	59	38	1.0				-14.4	
31	iP iE i i iEN i e	16	17 18 20 23 28 30	52.6 34 10 48 03 37 28	 1.2	+		02	-15.1	May be two earthquakes. U.S.C. & G.S. epicenter 13 $\frac{1}{2}$ °N. 91 $\frac{1}{2}$ °W. 0 = 16 h 10.5m $\Delta = 38\frac{1}{2}$ °

SHASTA DAM

SEISMOLOGICAL STATION

MONTH OF

September

19

43

11.

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end
(beginning) of record. Δt is time correction referred to R. M.International
Seismological
Centre

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
September 1	i e	00	46	05.3 32					15:00 $\frac{1}{2}$	-15.7
2	iP iS	03	07	33.6 34.0		+60 300+	-50	+25 260	-17.6	Sharp blast 2 mi. NW
2	iP	09	14	35	0.9				-18	
3	iP iS	20	05	30.6 31.0		+	-	+135 500	15:00 $\frac{1}{2}$	-20.4 Sharp blast 2 mi. NW
4	e e	07	35	37 37 21	8				-21.2	Faint trace of distant earthquake
5	e e e	08	49	09 52 23 53 07					15:01	-23.1 U.S.C. & G.S. epicenter 0° Lat. 125° E; O = 8h 34.8m
6	e? ePKP ePP ePS e Coda	03 04 01 10 38.3 05	56 00 01 10 38.3 20	56 10.5 08.5 41.5 38.3 20	4 20 16			40	15:00 $\frac{1}{2}$	-24.5 U.S.C. & G.S. epicenter 53.2°S, 159.4°E. O = 3h 41.5m. $\Delta = 116^\circ$
6	iP iS	08	31	47.5 32 07.0		+10 150		+10 100	-24.7	$\Delta = 100$ mi. W.
7	iP iS	05	03	50 58.5		- 70			-26.1	Small local shock $\Delta = 43$ mi. E?
7	iP iS	05	12	23 31.5		50			-26.1	Small local shock $\Delta = 43$ mi. E?
7	e	19	32	19					-27.1	
9	eP iS eS	04	19	50 30 12 31 37					14:49	-29.2 $\Delta = 85^\circ$
10	iP e	02	40	43 44 41				+?	15:00	+29.4 U.S.C. & G.S. epicenter 18.9°N. 67.0°W. O = 2h 31.6m $\Delta = 53^\circ$
10	iP	07	11	40.5 53.5		-15 150	+4	+ 90	+29.2	Small local shock $\Delta = 65$ mi. ESE
10	eP iP m iS Coda	08 48 58 09.8	48 48 40	45.5 48 40	1.5 16	- 75	+ 75	-20 150	+29	Dilatation from the NW $\Delta = 77.5^\circ$ U.S.C. & G.S. epicenter 35.1°N. 133.3°E; O = 8h 36.9m.

Bureau of Reclamation and
Coast and Geodetic Survey

R. M. is hour and minute of flasher mark at end of
beginning of record.

Δt is time correction referred to R. M.

International
Seismological
Centre

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M.		Remarks
		h	m	s		E	N	Z	Δt		
September											
10	1P	09	16	47.8				+10	+29		
10	1	09	30	44				+	+29		
10	1P	13	47	57.4				+	+28.8		
10	eP iS	20	31	14.5 20					+23.5		$\Delta = 28$ mi.
11	1P	01	28	28.3					+28.3		
11	1	06	01	45.5					+28		
11	eP 1P eS Coda	19	45	36.7 39.7 55 40 20 27	2 8	+	-?	+30	15:04 +27.3		U.S.C. & G.S. epicenter 16 $\frac{1}{2}$ ° S., 173° W. $\Delta = 75^\circ$ SW Q= 19h 34.0m
12	1	01	19	37					+27		
12	e 1	01	49	18 51 55					+27		
12	eP 1P 1S 1S	05	21	09 10.3 42.3 46.3		+	?		+26.8		Very small regional shock. $\Delta = 180$ mi.
12	1P 1S	08	27	35.5 57.7		+22 70	?	+20 70	+26.7		Small regional shock. $\Delta = 110$ mi. W.
13	1	05	35	16				+10	15:00 +25.2		
13	1P	06	28	34.8	1.0			+10	+25.2		
14	eP e eS Coda	02	14	03 21 22 24 12 03.0	16.5				+23.8		$\Delta = 81^\circ$ Pasadena eP=02:14:03 South Pacific - probably near Fiji Islands.
14	1P e e Coda	04	00	06.3 11 26 59 04.6	7 17			+	+23.7		Pasadena eP=04:00:04 Probably aftershock of above.

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
September 14	1PZ 1PE 1 eS Coda	07	30	49.5 51.5 31 09 41 13 08.5	2.0 2.8 16		+?	+12 100 65 300	+23.5	$\Delta = 84^\circ$ Pasadena 1P = 07:30:42 Probably S. Pacific.
14	1P	09	52	37.4	12			+12	+23.4	
14	1P 1S	15	46	59 47 24.7	0.8 0.4	+15? 200	?	-10 170	-23.0	Light regional shock $\Delta = 135$ mi. E?
14	e	20	29	03					+22.7	
15	e	09	17	33					+22	
15	1P 1S	16	32	31.5 37.5		80		+ 70	15:00 +21.5	Small regional shock $\Delta = 30$ mi.
15	1P 1S	18	34	05 15.2		+			+21.4	Very small trace of local shock; $\Delta = 51$ mi.
15	e	18	40	58					+21.4	
16	eP eS eS	00	17	55 19 20 20 12	1.5			15	+21.1	$\Delta = 500$ mi.
16	eP 1P eS 1S	07	53	59 54 06.3 55 17 22	0.8 1.5	60		+ 50	+20.8	$\Delta = 460$ mi.
16	1P 1S	13	00	30 03 43	1.2 3			+ 50	+20.5	$\Delta = 1150$ mi.
17	1P 1S	03	08	11 11.4					+19.6	Small blast $\Delta = 2$ mi.
17	1P eS	10	21	56.7 32 04	1.5			+10	+19.2	$\Delta = 80^\circ$
19	1P	00	31	34				+10	+17.1	
19	eP e e	04	58	57 06 13 08 13	1.2			-? +16.9	+16.9	Pasadena eP=04:58:15 $\Delta = \text{ca } 70^\circ$ Probably SE
19	1P 1S	05	27	26.6 27.0		+20 80	-20	+10	16.8	Blast, 2 mi. NW
19	1P	06	10	57	1.7			+?	16.8	Pasadena epicenter = 06:10:50

Bureau of Reclamation and
Coast and Geodetic Survey

R. M. is hour and minute of flasher mark at end of
beginning of record.

Δt is time correction referred to R. M.

International
Seismological
Centre

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
September 19	1P	09	11	41	1.5				16.6	Pasadena eP=09:11:42
20	eP eSS	00 01	58 04	53.5 12	1.7				+15.9	U.S.C. & G.S. epicenter 19 $\frac{1}{2}$ °N. 109°W. O = 0h 53.7m, Δ =23 $\frac{1}{2}$ °
23	1P m e	09	05	47.3		+12 60		+15	15:00 $\frac{1}{2}$ +0.3	
23	e 1P 1PeP eS 1PeP 1SeS e e	15	07	35 44.7 10 04 13 12 43 17 49 20 02 38 58		- -36	+ +12	+25 +30 +25	-01.5	U.S.C. & G.S. epicenter 15°N, 92°W, O = 15h 00.5m Δ = 37°. Notations used here are according to Gutenberg. Original interpretation at this office was: 1P 07:45 eS 13:12 1P 10:04 1S 17:49 1P 13:43 eS 20:02
	See Grand Coulee Dam report for comparison with other stations.									
24	e	02	53	47					15:06 -28	
24	e	06	52	50					-27.6	
24	1P	11	20	41	1.0	+	+	+18	-27.5	
24	e	11	45	18					-27.5	
25	1P 1S	01	15	20.5 21.0		+25	-25	+20 300	15:01+ -26.8	Blast 2 $\frac{1}{2}$ mi. NW
25	1P 1S	01	40	18.5 29.5		-8 60	+1		-26.7	Δ =55 mi. S. of E.
26	1P e e	02	28	27 34 48 37 33	1.8 2.8			+	15:01 -25.7	Pasadena 1P 02:28:27 Δ = roughly 170° according to Pasadena.
26	1P e	18	18	46 20 25	1.0	-	-	-15	-26	
26	1P m 1S Coda	22	31	23 55.4 34	0.2 0.4 1.6	+10 310	0 220	+10 150 300	-25.5	Light regional shock Δ = 170 mi. W
27	1P	04	51	46	1.2	-10	+10	-35	-25.5	Dilatation from the NW Pasadena 1P = 04:52:22
27	1P	22	16	24.2	1.2	+		+25	-26.3	Pasadena 22:16:14
	continued on page 15.									

Bureau of Reclamation and
Coast and Geodetic Survey

R. M. is hour and minute of flasher mark at beginning of record.

 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
September 27	e	22	26	34						
	e		27	06						
27	e	22	30	09					-26.3	
28	1P 1S	07	14	22 22.4		+20	-16	+10 160	-27.8	Blast 2 mi. NW
28	1P	08	25	39				-	-28.1	
28	1P e?	10 11	57 07	33.4 29	2.0	-		-25	-28.6	Pasadena 1P=10:58:00
28	1P	13	50	44	1.2			-	-29.2	
28	e	16	05	28					15:06 $\frac{1}{2}$ +30	
29	1P 1S	03	05	52.5 53			-	80	+27.4	Blast 2 $\frac{1}{2}$ mi.
29	1P	05	19	45.5	1.5 1.0	+7	-	+6	+26.7	
29	e	09	29	12					+26	
29	1P 1S	11	56	44 50.5		+25 300+	-20	-20 200	+24.8	Light local shock 33 mi. SE
29	e	23	19	50	1.5				14:53 +20.9	
30	e	07	29	39	1.6				+17.8	
30	eP	12	06	22.5	1.5				+16	

SHASTA DAM SEISMOLOGICAL STATION

(MINERAL SEISMOLOGICAL STATION)

INSTRUMENTAL REPORT - October, November, and December, 1944

The Shasta Dam station continued in routine operation throughout the period of the report.

With the aid of data from the Mineral station several local epicenters were roughly located, for the most part in the Mt. Lassen area. The Mt. Lassen shocks were grouped along the west or southwest flank of Mt. Lassen or south or southwest of Juniper Lake, probably along the Warner Valley faults or extensions thereof.

Two shocks, September 29, 11:56; and October 23, 15:10 G.C.T. were located about ten miles northeast of Red Bluff.

Two shocks or heavy blasts local to Shasta Dam occurred on November 8 16:14:42 and 18:26:27.8 G.C.T. There is no report of either having been felt.

The following shocks, which were located near Cape Mendocino were reported felt in Ferndale and the Cape Mendocino area:

October 2 - 06:57 - Felt at Ferndale, Fortuna and near Cape Mendocino.

October 5 - 20:17 - Felt at Ferndale and Upper Matole.

The following swarm was reported felt in Colusa County:

October 14 - 05:50 G.C.T. -

November 14 - 18:28 G.C.T.

14 - 22:02 G.C.T.

15 - 05:36 G.C.T. - Moderate Shock

15 - 06:54 G.C.T.

16 - 06:15 G.C.T. - This was the main shock of the swarm.
The greatest intensity was reported near
Stoneyford

16 - 10:45 G.C.T.

17 - 07:11 G.C.T.

December 4 - 20:14 G.C.T.

A number of aftershocks, not reported felt, were recorded.

SHASTA DAM SEISMOLOGICAL STATION

MONTH OF October

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end of
(beginning) of record.
 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
October 1	1P 1S	07	08	57.6 58		+12 90	-15	+10 100	15:02 +8.5	Small blast 2 mi. N.W.
1	1P	18	05	16.0				+		
1	e	18	21	47					16:55 +19.4	Distant shock N.W.
2	1P 1 1S? Coda	06	57	13.3 15.7 37.0 01	2.0	+300	+40	+250 800	16:48 +14.3	Moderate regional shock 120? mi. W., off Cape Mendocino Felt in Ferndale, Fortuna, and near cape Mendocino.
2	1P	08	11	48.8				-	+13.8	
2	1P	17	32	39.8					16:49 +9.8	
4	1P 1S	03	03	58 58.4		+20	-20	+10	16:58 -5	Blast, 2 mi. N.W.
4	eP e	03	05 04	23.7 48		+	?	+	-5	120 mi. W.
4	e	10	15	14					-8.2	Coulee Dam 1P=10:14:28.1 $\Delta = 51^\circ$
4	1P eS	10 11	52 02	18.7 48	3 4	+		+15	-8.5	$\Delta = 84^\circ$ South Pacific. Probably New Hebrides.
5	1P 1S	02	59	23 23.4		+24 100		+15	16:52 -16.3	Blast, 2 mi. N.W.
5	1P eS	10	30	18 27?		+24	-10	-10	-20	Local shock $\Delta = 45$ mi. ESE
5	1P 1S	20	17 18	51 10.7		+35	+5 100	+15 60	17:03 +5.5	Regional shock Felt in Ferndale and Upper Matole $\Delta = 100$ mi. W
5	1P 1S	20	22 23	42.7 02.0		+10 150	0	+	+5.5	Aftershock of above
5	1P 1S	22	51	06.8 08.5		+30	+3	+12 60	+4.3	Local shock or blast $\Delta = 8\frac{1}{2}$ mi.
6	1P 1S	01	10	34.9 44.1		-12	0	+?	+3.1	$\Delta = 46$ mi. E.
6	1P 1S m	02	09	30 35		+ -10 70	-2 -10	+	+2.7	$\Delta = 25$ mi. SE?

SHASTA

SEISMOLOGICAL STATION

MONTH OF October


 19 43 2.
International
Seismological
Centre
Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end of
beginning of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
6	1P 1S	02	29	00 09		-60 200	+2 200	+25 100	+2.6	$\Delta = 45$ mi. E
6	1P 1S	03	04	35.6 36		+25	-20	+	+2.2	Blast - 2 mi. NW
6-7	No record									
8	1P eS	13	14	11 24.5		+			+3.6	$\Delta = 68$ mi.
9	1P 1S	03	05	16.6 17		+	-	+10 100	15:02 -04.0	Blast - 2 mi. NW
9	1P 1S	09	54	45 45.4					-07.8	Blast 2 mi.
10	1P 1S	03	06	59.6 07 00		+	-		15:05 $\frac{1}{2}$ +13	Blast - 2 mi. NW
10	1P	04	16	28.8	0.8	-?	-?	-5	+12.3	Boulder City 04:16:39.5
12	1P 1EN 1Z	17	06 07	35.2 18 21	1.5			-7	15:00 +8.7	$\Delta = 240$ mi.?
13	1P	01	41	49				-6	+04	
13	1P 1 eS e e	04	48 49 52 54 55	56.3 00 16 41 50	2.0	+	-	-10 +60	+02.3	$\Delta = 18^\circ$ Tentative epicenter 26° N, 109° W on W coast of Sinaloa, Mexico.
13	1P	05	54	31.8				+10	+01.8	Probably NW
14	eP 1 1 1	05	50	41.0 42.8 45.1 46.4		?	?	+	+18.4	Moderate regional shock $\Delta = 20$ mi. or more Felt in Butte and Colusa Counties
14	1	06	28	32					+18	Boulder City 06:28:42.3 Regional shock, $\Delta = 550$ mi.
14	1P e?	12	11 15	33.5 41		+		+15	+14.8	Boulder City 12:11:50.2
14	1P eS e	14	30 32	51.5 23 43					+13.5	Epicenter in San Bernardino Mountains

Bureau of Reclamation and
Coast and Geodetic Survey

R. M. is hour and minute of flasher mark at end of
(beginning) of record.

Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
14	3 1 e	20	24	26 32.2 50					+10.2	$\Delta = 120$ mi.
14	1P 1 1 1S? Coda	22	26	52.6 53.4 57.0 59.8	1.6	+	+3		+10.2	$\Delta = 36$ mi.?
15	e e	16	52 53	23 47					15:01 -01.2	Probably S. California
15	e e	22	19	00 18					-04.2	
15	1P	22	21	14				+	-04.2	Boulder City 22:20:34.7
16	1	13	22	19.5					-12.5	Boulder City 13:22:02
16	1P	15	08	06.5					15:06 +16.5	Probably Alaska
17	1P 1S	03	04	12 12.5		+	-		+10	Blast 2 mi. NW
17	1P 1S	09	11	52.3 53.8		-38	-3	- 45	+6.5	Very small local shock 7½ mi. W
17	1P 1P	17	30	27.8 37				+10	15:00½ -06.2	Compression from NW
17	1P?	22	50	01				-?	-09.5	
19	1P	01	24	39				-	15:01 -25.5	Grand Coulee 01:24:39
19	1P 1S	03	04	48 48.4		+20 120	-20		-26.5	Blast 2 mi. NW
19	1P eS	07	27	00.5 13.5		+5 25	?		-29	$\Delta = 65$ mi.
19	1P 1S	17	04	37.6 38		+125	-80	+	15:00 +25	Sharp blast 2 mi. NW
20	e	00	11	33.5					+21.1	
20	1P 1S	03	06	04.6 05		+15	-15		+19.5	Blast 2 mi. NW

Bureau of Reclamation and
Coast and Geodetic Survey

R. M. is hour and minute of flasher mark at beginning) of record.

 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
21	1P i e eS	23	19	43	1.0; 3.2			-	15:00 +29.4	U.S.C. & G.S. epicenter 16.5°S, 178°E O = 23:07.7 $\Delta = 81^\circ$
22	1P i e	16	14	27.3	1.1			+20	+24.3	$\Delta = 64^\circ$
				33						
			25	00						
22	eP? eS	18	59	11					+23	$\Delta = 95$ mi.
				30						
23	1P iS	15	10	01.8		-3	-15	-15	15:06	Light local shock
				08.3		200+		150+	+13.6	$\Delta = 33$ mi. S
23	1P	17	20	21.7				-10	+13.7	Dilatation SE
23	eP iPP eSKS	17	37	30					+13.7	U.S.C. & G.S. epicenter 25°N, 92.5°E O = 17:23.3 $\Delta = 107^\circ$
			41	55						
			47	55						
24	1P eS?	13	50	02.8	1.5			-5	15:00	Dilatation from NW
			58	02					+14	$\Delta = 58^\circ$
24	iP eS	16	16	42.5	1.0; 3.3	-20	-16	-60	+14.1	Dilatation from SW
			26	40						$\Delta = 78^\circ$
24	1P	23	31	59				-8	+14.5	Dilatation from NW
25	iP iS	09	09	07		-7	?	+10	+14.8	Blast or small local shock
				08.8		80				$\Delta = 9$ mi.
26	iP i iSN iSZ iENZ Coda	04	51	23.7		0	+10	+10	+15.4	$\Delta = 225$ mi. S.
				25.6		+	-20	-20		Epicenter a few mi. N of San
			52	04.9						Jose. Felt in San Francisco B
				06.9	1.0	1100		640		region.
				16						
			05.0		3.8					
26	iP iP i iNZ iE	11	59	21.2		0	+6	+6	+15.5	Moderate regional shock
				21.9		+25	-10	-10		$\Delta = 140$ mi.
				23.9						
				48						
				51				880		
26	1P iS	16	31	39.9					+15.6	Local shock,
				50.5						$\Delta = 53$ mi.
				51.1						

SHASTA

SEISMOLOGICAL STATION

MONTH OF

October
November1943
International
Seismological
CentreBureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
27	eP e e	00	02	51 06 23					15:00 +16	
27	e	16	24	17.5					+16.6	Grand Coulee 16:24:05.8
29	eP	00	32	02					+17.2	
29	iP	08	38	50.8	1.4			-20	+17.7	Grand Coulee 08:38:27.2
29	eP iP eS	16	43	02.0 02.8 15.3		-10	+25 90	- +20	15:05 +18.3	$\Delta = 68$ mi. S. Epicenter W. of Orland
29	e	17	42	27					+18.3	
31	iP iS	15	44 45	57.5 09		+15 30	0	+8	15:00 +19	Very small regional shock $\Delta = 110$ mi. W
November 2	e e e	18	27 30 34	20.5 34 32					+18.6	Distant earthquake
2	eP	19	07	35.5					+18.7	Grand Coulee 19:07:43
2	eP eS	20	45 46	50.7 02.5					+18.7	$\Delta = 59$ mi.
2	iP eS	23	07 08	34 01.5		-10			+18.8	$\Delta = 150$ mi.
3	iP eS	08	49 50	50.7 22.7		+35		-12 15	+18.7	$\Delta = 170$ mi. E
3	iP iP m eS e M Coda	14	38 05.1 42 44.3 46.8 16.0	03.1 05.1 44 44.3 46.8 16.0	1.0 18 10	-? 480		- -25 450	+18.7	U.S.C. & G.S. epicenter 62°N, 151°W, O = 14:32.3 $\Delta = 27.5^\circ$
5	iP eS	04	26	27.7 40.1		-100	-20	-56	+17.8	$\Delta = 62$ mi. E

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end of
(beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
6	e eP i ePP i eSKS e M Coda	08	45	37 40 46 09 49 40 50 20 56 40 09 21.3 32 10.1	30 18 16	110			15:00 +17	U.S.C. & G.S. epicenter 5.5°S, 134°E O = 8:31.6 $\Delta = 105^\circ$
6	1P 1S	14	48	51.2 49 02.0		-25 180	+10	+10	+16.7	$\Delta = 55$ mi. ESE
No time marks on record of 6 - 7; 3 small local shocks, phases indistinct, and 1 distant shock, P-waves only, recorded.										
8	1P 1S?	16	14	42.0 42.6		+380 disappears	-60	+100	+2.5	Moderate local shock $\Delta = 3$ or more mi. W
8	1P 1S	18	26	27.8 28.5		+165	-20	+50	+2.5	Moderate local shock $\Delta = 4$ mi. or more W
9	1P 1pP i 1S e e e	11	56	56.6 57 34.7 53 12 05 21 56 06 40 07 15	0.9	-25		-45	+2.2	Dilatation from NW $\Delta = 64^\circ$ Focal depth = ca 100 mi.
10	eP eS	02	16	28.5 40.5		+7 75		+?	+2.0	$\Delta = 60$ mi.
10	eP 1P e e	22	41	19.8 23.6 42 48	0.4 0.7	+ 40		+	+2.0	
11	1P 1S	01	03	58 13 45		+		+	+1.7	$\Delta = 76$ mi.
11	1P	04	57	52		+		+	+1.7	Grand Coulee 04:58:14
11	1P 1S	10	07	41.6 58.2		+50	0 300	+28 250+	+1.7 +	Regional shock $\Delta = 83$ mi. W
11	1P	18	56	01.0		-?		-	+1.7	Coulee 18:55:52.7
12	1P	02	27	22.7		?		+10	+1.7	Coulee 02:27:57.5

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.International
Seismological
Centre

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
12	1P • •S 1S	05	22	15.5 49 28 45		+		+15	+1.7	$\Delta = 70\frac{1}{2}^\circ$ B.C. 05:22:55
12	1P •	07	29	22 18		-		-	+1.6	Coulee 07:29:35
13	e? •P • •S • •PS	18	56	33 31.5 04 08 49 21	2.5				+1.5	$\Delta = 84^\circ$
14	•P 1P 1P 1 1 1	18	28	06.5 07.5 11 12 32.5 41.5					+0.5	$\Delta = 130$ mi.
14	•	18	49	48					+0.5	
14	•P 1P 1 1S	22	02	02.2 05.6 28.5 39.5				-?	+0.4	
						450		150		
15	1 1 • • • •	00	01	39 53 04 24 05 27 39 06 05					+0.4	$\Delta = 140$ mi. Felt in Colusa County
								10		
15	•P 1P 1 1 Coda	05	36	53.7 57.9 12.5 30		0			+0.4	Regional shock $\Delta = 100$ mi. Felt in Colusa County and neighboring territory
					2.2					
15	1 •P 1P 1S • 1	06	54	57 04.5 08 22.5 35.5 40.5				+	+0.3	Felt in Colusa County
15	•P	21	05	55				-	+0.3	

SHASTA

SEISMOLOGICAL STATION

MONTH OF

November

1943

International
Seismological
CentreBureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
15	1 1 1 1S	21	58	04.7 06 24.7 30.4					+0.4	Very small regional shock $\Delta = 130$ mi.?
16	eP	05	36	26					+0.4	Coulee 05:37:06.3
16	1P 1 1 1	06	15	50.4 54.6 57.8 08.4				-?	+0.4	Moderate regional shock The main shock of a swarm. Δ uncertain but probably 90 to 130 mi. Direction uncertain.
						disappears 500+				
16	1P 1S	08	34	4.0 13.2		-10 60	0		+0.4	$\Delta = 46$ mi. E?
16	1P 1 e	09	39	59 15 25			+		+0.4	Very small aftershock
16	eP 1 1	10	45	26 32.8 42.2				75 70	+0.4	Aftershock
16	1P 1S 1S	10	55	44.1 53.7 54.4		-5 30	-2	-12 10	+0.4	$\Delta = 48$ mi. ESE
16	e 1P 1E 1Z 1	11	10	55.4 57.8 08.4 20.8 24.2					+0.4	Very small aftershock
16	1P 1 1 1	11	32	25.9 29.6 32.4 35.0	.14 0.6			-	+0.4	Direction uncertain. Aftershock
						150	150	80		
16	1P 1 eS	11	49	14.5 20.5 59 12	2			+	+0.4	$\Delta = 78^\circ$
16	1 1 1 1 1	18	20	24.4 28.9 30.4 31.7 53.0					15:00+ +0.4	Aftershock
						225				

SHASTA

SEISMOLOGICAL STATION

MONTH OF November

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
16	1 1 1	18	26	14.7 17.0 18.8	75				+0.4	Aftershock
16	e 1 e	19	03	46.4 49.0 11.4					+0.4	Very small aftershock
16	e 1 1 1 1	21	39	36.4 50.4 08.4 11.1 15.4					+0.4	Felt in East Bay Area. Some damage in San Leandro $\Delta = 200$ mi.
17	3 1 1	07	11	48.2 52.2 54.2	1.0		90		+0.2	Aftershock
17	e 1	07	15	28 41					+0.2	Aftershock
17	e e eP	11	32	19 42 51					+0.1	Distant earthquake
17	1P 1 18	12	33	55.5 56.7 58.9	60	-4			+1	Small local shock $\Delta = 17$ mi.
17	e 1 1	13	41	49 55 20.5					+1	Very small aftershock
17	1P 1P 1 1	12	50	35 39.5 58.7 05.5					+0.1	Aftershock
17	e 1PE 1 1 1	12	51	49.9 50.8 53.8 56.1 22.6	1.0	-3		200	+0.1	Aftershock
17	1P 1 1 e? 18	15	08	35.2 50.0 28 24 45		+22	+88		+0.1	$\Delta = 72^\circ$ NW Masked by local disturbance.
17	e	17	35	49					+0.0	Very small aftershock

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
17	i i i i	18	36	25.8 28.0 39.5 45.7		70			+0.0	Aftershock Felt in Colusa County
18	e i i	07	12	44.6 48.9 51.5		110		60	-0.1	Aftershock Felt in Colusa County
18	1P	18	49	57.8				+	16:52+ -0.2	
18	1P 1E e i	22	02	32.3 39 57.3 52.5	1.0	+8		-15	-0.2	Coulee 22:02:47
19	i i i is	15	31	59 03.3 18.5 28.6					-0.1	$\Delta = 155$ mi.?
19	1P	23	52	30		+		+15	15:00 -0.1	Coulee 23:52:22.2
20	i 1P is	04	24	29.0 37.3 56.6				+	-0.2	Very small regional shock $\Delta = 100$ mi.
20	eP	07	18	52					-0.2	Coulee 07:19:28
20	eP	19	05	36				+	-0.4	Coulee 19:06:21
20	1P is	20	09	44.7 01.1		+?		- 30	-0.5	$\Delta = 82$ mi. E?
20	1P i 1Z is	22	15	26.3 40.9 51.4 53.6		+25	-?	+15	-0.6	$\Delta = 130$ mi. W
21	1P i i	09	10	20.6 23.2 25.9		-15	-	-10	-1.4	Local Shock $\Delta = 8$ mi. E, or local disturbance.
21	e i i	09	38	48.2 50.7 53.6				60	-01.3	Aftershock
21	e i	14	23	09 24					-01.6	Very small shock $\Delta = 65$ mi.?

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end
(beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
22	1 1	12	55	21 32.8		+			-2.1	Very small shock $\Delta = 55$ mi.?
22	1 1	14	39	18 37					-2.1	Very small shock $\Delta = 95$ mi.?
23	1P 1S	10	34	18.3 21.7		+10 95	-22 100	+15	-3.3	Small local shock $\Delta = 17$ mi. NNW
23	1P 1S	12	33	45 34 17		+20			-3.3	$\Delta = 170?$ mi.
23	1P	22	04	35.5	1.3				-3.3	Coulee 22:04:25
24	eP 1 e e eSKS eS	13	30	28.5 34.5 33 16 34 30 41 17 44					-3.4	$\Delta = 94^\circ$
24	1P 1S	21	06	23.8 29.4		60			-3.3	$\Delta = 28$ mi.
25	1P 1P 1	08	47	10 16.7 43.1		+10	?	+	-3.2	$\Delta = 180$ mi. W
25	1P 1S	16	59	46.2 48.5		+5 50	?	-3	15:10 -3.2	Small local shock $\Delta = 12$ mi. E
26	1P 1S 1S	11	12	0.5 5.4 5.8		+5 50	+8	-5	-3.9	Small local shock $\Delta = 25$ mi. NNE
26	19h to 24h - 3 regional or distant earthquakes occurred in this interim, times of beginning in doubt as traces were super imposed.									
27	eP	19	56	31					15:02 -3.8	Coulee 19:56:52.5? 57:07
28	eP	06	33	38.5					-3.8	Coulee 06:33:37.6
28	eP 1 1S	17	20 23 28	31 00 00				+	16:42 -03.7	$\Delta = 54^\circ$
28	1P	21	54	53.5	1.5	+		-10	-3.6	Coulee 21:55:24.5
28	eP 1P	23	29	45 46				- -	-3.6	$\Delta = 54^\circ$

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
29	eNZ	00	44	10					-3.6	Faint trace of a regional shock
	e			18						$\Delta = 510$ mi. N
	e			59						
	eS		45	28						
	e		46	15						
	e			23						
	e			42						
29	iP	19	49	38.5	1.6	-		+19	15:55	$\Delta = 82^\circ$ probably SE
	eS		59	58.9				-4.1		
29	eP	21	28	01.2					-4.3	Coulee 21:27:36
30	i	21	58	26	0.4				-4.3	$\Delta = 190$ mi.
	i			36.3	0.8					
	iS		59	30.8						
	i			42	1.0			22		
December 1	ePZ	06	18	11	25			+10	16:03	$\Delta = 98^\circ$
	iPE			14					-4.1	
	iP			42						
	i		19	32						
	eP		21	28						
	iPP		22	05						
	eZ			49						
	iSLS		28	33						
	e		29	02						
	iS			30						
	e			53						
	e		30	19						
	e		31	22	8					
	e		32	46						
1	iP	10	46	36.4		+8		-20	-4	U.S.C. & G.S. epicenter
	i		47	24						$20.2^\circ S, 68.1^\circ W$
	i		48	34						$O = 10:34.7$
	iPP		49	14.2						$\Delta = 75^\circ$
	i		56	23						
	iS			33.5						
	iN		57	16						
	iR			32						
1	iP	22	24	38		+	-	+	19:56	Blast or small local shock
	iS			39.6		90			-3.7	$\Delta = 8$ mi. NW
2	iP	01	03	30.0		+	?	+	-3.6	Small local shock
	iS			33.6		70				$\Delta = 17$ mi. W

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
2	1P	02	06	49				+10	19:56	$\Delta = 88^\circ$
	1P			55.3				-20	-3.6	
	1		07	09.2						
	1			30						
	ePP		10	10						
	e			33						
	eSKS			19						
	1S		17	36						
2	eP	05	22	13.5	0.6				-3.5	$\Delta = 92^\circ$
	ePP		25	52.5						
2	eP	15	37	02					-3.2	Coulee 15:38:20
3	ePE	04	51	36					20:00	$\Delta = 82^\circ?$
	1P			38.7				+10		
	1			40						
	1Z		55	15						
	1			28						
	e		57	11						
3	1P	07	03	33.5		+		+20	-3	Compression from NW
	1P			34.7		+15	-60			$\Delta = 65^\circ$
	1			46						
	1		04	00						
	1			13						
	1S		12	15						
	1S		13	23						
3	1P	08	09	34	1.5			+10	-3	Coulee 08:09:23
4	1	12	29	26.1		+		+	15:00	$\Delta = 105$ mi. W?
	1			46.7						
	1			59.7						
4	e	20	14	07.1					15:01	Moderate regional shock
	1P			08.2		+	+7	-5	-2.1	Felt in Colusa County
	1			12.2						
	1			20.3						
	1			24.1		trace disappears				
	1			33.4						
	1N			43				550+		
5	e	03	33	39					15:12+	Faint trace of a
	1			46					-02	seismic disturbance
5	e	21	58	53					-01.7	Faint trace of a
	e			05						regional shock
7	ePZ	01	14	09.2					15:00	Distant earthquake SE
	ePE			22.7	1.0				-1.3	
	1N		19	58						
	1E		24	16						

SHASTA

SEISMOLOGICAL STATION

MONTH OF December

1943

International
Seismological
CentreBureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
8	eP eE e e	19	45	49 50 57 58.4	20				+0.9	Distant earthquake SE
8	iP iZ iPZ iS iS iNZ iE	22	34	18 22.6 25 36 37.8 49.6 52.5	1.0	+12 100	+5	+10 88	15:00 -01.0	Small regional shock $\Delta = 90$ mi. WSW
9	iP	03	27	27				+	+01.4	Coulee 03:26:54
9	e i	10	52	36.5 55.5					+1.9	$\Delta = 90?$ mi.
11	iP i	01	02	36.6 50.2					+3.4	
11	e e	03	46	04.5 31					+3.5	
11	e iP	22	23	25 27					+3.8	
12	iP iS	04	31	24.2 32.9		-10 40		+	+3.9	Small local shock $\Delta = 43.5$ mi. E
12	e e e	16	11	17 12 33 07					+3.8	
13	iP iS	02	24	35.2 37.3		+			+3	Very small local shock or disturbance $\Delta = 105$ mi.
13	i	06	22	26.8					+3	
13	eP i i i i	16	06	55.5 07 08.5 46 10 59 13 05					+3.1	Distant earthquake
13	iP iS	16	37	15.5 17.5		+15 115	?	+	+3.1	Local shock or blast 10 mi. W
13	iP iS	23	17	09 09.6		? 480	-100	+172	+3.4	Sharp local shock or heavy blast 3 mi. NW?

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (of
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
14	eP 1	16	08	34					+3.5	
			09	28.5						
16	eP 1P eS 1S m	02	14	11		+		+	15:00 +4.5	Regional shock $\Delta = 100$ mi. W 1S is transverse to path
				11.5						
				30.6						
				31.2		0	+75			
						70				
17	eP 1 1S 1S	00	20	54.3					+5.8	$\Delta = 350$ mi.
			21	32						
				55.3						
				56.8		40		20		
17	e 1	02	25	10					+5.9	$\Delta = 250$ mi.?
			26	55						
17	eP 1 1 1 eS 1S	04	39	17.6					+6.0	$\Delta = 350$ mi.
				25						
				29.4						
			40	18.5						
				28						
				29.8		70		40		
17	1P 1 1	14	06	14.4	1.0	0		+10	+6.6	Coulee 14:06:04
				22.6						
				33						
18	1P	07	57	06					16:54 +8	Coulee 07:56:57.5
18	e e	15	18	50					+8.6	$\Delta = 45$ mi.?
				59						
19	e 1 1 1	01	53	19					15:14 +9.3	$\Delta = 240$ mi.?
				20.7						
				24.3						
			54	02		12				
19	1P 1S	09	40	02		+12	-?	+	+9.7	disturbance or local shock or blast 8 mi. N?W
				03.6		80				
20	eP 1P 1S	00	28	13					17:33+ +10.6	$\Delta = 200$ mi. WNW
				13.4		-20	+	-		
				50.6						
20	e e e	00	58	06					+10.6	$\Delta = 220$ mi.
				34						
				46						
20	e 1	04	24	12					+10.9	$\Delta = 125$ mi.?
				36						

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end of
beginning of record.
 Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
20	e iP e e	10	39	28.5 46 41 50.5 49 03		-		-8	+11.3	$\Delta = 74^\circ$
20	iP i i	13	36	13 38 24 45 37.5		+8	+	+28	+11.6	Compression from SW $\Delta = 72\frac{1}{2}^\circ$
21	eP i	13	55	33.7 56 09.3					19:49 +13.3	U.S.C. & G.S. epicenter 13°N, 70.5°W; O = 13:46.4 $\Delta = 53\frac{1}{2}^\circ$; estimated focal depth 70 mi.
21	eP	14	05	27						
21	eP	22	15	29					+13.9	Coulee 22:15:49
22	iP iS	05	04	02.8 12.2		+15	-4		20:05 +14.3	Very small local shock $\Delta = 47$ mi. S of E
22	iP e	06	25	34 43.6		+18	-4	8	+14.5	Very small local shock $\Delta = 48$ mi. ESE
22	i i	06	58	55.2 59 04.4		+15		-	+14.4	Very small local shock $\Delta = 46$ mi. E
22	iP iS	07	03	36.5 45.8		+40	-12		+14.5	Local shock $\Delta = 47$ mi. S of E
22	eP iP iS	07	05	05 06 14.5	0.2	+10			+14.5	Very small local shock $\Delta = 48$ mi. E?
22	iP eS	07	09	40 49.3		+35			+14.5	$\Delta = 47$ mi. E?
22	eP iP iSP e	07	11	45.7 12 17.5 30 41.2				-	+14.5	Estimated focal depth 70 mi. $\Delta = 38^\circ?$
22	iP eS	08	17	50.3 18 59.5		+40	-12	-15	+14.5	$\Delta = 52$ mi. ESE
22	iP e	13	02	20.6 05 24				+9	+14.8	$\Delta = 53^\circ$ SE

Bureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end of
beginning of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
22	eP 12 13 13	15	52	31 58 22 44					+15	$\Delta = 560$ mi. Reported felt in Twenty-nine Palms area in Southern California
23	eP e	16	05 06	19 17				-	+17.7	U.S.C. & G.S. epicenter 13.3°N, 70.4°W O = 15:56.0 $\Delta = 53\frac{1}{2}^\circ$
23	eP 1 1PP eSKS 1S Coda	19	13	10 28 45 32 55 20.4	15				23:27 +17	Much of record is lost. U.S.C. G.S. epicenter 6°S, 152°E O = 19:00.1 $\Delta = 92^\circ$ (Near New Britain)
24	eP	01	09	33.5					+17.5	Coulee 01:09:31
24	eP e e	02	00 04	54 19 33					23:33 +17.5	$\Delta = 18\frac{1}{2}^\circ?$ Coulee 01:09:31
24	eP	11	57	28.5	0.7				+18.3	Coulee 11:57:43
26	e	05	02	56.5					20:01 -8.4	Faint trace of a distant shock
27	1P 1S	01	06	34 36.2		-25 100+	-?	-18	17:02 -06.8	Small local shock $\Delta = 11$ mi. W
27	1P 1S	01	07	50.5 53		-?	?	-1 20	-6.8	Very small local shock $\Delta = 12\frac{1}{2}$ mi. W?
27	eP e	04	08 13	10 44.5	1.6				-6.5	
28	1P 1S	20	21	38.5 42		-25 100	-15	+15 40	-4.6	Small local shock $\Delta = 17\frac{1}{2}$ mi. NE
29	eP 1P	03	18	09.3 14.8					15:01 -4.5	Faint trace of a regional shock $\Delta = 220$ mi.
30	1	06	37	15.3				+	15:01 -2.7	Coulee 06:37:29.5
30	eP	07	49	05.5					-2.6	
30	eP 1 1P eS 1S	08	28	53.3 54 54.4 10.2 11.1		+	0 0 +	+	-2.6	Small regional shock $\Delta = 85$ mi. W

SHASTA

SEISMOLOGICAL STATION

MONTH OF December

1942 18.

International
Seismological
CentreBureau of Reclamation and
Coast and Geodetic SurveyR. M. is hour and minute of flasher mark at end (or
beginning) of record. Δt is time correction referred to R. M.

Date	Phase	G. C. T.			Period T	Trace Amplitude, .01 mm			R. M. Δt	Remarks
		h	m	s		E	N	Z		
30	1	10	32	06.5				+	-2.5	
30	eP	22	15	44	1.1				15:01 -1.7	Coulee 22:16:01
31	eP	17	17	44.8					-0.4	
	1P			45.8						
	1P			48.7						
	1P			51.6						
	1		18	00						
	1			13						
	m				0.8			140		