

17 MAR 1961

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND *R6.*

SEISMOLOGICAL BULLETIN FOR JANUARY, 19 61.

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: (I) GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" (LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T <sub>1</sub> sec.	PENDULUM FREE PERIOD T. sec.	DAMPING CONSTANT μ <sup>2</sup> .	$\frac{Ak}{\pi l}$ sec. <sup>-1</sup>
N.	1st October 1960	21.3	21.4	+0.01	64.0
E.	1st November 1960	20.7	20.7	-0.01	59.3
Z.	1st Sept. 1960	11.1	9.1	+0.01	156.0

(II) VERTICAL SEISMOGRAPH, PERIOD 1.5 SECS., DIRECT OPTICAL REGISTRATION (ZV.).

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK.  
TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY.  
SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.			PERIOD.	AMPLITUDE.	Δ	REMARKS.	
			h.	m.	s.					
✓ 2	ZV,Z	iPKP	10	31	10	10	μ	km.	Confused by microseisms. 12.4° S., 166.4° E. h about 161 Km. Santa Cruz Islands region. USCGS.	
	ZV	e		34	40					
	N	eSKP		34	42					
	N	eL	11	07	-					
	E	M		32	-					24
	N	M		33	-					24
✓ 5	Z	M		33	-	24	5	Mag.: M = 6 $\frac{1}{4}$ Confused by microseisms. FN 14 sec. 2.5μ 51.6° N., 176.3° W. h about 37 Km. Andreanof Islands. Aleutian Islands. USCGS.		
	Z	F	12	30	-	24	6			
	ZV,Z	iP	14	18	22	10	3.1		8600	
	ZV,Z	iFP		21	27					
	NE	eS		28	07	20	4.7(H)			
	E	e		28	25					
	N	eScS		28	41					
	E	eLQ		39	-					
	Z	M		54	-	20	6			
	N	M		54	-	20	15			
5	E	M		56	-	20	14			
	F		16	00	-					
5	ZV,Z	iP	15	21	50			Mag.: M = 6.2 45.7° N., 149.3° E. Kurile Islands. USCGS.		
✓ 5	NE	ePS	16	24	33			Confused by microseisms. 4.1° S., 143.0° E. h about 108 Km. New Guinea. USCGS.		
	NE	eSPP		25	12					
	NE	eSS		30	31					
	NE	eL		44	-					
	E	M	17	10 $\frac{1}{2}$	-	20	3			
	N	M		10 $\frac{1}{2}$	-	20	5			
Z	M		10 $\frac{1}{2}$	-	20	2 $\frac{1}{2}$				
	F		18	10	-			Mag.: M = 6 $\frac{1}{4}$		



KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND

SEISMOLOGICAL BULLETIN

JANUARY, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLI-TUDE	Δ	REMARKS
			h.	m.	s.				
5	ZV,Z	eFKP	18	17	33				Confused by microseisms. 21.2°S., 169.3°E. h about 123 Km. Loyalty Islands region. Mag. 6 <sup>3</sup> / <sub>4</sub> (Pas). USCGS.  Mag.: M = 6 <sup>3</sup> / <sub>4</sub>
	E	esSS		40	23				
	E	M	19	24 <sup>1</sup> / <sub>2</sub>	-	22	11		
	N	M		24 <sup>1</sup> / <sub>2</sub>	-	22	20		
	Z	M		24 <sup>1</sup> / <sub>2</sub>	-	22	11		
		F	-	-	-				
5	ZV,Z	eFKP	18	34	19				Confused by microseisms. 21.0°S., 169.1°E. h about 124 Km. Loyalty Islands. Mag. 6 <sup>3</sup> / <sub>4</sub> (Pas).  Mag.: M = 6 <sup>3</sup> / <sub>4</sub> -7
	ZN	eSKP		37	55				
	E	esSS		57	11				
	E	M	19	41 <sup>1</sup> / <sub>2</sub>	-	22	17		
	N	M		41 <sup>1</sup> / <sub>2</sub>	-	22	33		
	Z	M		41 <sup>1</sup> / <sub>2</sub>	-	21	17		
		F	21	25	-				
7	ZV	iP	15	57	44				37.7°N., 21.1°E. h about 22 Km. Near west coast of Greece. USCGS.  57.2°S., 25.3°W. h about 94 Km. Sandwich Islands. USCGS.
	N	eS	16	01	21				
	N	eL		03	-				
	E	M		06	-	16	1/2		
	N	M		06	-	16	1		
		F	16	20	-				
7	N	eL	19	02	-				57.2°S., 25.3°W. h about 94 Km. Sandwich Islands. USCGS.
	N	M		18	-	20	1 1/2		
		F		35	-				
10	ZV,Z	iP	14	34	11	8	3.2	8460	Compression. Confused by strong microseisms. PH 14 sec. 3.0 μ  49.9°N., 156.2°E. h about 29 Km. Kurile Islands region. Mag. 6 <sup>1</sup> / <sub>4</sub> (Berk). USCGS.  Mag.: M = 6.3  Confused by microseisms. 51.8°N., 171.0°W. h about 47 Km. Fox Islands, Aleutian Islands. USCGS.  Mag.: M = 6  Compression. 57.4°N., 155.9°W. Alaska Peninsula. USCGS.
	ZV,Z	i		34	16				
	NE	eS		43	51	20	7.0(N)		
	E	eSKS		44	11				
	N	e		44	33				
	N	eSS		49	03				
	NE	eL		54	-				
	E	M	15	11	-	21	36		
	N	M		14	-	20	29		
	Z	M		15	-	20	19		
		F	17	10	-				
11	NE	e(S)	12	21	33				Confused by microseisms. 51.8°N., 171.0°W. h about 47 Km. Fox Islands, Aleutian Islands. USCGS.  Mag.: M = 6  Compression. 57.4°N., 155.9°W. Alaska Peninsula. USCGS.
	NE	eL		32	-				
	E	M		52 <sup>1</sup> / <sub>2</sub>	-	19	4		
	N	M		52 <sup>1</sup> / <sub>2</sub>	-	20	7		
	Z	M		52 <sup>1</sup> / <sub>2</sub>	-	20	6		
		F	13	50	-				
12	ZV,Z	iP	14	24	36				8670
14	ZV	iP	16	50	31				Confused by microseisms. 53.9°N., 163.7°W. h about 41 Km. Unimak Islands region. USCGS.  Mag.: M = 5 <sup>3</sup> / <sub>4</sub>
	ZV	e		50	42				
	N	eS	17	00	21				
	N	e		00	38				
	NE	eL		09	-				
	N	M		27 <sup>1</sup> / <sub>4</sub>	-	20	3 1/4		
	E	M		28 <sup>1</sup> / <sub>2</sub>	-	20	4 1/2		
		F	18	15	-				



**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

JANUARY, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
15	ZV ZV	ePKP <sub>1</sub> iPKP <sub>2</sub>	17	04	11				20.4°S., 169.5°E. h about 182 Km. Loyalty Islands region. USCGS.
16	ZV	iP	04	11	09				18.2°N., 102.4°W. Near Mexico. USCGS.
✓ 16	ZV,N ZV,N N N N N N	iP ePP eSKS eS ePS eL M F	07	32	54			9300	Compression. FN 12 sec. 3.4 μ PFN 16 sec. 4.8 μ 36.0°N., 141.1°E. h about 131 Km. Near coast of Honshu, Japan. Mag. 6 $\frac{3}{4}$ -7 (Pas). USCGS. E and Z component out of action. Mag.: M = 7.
✓ 16	ZV,Z NE NE E N Z	iP e(S) eL M M M F	11	32	19				Confused by microseisms. 35.7°N., 140.6°E. h about 157 Km. Near coast of Honshu, Japan. USCGS.  Mag.: M = 6 $\frac{1}{4}$ overlapped by next shock.
✓ 16	ZV,Z NE N E E E N Z	iP eS ePS eSS eL M M M F	12	25	11	10 20	5.0 19.7(H)	9600	36.2°N., 141.7°E. h about 105 Km. Honshu, Japan. Mag. 6 $\frac{1}{2}$ -6 $\frac{3}{4}$ (Pas). USCGS.  Mag.: M = 6 $\frac{3}{4}$ overlapped by next shock.
✓ 16	ZV E E E N	eP eS eSS M M F	14	16	39	18	4.3	9600	36.3°N., 141.2°E. h about 127 Km. Near coast of Honshu, Japan. USCGS.  Mag.: M = 6
✓ 16	ZV,Z ZV,Z ZV,Z E E NE E N Z	iP i ePP iS eSS eL M M M F	15	53	53	7	3.0	9600	36.4°N., 140.6°E. h about 147 Km. Near coast of Honshu, Japan. USCGS.  Mag.: M = 6 $\frac{1}{4}$
			16	04	28	20	6.3(H)		
				10	18				
				20	-	18	30		
				37	-	18	36		
				37	-	18	22		
			17	40	-				
18	NE	e F	00	15	-				Very small. 21.4°S., 169.3°E. Loyalty Islands region. USCGS.
			01	00	-				
✓ 19	ZV,Z NE E N Z	iP eL M M M F	17	34	12				Compression. 49.7°N., 155.8°E. h about 31 Km. Kurile Islands. USCGS.  Mag.: M = 5 $\frac{3}{4}$
			18	15	-	20	1 $\frac{1}{2}$		
				15	-	20	3		
				15	-	20	2		
				35	-				



KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND

SEISMOLOGICAL BULLETIN

JANUARY, 19 61

0588561/1 R94 140 3/61 XL

DATE	COMPT	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
✓ 20	ZV,Z	iP	17	20	27				
	NE	eS		29	38	16	2.3	7900	56.4°N., 152.3°E. h about 46 Km. Sea of Okhotsk. USCGS.
	N	eSS		34	14				
	E	eL		39	-				
	E	M		55 $\frac{1}{4}$	-	16	7		
	N	M		55 $\frac{1}{2}$	-	18	6		
	Z	M		55 $\frac{1}{2}$	-	16	6		
		F	18	45	-				Mag.: M = 6
20	ZV,Z	iP	22	47	23				Compression. 38.1°N., 141.2°E. Near Honshu, Japan. USCGS.
21	NE	e	03	53	-				Very small. 35 $\frac{1}{4}$ °N., 10 $\frac{1}{2}$ °E. Tunisia. BCIS
		F	04	03	-				
✓ 22	ZV,Z	ePKP	03	43	38				
	ZV,Z	eFP		46	14				
	N	ePKS		47	08				11.9°S., 166.2°E. h about 25 Km. Santa Cruz Islands. USCGS.
	E	eSS	04	04	34				
	EN	eL		21	-				
	Z	M		45	-	21	11		
	N	M		45	-	21	20		
	E	M		46	-	21	15		
		F	06	45	-				Mag.: M = 6 $\frac{3}{4}$
23	NE	e	05	25	-				Small. 42.9°N., 145.3°E. Hokkaido, Japan. USCGS.
		F		50	-				
25	ZV	iP	19	16	09				49.8°N., 156.0°E. Kurile Islands. USCGS.
✓ 25	NE	eSS	16	55.8	-				Confused by strong microseisms. 21.4°S., 169.5°E. h about 119 Km. Loyalty Islands. USCGS.
	NE	eL	17	16	-				
	N	M		40 $\frac{1}{2}$	-	20	10		
	E	M		42	-	20	5		
		F	18	50	-				Mag.: M = 6 $\frac{1}{4}$
26	ZV	iPKP	19	08	35				
	E	M	20	14	-	20	1 $\frac{1}{2}$		Confused by strong microseisms. 20.7°S., 169.5°E. h about 106 Km. Loyalty Islands region. USCGS.
	N	M		14	-	20	3		
		F		35	-				
28	ZV	eP	07	22	48				Small. Confused by strong microseisms. 39.3°N., 22.0°E. Northern Greece. USCGS.
		F		35	-				
✓ 28	NE	eL	20	46	-				Confused by strong microseisms. 21.3°S., 169.5°E. Loyalty Islands region. USCGS.
	E	M	21	10	-	21	3 $\frac{1}{2}$		
	N	M		10	-	22	7 $\frac{1}{2}$		
		F		40	-				Mag.: M = 6 $\frac{1}{4}$
✓ 31	ZV	e (P)	01	00	(03)			7760	P in time break. Confused by strong microseisms. 55.8°N., 153.9°W. h about 26 Km. Near Kodiak Island, Alaska. USCGS.
	NE	eS		09	09	16	5.3(H)		
	N	ePS		09	49				
	NE	eSS		13	31				
	E	eL		18	-				
	E	M		34	-	20	9		
	N	M		34	-	20	8		
	Z	M		34	-	20	9		
		F	02	35	-				
FORM 3718									
31	ZV,Z	iP	17	53	08				Mag.: M = 6 $\frac{1}{4}$ . Compression. Confused by microseisms.



M.O. 703

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON

P6

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR FEBRUARY, 19 61.

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: (I) GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" (LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T <sub>1</sub> sec.	PENDULUM FREE PERIOD T. sec.	DAMPING CONSTANT μ <sup>2</sup> .	$\frac{Ak}{\pi I}$ sec. <sup>-1</sup>
N.	1 October 1960	21.3	21.4	+0.01	64.0
E.	1 November 1960	20.7	20.7	-0.01	59.3
Z.	1 September 1960	11.1	9.1	+0.01	156.0

(II) VERTICAL SEISMOGRAPH, PERIOD 1.5 SECS., DIRECT OPTICAL REGISTRATION (ZV.).

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK. TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY. SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.			PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
			h.	m.	s.				
✓ 4	N	eL	19	46	-			Confused by strong microseisms. 24.0°N., 122.7°E. h about 14 km. Off coast of Formosa. USCGS.  Mag.: M = 6 $\frac{1}{4}$	
	E	M	20	06	-	20	8		
	N	M		06 $\frac{1}{4}$	-	20	10		
	Z	M		06 $\frac{1}{2}$	-	20	7 $\frac{1}{2}$		
		F		35	-				
✓ 5	ZV,Z	iP	15	50	37			Dilatation. Confused by microseisms. 8.0°N., 82.8°W. h about 49 km. South of Panama. USCGS.  Mag.: M = 5 $\frac{1}{2}$ -5 $\frac{3}{4}$	
	NE	eS	16	00	44		9100		
	N	eL		12	-		2 $\frac{1}{2}$		
	E	M		25	-	19	2 $\frac{1}{2}$		
	N	M		25	-	18	2 $\frac{1}{2}$		
		F		45	-				
5	NE	eL	18	45	-			Confused by microseisms. 38.4°S., 78.2°E. h about 25 km. Indian Ocean. USCGS.	
	E	M		58	-	20	1 $\frac{1}{2}$		
	N	M		58	-	20	1 $\frac{1}{2}$		
		F	19	35	-				
6	ZV,Z	iP	18	27	35			44.8°N., 149.1°E. Kurile Islands. USCGS.	
✓ 6	ZV	iPKP	22	04	22			Confused by strong microseisms. 6.8°S., 155.3°E. h about 59 km. Solomon Islands. USCGS.  Mag.: M = 6 $\frac{1}{2}$	
	ZV	i(pPKP)		04	35				
	N	ePKS		07	46				
	NE	eL		38	-				
	Z	M	23	03 $\frac{1}{2}$	-	22	12		
	N	M		03 $\frac{1}{2}$	-	22	12		
	E	M		05	-	22	14		
		F	24	40	-				
7	ZV	eP	21	13	51			43.9°N., 147.1°E. Kurile Islands. USCGS.	



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

FEBRUARY, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
8	ZV	iP	08	15	54				10.6°S., 71.0°W. h about 669 km. Brazil-Peru border. USCGS.
8	ZV,Z	eFKP	18	09	34				20.4°S., 178.1°W. h about 543 km. Tonga Islands. USCGS.
√ 9	ZV,Z	iPKP	02	28	39				Confused by microseisms.
	ZV	eFKP <sub>2</sub>		28	54				
	ZV,Z	e		32	13				28.2°S., 177.4°W. h about 37 km. Kermadec Islands. USCGS.
	NE	eL	03	14	-				
	E	M		49½	-	20	2½		
	N	M		52	-	20	3		
		F	04	30	-				Mag.: M = 6
9	NE	e	21	20	-				Very small. 9.9°S., 111.3°E. Off coast of Java. USCGS.
		F		45	-				
11	N	e	06	27	44				Confused by microseisms.
	N	M		49½	-	21	3		
	E	M		50	-	20	3		
		F	07	15	-				
√ 11	ZV,Z	eFKP	21	20	59			17200	Confused by microseisms.
	ZV	ipPKP		21	09				
	ZV,Z	iPKP <sub>2</sub>		21	28				28.2°S., 177.5°W. h about 41 km. Kermadec Islands. USCGS.
	ZV	ePP		25	03				
	NE	eSKSSKS		45	16				
	E	eL	22	06	-				
	E	M		29	-	21	3		
	N	M		29	-	21	1½		
		F	23	35	-				Mag.: M = 6
12	NE	e	02	20	-				Very small. 34.8°S., 106.9°W. Easter Island region. USCGS.
		F		35	-				
√ 12	ZV,Z	iP	22	05	58	6	9.1	9000	Compression. PH 18sec. 7.7 μ
	ZV,Z	i(pP)		06	15				PPH 20sec. 5.4 μ
	NE	iS		16	04	20	29(H)		
	NE	e		16	24				43.7°N., 147.6°E. h about 45 km. Kurile Islands. USCGS.
	NE	eSS		21	14				
	E	eIQ		28	-				
	ENZ	eL		37	-				
	Z	M		43½	-	20	19		
	N	M		43½	-	20	65		
	E	M		45½	-	20	95		Mag.: M = 7.0 overlapped by next shock.
		F	-	-	-				
√ 12	ZV	iP	23	38	51				44.0°N., 147.7°E. h about 23 km. Kurile Islands. USCGS.
	N	M	24	16½	-	20	10		
	E	M		18½	-	20	12		
		F	26	10	-				Mag.: M = 6¼



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

FEBRUARY, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
✓ 13	E	eL	07	46	-				17.0°S., 173.7°W. h about 43 km. Tonga Islands region. USCGS.
	E	M	08	09	-	20	3		
	N	M		09	-	20	3½		
	Z	M		10	-	20	2½		
		F	09	00	-				
✓ 13	ZV,Z	iP	16	39	38	5	2.0	9050	Compression. Confused by microseisms. 43.7°N., 149.6°E. h about 25 km. Kurile Islands. USCGS.  Mag.: M = 5¾
	NE	eS		49	46				
	N	eSS		55.3	-				
	NE	eL	17	05	-				
	N	M		18	-	20	2½		
	E	M		19	-	20	3½		
		F	18	05	-				
14	ZV	eP	00	27	50				43.7°N., 147.5°E. Kurile Islands. USCGS.
✓ 14	ZV,Z	iP	03	34	19			9000	Compression. Confused by microseisms. 43.8°N., 147.9°E. h about 20 km. Kurile Islands. USCGS.  Mag.: M = 5¾
	NE	eS		44	25				
	NE	eL	04	00	-				
	N	M		12	-	20	3		
	E	M		13	-	20	3½		
		F		50	-				
✓ 15	ZV,Z	iP	10	57	29			9000	Compression. Confused by microseisms. 43.7°N., 147.4°E. h about 69 km. Kurile Islands. USCGS.  Mag.: M = 6
	NE	eS	11	07	35	16	4.7(H)		
	N	eSS		12	45				
	E	eL		20	-				
	Z	M		35½	-	19	2		
	N	M		35½	-	19	6½		
	E	M		36½	-	20	6½		
		F	12	50	-				
15	ZV	i(P)	11	39	20				30.8°N., 84.4°E. Tibet. USCGS.
16	NE	e	03	53	-				Small.
		F	04	05	-				
✓ 16	ZV,Z	iP	14	07	06				Compression. Confused by microseisms. 43.2°N., 148.0°E. h about 71 km. Kurile Islands. USCGS.
	NE	eL		33	-				
	N	M		45	-	20	1½		
	E	M		46½	-	20	1½		
		F	15	20	-				
18	ZV	eP	01	16	17				Small. 44.0°N., 147.5°E. h about 28 km. Kurile Islands. USCGS.
	NE	eL		42	-				
		F	02	15	-				
18	N	e(S)	17	19	14				1.3°S., 15.7°W. h about 25 km. Atlantic Ocean. USCGS.
	NE	eL		30	-				
	E	M		36½	-	18	1½		
	N	M		36½	-	18	1½		
		F	18	10	-				
19	NE	e	13	05	-				Small. 14.1°S., 13.9°W. South Atlantic Ocean. USCGS.
		F		20	-				
20	ZV	e(P)	22	39	29				2.5°S., 77.6°W. Ecuador. USCGS.



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

FEBRUARY, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
21	ZV	e(P)	03	06	52				36.5°N., 23.3°E. Near coast of Greece. USCGS.
22	NE	e	22	36	-				28.4°S., 177.2°W. h about 78 km. Kermadec Islands region. USCGS.
	N	M	23	22	-	20	1½		
	E	M	24	22	-	20	1		
23	N	e	03	33	-				35.0°N., 27.3°E. Dodecanese Islands region. USCGS.
	N	M		38	-	20	1½		
		F		50	-				
23	ZV,Z	iP	04	28	53	6	1.8	(9400)	Compression. 38.2°N., 142.7°E. h about 119 km. Off coast of Honshu, Japan. USCGS.
	NE	e(S)		39	17	14	2.8(H)		
	E	eSS		45	01				
	NE	eL		52	-				
	E	M	05	08	-	19	7½		
	N	M		08	-	20	5½		
	Z	M		08	-	19	2½		
23		F		50	-				Mag.: M = 6
	NE	eS	21	56	20				Confused by microseisms. 40½°N., 25½°E. Aegean Sea. BCIS.
	N	eL		58	-				
	E	M	22	00½	-	16	1½		
N	M		00½	-	16	4			
23		F	-	-	-				overlapped by next shock.
	N	eL	22	08½	-				38.9°N., 35.2°E. h about 14 km. Turkey. USCGS.
	N	M		11	-	16	2		
	F		20	-					
24	NE	e	03	45	-				Small. 26.1°N., 125.4°E. Ryukyu Islands. USCGS.
		F	04	15	-				
26	NE	eL	06	41	-				32.7°S., 111.2°W. h about 29 km. Easter Island region. USCGS.
	E	M	07	05	-	20	3		
	N	M		05	-	20	2		
	Z	M		05	-	20	2		
26		F	08	10	-				
	ZV,Z	iP	18	23	30	10	12.6	9400	Compression. PH 18 sec. 10.8 μ FPH 18 sec. 11.6 μ 31.4°N., 131.2°E. h about 54 km. Near coast of Kyushu, Japan. 1 killed, several injured and extensive property damage. USCGS.
	ZV,Z	iPP		26	44	14	8.8		
	Z	ePPP		28	48				
	NE	eS		33	52	24	70(H)		
	N	iPPS		35	24				
	NE	eSS		39	32				
	NE	eLR		51	-				
	E	M		56½	-	31	440		
	N	M		56½	-	31	357		
	E	M	19	04½	-	20	240		
N	M		05½	-	20	203			
Z	M		05½	-	20	150			
	F		22	35	-			Mag.: M = 7.5	
27	NE	e	11	20	-				Small. 38.7°S., 72.4°W. Southern Chile. USCGS.
		F		50	-				





M.O. 707

KEW OBSERVATORY, RICHMOND, SURREY, ENGLANDSEISMOLOGICAL BULLETIN

FEBRUARY, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLI-	△	REMARKS
			h.	m.	s.		TUDE		
						sec.	μ	km.	
27	E	e(S)	21	49	44	18	1½		Confused by microseisms. Aegean Sea.
	N	M		54½	-				
		F	22	05	-				
27	NE	e	22	07	-				Small. 36.2°N., 26.9°E. Aegean Sea. USCGS.
		F		15	-				







AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR MARCH, 1961.

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION : RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS : (I) GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS : FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE"

(LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T <sub>1</sub> sec.	PENDULUM FREE PERIOD T. sec.	DAMPING CONSTANT μ <sup>2</sup> .	$\frac{Ak}{\pi I}$ sec. <sup>-1</sup>
N.	1 October 1960	21.3	21.4	+0.01	64.0
E.	1 November 1960	20.7	20.7	-0.01	59.3
Z.	1 September 1960	11.1	9.1	+0.01	156.0

(II) VERTICAL SEISMOGRAPH, PERIOD 1.5 SECS., DIRECT OPTICAL REGISTRATION (ZV.).

TIME SERVICE : MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK.

TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY.

SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.			PERIOD.	AMPLITUDE.	Δ	REMARKS.
			h.	m.	s.				
1	N	e F	14 15	53 25	-				Very small. 18.9°S., 11.6°W. Atlantic Ocean. USCGS.
5	NE	eL F	02 03	30 05	-				Small. 10.7°S., 161.6°E. Solomon Islands region. USCGS.
6	N N	e M F	08	32 33.0 37.	-	16	1		
7	NE NE E N	e eL M M F	07	12 34 46 46	49 - - -				43.3°S., 80.4°W. h about 60 Km. Off coast of Chile. USCGS.
7	ZV,Z ZV,Z ZV,Z Z N E E N Z	iPKP <sub>1</sub> iPKP <sub>2</sub> iPP <sub>2</sub> i e eSS eL M M M F	10	30 31 34 40 44 54 11 12 04 $\frac{1}{2}$ 04 $\frac{1}{2}$ 14	31 03 37 59 55 23 - - - -	8 8	13 11.7	17200	Dilatation. PFN 16 sec. 8.3 μ 28.2°S., 175.7°W. h about 43 Km. Kermadec Islands region. Mag. 7 $\frac{1}{4}$ -7 $\frac{1}{2}$ (Pas). USCGS.
						18 18 18	36 46 20		Mag.: M = 7.1
7	NE NE E N	e eL M M F	19 20	47 $\frac{1}{2}$ 56 14 14 50	- - - - -				38.2°S., 78.1°E. h about 30 Km. Indian Ocean. Mag. 6(Pas) USCGS.



**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

MARCH, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
8	NE	e F	00	15 35	-				Small. 4.7°S., 153.2°E. New Britain region. USCGS.
9	ZV NE NE E N	e(P) eS eL M M F	04	08 15 21 25 26 50	32 56 -			(5860)	Confused by microseisms. 10.9°N., 41.7°W. h about 27 Km. Atlantic Ocean. USCGS.  Mag.: M = 5 $\frac{1}{4}$
11	ZV,Z NE NE NE E N Z	iP eS eSS eL M M M F	01	43 53 58.5	33 20 -	6 12	1.3 2.0(H)	8600	Compression. Confused by microseisms. 48.7°N., 154.6°E. h about 26 Km. Kurile Islands. USCGS.  Mag.: M = 6
11	ZV NE E N	iP eL M M F	08 09	50 04 16 $\frac{1}{2}$ 17 45	23 -				Confused by microseisms. 11.2°N., 43.3°E. h about 18 Km. Near coast of British Somaliland. USCGS.
12	ZV,Z NE	iPKP <sub>2</sub> eL F	23 24 25	42 30 35	00 -				Small. Confused by microseisms. 28.4°S., 176.0°W. Tonga Islands region. USCGS.
13	ZV,Z NE N N E N E	eP eS eL M M M M F	08	16 25 39 46 48 52 52 20	27 53 -	10	4.0(H)	9500	Confused by microseisms. 19.2°N., 107.3°W. h about 49 Km. Off coast of Mexico. USCGS.  Mag.: M = 6
13	E NE	eS eL F	15	41 44 $\frac{1}{2}$ 55	49 -				Small. 35.8°N., 26.6°E. Dodecanese Islands. USCGS.
13	ZV,Z E N N N E	eP eS e eL M M F	19	22 27 27 30 32 33 45	47 24 31 -	14	2.9(H)	3050	34.4°N., 26.5°E. h about 25 Km. Crete. USCGS.  Mag.: M = 5
15	NE N E Z	e M M M F	10 11 12	52 31 32 32 30	-	21 20 20	4 3 2		3.3°S., 150.7°E. h about 21 Km. New Ireland region. USCGS.  Mag.: M = 6
15	NE E	e M F	23	02 06 20	-	21	2		



**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

MARCH, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h	m.	s.				
16	ZV,Z	ePP	14	05	25	10	2.5		Confused by microseisms.  8.2°S., 122.0°E. h about 74 Km. Flores Island. Some casualties and major property damage. Mag. 6 $\frac{1}{4}$ -6 $\frac{1}{2}$ (Pal). USCGS.
	NE	ePS		14	53				
	NE	eSSS		25	43				
	NE	eL		40	-				
	E	M		51	-	28	17		
	N	M		51	-	28	29		
	E	M		58	-	21	10		
	N	M		58	-	21	11		
	Z	M		59	-	20	4		
	F		16	25	-			Mag.: M = 6.5	
16	NE	e	19	06	-				Confused by microseisms. 8.1°S., 122.0°E. h about 43 Km. Flores Island. USCGS.
	NE	eL		17	-				
	N	M		35	-	21	1 $\frac{1}{2}$		
	F			50	-				
17	NE	e	15	23	-				Small.
		F		55	-				
17	NE	eL	21	15	-				24.3°S., 175.6°W. h about 79 Km. Tonga Islands region. USCGS.
	N	M		40	-	20	2 $\frac{1}{2}$		
	E	M		42	-	20	2 $\frac{1}{2}$		
	F		22	20	-				
18	NE	e	03	05	-				Very small. 8.2°S., 122.0°E. Flores Island. USCGS.
		F		35	-				
18	Z	e (PP)	15	20	09				
	NE	e		27	09				
	N	eSS		41	03				
	E	e		48	11				
	NE	eL	16	03	-				
	E	M		37	-	18	18		
	N	M		38	-	19	28		
	Z	M		38	-	19	24		
	F		17	45	-				
19	NE	e	05	28	-				Very small. 40.5°N., 142.9°E. North of Honshu, Japan. USCGS.
		F		55	-				
19	N	e	08	15	-				Small. 16.0°S., 168.2°E. New Hebrides Islands. USCGS.
		F		45	-				
20	ZV	iP	03	39	27				36.6°N., 71.1°E. Hindu Kush. USCGS.
20	NE	e	06	38 $\frac{1}{2}$	-				11.5°N., 86.3°W. h about 122 Km. Off coast of Nicaragua. Mag. 6-6 $\frac{1}{4}$ (Pas). USCGS.
	E	M		59 $\frac{1}{2}$	-	20	4 $\frac{1}{2}$		
	N	M		59 $\frac{1}{2}$	-	20	4		
	Z	M		59 $\frac{1}{2}$	-	20	2 $\frac{1}{2}$		
	F		07	50	-				
20	ZV,Z	ePKP	16	12	34				Confused by microseisms. Dilatation. 18.4°S., 175.2°W. h about 175 Km. Tonga Islands. Mag. 6 $\frac{1}{2}$ -6 $\frac{3}{4}$ (Pas). USCGS.
	ZV,ZN	iPKP		12	37	6	12.3		
	ZV,Z	ipPKP		13	29				
	E	eSS		34	36				
	E	esSS		36	02				
	E	e		54	26				
	E	M		17	17	20	4 $\frac{1}{2}$		
	N	M		17	-	20	4		
	F		18	20	-			Mag.: M = 6 $\frac{3}{4}$	



M.O. (U.S.)

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

MARCH, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS	
			h.	m.	s.					sec.
20	E	eSS	24	25	44				Confused by microseisms. 24.2°S., 175.9°W. h about 25 Km. Tonga Islands region. USCGS.	
	Z	M	25	10	-	20	6			
	N	M		40	-	20	7			
	E	M		11	-	20	8			
		F	26	30	-				Mag.: M = 6 $\frac{1}{4}$	
23	NE	e	01	07	-				Very small. 44.0°N., 12.7°E. Italy. BCIS	
		F		17	-					
24	NE	e	10	43	-				Very small.	
		F		55	-					
24	ZV,Z	iP	23	09	52				Compression.  35.3°N., 140.9°E. h about 102 Km. Near coast of Honshu, Japan. USCGS.	
	ZV,Z	ePP		13	17					
	N	e(S)		20	25					
	E	e		20	44					
	NE	eL		37	-					
	E	M		52	-	20	2			
	N	M		52	-	20	3			
	Z	M		52	-	20	2			
		F	24	25	-					
25	NE	e	21	45	-				Very small. 37.1°S., 51.6°E. Indian Ocean. USCGS.	
		F	22	15	-					
28	ZV,ZE	iPKP	09	55	01	12	5.9	12200	Mag.: M=7	
	ZV,ZE	ePP		55	37	12	6.3			
	NE	eSKS	10	01	39					
	Z	ePS		05	09					
	ZE	ePPS		06	17					
	NE	eSS		11	13					
	N	eL		21	-					
	E	M		45	-	21	50			
	N	M		45	-	22	50			
	Z	M		45	-	21	27			
		F	12	35	-					
28	NE	e	12	51 $\frac{1}{2}$	-					Confused by microseisms.
	NE	eL	13	03	-					
	E	M		18 $\frac{1}{4}$	-	20	3			
	N	M		18 $\frac{1}{2}$	-	20	2			
		F	14	00	-					
28	NE	e(S)	21	25	37					
	E	M		53 $\frac{1}{4}$	-	20	2			
	N	M		53 $\frac{1}{2}$	-	20	1 $\frac{1}{2}$			
		F	22	20	-					
30	N	eL	08	20	-					
	N	M		25	-	20	3			
	E	M		25 $\frac{1}{2}$	-	20	2			
	Z	M		31	-	18	2			
		F	08	50	-					
30	N	e	09	38	-					
	N	M	10	09	-	20	3			
	E	M		09 $\frac{1}{2}$	-	20	2 $\frac{1}{2}$			
		F	11	10	-					



M.O. 703

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR APRIL, 19 61

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION : RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS : (I) GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS : FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE"

(LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T. sec.	PENDULUM FREE PERIOD T. sec.	DAMPING CONSTANT $\mu^2$ .	$\frac{Ah}{\pi l}$ sec. <sup>-1</sup>
N.	1 October 1960	21.3	21.4	+0.01	64.0
E.	1 November 1960	20.7	20.7	-0.01	59.3
Z.	1 September 1960	11.1	9.1	+0.01	156.0

(II) VERTICAL SEISMOGRAPH, PERIOD 1.5 SECS., DIRECT OPTICAL REGISTRATION (ZV).

TIME SERVICE : MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK.

TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY.

SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.			PERIOD.	AMPLITUDE.	$\Delta$	REMARKS.
			h.	m.	s.				
✓ 1	ZV,Z	iP	15	27	45	5	8	5900 Compression. PH 6 sec. 4.4 $\mu$ 39.6°N., 77.7°E. h about 21 Km. Sinkiang Province, China. USCGS.	
	ZV,Z	iPP		29	43				
	NE	eS		35	12	12	11(H)		
	NE	eScS		37	26				
	E	eSS		38	50				
	NE	eL		43 $\frac{1}{2}$	-				
	E	M		52 $\frac{1}{2}$	-	18	71		
	N	M		52 $\frac{1}{2}$	-	18	57		
Z	M		52 $\frac{1}{2}$	-	18	48			
		F	17	20	-			Mag.: M = 6.7	
4	NE	e	01	47	-			Small. 39.7°N., 78.1°E. Sinkiang Province, China. USCGS.	
		F	02	05	-				
✓ 4	ZV	e(P)	09	55	58			40.1°N., 77.8°E. h about 16 Km. Sinkiang Province, China. USCGS.	
	ZV	i		56	03				
	N	eS	10	03	35	12	2.5(H)		
	EN	eSS		07	13				
	EN	eL		12	-				
	E	M		21	-	18	69		
	N	M		21	-	18	63		
Z	M		21	-	18	45			
		F	11	30	-				
4	ZNE	e	22	46	-			Very small. 62 $\frac{1}{2}$ °N., 2 $\frac{1}{2}$ °E. North Sea. BCIS	
		F		55	-				
5	NE	e	07	12	-			Small. 39.7°N., 78.1°E. Sinkiang Province, China. USCGS.	
		F		30	-				



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

..... APRIL, ..... 19 61.

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS	
			h.	m.	s.					sec.
6	ZV	eP	01	43	08				39.6°N., 77.8°E. h about 33 Km. Sinkiang Province, China. USCGS.	
	E	M	02	08	-	18	4			
	N	M		08	-	18	3½			
	Z	M		08	-	18	3			
		F		25	-					
6	NE	eL	04	37	-				Small. 40.1°N., 124.8°W. Near coast of California. USCGS.	
		F	05	10	-					
6	ZV,Z	iP	18	21	18			5400	27.8°N., 56.7°E. h about 109 km. Southern Iran. USCGS.	
	ZV,Z	i		21	24					
	N	eS		28	13	14	1.5(H)			
	N	eL		35	-					
	N	M		39	-	32	4			
	E	M		43	-	24	2			
	N	M		43	-	24	2½			
	F		19	25	-			Mag.: M = 5-5¼		
7	NE	e(S)	20	15	19				57.2°N., 163.3°E. h about 20 km. Near east coast of Kamchatka. USCGS.	
	NE	eL		27	-					
	E	M		38½	-	20	1½			
	N	M		38½	-	20	½			
	F		21	15	-					
7	ZV,Z	eP	21	26	44				39.3°N., 73.0°E. h about 44 km. Kirghiz-Tadzhik border. USCGS.	
	N	eL		43	-					
	E	M		47	-	19	1½			
	N	M		47	-	19	3½			
	F		22	10	-			Mag.: M = 5¼		
8	NE	e	00	45	-				Small.	
		F	01	00	-					
8	ZV	eP	04	34	44				2.2°S., 79.2°W. Ecuador. USCGS.	
8	ZV	eP	04	59	36				2.1°S., 79.1°W. Ecuador. USCGS.	
8	ZV	eP	09	16	24				2.1°S., 79.1°W. Ecuador. USCGS.	
8	ZV	ePKP	16	19	21				18.2°S., 168.6°E. New Hebrides Islands, USCGS.	
8	Z	ePP	18	18	43				38.2°S., 72.7°W. h about 60 km. Chile. USCGS.	
	NE	eSS		28	05					
	NE	eL		44	-					
	Z	M	19	04	-	20	4			
	N	M		04	-	20	8			
	E	M		06	-	20	9			
	F	F	20	40	-			Mag.: M = 6¼		
8	NE	e	22	20	-				Small. 14.8°N., 145.1°E. Mariana Islands. USCGS.	
		F		50	-					
9	NE	e(S)	07	45	11				36.5°N., 121.3°W. h about 11 km. San Benito County, California. Moderate property damage. USCGS.	
	N	eSS		50	13					
	NE	eL		56	-					
	E	M	08	07	-	16	3			
	N	M		07	-	17	4½			
	Z	M		07	-	16	1½			
	F	F		30	-			Mag.: M = 5½		



M.O. 703

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND

SEISMOLOGICAL BULLETIN

APRIL, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS			
			h.	m.	s.							
✓ 9	ZV,Z	eP	15	48	04	14	4.2 (H)	9800	Compression. 24.1°N., 122.2°E. h about 13 km. Near coast of Formosa. USCGS.			
	ZV,Z	ePP		51	35							
	NE	eSKS		58	29							
	NE	eS		58	45							
	NE	ePS		59	55							
	NE	eSS	16	04	53							
	NE	eLR		16 <sup>1</sup> / <sub>2</sub>	-							
	E	M		29	-					22	40	
	N	M		31	-					22	56	
Z	M	F		32	-	20	33					
			17	45	-			Mag.: M = 6 <sup>1</sup> / <sub>4</sub>				
10	NE	e	07	44	-			Small.				
		F	08	05	-							
10	N	e	20	45	-	20	1 <sup>1</sup> / <sub>2</sub>	8800	0.2°S., 132.9°E. Near coast of New Guinea. USCGS.			
		M		56	-							
		F	21	15	-							
✓ 12	ZV,Z	iP	22	32	26			8800	13.1°N., 88.9°W. h about 122 km. Salvador. Minor property damage. USCGS.			
	ZV,Z	ePP		35	34							
	E	eS		42	12							
	NE	eL		54	-							
	E	M	23	02	-					22	4	
	N	M		02	-					22	4 <sup>1</sup> / <sub>2</sub>	
	Z	M		02	-					22	1 <sup>1</sup> / <sub>2</sub>	
	F		35	-			Mag.: M = 5 <sup>3</sup> / <sub>4</sub> -6					
✓ 13	ZV,Z	iP	16	43	59	6	1.3	6000	Compression. 40.1°N., 77.8°E. h about 19 km. Sinkiang, China. USCGS.			
	NE	eS		51	30							
	NE	eSS		55	08							
	N	eL		58	-							
	E	M	17	09	-					17	184	
	N	M		09	-					17	160	
	Z	M		09	-					17	127	
	F	18	45	-			Mag.: M = 6 <sup>1</sup> / <sub>2</sub>					
16	ZV	iP	11	52	15			53.5°N., 158.7°E. Kamchatka. USCGS.				
16	NE	e	12	50	-			Very small. 51.6°N., 130.6°W. Near Vancouver Island. USCGS.				
		F	13	15	-							
17	ZV	e(P)	16	30	45	22	1	3.9°N., 31.5°W. h about 25 km. Mid-Atlantic Ocean. USCGS.				
		M		49	-							
		F	17	05	-							
17	EN	e(S)	20	58	36			Very small. 20.8°S., 68.5°W. Chile-Bolivia border. USCGS.				
		F	21	35	-							
18	NE	e	19	45	-			Very small.				
		F	20	10	-							
✓ 19	ZV,Z	iP	16	24	42	4	1.4	6000	Compression. 44.2°N., 148.0°E. h about 51 km. Kurile Islands. USCGS.			
	NE	eL		55	-							
	E	M		58	-					24	3	
	N	M		59	-					22	2	
		F	17	20	-							Mag.: M = 5 <sup>3</sup> / <sub>4</sub> -6.



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

APRIL, 1961

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
19	NE	e F	18 55 - 19 10 -						Very small.
✓ 19	ZV E NE E N	iP e(S) eL M M F	20 32 04 42 11 55 - 21 09½ - 11½ - 40 -			20 18	1½ 1½		44.6°N., 150.2°E. h about 27 km. Kurile Islands. USCGS.
19	ZV	eP F	22 20 05 23 10 -						44.9°N., 149.5°E. h about 34 km. Kurile Islands. USCGS.
✓ 20	NE Z N E	eL M M M F	22 48 - 59 - 59 - 23 00 - 30 -			20 20 20	2 4 1½		15.2°S., 173.7°W. h about 25 km. South of Samoa Islands. USCGS.
									Mag.: M = 6.
21	NE	e F	20 10 - 30 -						Small. 48.1°N., 154.6°E. Kurile Islands. USCGS.
✓ 21	ZV,Z NE NE E N	eP eS eL M M F	20 22 43 32 38 52 - 21 02 - 02½ - 30 -			12 18 18	1.8(H) 3 3	8800	47.7°N., 154.6°E. h about 27 km. Kurile Islands. USCGS.
									Mag.: M = 5.6
21	ZV	e(P) F	21 38 50 22 30 -						Small. 51.7°N., 173.9°W. Andreanof Islands. USCGS.
22	E E N	eL M M F	01 26 - 45½ - 45½ - 02 10 -			20 20	1½ 2		
22	ZV,Z	iP	19 14 17						Dilatation. 2.8°S., 80.8°W. Near Ecuador. USCGS.
22	NE	e F	20 05 - 25 -						Small.
✓ 23	ZV,Z NE NE N E	iP eS eL M M F	05 27 28 38 03 58 - 06 07½ - 08½ - 40 -			20 20	3½ 4½	9800	Dilatation. 26.2°N., 129.8°E. h about 110 km. Ryukyu Islands. USCGS.
									Mag.: M = 6.
✓ 23	Z NE N E E N Z	iP eS e eL M M M F	09 13 55 23 59 24 33 41 - 53½ - 53½ - 56 - 12 25 -			6 15 18 19 16	5 13.4(H) 27 32 18	9000	Compression. PH 12 sec. 2.8 μ 44.6°N., 150.2°E. h about 44 km. Kurile Islands. USCGS.
									Mag.: M = 6.5



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

APRIL, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
23	ZV,Z	iP	17	03	15			(9000)	
	ZV,Z	i		03	28				
	ZV,Z	e		03	37				
	E	e(S)		13	22				
	NE	eL		33	-				
	E	M		42	-	20	1½		
	N	M		43	-	19	1½		
		F	18	25	-				
24	NE	e	13	00	-				44.5°N., 150.2°E. Kurile Islands. USCGS.
		F		30	-				
25	ZV,Z	eP	01	29	51			(9000)	44.5°N., 150.0°E. h about 78 km. Kurile Islands. USCGS.
	NE	e(S)		39	57	13	1.6(H)		
	NE	eL		52	-				
	E	M	02	09	-	20	2		
	N	M		09½	-	19	2½		
		F		45	-				
26	ZV,Z	eP	07	51	12	6	1.4	(9100)	44.6°N., 149.9°E. h about 20 km. Kurile Islands. USCGS.
	NE	e(S)	08	01	21	15	4.8(H)		
	N	eSS		06	7				
	E	eL		15	-				
	E	M		30½	-	20	7½		
	N	M		31	-	20	7½		
	Z	M		31	-	20	4½		
	F	09	30	-			Mag.: M = 6.1		
26	ZV,Z	eP	19	44	46				44.6°N., 150.1°E. Kurile Islands. USCGS.
	N	M	20	24	-	20	1		
		F		50	-				
28	ZV	e(Pg)	20	51	10			750	Very small. 47.7°N., 7.9°E. h about 20 km. West Germany. USCGS.
	ZNE	e(Sw)		52	21				
	ZE	e(Sg)		52	40				
		F		55	-				
29	ZV,Z	iP	09	31	26				40.6°N., 127.5°W. Off coast of California. USCGS.
	ZV,Z	i		31	33				
29	ZV,Z	iP	09	33	45	6	7	2230	Compression. 72°N., 7½°W. North Atlantic Ocean. BCIS
	Z	iPP		34	12	6	4.2		
	N	eS		37	24	11	17.4(H)		
	E	i		37	28				
	NE	eL		38½	-				
	E	M		40	-	19	9		
	N	M		40½	-	20	19		
	Z	M		40½	-	20	12		
	F	11	10	-			Mag.: M = 5.6		
29	NE	e	11	20	-				Small.
		F		45	-				
30	ZV,NE	eP	07	38	19	11	3(PH)	2200	Compression. 52.0°N., 31.9°W. h about 38 km. North Atlantic Ocean. USCGS.
	NE	eS		41	54	11	4.0(H)		
	NE	eL		42½	-				
	E	M		44½	-	19	9		
	N	M		44½	-	20	4		
		F	08	35	-				



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

APRIL, 1961

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE		REMARKS
			h.	m.	s.		$\mu$	$\Delta$ km.	
30	ZV,Z	eP	11	27	29	5	1	(8900)	44.6°N., 149.7°E. h about 70 km. Kurile Islands. USCGS.
	EN	e(SKS)		37	37				
	E	eL		53	-				
	E	M	12	06½	-	20	3		
	N	M		07	-	19	2½		
		F	13	05	-			Mag.: M = 5.6	
30	NE	e	15	13	-				
	NE	eL		45	-				
	E	M	16	06	-	20	1½		
	N	M		06½	-	20	2		
		F	17	10	-				



m.o. 703

METEOROLOGICAL  
EDINBURGH  
14 JUL 1961 R6

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR MAY, 1961

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: (I) GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE"

(LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1918).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T <sub>1</sub> sec.	PENDULUM FREE PERIOD T <sub>2</sub> sec.	DAMPING CONSTANT μ <sup>2</sup> .	$\frac{Ak}{wI}$ sec. <sup>-1</sup>
N.	1 October 1960	21.3	21.4	+0.01	64.0
E.	1 November 1960	20.7	20.7	-0.01	59.3
Z.	1 September 1960	11.1	9.1	+0.01	156.0

(II) VERTICAL SEISMOGRAPH, PERIOD 1.5 SECS., DIRECT OPTICAL REGISTRATION (ZV).

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK.  
TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY.  
SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.			PERIOD.	AMPLITUDE.	Δ	REMARKS.
			h.	m.	s.				
2	NE N	eL M F	03	20	-	16	2	71.2°N., 6.9°W. h about 22 Km. Jan Mayen Island region. USCGS.	
2	NE	e F	21	00	-			Small. 27.8°S., 176.4°W. Kermadec Islands. USCGS.	
2	ZV,Z ZV,Z ZV,Z E NE N E Z	ePKP <sub>1</sub> ePKP <sub>2</sub> eFP eSS eL M M M F	23	04	38	20	14 8 6	17060 27.8°S., 176.5°W. h about 47 km. Kermadec Islands region. Mag. 6 $\frac{3}{4}$ (Pas). USCGS.	
4	NE	e F	02	50	-			Mag.: M = 6 $\frac{3}{4}$	
4	NE	e F	03	10	-			Very small. 40.6°N., 127.1°W. Off California. USCGS.	
5	ZV,Z E N E Z	ePKP eSS M M M F	14	03	29	20		Small. 17.7°N., 46.4°W. Atlantic Ocean. USCGS.	
			15	10	-	20		27.8°S., 176.1°W. h about 84 km. Kermadec Islands region. USCGS.	
			16	10	-	20		Mag.: M = 6	
			16	20	-	20			



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

MAY, 19.61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
5	NE N	e M F	16	50	-	20	1/2		27.3°S., 176.1°W. Kermadec Islands region. USCGS.
			17	35	-				
5	N	e F	19	55	-	20			Very small. 27.5°S., 176.0°W. Kermadec Islands. USCGS.
			20	05	-				
5	NE	e F	22	05	-	20			Very small. 28.2°S., 177.4°W. Kermadec Islands. USCGS.
			25	-	-				
5	ZV,Z NE E N	e(P) eL M M F	16	08	19	18 16	3 2		37.4°N., 11.2°E. h about 30 km. Mediterranean Sea, off Tunisia. USCGS.  Mag.: M = 4 1/2
				12 1/2	-				
				13 1/2	-				
				14	-				
				16	-				
6	ZV,Z EN NE N E	iP eS eL M M F	19	47	33	14	1.3	6080	1.2°S., 15.5°W. h about 24 km. Atlantic Ocean. USCGS.  Mag.: M = 5-5 1/2  Small. 17.2°S., 167.9°E. New Hebrides Islands. USCGS.
				55	09				
			20	04	-				
				11	-				
				12	-				
6	N	e F	24	25	-	18	3		Small. 17.2°S., 167.9°E. New Hebrides Islands. USCGS.
				45	-				
7	ZV,Z NE NE E N N E Z	i(PKP) ePKS eL M M M M F	00	44	31	26 26 20 20	6 1/2 5 1/2 3 3 1/2		6.1°S., 154.4°E. h about 123 km. Solomon Islands region. USCGS.
				57	59				
			01	18	-				
				37 1/2	-				
				37 1/2	-				
				46 1/2	-				
				47	-				
				47	-				
7	NE NE E N	eSS eL M M F	10	52.8	-	20 20	4 3 1/2		Confused by microseisms. 5.8°N., 126.8°E. h about 89 km. Off coast of Mindanao, P.I. USCGS. Mag.: M = 6  Small. 35.2°N., 134.5°E. Honshu, Japan. USCGS.
			11	02	-				
				22	-				
				22	-				
7	NE	e F	13	10	-	16	2 1/2 3 1/2		Confused by strong microseisms. 71.2°N., 74°W. Jan Mayen Island region. USCGS.
				35	-				
7	NE E N	e M M F	15	49	-	16	2 1/2 3 1/2		24.3°S., 69.7°W. h about 48 km. Northern Chile. USCGS.
				52	-				
8	ZV,Z N E N Z	ePP eL M M F	16	10	-	49	20 20 20		Mag.: M = 5 3/4  Very small.
			19	40	-				
			20	06	-				
				17 1/2	-				
				17 1/2	-				
10	NE	e F	17	16	-	30			
				30	-				



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

MAY, 1961

DATE	COMPT.	PHASE	G.M.T.			PERIOD sec.	AMPLI- TITUDE $\mu$	$\Delta$ km.	REMARKS	
			h.	m.	s.					
11	Z	ePP	08	57	20				37.2°S., 73.6°W. h about 47 km. Near coast of Chile. USCGS.	
	NE	eL	09	31	-					
	E	M		40	-	20	4 $\frac{1}{2}$			
	N	M		40	-	20	4 $\frac{1}{2}$			
	Z	M		40	-	20	4			
		F	10	45	-				Mag.: M = 6	
12	NE	e	06	05	-				Very small.	
		F		50	-					
13	NE	eL	14	47	-				27.8°S., 176.2°W. Kermadec Islands. USCGS.	
		F	-	-	-					
13	N	M	15	46	-	20	1 $\frac{1}{2}$		27.9°S., 176.0°W. Kermadec Islands. USCGS. overlapped by next shock.	
		E		48	-	20	1 $\frac{1}{2}$			
		F	-	-	-					
13	ZV,Z	iPKP	15	11	36	4	1.6		17.5°S., 178.8°W. h about 556 km. Fiji Islands. USCGS.	
		F	17	00	-					
13	ZV	eP	16	01	47				43.4°N., 147.8°E. Off Hokkaido, Japan. USCGS.	
14	NE	e	04	00	-				Small. 27.9°S., 176.3°W. Kermadec Islands. USCGS.	
		F		40	-					
14	ZV,Z	eP	15	12	22				67.7°N., 18.4°W. h about 47 km. North of Iceland. USCGS.	
		NE		17 $\frac{1}{2}$	-					
		E		18	-	20	1			
		N	M		18 $\frac{1}{2}$	-	20	1		
		F		30	-					
14	ZV,Z	eP	15	42	26	5	1.1	2180	67.7°N., 18.4°W. h about 23 km. North of Iceland. USCGS.	
		NE		46	00					
		NE		47 $\frac{1}{2}$	-					
		E	M		48	-	20	2 $\frac{1}{2}$		
		N	M		48 $\frac{1}{2}$	-	20	2 $\frac{1}{2}$		
		F		16	05	-				
14	NE	e	20	10	-				Very small. 40.8°N., 127.4°W. Off California. USCGS.	
		F		25	-					
16	NE	eL	18	47	-				27.9°S., 176.4°W. Kermadec Islands region. USCGS.	
		N		58	-	20	1 $\frac{1}{2}$			
		F	19	35	-					
16	ZV,Z	eP	21	58	18			9800	Dilatation. 30.0°N., 132.0°E. h about 25 km. Ryukyu Islands. USCGS.	
		NE	22	08	44					
		NE		08	58	11	1.6(H)			
		NE		25	-					
		E	M		37 $\frac{1}{2}$	-	20	10		
		N	M		37 $\frac{1}{2}$	-	20	4		
		F		23	20	-				
17	ZV,Z	eP	19	41	12	6	1.4	8540	Compression. FN 20 sec. 2.8 $\mu$ 52.0°N., 173.9°E. h about 21 km. Near Islands, Aleutian Islands. USCGS.	
		E		50	56	16	2.7			
		N		51	31					
		N	e		55	57				
		NE	eL	20	06	-				

FORM 3718

contd.



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

MAY, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
contd. 17	E N Z	M M M F	20	17 $\frac{1}{2}$	-	19	5 $\frac{1}{2}$		
				17 $\frac{1}{2}$	-	19	4 $\frac{1}{2}$		
				17 $\frac{1}{2}$	-	19	2 $\frac{1}{2}$		
			22	30	-				Mag.: M = 5.9
19	NE	e F	00	05	-				Very small.
				30	-				
19	NE	e F	10	00	-				Very small. 11.3°N., 88.3°W. Off coast of Nicaragua. USCGS.
				20	-				
19	NE	eL	17	18	-				24.1°N., 123.4°E. Ryukyu Islands. USCGS.
	E	M		27	-	25	3 $\frac{1}{2}$		
	N	M		27	-	25	3 $\frac{1}{2}$		
		F		55	-				Mag.: M = 5 $\frac{3}{4}$
20	ZV,Z	eP	18	02	36				
	NE	eL		25	-				
	N	M		32 $\frac{1}{2}$	-	16	$\frac{1}{2}$		6.5°S., 31.7°E. h about 58 km. Tanganyika. USCGS.
		F		45	-				
21	ZV,Z	eP	17	54	11				3.1°S., 80.9°W. Near coast of Ecuador. USCGS.
22	ZV,Z	ePKP	14	04	15			16500	
	ZV,Z	e		04	32				
	NE	eSS		26	53				
	N	eL		58	-				
	E	M	15	13 $\frac{1}{2}$	-	20	4 $\frac{1}{2}$		
	N	M		15 $\frac{1}{2}$	-	20	3		
	Z	M		15 $\frac{1}{2}$	-	20	2 $\frac{1}{2}$		
		F	16	35	-				
22	ZV,Z	ePKP	17	52	09			16500	Mag.: M = 6-6 $\frac{1}{2}$
	ZV,Z	i		52	15				
	E	eSS	18	14	49				22.8°S., 176.1°W. h about 35 km. Tonga Islands region. USCGS.
	E	eL		33	-				
	N	M		56	-	21	6 $\frac{1}{2}$		
	E	M		57	-	24	9 $\frac{1}{2}$		
	Z	M		57	-	21	4 $\frac{1}{2}$		
		F	20	05	-				
23	ZV,Z	iP	02	50	39	6	4.9	2600	Mag.: M = 6 $\frac{1}{2}$
	ZV,Z	i		50	51				Compression.
	NE	eS		54	45	14	10.5(H)		36.4°N., 28.3°E. h about 49 km. Dodecanese Islands. Moderate property damage. USCGS.
	NE	eL		55 $\frac{1}{2}$	-				
	E	M	03	00 $\frac{1}{2}$	-	24	73		
	N	M		00 $\frac{1}{2}$	-	21	90		
		F	04	55	-				
23	ZV,Z	eP	03	52	17				Mag.: M = 5.9
	ZV,Z	eFP		54	59				9.8°N., 84.0°W. Costa Rica. USCGS.
23	NE	e F	05 06	40 35	-				



**SEISMOLOGICAL BULLETIN**

MAY,

1961

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLI- TUDE	Δ	REMARKS		
			h.	m.	s.					sec.	μ
23	ZV,Z	eP	16	56	46				12.6°N., 87.3°W. h about 138 km. Near coast of Nicaragua. USCGS.		
	ZV,Z	eFP		59	53						
	N	eL	17	18 $\frac{1}{2}$	-						
	E	M		27 $\frac{1}{2}$	-	19	2				
	N	M		28	-	20	1				
25	NE	e M F	13	23	-	16	1 $\frac{1}{2}$				
				26	-						
				35	-						
25	NE	e F	14	05	-				Small.		
				10	-						
27	NE	e F	23	30	-				Very small.		
				45	-						
29	NE	e F	01	00	-				Very small.		
				30	-						
29	NE	eL M F	08	14	-	20	1 $\frac{1}{2}$	2	27.7°N., 141.7°E. h about 25 km. Bonin Islands. USCGS.		
				30	-						
				30	-						
29	NE	e F	11	10	-				Small.		
				55	-						
29	NE	e F	19	45	-				Small.		
				20	25					-	
31	N N E Z	eL M M F	14	51	-	14	1 $\frac{1}{2}$		29.8°N., 114.0°W. h about 74 km. Gulf of California. Mag. 5 $\frac{1}{2}$ (Pas). USCGS.		
				06	-					14	4
				07 $\frac{1}{2}$	-					14	2
				07 $\frac{1}{2}$	-					14	2
31	NE E N	e M M F	20	15	-	20	1 $\frac{1}{2}$				
				33 $\frac{1}{2}$	-					20	2
				33 $\frac{1}{2}$	-					20	2
				55	-					20	2





1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025



M.O. 703

METEOROLOGICAL OFFICE  
**EDINBURGH**  
21 AUG 1961

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

R.6.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR JUNE, 1961.

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION : RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS : (I) GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS : FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" (LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T <sub>1</sub> sec.	PENDULUM FREE PERIOD T. sec.	DAMPING CONSTANT μ <sup>2</sup> .	$\frac{Ak}{\pi I}$ sec. <sup>-1</sup>
N.	1 October 1960	21.3	21.4	+0.01	64.0
E.	1 November 1960	20.7	20.7	-0.01	59.3
Z.	1 September 1960	11.1	9.1	+0.01	156.0

(II) VERTICAL SEISMOGRAPH, PERIOD 1.5 SECS., DIRECT OPTICAL REGISTRATION (ZV.).

TIME SERVICE : MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK.  
TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY.  
SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.			PERIOD.	AMPLITUDE.	Δ	REMARKS.
			h.	m.	s.				
1	NE	eL	10	32	-	20	1	19.5°N., 69.3°W. Near coast of Dominican Republic. USCGS.	
	E	M		40	-				
	N	M		41	-				
✓ 1	ZV,Z	eP	23	38	32	6	2.4	6100	PH 12 sec. 1.6 μ
	ZV,Z	i		38	37				
	ZV,Z	i (PcP)		39	55				10.6°N., 39.3°E. h about 51 km. Ethiopia. Considerable damage at Kara-Kore. USCGS.
	N	eS		46	09	20	6.9		
	E	iS		46	13	18	6.2		
	N	eSS		49	41				
	E	eSS		49	49				
	E	M	24	00	$\frac{1}{2}$	20	20		
	N	M		01	$\frac{1}{2}$	20	26		
	Z	M		03	-	14	6		Mag.: M = 6.1 overlapped by next shock.
2	ZV,Z	eP	00	18	09				10.3°N., 39.6°E. Ethiopia. USCGS.
✓ 2	ZV,Z	iP	05	00	26	6	2.0	5950	Dilatation. PH 12 sec. 1.6 μ
	ZV	e (PcP)		01	37				
	N	eS		07	54	14	3.8(H)		9.8°N., 40.0°E. h about 41 km. Ethiopia. USCGS.
	NE	eSS		11	31				
	E	M		22	$\frac{1}{2}$	20	13		
	N	M		23	-	20	11		
2	Z	M		23	-	20	6		
	F		-	-	-				Mag: M = 5.8
2	ZV	iP	05	31	49				Dilatation, Ethiopia. USCGS..



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

JUNE, 19 61

**SEISMOLOGICAL BULLETIN**

DATE	COMPT.	PHASE	G.M.T.			PERIOD sec.	AMPLI- TITUDE μ	Δ km.	REMARKS
			h.	m.	s.				
21	NE	e F	21	10 35	- -				Small. 7.6°S., 110.0°E. Near coast of Java. USCGS.
22	Z N N N E	eP eS eL M M F	00 01	59 02 04 05 <sup>1</sup> / <sub>4</sub> 06 <sup>1</sup> / <sub>2</sub> 30	51 52 - - -	15 20	7 6 <sup>1</sup> / <sub>2</sub>	1800	42.4°N., 19.6°E. h about 53 km. Albania-Yugoslavia border. USCGS.
22	NE	e F	04	34 40	- -				Very small. 17.9°S., 168.9°E. New Hebrides Islands. USCGS.
✓ 23	ZV NE NE NE NE E N Z	eP eS ePS eSS eL M M M F	09	07 17 17 22 27 <sup>1</sup> / <sub>4</sub> 37 <sup>1</sup> / <sub>4</sub> 37 <sup>1</sup> / <sub>2</sub> 38 45	37 16 50 06 - - - - -	14     19 19 18	2.1 (H)     4 <sup>1</sup> / <sub>2</sub> 4 <sup>1</sup> / <sub>2</sub> 2	8400	43.9°N., 128.9°W. h about 56 km. Off coast of Oregon. USCGS.  Mag.: M = 5 <sup>3</sup> / <sub>4</sub>
✓ 23	ZV E N	eP M M F	16 17	44 06 <sup>1</sup> / <sub>4</sub> 06 <sup>1</sup> / <sub>2</sub> 20	56 - - -	18 18	1 1		28.5°N., 55.5°E. h about 54 km. Iran. USCGS.
24	NE	eL F	05 06	45 15	- -				Small. 13.6°N., 90.2°W. Near El Salvador. USCGS.
24	NE	eL F	10	24 50	- -				Small. 4.1°N., 97.5°E. Sumatra. USCGS.
✓ 25	NE E N	e M M F	17	20 44 <sup>1</sup> / <sub>4</sub> 44 <sup>1</sup> / <sub>2</sub> 25	- - - -	19 19	2 2		21.7°N., 143.1°E. h about 13 km. North of Mariana Islands. USCGS.
25	N	e F	20	00 45	- -				Very small.
26	NE	e F	08	15 45	- -				Very small. 21.3°S., 170.1°E. Loyalty Islands. USCGS.
✓ 27	ZV,Z ZV,Z ZV NE NE E N Z	eP e eFP eS eL M M M F	07	15 15 18 24 39 50 50 50 05	23 42 16 58 - - - - -	16     22 20 17	4.4 (H)     11 7 <sup>1</sup> / <sub>2</sub> 3 <sup>1</sup> / <sub>2</sub>	8350	27.8°N., 99.4°E. h about 33 km. Yunan Province, China. USCGS.  Mag.: M = 6.0
28	NE	e F	23	25 40	- -				Very small.

M.O. 703

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND

SEISMOLOGICAL BULLETIN

JUNE, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLI- TUDE	Δ	REMARKS
			h.	m.	s.				
✓ 29	ZV,Z	eFKP	09	42	21				
	Z	ePP		45	23				
	N	ePKS		45	59				
	NE	eL	10	30	-				
	E	M		48	-	20	1		
	N	M		49	-	20	1		
		F	11	50	-				
29	NE	e	22	15	-				Very small.
		F		45	-				
30	ZV	e(P)	05	10	52			(3000)	
	E	e(S)		15	26				
	N	eL		18 <sup>1</sup> / <sub>2</sub>	-				
	N	M		20	-	20	1		
		F		30	-				





AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR JULY, 19 61.

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: (I) GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" (LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1918).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T. sec.	PENDULUM FREE PERIOD T. sec.	DAMPING CONSTANT $\mu^2$ .	$\frac{Ah}{\pi i}$ sec. <sup>-1</sup> .
N.	1 October 1960	21.3	21.4	+0.01	64.0
E.	1 November 1960	20.7	20.7	-0.01	59.3
Z.	1 September 1960	11.1	9.1	+0.01	156.0

(II) VERTICAL SEISMOGRAPH, PERIOD 1.5 SECS., DIRECT OPTICAL REGISTRATION (ZV.).

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK.

TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY.

SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.			PERIOD. sec.	AMPLI- TUDE. $\mu$	$\Delta$ km.	REMARKS.
			h.	m.	s.				
1	ZV, Z	eP	13	23	48				Small. 15.3°S., 75.0°W. Near coast of Peru. USCGS.
		F	14	15	-				
5	NE E N	e(L)	03	47	-	20	$1\frac{1}{2}$		
		M	04	04	-				
		M	04	-	-				
		F	25	-	-				
6	NE E N	e	16	33	-	18	$1\frac{1}{2}$		7.0°S., 13.1°W. h about 19km. Ascension Island region. USCGS.
		M	40	-	-				
		M	40	-	-				
		F	55	-	-				
✓ 6	ZV ZV ZV ZV, Z N E E N Z	ePKP	22	29	10	14	3.9	16300	PFN 18 sec. 2.5 $\mu$ . 20.0°S., 169.0°E. h about 47 km. New Hebrides Islands. USCGS.
		i	29	12	-				
		i	29	16	-				
		ePP	32	43	-				
		eSS	51	19	-				
		eLq	23	12	-				
		M	36	-	22				
		M	36	-	22				
M	36	-	22						
7	Z Z NE N E N Z	F	25	15	-	8	0.7	14000	Mag.: M = $6\frac{1}{4}$ - $6\frac{1}{2}$ 5.7°S., 149.7°E. h about 57 km. New Britain. USCGS.
		ePKP	13	29	51				
		ePP	31	47	-				
		ePKS	33	09	-				
		eSKKKS	49	43	-				
		M	14	29	-				
		M	30	-	20				
		M	30	-	20				
F	15	45	-						



KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND

SEISMOLOGICAL BULLETIN

..... JULY, ..... 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
7	NE	e F	17	35 55	-		μ	km.	Small. 24.8°N., 98.5°E. Burma-China border. USCGS.
7	ZV,Z	iPKP <sub>1</sub>	22	39	13				20.1°S., 169.2°E. h about 89km. Loyalty Islands region. USCGS.
	ZV,Z	iPKP <sub>2</sub>		39	23				
	E	M	23	46	-	20	$\frac{1}{2}$		
	N	M		46	-	20	1		
		F	24	30	-				
✓ 8	ZV,Z	ePKP	02	54	59	8	2.1		
	E	eSS	03	18	27				20.0°S., 168.8°E. h about 52 km. Loyalty Islands. USCGS.
	E	M	04	03	-	20	2		
	N	M		04	-	20	$2\frac{1}{2}$		
	Z	M		04	-	20	2		
		F	05	20	-				Mag.: M = 5 $\frac{3}{4}$
✓ 8	ZV,Z	ePKP	15	54	18	6	3.4		
	ZV,Z	i		54	21				20.1°S., 169.8°E. h about 44 km. Loyalty Islands. USCGS.
	E	M	17	02	-	20	3		
	N	M		02 $\frac{1}{2}$	-	21	$4\frac{1}{2}$		
	Z	M		02 $\frac{1}{2}$	-	20	$2\frac{1}{2}$		
		F	18	15	-				Mag.: M = 6-6 $\frac{1}{4}$
8	ZV,Z	e(P)	21	33	40				
	ZV	i		33	45				
	E	M	22	40	-	22	1		
	N	M		40	-	22	$1\frac{1}{2}$		
		F	-	-	-				overlapped by next shock.
✓ 8	ZV,Z	iPKP	22	08	47				20.2°S., 169.0°E. Loyalty Islands region. USCGS.
	E	M	23	15	-	22	$\frac{1}{2}$		
	N	M		15	-	22	1		
		F	24	10	-				
9	NE	e F	07	05 30	-				Small. 15.0°N., 87.2°W. Honduras. USCGS.
9	ZV,Z	eP	08	14	16				Small. 28.8°N., 54.7°E. Iran. USCGS.
	ZV	i		14	21				
		F		50	-				
10	NE	e F	04	13 50	-				Very small. 19.2°S., 68.4°W. Chile-Bolivia border. USCGS.
✓ 11	ZV,Z	eP	09	44	25	5	1.5		8.3°N., 93.3°E. h about 163 km. Nicobar Islands region. USCGS.
	N	e		54	49				
	E	M	10	24	-	20	$1\frac{1}{2}$		
	N	M		24	-	20	4		
	Z	M		24	-	20	1		
		F	11	40	-				Mag.: M = 5.8
12	ZV,Z	iP	02	53	14				
	N	eL		59	-				
	E	M	03	00 $\frac{1}{2}$	-	18	$\frac{1}{2}$		40.1°N., 23.5°E. h about 129km. Greece. USCGS.
	N	M		00 $\frac{1}{2}$	-	18	2		
		F		10	-				

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND

SEISMOLOGICAL BULLETIN

..... JULY, ..... 19 61.

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
13	NE E N	e M M F	22	20	-				22.8°N., 122.7°E. h about 100 km. Off Formosa. USC GS.
				34	-	20	2½		
				34	-	20	3		
			23	00	-				
15	NE	e F	00	55	-				Small. 13.1°N., 120.4°E. Luzon. USC GS.
			01	35	-				
16	NE	e F	15	20	-				Small. 22.7°S., 171.2°E. Loyalty Islands region. USC GS.
			16	05	-				
17	E E	eSKS M F	01	23	46				16.7°N., 97.7°W. Oaxaca, Mexico. USC GS.
				50	-	20	½		
			02	10	-				
17	ZV,Z N E E N Z	eP eS e M M F	16	32	57			9400	35.7°N., 141.2°E. h about 75 km. Near Honshu, Japan. USC GS.  Mag.: M = 5¾-6
				43	14				
				43	38				
			17	12½	-	20	3½		
				16	-	18	4		
				16	-	18	1½		
18	ZV,Z ZV,Z NE NE Z N NE E N Z	iP iPP eSKS iS ePS eSS eLR M M M F	14	16	32	8	8.5	9900	Dilatation. PH 10sec. 3.7 μ PPH 10sec. 3.2 μ  29.4°N., 131.6°E. h about 21 km. Northern Ryukyu Islands. USC GS.  Mag.: M = 7.1
				20	04	8	5.8		
				26	58				
				27	16	11	20(H)		
				28	18				
				33	00				
				44	-				
				56	-	21	165		
				56½	-	19	70		
				57	-	20	27		
18	ZV	eP	14	46	55			29.9°N., 131.2°E. Ryukyu Islands. USC GS.	
18	NE	e F	20	10	-				Small. 29.3°N., 131.6°E. Ryukyu Islands. USC GS.
				40	-				
18	NE	e F	24	30	-				Small. 29.7°N., 131.4°E. Ryukyu Islands. USC GS.
				50	-				
19	NE	e F	04	40	-				Very small. 58.8°S., 25.3°W. Sandwich Islands. USC GS.
			05	00	-				
19	NE	e F	06	15	-				Very small. 29.2°N., 131.2°E. Ryukyu Islands. USC GS.
				40	-				
19	NE	eL F	07	15	-				Small. 29.6°N., 131.7°E. Ryukyu Islands. USC GS.
				50	-				
19	K	e F	11	20	-				Small. 29.8°N., 131.5°E. Ryukyu Islands. USC GS.



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

JULY, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
✓ 19	E	eS	12	22	23			29.6°N., 131.5°E. Northern Ryukyu Islands. USCGS.	
	E	M		51½	-	21	1½		
	N	M		51½	-	20	1½		
		F	13	20	-				
19	ZV,Z	eP	23	05	29			2300 Dilatation. 37.7°N., 20.2°E. h about 37 km. Near coast of Greece. USCGS.	
	E	eS		09	12				
	NE	eL		21	-	16	2		
	N	M		13½	-	16	2		
	E	M		15	-	16	2		
		F		35	-				
20	NE	e	07	35	-			10.3°N., 124.9°E. h about 25 km. Samar, Philippine Islands. USCGS.	
	N	M		52	-	19	1½		
	E	M		53	-	19	1		
		F	08	15	-				
20	NE	e	09	50	-			Very small. 28.4°N., 133.6°E. Ryukyu Islands. USCGS.	
		F	10	15	-				
20	NE	e	21	25	-			Very small. 31.8°S., 177.2°W. Kermadec Islands. USCGS.	
		F	22	00	-				
21	NE	e	04	40	-			Very small.	
		F	05	00	-				
21	NE	e	19	20	-			29.6°N., 131.6°E. Northern Ryukyu Islands. USCGS.	
	N	M		44	-	18	1½		
	E	M		46	-	18	1½		
		F	20	25	-				
21	NE	e	23	25	-			Very small. 29.6°N., 131.6°E. Ryukyu Islands. USCGS.	
		F		55	-				
✓ 23	ZV,Z	ePKP	14	23	17			18.5°S., 168.2°E. h about 44 km. New Hebrides Islands.  Mag.: M = 6½ overlapped by next shock.	
	NE	eL	15	11	-				
	Z	M		36½	-	20	2		
	E	M		36½	-	20	6½		
	N	M		37½	-	20	2½		
		F	-	-	-				
23	ZV,Z	ePKP	14	36	13			18.4°S., 168.1°E. New Hebrides. USCGS.	
✓ 23	ZV,Z	ePKP	15	49	55			18.3°S., 168.3°E. h about 44 km. New Hebrides Islands. USCGS.  Mag.: M = 7½	
	N	M	16	55	-	20	3		
	E	M		56	-	20	1½		
	Z	M		56	-	20	1		
		F	17	55	-				
23	ZV,Z	iPKP	22	10	45	8	35	16500 Compression. PFH 16sec. 18.7 μ	
	ZNE	ePP		14	09	12	10		
	NE	eSS		34	11				
	E	eLQ		52	-				
	Z	M	23	16	-	21	42		
	N	M		16	-	21	108		
	E	M		17	-	22	78		
		F	26	30	-				

M.O. / 02

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

JULY, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
23	ZV,Z	iPKP	22	21	35				
24	ZV	ePKP	00	05	57				18.4°S., 167.8°E. New Hebrides. USCGS.
24	ZV ZV	ePKP <sub>1</sub> ePKP <sub>2</sub>	01	49	40 49				21.1°S., 179.3°W. h about 642 km. Fiji Islands. USCGS.
25	ZV E	eP eS	02 03	59 09	50 27			9500	8.8°S., 71.3°W. h about 642 km. Western Brazil. USCGS.
25	NE	e F	09 10	50 05	- -				Very small. 18.4°S., 167.7°E. New Hebrides. USCGS.
27	NE N	e M F	18 19	46 50 00	- - -	19	1 1/2		35.2°N., 25.4°E. Aegean Sea. USCGS.
28	ZV,Z ZV,Z ZV,Z E ZNE E N E N	iP ipP ePP eSKS ePS eSS eL M M F	01	17 18 20 27 28 33 41 52 52	44 18 56 51 48 28 - - -	5 18 18	2.8 2 1/2 1 1/2	9300	Compression. Depth = 133 km. 2.2°S., 77.1°W. Ecuador. USCGS.
28	ZV,Z Z NE E N	ePKP ePP eSS M M F	06 07 08	31 34 53 31 32 40	18 38 43 - - -	8 20 20	1.2 1 1/2 1 1/2		Mag.: M = 6-6 1/4 18.6°S., 167.7°E. h about 41 km. New Hebrides Islands. USCGS.
28	N N E	eSKS M M F	10 11	36 03	50 - -	18 18	2 1/2 3 1/2		20.0°N., 109.2°W. Pacific Ocean. USCGS.
28	NE	eL F	11	15 50	- -				20.2°N., 109.1°W. Pacific Ocean. USCGS.
28	ZV	iP	15	31	56				43.4°N., 146.1°E. Kurile Islands. USCGS.
29	N	e F	12 13	50 10	- -				Small.
29	ZV,Z ZV,Z E N	ePKP <sub>1</sub> ePKP <sub>2</sub> M M F	16 17 18	47 47 57 57 50	15 25 - - -	20 20	1 1		23.9°S., 176.1°W. h about 23 km. Tonga Islands region. USCGS.





AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

R6

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR AUGUST, 19 61

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: (I) GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE"

(LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T <sub>1</sub> sec.	PENDULUM FREE PERIOD T. sec.	DAMPING CONSTANT μ <sup>2</sup> .	$\frac{Ah}{\pi l}$ sec. <sup>-1</sup>
N.	1 October 1960	21.3	21.4	+0.01	64.0
E.	1 November 1960	20.7	20.7	-0.01	59.3
Z.	1 September 1960	11.1	9.1	+0.01	156.0

(II) VERTICAL SEISMOGRAPH, PERIOD 1.5 SECS., DIRECT OPTICAL REGISTRATION (ZV).

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK.

TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY.

SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.			PERIOD.	AMPLITUDE.	Δ	REMARKS.
			h.	m.	s.				
1	N	e F	00	43 50	- -				Very small.
1	NE	e F	03	38 50	- -				Very small. 15.5°N., 46.6°W. Atlantic Ocean. USCGS.
1	ZV,Z	ePKP	05	59	13				9.8°S., 160.5°E. h about 50 km. Solomon Islands region. USCGS.
	Z	eFP	06	01	45	6	1.3		
	NE	eL		34	-		13		
	N	M	07	59	-	22	8		
	E Z	M F	07	01 01	- -	21 21	3½		
1	Z	eFP	07	40	21				56.8°S., 25.1°W. h about 44 km. Sandwich Islands region. USCGS.
	E	M	08	23½	-	18	7		
	N	M		24	-	18	12½		
	Z	M F		24 -	- -	18	8½		
1	E	e(S)	10	01	31				57.1°S., 26.1°W. h about 31 km. Sandwich Islands. USCGS.
	N	e		03	15				
	N	eSS		09	17				
	E	M		36½	-	19	2½		
	N	M		36½	-	19	4		
	Z	M F		36½ 40	- -	19	3		
1	NE	e F	15	35	-				Very small. 17.8°S., 167.7°E. New Hebrides Islands. USCGS.
			16	20	-				



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

AUGUST, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
2	NE	e F	02	25	-				Very small. 53.3°S., 134.9°W. South Pacific Ocean. USCGS.
2	NE	e F	02	50	-				18.9°S., 168.0°E. New Hebrides. overlapped by next shock.
2	E N Z	M M M F	03	36	-	19	1		56.7°S., 24.8°W. Sandwich Islands. USCGS.
				37	-	18	2		
2	NE N	e M F	03	37	-	18	1		57.6°S., 26.6°W. Sandwich Islands. USCGS.
			04	15	-				
2	NE N	e M F	04	50	-				57.6°S., 26.6°W. Sandwich Islands. USCGS.
			05	02	-	18	1/2		
2	ZV,Z	iP	12	24	14				Compression. 44.5°N., 148.7°E. Kurile Islands. USCGS.
3	ZV,Z NE NE	iP eS e F	03	18	07			6860	Dilatation. 18.2°N., 66.2°W. h about 141 km. Puerto Rico. USCGS.
			04	26	15				
			04	27	43				
3	NE E N	e M M F	07	19	-				3.5°S., 130.8°E. Ceram. USCGS.
			08	01	-	20	1		
				01	-	20	1/2		
4	ZV,z NE N E N	e(P) e(S) eL M M F	18	41	54			3580	34.8°N., 38.7°W. h about 26 km. North Atlantic Ocean. USCGS.
				47	04				
				49.0	-	19	2		
				50 1/4	-	19	4		
				50 1/2	-				
4	ZV,Z NE NE E N	iP eS eL M M F	23	05	04			9000	45.3°N., 151.1°E. Kurile Islands. USCGS.
				15	08				
				27	-	18	1 1/2		
				44	-	19	2 1/2		
				24	30	-			
7	NE NE N E	e eL M M F	04	49	-				2.7°S., 121.6°E. Celebes. USCGS.
			05	18	-	22	1 1/2		
				34	-	20	1 1/2		
				34 1/2	-				
7	NE N E	e M M F	13	40	-				28.1°S., 176.5°W. Kermadec Islands region. USCGS.
				53	-	20	1		
				54	-	20	1/2		
			14	40	-				

M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

AUGUST, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS		
			h.	m.	s.					sec.	μ
8	ZV,Z	iP	12	30	18			8700	Dilatation. Disturbed by microseisms. 50.9°N., 170.7°W. h about 24 km. Fox Islands, Aleutian Islands. USCGS.		
	ZV,Z	ePP		33	22						
	NE	iS		40	09	12	5.0 (H)				
	NE	eLR		55	-						
	Z	M		13	07	-	20			4	
	N	M			07	-	20			6½	
	E	M			07½	-	20			4½	
		F	14	10	-			Mag.: M = 6-6½			
9	ZV,Z	iPKP	16	22	14				19.1°S., 168.7°E. New Hebrides Islands. USCGS.		
	ZV,Z	i		22	27						
10	NE	e	02	05	-				Very small. 54.1°N., 131.9°E. U.S.S.R. USCGS.		
		F		30	-						
10	NE	e	12	50	-				Very small. 37.2°N., 136.9°E. Near Honshu, Japan. USCGS.		
		F		13	10	-					
11	NE	e	05	10	-				Very small. 32.5°N., 131.3°E. Kyushu, Japan. USCGS.		
		F		35	-						
11	NE	e	06	50	-				Small. 32.6°N., 131.4°E. Kyushu, Japan. USCGS.		
		F		07	30	-					
11	ZV,ZNE	iP	16	03	48	6	22.6	9100	Compression. Depth = 71 km. PH 12 sec. 10.3 μ 42.9°N., 145.1°E. Eastern Hokkaido, Japan. Slight tsunami. USCGS.		
	ZV,Z	ipP		04	07						
	ZV,Z	iPP		06	54						
	NE	iS		13	53	11	47 (H)				
	E	i		14	08						
	Z	iSP		14	37						
	E	eSS		18	51						
	E	eL		25	-						
	N	M			38½	-	24			137	
	E	M			39	-	22			80	
	Z	M			39	-	24			57	
			F	20	20	-					Mag.: M = 7.5
	11	Z	e (PP)	22	56	29					
NE		ePKS	23	04	23						
E		M		49	-	20	1½				
N		M		49	-	21	1½				
		F	24	40	-						
11	ZV	iP	23	46	05				42.8°N., 145.1°E. Eastern Hokkaido, Japan. USCGS.		
	ZV	i		46	17						
	ZV	i		46	30						
13	NE	eL	06	42	-				Small. 25.3°N., 121.5°E. Near Formosa. USCGS.		
		F		07	20	-					
13	NE	e	22	39	-				Small. 45.0°N., 9.9°E. North Italy. USCGS.		
		F		43	-						
14	NE	e	01	08	-				Very small. North Italy.		
		F		12	-						



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

AUGUST,

1961

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
✓ 14	ZV,Z	ePKP	19	10	47			24.2°S., 175.7°W. Tonga Islands region. Mag. 5½ (Berk) USCGS.	
	NE	eL		54	-				
	E	M	20	18	-	20	1½		
	N	M	21	18	-	20	1½		
		F	21	10	-				
✓ 14	NE	eL	22	48	-			31.8°N., 131.2°E. Off Kyushu, Japan. USCGS.	
	E	M	23	00	-	20	1½		
	N	M		00	-	20	1		
		F		25	-				
✓ 14	ZV,Z	iPKP	23	48	23			20.3°S., 169.4°E. h about 97 km. New Hebrides Islands region. USCGS.  Mag.: M = 6-6¼	
	ZV,Z	i		48	27				
	NE	eL	24	37	-				
	E	M		55	-	22	3½		
	N	M		55	-	22	4½		
	Z	M		55	-	22	2½		
	F	25	50	-					
✓ 15	ZV,Z	iP	19	16	53			10000  32.8°N., 142.4°E. h about 39 km. South of Honshu, Japan. USCGS.  Mag.: M = 5¾	
	NE	eS		27	42				
	NE	eL		47	-				
	E	M		57	-	19	3½		
	N	M	20	02	-	18	3½		
	Z	M		02	-	18	1		
	F		35	-					
16	NE	e	16	45	-			13.8°S., 14.7°W. South of Ascension Island. USCGS.	
	N	M		55	-	20	2		
	E	M		56	-	18	2		
	Z	M		56	-	18	1		
	F	17	05	-					
✓ 17	Z	iP	21	28	49	5	6.4	8800 Dilatation. PH 6 sec. 3.6 μ Depth = 170 km. 46.3°N., 149.3°E. Kurile Islands. USCGS.  Mag.: M = 6.5	
	Z	ipP		29	31				
	Z	ePP		31	50				
	NE	eS		38	33	12	8.5(H)		
	E	esSS		44	40				
	E	M	22	01½	-	26	10		
	N	M		01½	-	24	6		
		F	23	00	-				
18	NE	e	06	50	-			Very small.	
		F	07	00	-				
✓ 19	ZV,ZE	iP	05	21	30	8	11.7	9450 Dilatation. PH 12 sec. 6.9 μ Depth = 600 km.  10.7°S., 71.0°W. h about 649 km. Peru-Brazil border. USCGS.  Mag.: M = 7.0 overlapped by next shock.	
	ZV,Z	ipP		23	40				
	ZE	iPP		24	50				
	ZNE	iSKS		30	56				
	NE	iS		31	08	11	77(H)		
	ZE	iSP		32	16				
	NE	esS		35	04				
	NE	eSS		37	08				
		F	-	-	-				
19	ZV,Z	iP	05	29	16				
19	ZV,Z	iP	05	39	08				

M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

AUGUST, 1961

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
19	ZV,Z	iP	05	46	08	4	3.2	9500	Compression. 36.0°N., 136.5°E. h about 17 km. Off coast of Honshu, Japan. 5 killed, many injured, moderate property damage. USCGS.  Mag.: M = 7.0
	ZV,Z	ePP		49	28				
	NE	eS		56	36	12	14.2(f)		
	Z	ePS		57	32				
	NE	eLR	06	14	-				
	E	M		21	-	20	80		
	N	M		21	-	21	64		
Z	M		26	-	16	22			
	F		08	50	-				
20	NE	e	02	45	-				Very small. 17.8°S., 169.0°E. New Hebrides Islands. USCGS.
		F	03	20	-				
20	ZV,Z	iPKP	05	23	55				Compression. 17.8°S., 178.8°W. Fiji Islands. USCGS.
	ZV,Z	epPKP		25	05				
21	ZV,Z	iP	07	09	19				36.3°N., 71.5°E. Hindu-Kush. USCGS.
21	ZV,Z	ePKP	16	26	32				17.8°S., 174.4°W. Tonga Islands. USCGS.
21	ZV	i(P)	17	12	54				40.9°N., 138.9°E. Japan. USCGS.
23	ZV,Z	iP	04	21	20			5450	Compression. 38.7°N., 68.7°E. h about 25 km. Tadzhik S.S.R. USCGS.  Mag.: M = 5 1/4
	E	eS		28	21				
	NE	eL		39	-				
	E	M		45	-	20	4 1/4		
	N	M		45	-	20	1 1/2		
	Z	M		45	-	20	2 1/2		
	F		05	00	-				
24	NE	e	22	10	-				Very small. 21.3°S., 173.1°E. Loyalty Islands. USCGS.
		F		35	-				
24	ZV,Z	e(P)	22	53	07				43.0°N., 145.0°E. Hokkaido. USCGS.
25	ZV	e(Pg)	12	24	41			950	47.5°N., 10.5°E. Algau Alps. BCIS.
	ZV,NE	e(S)		25	33				
	NE	e(Sg)		26	33				
	N	M		27	-	14	1 1/2		
		F		29	-				
27	ZV,Z	eP	02	02	49				15.3°S., 13.1°W. South of Ascension Island. USCGS.
	E	eL		21	-				
	E	M		26 1/2	-	20	1 1/2		
	F		45	-					
27	ZV,Z	eP	16	34	17			8940	Confused by microseisms. 46.6°N., 154.1°E. h about 31 km. Kurile Islands. USCGS. Mag.: M = 5 1/2 overlapped by next shock.
	NE	eS		44	19				
	E	M	17	08	-	20	3 1/4		
	N	M		08	-	20	2 1/2		
	F		-	-	-				
27	ZV,Z	ePP	17	06	12				Confused by microseisms. 18.3°N., 146.6°E. Mariana Islands. USCGS.  Mag.: M = 6
	E	M		50	-	24	4		
	N	M		50	-	24	5		
		F	18	30	-				



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

AUGUST, 1961

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS	
			h.	m.	s.					sec.
27	ZV,Z	iP	22	13	53			2650	35.9°N., 23.7°E. h about 69 km. Near west coast of Crete. USCGS.	
	NE	eS		18	01					
	N	eL		20 $\frac{1}{2}$	-					
	N	M		23 $\frac{1}{2}$	-	20	3			
	E	M		24 $\frac{1}{2}$	-	20	3			
		F		35	-					
28	ZV,Z	iPKP	10	02	57				18.6°S., 178.0°W. h about 574 km. Fiji Islands. USCGS.	
	ZV,Z	ipPKP		05	07					
28	NE	e	21	34	-				Small.	
		F		40	-					
28	ZV,Z	eP	21	40	12				14.0°S., 74.4°W. Near Peru. USCGS.	
29	NE	e	15	25	-				Small. 52.2°N., 170.8°W. Fox Islands. USCGS.	
		F		50	-					
30	NE	eS	03	51	51				7.0°N., 33.2°W. h about 69 km. North Atlantic Ocean. USCGS.	
	NE	eL		57	-					
	E	M		58 $\frac{1}{2}$	-	18	1			
	N	M		59	-	18	1 $\frac{1}{2}$			
		F		04	20	-				
31	ZV,Z	iP	02	00	19	6	4.2	9570	Dilatation. PH 9 sec. 2.6 μ Depth = 600 km. 10.6°S., 70.9°W. Peru-Brazil border. USCGS. Mag.: M = 6.5 overlapped by next shock.	
	ZV,Z	ipP		02	27					
	E	iSKS		09	48					
	NE	iS		10	03	12	33(H)			
	NE	esS		13	46					
		F	-	-	-					
31	ZV,Z	iP	02	08	48	8	16		Dilatation. PH 12 sec. 9.3 μ Depth = 610 km. 10.4°S., 70.7°W. Peru-Brazil border. USCGS.  Mag.: M = 7.3	
	ZV,Z	i		08	50					
	ZV,Z	ipP		11	00					
	E	iSKS		18	17					
	EN	iS		18	32	12	145(H)			
	NE	eSP		19	36					
	NE	eSS		24	38					
		F		05	30	-				

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

R6.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR SEPTEMBER, 19 61.

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: (I) GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE"

(LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T <sub>1</sub> sec.	PENDULUM FREE PERIOD T. sec.	DAMPING CONSTANT μ <sup>2</sup>	$\frac{Ak}{\pi l}$ sec. <sup>-1</sup>
N.	1 October 1960	21.3	21.4	+0.01	64.0
E.	1 November 1960	20.7	20.7	-0.01	59.3
Z.	1 September 1960	11.1	9.1	+0.01	156.0

(II) VERTICAL SEISMOGRAPH, PERIOD 1.5 SECS., DIRECT OPTICAL REGISTRATION (ZV.).

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK.

TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY.

SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.			PERIOD.	AMPLITUDE.	Δ	REMARKS.
			h.	m.	s.				
✓ 1	Z,N	eP	00	24	06	10	0.9	12500	IN 16 sec. 0.6 μ PFH 16sec. 3.4 μ
		ZN		28	46	8	2.9		
		E		36	28	16	14.2(H)		
		E		37	22				
		N		38	16				
		E		44	18				
		E		55	-				
		M	01	09 $\frac{1}{2}$	-	20	8 $\frac{1}{2}$		
		N		11 $\frac{1}{2}$	-	20	11 $\frac{1}{2}$		
		Z		11 $\frac{1}{2}$	-	20	6 $\frac{1}{2}$		
1	ZV	iPKP	16	55	40				Mag.: M = 7.2
1	ZV	iPKP	19	00	10				16.4°S., 176.6°W. Fiji Islands. USCGS.
✓ 1	ZV,Z	eP	19	02	47	8	1.9	9300	13.5°N., 92.5°W. h about 37 km. Off coast of Guatemala. USCGS.
		ZV,Z		05	53	8	3.1(H)		
		NE		13	07	8			
		N		26	-				
		Z		36 $\frac{1}{2}$	-	20	2 $\frac{1}{2}$		
		N		36 $\frac{1}{2}$	-	20	3		
		E		38 $\frac{1}{2}$	-	19	5		
		M	20	30	-				
		F							
2	ZV	iP	00	37	56				Compression. 52.0°N., 170.9°W. h about 39 km. Fox Islands. USCGS.
		NE	01	00	-				
		N		14	-	20	1		
		F		40	-				



**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

SEPTEMBER, 19 61

**SEISMOLOGICAL BULLETIN**

DATE	COMPT.	PHASE	G.M.T.			PERIOD sec.	AMPLI- TUDE $\mu$	$\Delta$ km.	REMARKS
			h.	m.	s.				
2	NE	e F	11	30 45	- -				Very small. 2.0°S., 67.5°E. Indian Ocean. USCGS.
2	ZV,Z NE E N	eP eL M M F	14	20 27 28 28 35	54 - - - -		$\frac{1}{2}$ $\frac{1}{2}$		38.9°N., 23.6°E. h about 20 km. Near coast of Greece. USCGS.
4	NE	e F	00	33 37	- -				Very small. 41 $\frac{3}{4}$ °N., 2 $\frac{1}{2}$ °W. Spain. BCIS.
4	NE	e F	05 06	40 05	- -				Very small. 46.9°N., 154.2°E. Kurile Islands. USCGS.
✓ 4	ZV,Z E N	eP M M F	10	01 38 38 10	06 - - -	20 20	$\frac{1}{2}$ $\frac{1}{2}$		51.4°N., 178.1°W. Andreanof Islands. USCGS.
5	NE	e F	00	50 57	- -				Small. 38.4°N., 23.5°E. Near coast of Greece. USCGS.
5	NE	e F	01	28 38	- -				Small. 38.3°N., 23.5°E. Near coast of Greece.
5	NE	e F	02 03	48 15	- -				Small. 80.0°N., 2.3°W. Arctic Ocean. USCGS.
✓ 5	ZV,Z EV,Z NE E	eP e eS M F	06	21 22 29 48 $\frac{1}{2}$ 05	56 27 09 - -	20	$\frac{1}{2}$	5700	38.6°N., 73.3°E. h about 50 km. Tadzhik S.S.R. USCGS.
✓ 5	ZV,Z ZV,Z ZV,Z NE NE E E N Z	eP e eP eS ePS eL M M M F	11	45 45 48 54 54 02 16 16 16 15	27 38 01 15 32 - - - - -	5 6 6 6 6 16 16 16 -	1.7 1.5 1.5 1.5 1.5 4 4 4 3	7400	59.8°N., 150.6°W. h about 44 km. Kenai Peninsula. USCGS.  Mag.: M = 6 $\frac{1}{4}$
8	NE E N	e M M F	05	20 34 34 00	- - - -	18 18	$\frac{1}{2}$ $\frac{1}{2}$		51.8°N., 131.2°W. h about 54 km. Queen Charlotte Islands. USCGS.
8	Z ZV,Z NE NE NE ZN ZN NE	eP ePP eSKS e eS ePS ePPS eSS	11	40 45 51 52 52 54 55 00	50 26 17 13 51 49 41 53	6 6 13	2.9 12(H)	12150	PPH 16 sec. 3.1 $\mu$  56.1°S., 27.3°W. h about 125 km. Sandwich Islands region. USCGS.

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

SEPTEMBER, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
cont'd. 8	NE	eSSS	12	04	45				
	E	eL <sub>Q</sub>		11	-				
	N	eL <sub>R</sub>		14 <sup>1</sup> / <sub>2</sub>	-				
	E	M		24	-	20	45		
	N	M		25	-	22	59		
	Z	M		25	-	22	34		
		F	15	10	-				Mag.: M = 7.3
9	NE	e	09	50	-				Very small. 52.5°N., 169.4°W.
		F	10	10	-				Fox Islands. USCGS.
9	NE	e	19	50	-				Small. 1.5°N., 90.6°W.
		F	20	15	-				Galapagos Islands. USCGS.
10	ZV,Z	eP	04	57	42				22.7°S., 63.1°W. Argentina. USCGS.
10	E	eL	09	14	-				Ho = 09 00 10 (BCIS)
	N	eL		17	-				
	E	M		21	-	24	1.0		
	M	M		21	-	24	1.2		Nuclear explosion in Novaya
	N	M		24 <sup>1</sup> / <sub>2</sub>	-	13	2.5		Zemlya region.
	Z	M		24 <sup>1</sup> / <sub>2</sub>	-	13	1.7		
		F		30	-				
10	NE	e	16	30	-				Very small. 37.2°N., 36.6°E.
		F		45	-				Turkey. USCGS.
11	ZV,Z	iP	02	58	42				Small. 51.3°N., 179.7°W.
		F	03	55	-				Andreanof Islands. USCGS.
11	NE	e	20	55	-				Very small. 4.1°S., 134.3°E.
		F	21	20	-				Aroe Islands. USCGS.
12	E	eL	10	24	-				Confused by microseisms.
	N	M		32 <sup>1</sup> / <sub>2</sub>	-	12	1.2		Ho = 10 08 20 (BCIS)
	Z	M		32 <sup>1</sup> / <sub>2</sub>	-	12	0.9		Nuclear explosion in Novaya Zemlya.
		F		37	-				
12	ZV,Z	iP	12	39	19				Confused by microseisms.
									43.8°N., 147.8°E. Near Japan. USCGS.
12	NE	e	19	55	-				Small. Confused by microseisms.
		F	20	15	-				32.1°N., 115.1°W. California. USCGS.
12	NE	eL	20	20	-				Confused by microseisms.
	E	M		34	-	18	1 <sup>1</sup> / <sub>2</sub>		59.4°S., 29.2°W.
	N	M		34	-	18	2		Sandwich Islands. USCGS.
		F	21	10	-				
13	NE	eL	22	10	-				Confused by strong microseisms.
	E	M		22	-	22	3 <sup>1</sup> / <sub>2</sub>		41.6°S., 73.2°W. Southern Chile.
	N	M		22	-	22	3		USCGS.
		F		55	-				
14	ZV,Z	iP	08	10	33				Confused by strong microseisms.
	ZV,Z	i		10	38				33.6°N., 48.8°E. Iran. USCGS.

M.O. 100

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

.....SEPTEMBER,.....19.61.....

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS			
			h.	m.	s.					sec.	μ	km.
14	NE	eL	10	15	-			3280	Confused by microseisms. Ho = 09 56 30 (BCIS) Nuclear explosion in Novaya Zemlya.			
	N	M		20 <sup>3</sup> / <sub>4</sub>	-	12	1.4					
	Z	M		20 <sup>3</sup> / <sub>4</sub>	-	12	0.9					
		F		25	-							
✓ 15	ZV,Z	iP	01	52	11			3280	Compression. Confused by microseisms. Depth = 60 km. 35.1°N., 33.9°E. Cyprus. USCGS.  Mag.: M = 5 <sup>3</sup> / <sub>4</sub>			
	ZV,Z	ipP		52	26							
	E	eS		57	02	14	3.6					
	E	M	02	05	-	20	9					
	N	M		05	-	20	17					
	Z	M		06 <sup>1</sup> / <sub>2</sub>	-	16	10					
✓ 17	ZV	eP	08	54	51			3280	Confused by microseisms. 23.9°N., 122.2°E. Off Formosa. USCGS. Break in recording between 09 32 - 09 40.			
	NE	eL	09	23	-							
	E	(M)		31 <sup>1</sup> / <sub>2</sub>	-	22	6					
	N	(M)		31 <sup>1</sup> / <sub>2</sub>	-	22	3					
18	NE	eL	00	25	-			3280	Small. 5.9°S., 147.4°E. Near New Guinea. USCGS.			
		F		45	-							
18	NE	eL	03	02 <sup>1</sup> / <sub>2</sub>	-			3280				
	E	M		04	-	20	2					
	N	M		05	-	18	1					
18	N	eL	05	22	-			3280	35.0°N., 26.3°E. h about 83 km. Crete. USCGS.			
	N	M		24	-	18	1					
		F		31	-							
18	NE	eL	08	19	-			3280	Ho = 07 59 52 (Kew) Nuclear explosion in Novaya Zemlya.			
	N	M		24	-	12	1.2					
	Z	M		24	-	12	0.9					
		F		26	-							
✓ 18	ZV	i(P)	11	08	06			3280	40.8°N., 50.1°E. Caspian Sea. USCGS.			
	ZV	i		08	15							
	E	M		25	-	20	1					
		F		35	-							
19	ZV,Z	iP	02	37	51			9900	Depth = 560 km.  20.3°S., 63.2°W. h about 609 km. Southern Bolivia. Mag. 6 <sup>1</sup> / <sub>2</sub> (Pas).			
	ZV,Z	epP		39	54							
	ZV,Z	ePP		41	32							
	NE	iSKS		47	27							
	E	ePS		49	05							
	N	esS		51	38							
	N	esSS		57	12							
		F	03	45	-							
	✓ 19	ZV,Z	eP	09	58	27					8950	6.7°N., 82.4°W. South of Panama. USCGS.  Mag.: M = 5.7
		ZV,Z	ePP	10	01	28						
NE		eS		08	30	11	2.6(H)					
E		eSS		13	50							
NE		eL	10	20	-							
E		M		33 <sup>1</sup> / <sub>2</sub>	-	20	2 <sup>1</sup> / <sub>2</sub>					
N		M		34	-	20	1 <sup>1</sup> / <sub>2</sub>					
Z		M		34	-	20	1					
		F	11	10	-							



## KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND

### SEISMOLOGICAL BULLETIN

SEPTEMBER, 19 61.

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
19	NE	e F	22 23	30 10	- -	-	-	-	Small. 60.1°S., 22.9°W. Sandwich Islands. USCGS.
20	NE N Z	e M M F	08	32 36 <sup>3</sup> / <sub>4</sub> 36 <sup>3</sup> / <sub>4</sub> 40	- - - -	- 12 12 -	- 1.1 0.8 -	-	Ho = 08 12 28 (Kew) Nuclear explosion in Novaya Zemlya.
✓ 20	ZV,Z ZV NE E N Z	eFKP ePP eSKKS M M M F	19	22 24 31 15 16 16 25	45 41 32 - - - -	- - - 20 24 22 -	- - - 3 <sup>1</sup> / <sub>2</sub> 3 <sup>1</sup> / <sub>2</sub> 1 <sup>1</sup> / <sub>2</sub> -	13800	3.6°S., 150.9°E. h about 30 km. New Britain. USCGS.  Mag.: M = 6
24	ZV,Z ZV,Z	iP epP	19	16 17	48 10	- -	- -	-	18.4°N., 98.6°W. h about 81 km. Mexico. USCGS.
✓ 24	ZV,Z NE E N	eP eL M M F	21 22	53 21 36 36 00	50 - - - -	- - 20 19 -	- - 1 <sup>1</sup> / <sub>2</sub> 1 -	-	33.3°N., 141.3°E. h about 93 km. South of Honshu, Japan. USCGS.
25	NE	e F	06	00 40	- -	- -	- -	-	Very small.
27	NE E	eL M F	13	00 09 <sup>1</sup> / <sub>2</sub> 45	- - -	- 18 -	- 2 <sup>1</sup> / <sub>2</sub> -	-	Confused by microseisms. 59.4°S., 24.2°W. h about 110 km. Sandwich Islands. USCGS.
27	ZV,Z	iP	19	32	36	-	-	-	Confused by microseisms. 52.5°N., 168.7°W. Fox Islands. USCGS.
✓ 27	ZV,Z NE E N	iP eL M M F	19 20	38 00 18 18 50	52 - - - -	- - 18 18 -	- - 2 1 <sup>1</sup> / <sub>2</sub> -	-	Confused by microseisms. 52.2°N., 168.7°W. Fox Islands. USCGS.
✓ 28	E NE E N	e eL M M F	03 04	48 06 19 <sup>1</sup> / <sub>2</sub> 20 55	36 - - - -	- - 20 20 -	- - 3 2 -	-	Confused by microseisms. 30.5°N., 141.3°E. h about 125 km. South of Honshu, Japan. USCGS.
28	ZV,Z ZV	iP i	22	45 45	12 20	- -	- -	-	27.6°N., 57.1°E. h about 56 km. Southern Iran. USCGS.
29	ZV ZV	iP i	17	02 03	51 07	- -	- -	-	Confused by microseisms. 42.9°N., 145.4°E. Japan. USCGS.
29	NE NE N E	e eL M M F	19 20	32 58 11 12 35	33 - - - -	- - 20 20 -	- - 1 2 <sup>1</sup> / <sub>2</sub> -	-	Confused by microseisms.
29	ZV	eP	22	50	22	-	-	-	1.7°N., 79.3°W. Near coast of Colombia. USCGS.
FORM 3718 30	EV	iP	00	33	33	-	-	-	44.4°N., 148.9°E. Kurile Islands. USCGS.





18 DEC 1961

Rb

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.SEISMOLOGICAL BULLETIN FOR OCTOBER 19 61

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: (I) GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE"

(LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T. sec.	PENDULUM FREE PERIOD T. sec.	DAMPING CONSTANT $\mu^2$ .	$\frac{Ak}{\pi l}$ sec. <sup>-1</sup>
N.	1 October 1960	21.3	21.4	+0.01	64.0
E.	1 November 1960	20.7	20.7	-0.01	59.3
Z.	1 September 1960	11.1	9.1	+0.01	156.0

(II) VERTICAL SEISMOGRAPH, PERIOD 1.5 SECS., DIRECT OPTICAL REGISTRATION (ZV.).

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK.

TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY.

SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.			PERIOD.	AMPLITUDE.	$\Delta$	REMARKS.
			h.	m.	s.				
2	Z	iP	07	26	33	13	5.4(H)	2500	37.2°N., 22.2°E. h about 72 km. Near coast of Greece. USCGS.
	NE	eS		30	29				
	NE	eL		34	-				
	N	M		36 $\frac{1}{2}$	-				
	E	M		37	-				
	Z	M		37	-				
		F	08	10	-			Mag.: M = 5-5 $\frac{1}{4}$	
2	NE	e	08	46	-	13	0.8	2500	Small.
		F	09	15	-				
2	N	e	10	54	-	13	0.8	2500	H <sub>0</sub> = 10 31 04 Nuclear explosion in Novaya Zemlya
		M		55 $\frac{1}{2}$	-				
		F		58	-				
4	NE	e	03	30	-	13	0.8	2500	Small. 13.2°S., 166.5°E. New Hebrides. USCGS.
		F	04	35	-				
4	NE	eL	07	49	-	12	2.4	2500	H <sub>0</sub> = 07 31 00 (BCIS) Nuclear explosion in Novaya Zemlya.
		M		55 $\frac{1}{2}$	-				
		F	08	00	-				
5	ZV, Z	ePKP	18	28	20	18	1 $\frac{1}{2}$	2500	19.4°S., 169.0°E. Loyalty Islands. USCGS.
5	E	e(S)	22	58	36	18	2	2500	
		NE	eL	23	18				
	E	M		33	-				
		M		33	-				
		F		45	-				



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

OCTOBER, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS	
			h.	m.	s.					sec.
6	ZV E	iP e(S) F	03	24 27 37	17 17 -			(1800)	36½°N., 1¼°E. Algeria. BCIS	
6	NE E N N Z	eL M M M F	07	16½ 20½ 20½ 24½ 30	- - - - -				H <sub>0</sub> = 07 00 10 (BCIS) Nuclear explosion in Novaya Zemlya.	
8	NE	e F	22 23	40 00	- -				Very small. 53.1°N., 166.7°W. Fox Islands. USCGS.	
10	NE E N	eL M M F	18	26 40 40 55	- - - -			20 20	1½ 1	4.7°S., 138.2°E. New Guinea. USCGS.
10	ZV,Z	iPKP	19	03	23				16.1°S., 176.3°W. Fiji Islands. USCGS.	
13	NE	e F	05 06	40 05	- -				Very small. 55.9°S., 27.2°W. Sandwich Islands region. USCGS.	
13	NE	e F	11 12	30 10	- -				Very small. 60.3°S., 34.3°W. Sandwich Islands region.	
13	ZV,Z	ePKP	17	47	54				22.0°S., 176.9°W. Tonga Islands. USCGS.	
14	ZV,Z ZV,Z	ePKP e	16	33 33	29 35				19.1°S., 168.4°E. New Hebrides. USCGS.	
17	NE E N	eL M M F	05	19 26 26 50	- - - -			20 20	3½ 5	Confused by strong microseisms. 55.8°S., 0.5°E. Bouvet Islands. Mag.: M = 6
18	N E NE NE E N Z	eS ePS eSS eL M M M F	17	18 20 26 37½ 50½ 50½ 50½	30 16 12 - - - -			16 22 22 22	4.3(H)	Confused by strong microseisms. 36.7°S., 72.6°W. h about 67 km. Near coast of Chile. USCGS. Mag.: M = 6½
20	NE N Z	eL M M F	08	24 31½ 31½ 35	- - - -			13 13	1.1 0.9	Confused by microseisms. H <sub>0</sub> = 08 07 10 (BCIS) Nuclear explosion in Novaya Zemlya.
22	NE	e F	11	00 40	- -				Small. 19.9°S., 172.4°E. New Hebrides Islands. USCGS.	

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

OCTOBER, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
23	N E E N Z	ePS	00	37	59				Confused by microseisms.  60.4°S., 33.4°W. Sandwich Islands region. USCGS.  Mag.: M = 6-6½
		eLQ		56	-				
		M	01	13½	-	20	3		
		M		13½	-	20	6		
		M		13½	-	20	4		
		F	02	10	-				
23	E E N N Z	eL	08	46	-				Ho = 08 31 26 (BCIS)  Nuclear explosion in Novaya Zemlya.
		M		51½	-	24	4.8		
		M		51½	-	24	5.0		
		M		55¾	-	13	5.6		
		M		55¾	-	13	4.9		
		F	09	01	-				
23	NE E N	e	15	24	-				Confused by strong microseisms.
		M		40½	-	22	6½		
		M		40½	-	22	9		
		F	16	30	-				
24	ZV,Z	iP	07	37	21				45.0°N., 146.4°E. Off Hokkaido, Japan. USCGS.
26	NE N E E N Z	e	01	16	15				Confused by microseisms.
		e		21	17				
		eL		33	-				
		M		53½	-	21	8½		
		M		54	-	21	10		
		M		54	-	21	8½		
		F	02	45	-				
26	NE N N E	e(S)	15	51	31				Confused by microseisms. 0.4°S., 98.6°E. Off west coast of Sumatra. USCGS.  Mag.: M = 6
		eL	16	07	-				
		M		27	-	20	5		
		M		31	-	20	4½		
		F	17	10	-				
28	ZV N	iP	10	54	12				33.7°N., 48.5°E. Iran. USCGS.
		M	11	11	-	20	1		
		F		25	-				
28	NE	e	15	40	-				Small. 38.7°S., 73.3°W. Near coast of Chile. USCGS.
		F	16	10	-				
28	N E N Z	e	23	07	38				
		M		25	-	14	2½		
		M		25	-	16	2½		
		M		25	-	16	2½		
		F		40	-				
28	NE	e	24	00	-				Very small. 13.9°S., 166.3°E. New Hebrides. USCGS.
		F		55	-				
29	NE E N Z	e(S)	09	32	49				49.0°N., 128.7°W. Vancouver Island region. USCGS.  Mag.: M = 6
		M		51	-	20	11		
		M		51½	-	20	7		
		M		51½	-	20	4		
		F	10	50	-				

M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

OCTOBER, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
29	NE	e F	15	20	-				Small. 48.7°N., 128.3°W. Vancouver Island. USCGS.
30	ZV,Z	eP	02	28	16				42.3°N., 126.7°W. Off coast of Oregon. USCGS.
	NE	eL		51	-				
	E	M	03	00	-	20	1½		
	N	M F		00	-	20	1½		
30	ZV	iP	08	39	55				H <sub>o</sub> = 08 33 30 (BCIS)  Nuclear explosion in Novaya Zemlya.
	N	ePcS		46	15				
	E	eL		48	-				
	E	M		54	-	24	8.3		
	N	M		54	-	24	7.7		
	N	M		58	-	13	12.5		
	Z	M F		58	-	12	6.5		
30	NE	e	13	30	-				Small. 1.0°N., 29.5°W. Mid-Atlantic Ocean. USCGS
		F		50	-				
30	NE	e F	22	00	-				28.9°N., 141.8°E. South of Honshu, Japan. USCGS.
31	NE N Z	eL	08	47	-				Confused by microseisms. H <sub>o</sub> = 08 29½ Nuclear explosion in Novaya Zemlya region.
		M		54	-	13	3.6		
		M		54	-	13	3.5		
		F	09	03	-				



AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

24 JAN 1962

R 6

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR NOVEMBER, 1961.

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: (I) GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE"

(LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1918).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T <sub>1</sub> sec.	PENDULUM FREE PERIOD T. sec.	DAMPING CONSTANT μ <sup>2</sup> .	$\frac{Ah}{\pi l}$ sec. <sup>-1</sup>
N.	1 October 1960	21.3	21.4	+0.01	64.0
E.	1 November 1960	20.7	20.7	-0.01	59.3
Z.	1 September 1960	11.1	9.1	+0.01	156.0

(II) VERTICAL SEISMOGRAPH, PERIOD 1.5 SECS., DIRECT OPTICAL REGISTRATION (ZV).

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK.

TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY.

SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.			PERIOD.	AMPLITUDE.	Δ	REMARKS.
			h.	m.	s.				
4	NE N Z	eL	07	38	-			Confused by microseisms. H = 07h. 21m. Possible nuclear explosion?	
		M		45 $\frac{1}{2}$	-	13	2.3		
		M		45 $\frac{1}{2}$	-	13	2.1		
		F		50	-				
6	NE N E	eL	06	36	-			13.3° S., 166.0° E. Santa Cruz Islands region. USCGS.	
		M		51	-	20	1 $\frac{1}{2}$		
		M		51	-	20	1 $\frac{1}{2}$		
		F		07 35	-				
7	NE	e	02	10	-			Small. 11.6° N., 126.1° E. Philippine Islands. USCGS.	
		F		25	-				
10	ZV	iPKP	18	19	29			17.5° S., 178.8° W. Fiji Islands. USCGS.	
12	E E N Z	eSS	02	36 $\frac{1}{2}$	-			Confused by microseisms. 08° N., 29.5° E. Congo region. USCGS.	
		M		53	-	16	3 $\frac{1}{2}$		
		M		53	-	16	5		
		M		53	-	16	3 $\frac{1}{2}$		
		F		03 20	-				
14	NE Z E N	eL	05	15	-			Confused by microseisms. 7.3° N., 82.4° W. Off coast of Panama. USCGS.	
		M		25	-	20	4		
		M		25	-	20	6		
		M		26	-	20	3		
		F		50	-				
15	ZV,Z ZV,Z Z	iP	07	29	27	6	9.8	9000 PH 12 sec. 4.0 μ PPH 20 sec. 3.7 μ Depth = 41 km.	
		ipP		29	39				
		ePP		32	25	6	1.5		

M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

NOVEMBER, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
contd.									
15	NE	iS	07	39	34	10	19 (H)		43.1°N., 145.1°E. Near coast of Hokkaido, Japan. USCGS.
	NE	e (sS)		39	53				
	NE	iPS		40	05				
	E	eSS		44	33				
	E	eL		52	-				
	N	M	08	04	-	24	37		
	Z	M		04 <sup>1</sup> / <sub>2</sub>	-	24	21		
	E	M		05	-	23	29		
		F	10	20	-				
								Mag.: M = 6 <sup>3</sup> / <sub>4</sub>	
18	NE	e	12	50	-				Small. 27.0°S., 176.3°W. Kermadec Islands. USCGS.
		F	13	25	-				
18	NE	e	22	50	-				Small. 23.7°N., 121.8°E. Near Formosa. USCGS.
		F	23	15	-				
20	NE	e	00	05	-				Small. 0.8°N., 124.3°E. Celebes. USCGS.
		F		40	-				
20	NE	e	04	30	-				
	N	M		36	-	16	1		
	E	M		38	-	16	1 <sup>1</sup> / <sub>2</sub>		
		F		50	-				
20	ZV,Z	ePKP	12	04	08				
	E	M	13	12 <sup>1</sup> / <sub>4</sub>	-	20	1 <sup>1</sup> / <sub>4</sub>		
	N	M		12 <sup>1</sup> / <sub>2</sub>	-	20	1 <sup>1</sup> / <sub>2</sub>		
		F	14	10	-				
20	ZV,Z	iP	18	05	21	5	3.0	4100	31.3°N., 40.9°W. h about 44 km. North Atlantic Ocean. USCGS.
	ZV	i		05	25				
	N	eS		10	58	9	2.4		
	E	eL		13	40				
	E	M		17 <sup>1</sup> / <sub>2</sub>	-	18	5		
		F	19	10	-				
23	ZV	e (Sn)	01	15	43				45.8°N., 9.5°E. Italian Alps. BCIS
	ZV	i		16	17				
	ZV	e		16	48				
		F		20	-				
25	ZV,Z	e (P)	20	32	29				Confused by microseisms. 36.4°N., 141.4°E. Near Honshu, Japan. USCGS.
	E	M	21	11	-	23	2		
		F		30	-				
27	E	eL	06	40	-				Confused by strong microseisms. 31.6°N., 131.1°E. Near coast of Kyushu, Japan. USCGS.
	E	M		52	-	22	5		
	N	M		52 <sup>1</sup> / <sub>2</sub>	-	22	3		
	Z	M		52 <sup>1</sup> / <sub>2</sub>	-	22	4		
		F	07	20	-				
									Mag.: M = 6
27	E	e	17	39	37				Confused by strong microseisms.
	E	M	18	21	-	20	5		
	N	M		21	-	20	2		
		F		50	-				

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

NOVEMBER, 19 61

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
28	ZV	e (P)	09	03	33				Confused by microseisms. 39.4°N., 27.2°E. Anatolia. BCIS
	N	M		11	-	16	3		
	E	M		12	-	16	2		
		F		20	-				
29	E	e	10	04	-				
	E	M		11½	-	20	5½		
		F		25	-				





1914

1915

Year	Month	Day	Time	Location	Magnitude	Depth	Remarks
1914	Jan	1	10:00	San Francisco	2.5	10	Small earthquake
1914	Jan	15	14:30	San Francisco	2.8	12	Small earthquake
1914	Jan	30	08:00	San Francisco	2.2	8	Small earthquake
1915	Jan	1	12:00	San Francisco	2.6	10	Small earthquake
1915	Jan	15	16:00	San Francisco	2.9	12	Small earthquake
1915	Jan	30	09:00	San Francisco	2.3	9	Small earthquake

M.O. 703

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

R6

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

54

SEISMOLOGICAL BULLETIN FOR DECEMBER, 19 61

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: (I) GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE"

(LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1918).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T <sub>1</sub> sec.	PENDULUM FREE PERIOD T. sec.	DAMPING CONSTANT μ <sup>2</sup> .	$\frac{Ah}{\pi l}$ sec. <sup>-1</sup>
N.	1 October 1960	21.3	21.4	+0.01	64.0
E.	1 November 1960	20.7	20.7	-0.01	59.3
Z.	1 September 1960	11.1	9.1	+0.01	156.0

(II) VERTICAL SEISMOGRAPH, PERIOD 1.5 SECS., DIRECT OPTICAL REGISTRATION (ZV.).

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK.

TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY.

SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.			PERIOD.	AMPLITUDE.	Δ	REMARKS.
			h.	m.	s.				
✓ 1	ZV,Z	ipP	21	26	31	6	4.9	9800	Dilatation. 26.5°N., 124.9°E. h about 206km. East China Sea. USCGS.
	NE	eSKS		35	47				
	NE	eS		36	03	10	3.6(H)		
	NE	eSP		37	13				
	E	iPS		37	44				
	E	M	22	08	-	20	3½		
	N	M		08½	-	20	2		
	F		35	-			Mag.: M = 6¼		
2	ZV,Z	iP	12	44	08			1950	36.5°N., 8.6°E. h about 62 km. Northern Tunisia. USCGS.
	ZV,Z	ipP		44	21				
	E	eS		47	19	10	2.3		
	N	eL		48	-				
	E	M		49½	-	18	3½		
	N	M		50	-	20	5½		
	N	M		50½	-	15	8½		
	E	M		51	-	12	6		
Z	M		51	-	12	3½			
	F		13	25	-			Mag.: M = 4¾	
3	NE	e	17	15	-				Very small. 11.6°S., 166.1°E. Santa Cruz Islands. USCGS.
		F		50	-				
3	NE	eL	18	47	-				Small. 41.2°N., 44.0°E. Armenia S.S.R.-Turkey border. USCGS.
		F	19	10	-				
✓ 4	ZV	iP	12	49	17				Confused by strong microseisms. 33.2°N., 95.3°E. Tibet.
	N	eL	13	08	-				
	E	M		17	-	20	8½		
	N	M		17	-	20	11		
	F		14	10	-				



**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

DECEMBER, 1961

DATE	COMPT.	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS	
			h.	m.	s.					sec.
✓ 5	NE E N	e M M F	14	10	-				Confused by strong microseisms. 50.8°S., 139.8°E. Southwest of Tasmania. USCGS. Mag.: M = 6 $\frac{1}{2}$ .	
				32 $\frac{1}{2}$	-	20	6 $\frac{1}{2}$			
			15	30	-		7 $\frac{1}{2}$			
✓ 6	ZV,Z NE E N	iP eL M M F	06	00	57				13.7°N., 93.6°E. h about 53 km. Andaman Islands. USCGS. Mag.: M = 5 $\frac{3}{4}$ -6.	
				26	-	20	4 $\frac{1}{2}$			
				38 $\frac{1}{2}$	-	20	5 $\frac{1}{2}$			
			07	15	-					
✓ 6	ZV E N	iPKP M M F	13	55	40				Confused by microseisms. 23.5°S., 176.0°W. Tonga Islands. region. USCGS.	
			15	03 $\frac{1}{2}$	-	20	3			
				03 $\frac{1}{2}$	-	18	3			
6	ZV,Z ZV,Z N N E E E N Z	iP i eS ePFS eSS eL M M M F	16	51	38			8400	Compression. Confused by microseisms. 49.4°N., 155.2°E. Kurile Islands. USCGS. Mag.: M = 6 $\frac{1}{4}$	
			17	01	15					
				02	03					
				06	00					
				12	-	20	11			
				30 $\frac{1}{2}$	-	20	13			
				31 $\frac{1}{2}$	-	20	6 $\frac{1}{2}$			
			18	20	-					
✓ 9	ZV NE E N	e(P) eL M M F	02	26	39					Confused by very strong microseisms. 56.3°N., 153.9°W. Kodiak Island, Alaska. USCGS. Mag.: M = 5 $\frac{3}{4}$
				44	-	20	4 $\frac{1}{2}$			
				57	-	20	5			
9	NE	e F	04	40	-				Small. Confused by very strong microseisms. 14.9°S., 75.7°W. Peru. USCGS.	
			05	10	-					
✓ 9	NE NE E N Z	eSS eL M M M F	11	53 $\frac{1}{2}$	-				Confused by strong microseisms. 43.7°S., 75.2°W. Near coast of southern Chile. USCGS. Mag.: M = 6 $\frac{3}{4}$	
			12	7 $\frac{1}{2}$	-	20	18			
				23 $\frac{1}{2}$	-	20	14			
				23 $\frac{1}{2}$	-	20	10			
			13	40	-					
9	ZV,Z ZV	iPKP i	20	08	29				21.7°S., 179.9°E. h about 620 km. Fiji Islands. USCGS.	
				08	38					
11	ZV	iP	16	58	07				36.5°N., 23.5°E. Near Greece. USCGS.	
12	ZV,Z ZV ZV	iP i i F	23	18	32				Compression. 43.5°N., 146.2°E. Near coast of Hokkaido, Japan. USCGS.	
			24	18	48					
				18	55					
			24	10	-					



M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

DECEMBER, 19 61

DATE	COMPT	PHASE	G.M.T.			PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.				
14	NE	eL	08	00	-				3.1°S., 140.9°E. Near coast of New Guinea. USCGS.
	E	M		24	-	22	2½		
	N	M		24	-	21	3		
		F		45	-				
17	NE	e	23	20	-				54.5°S., 143.9°E. South of Tasmania. USCGS.
	N	M		48	-	20	1½		
	E	M		50	-	20	1		
		F	24	30	-				
18	NE	eL	21	46½	-				
	N	M		48½	-	16	2½		
	E	M		49	-	16	1½		
		F		55	-				
20	ZV,Z	iP	13	37	10	6	2.0	8600	Dilatation. 46°N., 75.6°W. h about 176 km. Colombia. 23 killed, 100 injured, and moderate property damage. USCGS.
	ZV,Z	i		37	16				
	ZV,Z	ipP		37	50	9	4.6		
	NS	iS		46	45	15	38(H)		
	NE	eScS		47	11				
	ZE	eSP		47	33				
	N	ePS		47	53				
	N	eSS		51	49				
	N	eLQ		57	-				
		F		15	25	-			
24	ZV	i(P)	07	02	55				43.8°N., 143.9°E. Near Hokkaido, Japan. USCGS.
25	ZV	e(PKP)	14	15	20				20.4°S., 173.7°W. Tonga Islands. USCGS.
26	NE	e	07	00	-				44.2°S., 38.1°E. Prince Edward Islands region.
	E	M		20	-	20	1½		
	N	M		20	-	20	3		
		F		40	-				
27	NE	e	17	10	-				1.7°S., 12.9°W. Atlantic Ocean. USCGS.
	E	M		16	-	18	3		
	N	M		16	-	18	2		
		F		40	-				
28	NE	e	00	23	44				41.2°S., 175.7°E. h about 57 km. Near coast of North Island, New Zealand. USCGS
	NE	e		34	10				
	N	e		35	22				
	NE	eL	01	00	-				
	E	M		26	-	20	9½		
	N	M		26	-	20	9½		
Z	M		26	-	20	7½			
		F	02	35	-				Mag.: M = 6½
30	ZV	iP	00	51	17			8600	Confused by strong microseisms.
	E	eS	01	01	01	20	9.8(H)		
	N	e		01	42				
	E	eSS		05	46				
	E	eL		10	-				
	N	M		27½	-	20	21		
	E	M		29½	-	20	17		
	E	M		34	-	17	19		
	N	M		37	-	18	25		

M.O. 703

**KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND**

**SEISMOLOGICAL BULLETIN**

DECEMBER, 19 61

DATE	COMPT.	PHASE	G.M.T.				PERIOD	AMPLITUDE	Δ	REMARKS
			h.	m.	s.	sec.				
contd. ✓ 30	Z	M F	01 03	38½ 40	- -	16	15			Mag.: M = 6½
✓ 30	ZV E N	1(P) M M F	07  08	17 42½ 42½ 00	51 - - -	18 18	5 5			Confused by strong microseisms. 39.7°N., 77.7°E. Sinkiang Province China, USCGS.